

PCC Data

(ALL DISTRICTS)

HUETTIG, HERMAN & LENORE

GPS Site ID Tag

A0004015

Legal Description

10S 20E 29 NESESE

PCC Calculations

Date 10/03/1995

PCC:

764.6

KW/Hrs/AF

Recalc PCC

Change Date:

dbo

Kilowatt-Hour Meter

Utility IP

Pole No 2780

Meter Mfg G

Meter S/N 92568918

Disk Const

Multiplier

Condition #1

KW-A

KW

150.5 GPM

1069 PCC

PSI

0

Percent

100

Condition #2

KW-B

KW

0 GPM

0 PCC

PSI

0

Percent

0

Condition #3

KW-C

KW

0 GPM

0 PCC

PSI

0

Percent

0

New Record

Site Visit

POD

MICROFILMED
MAR 17 2003

Measured 4.09
licensed 7.55

PCC Data

(ALL DISTRICTS)

HUETTIG, HERMAN & LENORE

GPS Site ID Tag

A0004020

Legal Description

10S 20E 28 SENWSW

PCC Calculations

Date 10/04/1995

PCC:

969.8

KWHrs/AF

Recalc PCC

Change Date:

dbo

Kilowatt-Hour Meter

Utility IP

Pole No 2750

Meter Mfg G

Meter S/N 92602293

Disk Const

Multiplier

Condition #1

KW-A

Descr

KW

137.5

GPM

770

PCC

PSI

0

Percent

100

Condition #2

KW-B

Descr

KW

0

GPM

0

PCC

PSI

0

Percent

0

Condition #3

KW-C

Descr

KW

0

GPM

0

PCC

PSI

0

Percent

0

New Record

Site Visit

POD


MICROFILMED
MAR 17 2003

Field Exam for 36-8289 located in T10S, R20E, S29

RECEIVED

FEB - 7 2003

Department of Water Resources



- POD's
- Section lines
- Quarter Quarter lines

MICROFILMED
MAR 17 2003



1986 and 1987 NAPP Photo
John Freitag 8-1-02

10
103⁶
HEI

11
51²
HEI

15
60¹
HEI

14
86³
HEI

13
90⁶
HEI

12
78¹
HEI

2
52²
HEI

3
53⁶
HEI

29	28	12 39 ⁴ HEI
32	33	


TIOS, Rng 20
Sec 29

MICROFILMED
MAR 17 2003

36-8289

T10S R20E
Sec 29

MICROFILMED
MAR 17 2003





HEL

157°

T 164
1474-1-4



HEL
178°

HEL
115°
7
5


HEL
38°

HEL
378°


T 6194
1699-1-2

HEL
135°
4

HEL
38°
5



HEL
155°
2



HEL
155°
2

HEL
157°

T 168
1474-2-4

HEL
13°
15
14
15

HEL
78°
1

HEL
39°
12

T 6042

HEL
39°
1

HEL
39°
2

HEL
39°
3

HEL
39°
4

T 349
1474-3-4


36-8289

Field Exam for 36-8289, 4H Farms Inc., Located in T10S, R20E, S29 SESE. Done by John Freitag, accompanied by Myron Huettig (7-2-02).



7 wheel lines irrigate 157 acres (right 36-2153B and permit 36-8289). This permit was filed to pick up 3 acres in the corner of the SESE. Right 36-2153B from the same 2 wells identifies 38 acres in the SESE, so it would appear permit 36-8289 was filed for one acre over what is necessary.

MICROFILMED
MAR 17 2003



STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

For Office Use Only
Fee Received \$50.00
Date 2/26/90
Receipt # 10000000
Receipt by B
Reviewed by JS 4-11-90
Sent to region

Department of Water Resources PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 36-8289

Name(s) of Permit Holder: Fox H. Farm Inc

Post Office Address: 1326 S. 2150 E. Hazelton, Idaho 83335

Telephone No. 829-5257

Source of Water: Groundwater

Extent of Use:

Domestic (number of households) Stockwater (number and type of stock)

Irrigation 3 (acres) Other/Remark

Total rate and/or volume for which proof is submitted .09 cfs acre-feet

Show the date water was first diverted and beneficially used under this permit: 1975

Measuring Device: Required? Yes ☒ No
Installed? Yes ☐ No Fee enclosed \$ 50.00
(See License Examination Fee Schedule)

Flow Measurement Port: Required? Yes ☒ No
Installed? Yes ☐ No

Person to contact to accompany the Department representative during the field examination:

Larry Huebner
(Name)

829-5257
(Telephone Number)

1326 S. 2150 E Hazelton, Idaho 83335
(Address)

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

2-26-90
Date

Larry Huebner Sr. Trust
Signature of Permit Holder (and title, if appropriate)

MICROFILMED
APR 18 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

APPROVED

1. Name of applicant 4-H Farms Inc. Phone 829-5252

Post office address Rt #1 Box 70A, Hazelton, ID, 83335

2. Source of water supply Groundwater which is a tributary of _____

3. Location of point of diversion is SE $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 29 Township 10S

Range 20E B.M. Jerome County, additional points of diversion if any: _____

NW SW, Sec. 28, T. 10S. R. 20E.

4. Water will be used for the following purposes:

Amount 0.09 for Irrigation purposes from Mar. 15 to Nov. 15 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 0.09 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Wells, Pumps, Sprinkler
System

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir
capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. ~~Proposed~~ well diameter is 10 inches; ~~proposed~~ depth of well is 390 feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial
use is 1 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is **not** for irrigation:

(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water _____.

(5) If water is to be used for other purposes describe: _____

MICROFILMED

JUN 13 1989

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
10S	20E	29																3	3

Total number of acres to be irrigated 3

c. Describe any other water rights used for the same purposes as described above. 36-2153

36-2594, 36-2117

9. a. Who owns the property at the point of diversion Applicant + Herman Hueftig

b. Who owns the land to be irrigated or place of use Applicant


c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing Lease Agreement

10. Remarks This 3 acres was first irrigated in about 1975.

MICROFILMED

JUN 13 1989

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

MICROFILMED

JUN 13 1989

4-H Farm by Kent H. Smith
(Applicant) Vice Pres

Proposed Priority 6/26/85

Received by TGB Date 6-26-85 Time 3:00

Preliminary check by ~~TCB~~ Fee \$ 30⁰⁰

Receipted by TGB Date 6-26-85 36637

Publication prepared by SC Date 2/16/89

Published in Northside News

Publication dates 2/15 & 2/23/89

Publication approved M. Baldwin Date 3/13/89

Protests filed by: none

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by AK

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 36-8289, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before June 1, 19 90.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. Other: Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
The issuance of this permit in no way grants any right-of-way or easement across the land of another.

Witness my hand this 9th day of May, 1989.

J. Newington

MICROFILMED

JUN 13 1989

AFFIDAVIT OF PUBLICATION RECEIVED

State of Idaho,
County of Jerome

SS.

FEB 24 1989

Department of Water Resources
Southern Region Office

Mike Thornberry being first duly sworn,
deposes and says that he is the printer (publisher) of the Jerome
North Side News, a newspaper published every week in Jerome, County
of Jerome, State of Idaho; that said newspaper has been continuous-
ly and uninterruptedly published for a period of seventy-eight consecu-
tive weeks prior to the first publication of the annexed notice, and is
a newspaper qualified to publish legal notices as provided by act of
the 1919 session of the legislature of the State of Idaho, known as
House Bill 145; that the annexed advertisement was published once

each week for 24 consecutive issues in said newspaper
proper and not in a supplement; that the date of the first publication

of said advertisement was on the 15 day of Feb

19 89 and the date of the last publication was on the 22

day of Feb, 19 89.

Subscribed and sworn to before me this 22nd

day of Feb, 19 89.

(SEAL)

Norma DeVoe
NOTARY PUBLIC

NORTH SIDE NEWS
Jerome, Idaho

COST OF PUBLICATION

Number of Picas per Line

Number of Lines in Notice

Number of Insertions

Lines tabular at	54/Pica
1638 Lines straight at	65.52 44/Pica
Subsequent lines at	57.33 3.54/Pica
TOTAL COST	122.85

NOTICE OF NOTICE

(Paste Here)

App. Water Right
TITLE OF NOTICE

PLAINTIFF ATTORNEY

DEFENDANT

Dept. of Water Resources
2148 4th Ave E
Twin Falls, ID
83301

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have
been filed to appropriate the public
waters of the State of Idaho:

36-08273
B P FARMS, P.O. BOX 88, CAREY, ID
83320
Source: GROUNDWATER
Diversión Pt: SESE Sec 21 T 06S R 23E
Use: IRRIGATION (800 CFS)
Date Filed: 5/09/1985
In: T06S R23E S21 NESE NWSE SWSE
SESE - 40.0 ACRES TOTAL

36-08274
B P FARMS, P.O. BOX 88, CAREY, ID
83320
Source: GROUNDWATER
Diversión Pt: NWSW Sec 22 T 06S R
23E
Use: IRRIGATION (3,100 CFS)
Date Filed: 5/09/1985
In: T06S R23E S22 NWNE NENW
SWNW NESW
S22 NWSW SWSW SESW - 155.0
ACRES TOTAL

36-08275
B P FARMS, P.O. BOX 88, CAREY, ID
83320
Source: GROUNDWATER
Diversión Pt: NWSE Sec 28 T 06S R 23E
Use: IRRIGATION (8,000 CFS)
Date Filed: 5/09/1985
In: T06S R23E S21 SWNW SENW
NESW NWSW
S21 SWSW SESW
S28 NWNW SWNW NESW NWSW
S28 SWSW NWSE - 320.0 ACRES
TOTAL

36-08288
4 H FARMS INC., RT. 1 BOX 70A,
HAZELTON, ID 83335
Source: GROUNDWATER
Diversión Pt: NWSW Sec 28 T 10S R
20E
SESE Sec 28 T 10S R 20E
Use: IRRIGATION (090 CFS)
Date Filed: 8/28/1985
In: T10S R20E S29 SESE - 3.0 ACRES
TOTAL

37-08063
WHITTAKER, JAMES, RT. 1 BOX 52,
DIETRICH, ID 83324
Source: GROUNDWATER
Diversión Pt: NWNE Sec 11 T 07S R
18E
Use: IRRIGATION (2,000 CFS)
Date Filed: 1/08/1983
In: T07S R18E S10 NENE SENE
S11 NENE SENE NWNW NESW
S11 NESE NWSE - 281.0 ACRES
TOTAL

37-08078
KISLING FARMS, RT. 2 BOX 2334,
DIETRICH, ID 83324
Source: GROUNDWATER
Diversión Pt: SENW Sec 28 T 06S R 18E
Use: IRRIGATION (2,000 CFS)
Date Filed: 4/07/1983
In: T06S R18E S28 NWNE NENW
NWNW - 120 ACRES TOTAL

The permit(s) will be subject to all prior
water rights. Protests may be submitted
based on the criteria of Sec. 42-203A,
Idaho Code and/or the new public in-
terest criteria of Sec. 42-203C, Idaho
Code. Protests must be filed with the
Director, Dept. of Water Resources, 2148
4th Avenue East, Twin Falls, Idaho 83301,
on or before MARCH 8, 1989.
R. Keith Higginson, Director
Pub: 2-15, 22 N13587



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Boise, ID 83706 - P.O. Box 83720, Boise, ID 83720-0098
Phone: (208) 327-7900 Fax: (208) 327-7866 Web Site: www.idwr.state.id.us

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

February 12, 2003

4 H FARMS INC
1369 S 2000 E
HAZELTON ID 83335

RE: License No. 36-8289 - Issuance of License

Dear Water Right Holder(s):

The Department of Water Resources has issued the enclosed Water Right License confirming that a water right has been established in accordance with your permit. Please be sure to thoroughly review the conditions of approval and remarks listed on your license.

The license is a PRELIMINARY ORDER issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action by the Department unless a party petitions for reconsideration or files an exception and/or brief within fourteen (14) days of the service date as described in the enclosed information sheet.

Please note that water right owners are required to report any change of water right ownership and/or mailing address to the Department within 120 days of the change. Failure to report these changes could result in a \$100 late filing fee. Contact any office of the Department or visit the Department's homepage on the Internet to obtain the proper forms and instructions.

If you have any questions, please contact me at 208-327-7946.

Sincerely,

Shelley W. Keen

Water Rights Supervisor

SWK:klr

Enclosure(s)

RECEIVED


CERTIFICATE OF SERVICE

I hereby certify that on February 12, 2003 I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER(Approved License) to the person(s) listed below:

RE: WATER RIGHT NO.

36-8289

**4 H FARMS INC
1369 S 2000 E
HAZELTON ID 83335**



**Kari Lynn Townsend
Secretary**

**EXPLANATORY INFORMATION
TO ACCOMPANY A
PRELIMINARY ORDER**

The accompanying order or approved document is a "**Preliminary Order**" issued by the department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department of Water Resources (department) unless a party petitions for reconsideration, files an exception and brief, or requests a hearing as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the department within fourteen (14) days of the service date of this order. The department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See Section 67-5243(3) Idaho Code.

EXCEPTIONS AND BRIEFS

Within fourteen (14) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding with the Director. Otherwise, this preliminary order will become a final order of the agency.

REQUEST FOR HEARING

Unless a right to a hearing before the department or the Idaho Water Resource Board (Board) is otherwise provided by statute, any person aggrieved by any final decision, determination, order or action of the Director of the department and who has not previously been afforded an opportunity for a hearing on the matter may request a hearing pursuant to section 42-1701A(3), Idaho Code. A written petition contesting the action of the Director and requesting a hearing shall be filed within fifteen (15) days after receipt of the denial or conditional approval.

ORAL ARGUMENT

If the Director grants a petition to review the preliminary order, the Director shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Director will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Director orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Director in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with IDAPA Rules 37.01.01302 and 37.01.01303 (Rules of Procedure 302 and 303).

MICROFILMED

FINAL ORDER

The Director will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Director may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

Comment Report

36-8289

1. jfreitag 8/1/2002 Field Report Narrative

Comment: One of the wells on this permit has gone dry this summer. So no measurement was possible. Rights 36-2153B, 36-2117, 36-2594, and 36-8147 are also out of these same two wells.

In 1990 a field exam was done for 36-8147. The total flow for the two wells was measured at 6.06 cfs. In 1995 Burke Scholer of IDWR did PCC measurements and found 4.09 cfs being pumped from both wells. The amount of water licensed for the two wells is 7.55 cfs.

I recommend this permit (36-8289) for 0.04 cfs and 4 acre feet, and to be limited together with rights 36-2153B, 36-2117, 36-2594, and 36-8147 for 6.06 cfs.

I am recommend this permit for 2 acres instead of three since right 36-2153B identifies 38 acres in the same forty as this permit.

2. kwalker 2/10/2003 Combined use

Comment: Rights have been previously decreed/licensed for 7.55 cfs. We cannot limit this right when combined with prior rights to 6.06 since they have already been issued 7.55 cfs. Therefore, we are limiting all rights when combined to 7.55 cfs. I have used the 1957 capacity of well in NESESE of 4.5 cfs and then put 3.05 cfs in for capacity of well in SENWSW to bring the capacity on proposed license up to 7.55.

MICROFILMED

APR 11 2003

LICENSE REVIEW CHECKLIST

Permit No. 36-8289

Date: 2-7-2003

Reviewer: Kay Walker

Change/OK

Name/Address OK

Source OK

Point of Diversion: OK

Does change clarify original intended source? If no, void permit.
Change (P39/P49) Add (P45/P44) Feds (P40)

W32 (multiple in 1/4/1/4)

W36 (overlap)

W59 (subdivision description)

Place of Use OK

Change (P41/P49) Add (P41/P44) Feds (P43)

W60 (subdivision description)

W27 (ppu acre limit)

Overlaps: Right(s): @plu - none

File reviewed _____ Profile reports printed _____

P/D & P/U amend (P37) Feds (P48)

Rate of Diversion:

Permitted rate 0.09 cfs
Fee Limit 0.30 cfs
Measured 0.067 cfs
Theoretical _____ cfs

Recommended Total Diversion Rate 2.04

Water Uses

Irrigation 0.04 cfs 8.0 af
Stockwater _____ cfs _____ af
Domestic _____ cfs _____ af
_____ cfs _____ af
_____ cfs _____ af
Total 0.04 cfs 8.0 af

OK Change (P46)

Season of Use per new Standards

3/15 11/15

Irrigation - overlap (R58-R61, R62-R65, R66-R69)

supp. Gw (WB7/065/104)

overlap spec combined rts (W35)

<1 acre (W31)

Domestic (W01/wb5/070/071/075)

Power (W42 or W43/025/027/R22 or R23)

Fish (042)

Fire (077)

Water Quality (106/R07)

Payette - (W22/047/27A)

Stockwater for US (R37)

Volume Determination

0.04 cfs x 1.9835 x 346 days = 19.5 af (vs) 2 acres x 46 (FHR) = 8.0 af
3.0(ccn)

Remarks: _____

Additional Conditions _____ Watermaster Control
_____ GW Measurement/Measuring Device
_____ Other
Trust R55 - remove 051)
Non-trust (048)

GW Dist? _____
Water Msmt. Dist? _____
Crit. GWMA? _____
GWMA? _____
Government Lots? _____

Advance Priority? yes If yes, explain why below.
no

SRBA Claim? NO

Adjust memo _____

Amend Letters _____ P87, S06

Second Amendment Notice _____ S06

**system measured by
Brickway
in 1990
Cap = 6.06
on Lic.
36-8147*

<u>Basin</u>	<u>Sequence</u>	<u>Suffix</u>	<u>Basis</u>	<u>Status</u>	<u>Priority Date</u>	<u>Rate(cfs)</u>	<u>Volume(af)</u>	<u>Source Table</u>
36	2117		Decreed	Active	4/14/1951	2.13		wrWaterRight
36	2153	B	Decreed	Active	11/27/1951	2.75	620	wrWaterRight
36	2594		Decreed	Active	10/29/1964	1.07		wrWaterRight
36	8147		License	Active	3/1/1983	1.6	320	wrWaterRight
36	8289		License	DRAFT	6/26/1985	0.04	4	wrWaterRight
36	8289			Active	6/26/1985	~~0.00~~		wrWaterPermit

7.59

capacity measured in 1990
by Backway = 6.06 cfs (see
his notes. attached)

Limit all when combined
to ~~6.06~~ cfs - see
7.55 *

right 36-2117 + 36-2594 = limited to 3.20
36-2153B > 2.75 } limit to
36-8147 → 1.66 } 7.55
6.04
7.54
7.55 *

Well in SESE, S29, 10S, 20E

<u>Basin</u>	<u>Sequence</u>	<u>Suffix</u>	<u>Basis</u>	<u>Status</u>	<u>Priority Date</u>	<u>Rate(cfs)</u>	<u>Volume(af)</u>	<u>Source Table</u>	<u>App.ID</u>
36	2117		Decreed	Active	4/14/1951	2.13		wrWaterRight	
36	2153	B	Decreed	Active	11/27/1951	2.75	620	wrWaterRight	
36	2594		Decreed	Active	10/29/1964	1.07		wrWaterRight	
36	8147		License	Active	3/1/1983	1.6	320	wrWaterRight	
36	8289		License	DRAFT	6/26/1985	0.04	4	wrWaterRight	
36	8289			Active	6/26/1985	~~0.04~~		wrWaterPermit	

7.54

State of Idaho
DEPARTMENT OF WATER RESOURCES
SUPPLEMENTAL FIELD REPORT FOR ANNUBAR MEASUREMENT

Measured by: Chuck Brockway Date 6/21/90
Owner: Herman Hetting Permit No. 36-08147

Description of well &/or measuring site

- Include any clarifications of the sketch
- Include legal description if more than one p.d. is described in the Field Report

well #1 SE 1/4 NW 1/4 SW 1/4 SPC 28 T10S R20E

MEASURED INSIDE PIPE DIAMETER IN INCHES (ID)

CIR = Pipe Circumference in Inches = 35.3125

T = Pipe Thickness in Inches = .25

ID = $2 [(0.1592 \times \text{CIR}) - T] = \dots\dots\dots 10.7435$

ANNUBAR DESCRIPTION & CONSTANT (C)

Size Used in Test 10"

State ID No. _____

Select C based on size from Table below.

Nominal Pipe Size	C
4"	4.23
6"	3.75
8"	3.87
10"	3.94
12"	3.99
14"- 16"	4.01
18"- 24"	4.02
30" or larger	4.03

C selected 3.94

DIFFERENTIAL PRESSURE READING IN INCHES OF H₂O (H)

High Reading = 35.4

Low Reading = 28.5

High - Low = H = 6.9

CALCULATION OF DISCHARGE IN CFS (Q)

$$Q = \frac{(ID)^2 \cdot (\sqrt{H}) \cdot (C)}{448.8}$$

$$Q = \frac{(10.74)^2 \cdot (\sqrt{6.9}) \cdot (3.94)}{448.8} = 2.66 \text{ cfs}$$

SKETCH (If not shown on Field Report)

MICROFILMED

JAN 04 1991

MICROFILMED

State of Idaho
DEPARTMENT OF WATER RESOURCES
SUPPLEMENTAL FIELD REPORT FOR ANNUBAR MEASUREMENT

Measured by: Chuck Brockway Date 6/21/90
Owner: Herman Huetting Permit No. 36-08147

Description of well &/or measuring site

- Include any clarifications of the sketch
- Include legal description if more than one p.d. is described in the Field Report

well #2 NE 1/4 SE 1/4 SE 1/4 Sec 29 T10S 20E

MEASURED INSIDE PIPE DIAMETER IN INCHES (ID)

CIR = Pipe Circumference in Inches = 35.3125
T = Pipe Thickness in Inches = .25
ID = $2 [(0.1592 \times \text{CIR}) - T] =$ 10.74

ANNUBAR DESCRIPTION & CONSTANT (C)

Size Used in Test 10"

State ID No. _____

Select C based on size from Table below.

Nominal Pipe Size	C
4"	4.23
6"	3.75
8"	3.87
10"	3.94
12"	3.99
14"- 16"	4.01
18"- 24"	4.02
30" or larger	4.03

C selected 3.94

DIFFERENTIAL PRESSURE READING IN INCHES OF H₂O (H)

High Reading = 32.8
Low Reading = 21.5
High - Low = H = 11.3

CALCULATION OF DISCHARGE IN CFS (Q)

$$Q = \frac{(ID)^2 \cdot (\sqrt{H}) \cdot (C)}{448.8}$$

$$Q = \frac{(10.74)^2 \cdot (\sqrt{11.3}) \cdot (3.94)}{448.8} = \underline{3.4} \text{ cfs}$$

SKETCH (If not shown on Field Report)

MICROFILMED

JAN 04 1991

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

FEB - 7 2003

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 36-2153B

1. Owner: FOUR H FARMS INC. (Myron Huettig) Phone No. 829-5774 H
308-3514 C

Current Address: 1369 S. 2000 E. Hazelton, ID 83335

2. Accompanied by: Myron Huettig EXAM DATE: 7-2-02

Address: _____ Phone No. _____

Relationship to Permit Holder: _____

3. Source: Ground water tributary to _____

B. OVERLAP REVIEW

1. Other water rights with the same place of use: 36-2153B

2. Other water rights with the same point of diversion: 36-2117, 36-2153B, 36-2594,
36-8147

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			SE	SE	29	10S	20E	Jerome	A0000 4015
			NW	SW	28	10S	20E	Jerome	A0000 4020

2. Place(s) of Use:


Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
10S	20E	29																3	3

MICROFILMED

Total 3

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. *SEE ATTACHED Aerial Photo*



Scale: 1" = _____

____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

____ Aerial Photo Attached (required for irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
A 00004015					
A00004020					

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
PCC 1995						
PCC 1995						

2. Measurements: Burke Scholer did PCC's in 1995
for both wells. Also measurements from 1990
field exam for 36-8147 (same 2 wells)

MICROFILMED

E. NARRATIVE/REMARKS/COMMENTS

One of the wells on this permit has gone dry this summer. So no measurement was possible. Rights 36-2153B, 36-2117, 36-2594 and 36-8147 are also out of these same two wells. In 1990 a field exam was performed for 36-8147. The total flow for the two wells was found to be 6.06 cfs. In 1995 Burke Schoeler of IDWR did PCC measurements and found 4.09 cfs being pumped. The amount of water licensed for all the rights from the two wells is 7.55 cfs. With all that said, I am recommending this permit for 0.02 cfs per acre and limit it to 6.06 cfs when combined with all other right from these two wells.

Since right 36-2153B identifies 38 acres in the same forty as this permit I recommend this permit for 2 acres of irrigation instead of the 3 that was permitted.

Have conditions of permit approval been met? ☒ yes ☐ no

MICROFILMED
2001-01-27

F. FLOW CALCULATIONS

Additional Computation Sheets Attached

Measured Method:

4015 - PCC 1069 GPM
4020 - PCC 770 GPM

Note: Field Exam done in 1990 for 36-8147 (same wells);
measured total flow @ 6.06 cfs.

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 2 (4 \text{ afa}) = 8$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 0.04 (246) (1.9835) = 19.5$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 8$$

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Irrigation	3/15	11/15	0.04	8
Totals:			0.04	8

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None
☒ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other
 (2 acres instead of 3)

I. AUTHENTICATION

Field Examiner's Name John Frutkin Date 7-16-02

Reviewer [Signature] Date 7-16-02

SEAL
MICROFILMED



State of Idaho

DEPARTMENT OF WATER RESOURCES

1341 Fillmore Street, Suite 200, Twin Falls ID 83301-3380

Phone: (208) 736-3033 FAX: (208) 736-3037

SOUTHERN REGION

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

Memorandum

To: 36-8289

From: John Freitag, Water Resource Agent

Re: Review notes/Field-exam

Date: 7-16-02

RECEIVED

FEB - 7 2003

Department of Water Resources

One of the wells on this permit has gone dry this summer. So no measurement was possible. Rights 36-2153B, 36-2117, 36-2594, and 36-8147 are also out of these same two wells.

In 1990 a field exam was done for 36-8147. The total flow for the two wells was measured at 6.06 cfs. In 1995 Burke Scholer of IDWR did PCC measurements and found 4.09 cfs being pumped from both wells. The amount of water licensed for the two wells is 7.55 cfs.

I recommend this permit (36-8289) for 0.04 cfs and 4 acre feet, and to be limited together with rights 36-2153B, 36-2117, 36-2594, and 36-8147 for 6.06 cfs.

I am recommend this permit for 2 acres instead of three since right 36-2153B identifies 38 acres in the same forty as this permit.

MICHAEL

7-16-02

Legal Description
10S 20E 29 NESESE

Legal Description
10S 20E 29 NESESE

Date 10/03/1995

[illegible]

New Record

Site Visit

POD

GPS Site ID Tag
A0004020

Legal Description
10S 20E 28 SENWSW

PCC Calculations

Date	10/04/1995	PCC:		KW/Hrs/AF	Recalc PCC	Change Date:	dbo
Estimated Hour Usage							
Utility	IP	Condition #1	KW	137.5	GPM	770	PCC
Flow Rate	2750	Desired					PSI
Water Use	G	Condition #2	KW	0	GPM	0	PCC
Water Size	92602293	Desired					PSI
Dist. Class		Condition #3	KW	0	GPM	0	PCC
Val/Gate		Desired					PSI
KW-A							
KW-B							
KW-C							

New Record

Site Visit


POD

Field Exam for 36-8289 located in T10S, R20E, S29

FIELD MAP

DEC 2003

Department of Water Resources



POD's



Section lines

Quarter Quarter lines



1986 and 1987 NAPP Photo
John Freitag 8-1-02

103°

6
60°

18°

13
90°

12
78°

52°

53°

29

28

12
39°


32

33

Rng 20
29


MIR

NAB (1-10)



T/OS R20E
Sec 29

36-8289



39²_{HEL}
T 6194
39⁴_{HEL}
T 168
1474
157⁰
20
29
HEL
3
4
HEL
T 6194
1699-1-2
37⁸
38¹
T 164
1474-1-2
157⁰
32

2
39⁴_{HEL}
23²_{HEL}
15
HEL
155⁰
HEL
4
135⁰
HEL
8
117⁰
HEL
7
115⁵
HEL

39⁷_{HEL}
T 349
1174
78¹
HEL
HEL
20
21
155⁰
21
5
38⁰_{HEL}
6
78⁰_{HEL}
29
28
32
33

36 8289

Field Exam for 36-8289, 4H Farms Inc., Located in T10S, R20E, S29 SESE. Done by John Freitag, accompanied by Myron Huettig (7-2-02).



7 wheel lines irrigate 157 acres (right 36-2153B and permit 36-8289). This permit was filed to pick up 3 acres in the corner of the SESE. Right 36-2153B from the same 2 wells identifies 38 acres in the SESE, so it would appear permit 36-8289 was filed for one acre over what is necessary.

MICRO...

...

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Staff Analysis Sheet
for
Beneficial Use Field Report

4H Farms Inc.
36-8289
Permit No.
RECEIVED
FEB 7 2003

Department of Water Resources

A. Prior to Conducting the Exam, the File Contains:

- ☒ Blank Field Report Form
- ☒ Copy of Permit
- ☒ Copies of any Amendments/Orders with conditions of approval
- ☒ Computer Data Proof Report
- ☒ Copy of U.S.G.S. Quad
- ☐ Check for Government Lots. If so, make a copy of Government Plat

Check of P/D index 5290 TP (Initial and date)

Overlap? ☐ yes ☐ no If yes: ☐ copy of exam(s) attached?

Type of Overlap? ☐ Add acres or uses to existing system

☐ Increase rate of flow or volume

☐ Other: _____

Check of P/U index 5290 TP (Initial and date)

Overlap? ☐ yes ☐ no If yes: ☐ copy of water right(s) attached?

Type of Overlap? ☐ Increase rate of flow or volume

☐ Add P/D's

☐ Increase number of acres within tracts

☐ Other: _____

Aerial Photo

Required? ☐ yes ☐ no If yes: ☐ copy attached?

Scheduling Letter sent? _____ (Initial and date)

☐ Appointment made and telephone conversation memo attached

B. After Conducting the Exam, the File Contains:

- ☐ Fully completed and signed Field Report Form
- ☐ Photographs of Point of Diversion and Place of Use
- ☐ Corrected Computer Data Proof Report with recommended license information, and date and signature of examiner.

C. Review and Processing:

Exam Completed 7-31-02 (Signature of examiner and date)

Exam Reviewed by Senior Water Resource Agent John Freitag (Initial and date)

Exam Reviewed by Manager of Regional Office 2/5/03 (Initial and date)

Exam Date Entered in Computer 2/6/03 MRB (Initial and date)

Exam sent to State Office 2/6/03 (Initial and date)

Copy of Staff Analysis Sheet sent to Manager of Regional Office and Original
Refiled in White File _____ (Initial and date)

April 13, 1990

4 H FARMS INC.
RT. 1 BOX 70A
HAZELTON, ID 83335

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 36-08289

Dear Permit Holder:


The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the SOUTHERN Regional Office in Twin Falls at (208)734-3578.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region



1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 36-8289

Date: 4-11-90

General Considerations:

- ☒ Name same as permit
☒ Signature the same as permit holder
☒ Address change If yes, prepare a data entry
☒ Proof received timely
_____ Reinstated

Source of Water:

- ☐ Surface water
☒ Groundwater
 NO 1. well log in file 1975
 NP 2. drilling permit
 NP A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

- ☒ Rate of diversion appropriate for uses
 ☒ Is rate or volume and fee appropriate?
☒ Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

- NO Is a measuring device or access port required?
☒ Has one been installed?
☒ Waiver or modification of measuring device requested

Remarks:

Proof acceptable

Priority Calculation:

Date proof received	<u>NA</u>	
Date proof due		
No. of days late		
Priority date		
NEW PRIORITY DATE		

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

Address Change

MEMORANDUM

TO: FILE/APPLICATION NO.

FROM: TIM LUKE

RE: SWAN FALLS PROCESSING

DATE: 11-27-89

=====

This application was among those applications reviewed in the regional offices last year and recommended for out of sequence processing. This application includes a statement and sufficient supporting evidence concerning development of the project prior to October 1, 1984.

The department's Policy and Implementation Plan for Processing Water Rights in the Swan Falls Area provides for applications to be processed out of sequence if the development was completed prior to October 1, 1984 and the application filed prior to July 1, 1985. These filings are not required to be processed in sequence with other trust water filings because the effect of these filings have already occurred and because, due to subordination, the filings are not taking water held in trust. These filings are not subject to the staged development policy and public interest criteria of Section 42-203C, Idaho Code.

MICROFILMED

APR 18 1990

S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

Statehouse
Boise, Idaho 83720
(208) 334-7900
May 10, 1989

4 H FARMS INC.
RT. 1 BOX 70A
HAZELTON, ID 83335

P E R M I T A P P R O V A L N O T I C E

RE: PERMIT NO. 36-08289

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of Beneficial Use" that must be submitted to the Department when your project is completed.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

MICROFILMED

JUN 13 1989

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET 4-H Farms, Inc.

INITIAL REVIEW BY: J. E. Stanton APPLICATION NUMBER: 36-8289

CHECK:

- | | |
|--|--|
| ☐ Source. | Field check by: _____ |
| ☐ Point of diversion. | Date: _____ |
| ☐ County. | Comments: _____ |
| ☐ Quantity of water and period of use. | _____ |
| ☐ Description of diverting works. | _____ |
| ☐ Time required for beneficial use of water. | _____ |
| ☐ Place of use or acres irrigated. | _____ |
| ☐ Map. | _____ |
| ☐ Signature. | _____ |
| ☐ Fee. | |
| ☐ Yes ☐ No | Field check required. |
| ☐ Yes ☐ No | Critical groundwater area. |
| ☐ Yes ☐ No | Request dam safety information. Sent by: _____ Date: _____ |
| ☒ Yes ☐ No* | In form to receipt. |

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- | | | |
|--|-----------------------|-------------|
| ☐ Idaho State Health Department. | Copies sent by: _____ | Date: _____ |
| ☐ Idaho Fish and Game Department. | _____ | _____ |
| ☐ Idaho Department of Lands. | _____ | _____ |
| ☐ U.S. Bureau of Land Management. | _____ | _____ |
| ☐ U.S. Forest Service. | _____ | _____ |
| ☐ Other _____ | _____ | _____ |

PROCESSING:

- | | | |
|--|---|----------------------------|
| ☐ Yes ☒ No | Platted by: <u>JA</u> | Map No. <u>BB-75*BB-76</u> |
| ☐ Yes ☒ No | Other rights on same place of use. | _____ |
| | <u>36-2153 on adjacent land in SESE Sec. 29</u> | |
| ☒ Yes ☐ No* | In form for advertising. | _____ |
| | Final date for protests: <u>3/16/89</u> | |
| ☐ Yes ☒ No | Protests received. If yes, record information on 4th page of application. | |


FINAL REGIONAL PROCESSING REVIEW:

- | | |
|---|---|
| ☒ | Affidavit of publication received. Date: <u>2/24/89</u> |
| ☒ | Application published correctly. If not, record action taken: _____ |
| ☒ | Fee amount, receipt date & number, recorded on application. <u>36/36637</u> |
| ☒ | Publication dates and paper, recorded on application. <u>Northside News 2/15/89 2/22/89</u> |
| ☒ | Protests, dates, withdrawal, etc., recorded on application. |
| ☒ | Recommendation & initial, recorded on application. |
| ☐ Yes ☒ No | Measuring device required. |
| ☐ Yes ☒ No | Access port required. |
| ☐ Yes ☒ No | Will water be delivered by watermaster? If yes, what district? _____ |
| | <u>6/26/85</u> Date of priority recommended. |
| | Special conditions of approval or cover letter. |

App. in TRUST area - see development statement below.

By: Larry O. Hahn Date: 3/15/89
STATE OFFICE REVIEW: P23 P16 46 04

☐ See attached sheet for more information.
By: KW Date: 5/1/89



POINT OF DIVERSION AND STREAM INDEX INFORMATION

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH

IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH

IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH

IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH

IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH

IDAHO STREAM CODE INDEX						



St of Idaho

DEPARTMENT OF WATER RESOURCES

Southern Region, 2148 4th Ave. East, Twin Falls, Idaho 83301 (208) 734-3578

CECIL D. ANDRUS
Governor

R. KEITH HIGGINSON
Director

February 2, 1989

4-H Farms Inc.
Rt. 1 Box 70A
Hazelton ID 83335

Re: Application for Permit No. 36-8289

Dear Applicants:

On March 25, 1988, the Federal Energy Regulatory Commission (FERC) issued an order satisfying the last condition to make the Swan Falls Agreement effective. The Department is now prepared to proceed with the normal processing of your application. This process includes the preparation of a notice of the application which shall be published once a week for two consecutive weeks in a newspaper printed within the county wherein the point of diversion lies.

The Department wishes to know of any reason why it should not plan to process your above-referenced application. If there is a reason for not processing this particular application or you no longer have any interest in seeking a water right permit under this application, please notify the Department within ten days of the date of mailing this notice.

Please do not hesitate to contact this office if you have any questions regarding this matter.

Sincerely,

A handwritten signature in cursive script that reads "Loren O. Holmes".

Loren O. Holmes
Manager, Southern Regional Office

LOH:jg

MICROFILMED

JUN 13 1989

36-08289

4 H FARMS INC.
RT. 1 BOX 70A
HAZELTON, ID 83335

Source: GROUNDWATER

Diversion Pt:	NWSW	Sec 28 T 10S R 20E
	SESE	Sec 29 T 10S R 20E

Use: IRRIGATION (.090 CFS)

Date Filed: 6/26/1985

In: T10S R20E S29 SESE

3.0 ACRES TOTAL

MICROFILMED

JUN 13 1989

TOTAL

36-08289

4 H FARMS INC., RT. 1 BOX 70A,
HAZELTON, ID 83335

Source: GROUNDWATER

Diverson Pt: NSW Sec 28 T 10S R
20E

SESE Sec 29 T 10S R 20E

Use: IRRIGATION (.090 CFS)

Date Filed: 8/26/1985

In: T10S R20E S29 SESE - 3.0 ACRES

TOTAL

OK
TS
8/13/89

MICROFILMED

JUN 13 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed development under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below:

Permit No. 36-8289

Name(s) of Permit Holder: 4-H Farms Inc.

Post Office Address: RT#1 Box 70A, Hazelton, ID. 83335

Telephone No. 829-5252

Source of Water: Groundwater

Extent of Use:

Domestic _____ (number of households)

Stockwater _____ (number and type of stock)

Irrigation 3 _____ (acres)

Other/Remarks _____

Indicate the date water was first diverted and beneficially used under this permit: _____

Measuring Device: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☒ No

Flow Measurement Port: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☒ No

Person to contact to accompany the Department representative during the field examination:

Keith Huettig (Name)

RT#1 Box ~~70A~~ 70A, Hazelton, ID. 83335 (Address) 829-5252 (Telephone Number)

The above information is a true statement of the extent to which the above numbered permit has been developed.

6-26-85
Date

4-H Farms Inc. by Keith Huettig
Signature of Permit Holder (and Title, if appropriate)
Statement of development for exemption
from Swan Falls processing. Not acceptable
as proof of beneficial use
MICROFILMED
JUN 13 1989

Place
Stamp
Here

Idaho Department of Water Resources
Statehouse Mail
Boise, ID 83720

01/11/2014

STAFF ANALYSIS SUPPLEMENT

4H Farms Inc

1) Water District _____ Basin # 36-8289

2) Local Description: (of one P/D)

☐

At the above street address

☒

1 1/4 miles N/S and 1 1/4 miles E/W
of T. F. (City or landmark).

☐

Other (describe) _____

60

SESE 29 10 S 20 E

Setone Co.