


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

MICROFILMED

JUL 23 1990

Stanley Lehman
(Applicant)

AFFIDAVIT of PUBLICATION

State of Idaho,)
) SS.
County of Gooding)

Patty Nance, being first duly sworn,
deposes and says that he is the printer (publisher) of the Gooding
County Leader, a newspaper published every week in Gooding, County
of Gooding, State of Idaho, that said newspaper has been continuous-
ly and uninterruptedly published for a period of seventy-eight consecu-
tive weeks prior to the first publication of the annexed notice, and is
a newspaper qualified to publish legal notices as provided by act of
the 1919 session of the legislature of the State of Idaho, known as
House Bill 145; that the annexed advertisement was published once
each week for 2 consecutive issues in said newspaper
proper and not in a supplement; that the date of the first publication
of said advertisement was on the 6th day of June
19 90, and the date of the last publication was on the 13th
day of June, 19 90.

Patty Nance
Subscribed and sworn to before me this 15
day of June, 19 90.
(SEAL)

Vincent J. Gendron
NOTARY PUBLIC

GOODING COUNTY LEADER
Gooding, Idaho

COST OF PUBLICATION

Number of Lines in Notice _____

Number of Insertions 2X

Lines tabular at _____ 6¢/Pica

337.5 Lines straight at 16.88 5¢/Pica

Subsequent lines at 13.52 4¢/Pica

TOTAL COST 38.38

COPY OF NOTICE (Paste Here)

Applicable to H&W Lot 14.
TITLE OF NOTICE

St. Lehmann

36-08255

PLAINTIFF ATTORNEY

DEFENDANT

PLAINTIFF

J. D. R. R. Boise
BILL TO

NOTICE OF APPLICATION FOR TRUST WATER RIGHT

36-08255

LEHMANN, STANLEY

2997 S. 1600 E.

WENDELL, ID 83355

Source: GROUNDWATER

Diversion Pt: SENE Sec 1 T08S R14E ✓

SENE Sec 1 T08S R14E

Use: IRRIGATION (1.640 CFS)

Total Diversion: (1.640 CFS)

Date Filed: 12/7/1984

In: T08S R14E S01 Lot 1 (NENE) Lot 2
(NWNE) SENE

82.0 ACRES TOTAL

The permit(s) will be subject to all prior
water rights. Protects may be submitted
based on the criteria of Sec. 42-203A,
Idaho Code and/or the new public in-
terest criteria of Sec. 42-203C, Idaho
Code. Protests must be filed with the
Director, Dept. of Water Resources,
Statehouse Mall, Boise, Idaho 83720 on
or before June 25, 1990.

R. KEITH HIGGINSON,

Director

Pub: 6-6, 13

G14581

PUBLICATION RATES

(Idaho Code, Rev. Statutes 1984)

7-8 pt. per line straight.....5¢/Pica

7-8 pt. per line tabular.....6¢/Pica

7-8 pt. per line successive

insertions.....4¢/Pica

No 626


14581


Range Vol. 1. East of the Boise Meridian. 1861

Microfilm
NOV 17 1992

Syn. nigr.

36-8255





36-8255

S1-T85-R14E

RECEIVED

NOV 17 1992

ROAD CLASSIFICATION

Primary highway, all weather, hard surface	Light-duty road, all weather, improved surface
Secondary highway, all weather, hard surface	Unimproved road, fair or dry weather

☐ Interstate Route
 ☐ U. S. Route
 ☐ State Route




TUTTLE, IDAHO
N4245-W11445/7.5

1949
PHOTO REVISÉ 1978
AMS 3069 IV SE-SERIES V893

(NIAGARA SPRINGS)
3069 11 N.W.

AA-70



36-8255



Diversion Works



P/U

MICROFILMED
NOV 17 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

TRANSFER OF WATER RIGHT

TRANSFER NO. 5499
WATER RIGHT NO(S) . 36-02425A/36-02425D/36-02520B/36-08255

This is to certify that: **TONY M CIOCCA**
TRINA A CIOCCA
1668 E 2900 S
WENDELL ID 83355

has requested a change to the above captioned water right(s). This change in water right(s) is authorized pursuant to the provisions of Section 42-222, Idaho Code, provided the conditions listed below are met.

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>DIVERSION RATE</u>	<u>ANNUAL VOLUME</u>
Right No. 36-02425A :			
IRRIGATION	03/15 to 11/15	1.42 CFS	284.0 AF
Priority: 03/09/1960			
Right No. 36-02425D :			
IRRIGATION	03/15 to 11/15	0.01 CFS	2.4 AF
Priority: 03/09/1960			
Right No. 36-02520B :			
IRRIGATION	03/15 to 11/15	0.13 CFS	25.6 AF
Priority: 10/02/1961			
Right No. 36-08255 :			
IRRIGATION	04/01 to 10/31	1.16 CFS	304.0 AF
Priority: 12/07/1984			
	TOTAL:	* 2.38 CFS	616.0 AF

SOURCE

GROUNDWATER

LOCATION OF POINT(S) OF DIVERSION:

NESENE , Sec. 1, Township 08S, Range 14E
GOODING County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
08S	14E	1	Lot 1 (NENE) 36	Lot 2 (NWNE) 39	SWNE 40	154
			SENE 39			154 **

Total number of acres irrigated:

MICROFILMED

TRANSFER NO. 5499
WATER RIGHT NO(S) . 36-02425A/36-02425D/36-02520B/36-08255

CONDITIONS OF APPROVAL AND REMARKS

1. The right holder shall measure and annually report diversions of water and/or other pertinent hydrologic and system information as required by Section 42-701, Idaho Code.
2. Use of this right is combined with water from North Side Canal Co. Ltd.
3. The right holder shall use the full allotment of appurtenant surface water rights in conjunction with groundwater diverted under this right and shall only divert groundwater under this right when water from the appurtenant surface water rights cannot be delivered to the right holder.
4. If the surface water right(s) appurtenant to the place of use is sold, transferred, leased or used on any other place of use, this right to divert groundwater shall not be used without an approved transfer pursuant to Section 42-222, Idaho Code, or approval of the Department if a transfer is not required.
5. This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 4.0 afa per acre at the field headgate for irrigation of the lands above.
6. The right holder shall accomplish the change authorized by this transfer within one (1) year of the date of this approval.
7. Failure of the right holder to comply with the conditions of this transfer is cause for the Director to rescind approval of the transfer.
- ** 8. Right 36-02425A is limited to the irrigation of 71.0 acres in the place of use described above in a single irrigation season.
- ** 9. Right 36-02425D is limited to the irrigation of 0.6 acres in the place of use described above in a single irrigation season.
- **10. Right 36-02520B is limited to the irrigation of 6.4 acres in the place of use described above in a single irrigation season.
- ** 11. Right 36-08255 is limited to the irrigation of 76.0 acres in the place of use described above in a single irrigation season.
- * 12. Right 36-08255 when combined with Rights 36-02425A, 36-02425D and 36-02520B shall not exceed a total combined diversion rate of 2.38 cfs.
13. The period of use for the irrigation described for Right 36-08255 may be extended to a beginning date of 3/15 and an ending date of 11/15 provided that beneficial use of the water can be shown and other elements of the right are not exceeded. The use of water before 4/1 and after 10/31 is subordinate to all water rights having no subordinated early or late irrigation use and a priority date earlier than the date of this approval.

MICROFILMED

JUN 15 2000

TRANSFER NO. 5499
WATER RIGHT NO(S) . 36-02425A/36-02425D/36-02520B/36-08255

CONDITIONS OF APPROVAL AND REMARKS

14. Diversion and use of water under Right 36-08255 is subject to an annual use fee if rules are subsequently promulgated which provide for the submittal of the fee.
15. The Director retains jurisdiction of Right 36-08255 and may change, add, or remove any requirement as determined to be appropriate.
16. Right 36-08255 is for use of Trust Water and is subject to review to determine availability of water for the use and to re-value the public interest on or after July 13, 2010.
17. Pursuant to Section 42-1412(6), Idaho Code, Rights 36-02425A and 36-02425D are subject to such general provisions necessary for the definition of the rights or for the efficient administration of water rights as may be determined by the Snake River Basin Adjudication court at a point in time no later than the entry of the final unified decree.

Dated this 6th day of June, 2000.


Chief, Water Allocation Bureau

MICROFILMED

JUN 13 2000

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 36-08255

Priority: December 7, 1984

Maximum Diversion Rate:

1.16 CFS

Maximum Diversion Volume:

304.0 AF

This is to certify, that STANLEY LEHMANN

2997 S 1600 E

WENDELL ID 83355

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated December 7, 1984; and has submitted Proof of Beneficial Use on July 1, 1991. An examination indicates that the works have a diversion capacity of 2.240 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 to 10/31	1.16 CFS	304.0 AF

LOCATION OF POINT(S) OF DIVERSION:

SENE , Sec. 1, Township 08S, Range 14E
GOODING County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
08S	14E	1	Lot 1(NENE) 36	Lot 2(NWNE) 39	SENE 1	76
Total number of acres irrigated:						76

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right limited to the amount that can actually be beneficially use used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.0 afa per acre for the lands above.
6. Diversion and use of water under this right is subject to an annual use fee if rules are subsequently promulgated which provide for the submittal of the fee.

MICROFILMED

NOV 17 1992

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE
WATER RIGHT NO. 36-08255

CONDITIONS/REMARKS:

7. The Director retains jurisdiction of the right issued to change, add or remove any requirement as determined to be appropriate.
8. This right is for use of Trust Water and is subject to review to determine availability of water for the use and to re-value the public interest on or after July 13, 2010.
9. The total combined rate of diversion from this well, under this right and 36-02425, shall not exceed 2.24 cfs.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 5TH day of NOVEMBER, 1992.


Acting for R. Keith Higginson, Director

RECEIVED
NOV 17 1992

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 36-08255

Proposed Priority: December 7, 1984 Maximum Diversion Rate: 1.64 CFS

This is to certify, that **STANLEY LEHMANN**

2997 S. 1600 E.

WENDELL, ID 83355

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
-----------------------	----------------------	--------------------------

IRRIGATION	03/15 to 11/15	1.64 CFS
------------	----------------	----------

LOCATION OF POINT(S) OF DIVERSION:

SENE Sec. 1, Township 08S, Range 14E

SENE Sec. 1, Township 08S, Range 14E

GOODING County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
08S	14E	1	LOT 1(NENE) 40	LOT 2(NWNE) 40	SENE 2	82

Total number of acres irrigated: 82

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **August 1, 1994**.
2. Subject to all prior water rights.
3. Any license issued by IDWR pursuant to the permit or portion thereof for the use of trust water is subject to a term review of 20 years after the date of this approval to determine availability of water for the use and to re-evaluate the public interest at the end of the term.
4. Diversion and use of water under this permit is subject to an annual use fee if rules are subsequently promulgated which provide for the submittal of the fee.
5. The Director retains jurisdiction of the permit and/or subsequent license issued to change, add or remove any requirement as determined to be appropriate.
6. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
7. Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.
8. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.

MICROFILMED

JUL 20 1990


State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 36-08255

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

13th day of July, 1990.

for 
R. Keith Higginson, Director



JUL 23 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant Stanley Lehmann Phone 536-2543

Post office address Route #1 Box 355, Wendell, ID 83355

2. Source of water supply Groundwater which is a tributary of _____

3. Location of point of diversion is SE $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 1 Township 8S

Range 14E B.M. Gooding County, additional points of diversion if any: _____

SE $\frac{1}{4}$ NW $\frac{1}{4}$ Sec. 1 T. 8S R. 14E

4. Water will be used for the following purposes:

Amount 1.64 cfs for Irrigation purposes from Mar 15 to Nov 15 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 1.64 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Existing well & pump, sprinklers

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____

Range _____ B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____


(4) Name of municipality to be served _____, or number of families to be supplied with domestic water _____

(5) If water is to be used for other purposes describe: _____

MICROFILMED

JUL 25 1990

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

MICROFILMED

JUL 23 1990

Stanley Lehmann
(Applicant)

Received by JP Date 12/7/84 Time 12:00 p
Preliminary check by ADM Fee \$ 65.00 # 35232
Receipted by meya Date 12/7/84
Publication prepared by _____ Date _____
Published in _____
Publication dates _____
Publication approved _____ Date _____
Protests filed by: none

Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by kw

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19____.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other:

MICROFILMED
JUN 10 1990

AFFIDAVIT of PUBLICATION

State of Idaho,)
) SS.
County of Gooding)

Patty Nance, being first duly sworn,
deposes and says that he is the printer (publisher) of the Gooding
County Leader, a newspaper published every week in Gooding, County
of Gooding, State of Idaho, that said newspaper has been continuous-
ly and uninterruptedly published for a period of seventy-eight consecu-
tive weeks prior to the first publication of the annexed notice, and is
a newspaper qualified to publish legal notices as provided by act of
the 1919 session of the legislature of the State of Idaho, known as
House Bill 145; that the annexed advertisement was published once
each week for 2 consecutive issues in said newspaper
proper and not in a supplement; that the date of the first publication
of said advertisement was on the 6th day of June
19 90, and the date of the last publication was on the 13th
day of June, 19 90.

Patty Nance
Subscribed and sworn to before me this 15
day of June, 19 90
(SEAL)

Vincent J. Gaudioso
NOTARY PUBLIC

GOODING COUNTY LEADER
Gooding, Idaho

COST OF PUBLICATION

Number of Lines in Notice _____
Number of Insertions 2 X

Lines tabular at _____ 6¢/Pica
337.5 Lines straight at 16.88 5¢/Pica
Subsequent lines at 13.52 4¢/Pica
TOTAL COST 36.38

COPY OF NOTICE (Paste Here)

Applicant: Trust Water Rht. 14.
TITLE OF NOTICE
S. Lehmann
36-08255
PLAINTIFF ATTORNEY

DEFENDANT

PLAINTIFF

J. D. R. Boise
BILL TO

NOTICE OF APPLICATION FOR
TRUST WATER RIGHT
36-08255
LEHMANN, STANLEY
2997 S. 1600 E.
WENDELL, ID 83355
Source: GROUNDWATER
Diversification Pt: SENE Sec 1 T08S R14E ✓
SENE Sec 1 T08S R14E
Use: IRRIGATION (1.640 CFS)
Total Diversification: (1.640 CFS)
Date Filed: 12/7/1984
In: T08S R14E S01 Lot 1 (NENE) Lot 2
(NWNE) SENE
82.0 ACRES TOTAL
The permit(s) will be subject to all prior
water rights. Protests may be submitted
based on the criteria of Sec. 42-203A,
Idaho Code and/or the new public in-
terest criteria of Sec. 42-203C, Idaho
Code. Protests must be filed with the
Director, Dept. of Water Resources,
Statehouse Mail, Boise, Idaho 83720 on
or before June 25, 1990.
R. KEITH HIGGINSON,
Director
Pub: 6-6, 13 G14581

PUBLICATION RATES

(Idaho Code, Rev. Statutes 1984)

7-8 pt. per line straight.....5¢/Pica
7-8 pt. per line tabular.....6¢/Pica
7-8 pt. per line successive
insertions.....4¢/Pica

No 626

14581

MEMORANDUM

TO: FILE 36-020255

FROM: PAM SKAGGS

RE: TRANSFER # 5499

DATE: 10-12-99

Original Transfer Application, Form and correspondence
regarding the above referenced Transfer is located within
file # 36-02425.

MICROFILMED
JUN 15 2000



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

November 9, 1992

STANLEY LEHMANN
2997 S 1600 E
WENDELL ID 83355

RE: WATER RIGHT NO. 36-08255

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

A handwritten signature in cursive script that reads "Pamela Skaggs".

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

MICROFILMED

NOV 17 1992

LICENSE REVIEW CHECKLIST

Permit # 36-08255

Date 10-22-92 CS

	Yes	No	
NAME	_____	☒	Address Change?
PRIORITY DATE	_____	☒	Advance? _____
	_____	☒	Memo to Advance _____
	_____	☒	Order to Reinstate Needed? _____
TOTAL CFS	_____	☒	Incorrect Fee for rate recommended?
	<u>NA</u>	_____	Disagree with Actual Measurement?
			<u>76 x .0152 = 1.16 cfs (IRR)</u>
	_____	☒	Disagree with Theoretical? _____
	_____	☒	Limited by Capacity? <u>2.24</u>
TOTAL VOLUME			Rate/ac <u>4.0</u> AFA Irr. Season <u>C</u>
			<u>4-1 to 10-31</u> Standard Irr. Season
			<u>Same/Reduced From Permit</u> Season Recommended
	_____	☒	Disagree with Examiner's Calculations?
			<u>76 x 4.0 = 304 afa (IRR)</u>
	_____	☒	Limited by Flow? <u>1.16 x 213 x 1.9835 = 490 > 304</u>
SOURCE	_____	☒	Changes? Clarification of <u>Originally</u>
	_____	☒	<u>Intended</u> source _____
	_____	☒	Notice of Intent to Void.
P/D			Verify with Map
	_____	☒	Amendment Needed? <u>Drop DENW</u>
	_____	☒	Is Overlap Analysis a Consideration?
P/U			Verify with Map
	_____	☒	Amendment Needed? _____
	_____	☒	Is Overlap Analysis a Consideration?
USES	_____	☒	Change(s) in Nature of Use? _____
	_____	☒	Amendment Needed? _____
REMARKS	_____	☒	Multiple P/Ds in 1/4 1/4? _____
	_____	☒	Non-Irr. Uses _____
	☒	_____	Special Overlap Condition? <u>P/D 3/62425/2.24</u>
	_____	☒	Other <u>THIS WELL</u>
CONDITIONS	<u>W41, R56, R57</u>		TRUST COND.
	_____	☒	Measuring Device
	_____	☒	DATES/MISC
	<u>R31</u>	☒	W/Master Control _____ ☒ Water Dist.
	_____	☒	Overlap _____ ☒ App Rec'd
	_____	☒	Water Quality _____ ☒ Exam Made
COMMENTS/MEMOS NEEDED:	<u>Reduced Acres, rate, season</u>		
License	<u>10-Day</u>	☒	15-Day _____
			Special Correspondence _____

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	STANLEY LERMAN 2997 S 1600 E WENDELL ID 83355 (208) 536-2543	12/07/1984	IRRIGATION	04-01 10-31	1.16 CFS	304.0 AFA
TOTAL DIVERSION:					1.16 CFS	304.0 AFA

Water Source: GROUNDWATER Tributary to: Stage: LICENSE

Point(s) of Diversion Capacity: 2.24 CFS

Point(s) of Diversion: T08S R14E S01 SE NE

Place of use Legal Description for: IRRIGATION

NE		NW		SW		SE	
NENE	NWNE	SWNE	SENE	NENW	NWNW	SWNW	SESW
Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac
: 01 :		: 01 :		: 01 :		: 01 :	
08S 14E 1		01-36 02-39		01 :		: 01 :	
				TOTAL ACRES			
				76.0			
				76.0			

Pou County: GOODING

Other Water Rights with Same Point(s) of Diversion and Source:
36-02425 36-08255

Other Water Rights Listing Overlapping Place(s) of use:
36-02425 36-08255

Conditions of Approval:

- R31 - This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.0 afa per acre for the lands above.
- R56 - Diversion and use of water under this right is subject to an annual use fee if rules are subsequently promulgated which provide for the submittal of the fee.
- R57 - The Director retains jurisdiction of the right issued to change, add or remove any requirement as determined to be appropriate.

Remarks: This right is for use of Trust Water and is subject to review to determine availability of water for the use and to re-evaluate the public interest on July 13, 2010.
The total combined rate of diversion from this well, under this right and 36-02425, shall not exceed 2.24 cfs.

Dates: App. Received: 12/07/1984 Priority Date: 12/07/1984
Proof Due Date: 08/01/1994 Proof Made Date: 07/01/1991
Exam Made Date: 02/25/1992 Exam Sent to S.O.: 09/18/1992
Licensed Date:

Misc: Water District Number: Field Exam Fee: R (Received)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Permit No. 36-8255

STAFF ANALYSIS SHEET
For
BENEFICIAL USE FIELD REPORT

RECEIVED

SEP 21 1992

A. Prior to Conducting the Exam, the file contains:

Department of Water Resources

☒ Blank Field Report Form

☐ Copy of Permit

☒ Copies of any Amendments/Orders with conditions of approval.

☒ Computer Data Proof Report

☒ Copy of USGS Quad Map

☒ Check for Government Lots. If so, make a copy of Gov. plat.
Check of P/D index Y 2-24-92 (Initial & Date)

Overlap? ☒ Yes ☐ No If Yes: ☐ Copy of Exam(s) Attached?
Type of Overlap ☒ Add acres or uses to existing system.
☐ Increase rate of flow or volume.
☐ Other _____

Check of PU Index Y 2-24-92 (Initial & Date)

Overlap? ☐ Yes ☒ No If yes: ☐ Copy of Water Right(s) Attached?
Type of Overlap ☐ Increase rate or flow volume.
☐ Add P/D's
☐ Increase No. of acres within tracts.
☐ Other _____

Aerial Photo

☒ Required? ☒ Yes ☐ No If yes: ☒ copy attached?
Scheduling letter sent? _____ (Initial & Date)
☐ Appointment made and telephone conversation memo attached.

B. After Conducting the Exam, the file contains:

☒ Fully completed and signed Field Report Form

☒ Photographs of Point of Diversion and Place of Use

☐ Corrected Computer Data Proof Report with recommended license information, and date and signature of examiner.

C. Review and Processing:

Exam completed J. E. Stanton 4-22-92 (Signature of Examiner(date)
Exam reviewed by Sr. Water Res. Agent MTS 7-20-92 (Init & date)
Exam reviewed by Mgr of Reg. Office SLP 4/18/92 (Init & date)
Exam date entered in computer _____ (Init & date)
Exam sent to S.O. _____ (Init & date)
Copy of Staff Analysis Sheet sent to Mgr. of Reg. Office and Orig.
re-filed in White File. _____ (Init & date)

DEPARTMENT OF WATER RESOURCES

LICENSING EXAMINATION

CHECKLIST

WATER RIGHT 36-8255

REVIEWER MTS

DATE 7-20-92

RULE 5, EXAMINATION FOR BENEFICIAL USE; (FIELD EXAM ITEM IN PARENTHESES)

1,2. ✓ (H,I1) 1,3. ✓ (C3,C4) 1,4. ✓ (C1,H) 1,5. NA (H)
1,6. ✓ (H) 1,7. ✓ (C2) 1,8. ✓ (C6) 1,9. NA (C2,C6)
1,10. NA (I1) 1,11. NA (C3,I1) 1,12. NA (H) 1,13. ✓ (I1)
1,14. NA (D,E) 1,15. ✓ (I1) 1,16. ✓ (I2) 1,17. ✓ (C2)

RULE 6, MEASUREMENT TECHNOLOGY; (FIELD EXAM ITEM IN PARENTHESES)

1,1. ✓ (D,E,I1) 1,2. ✓ (G,I1) 2. ✓ (D,E) 3. NA (D,E)
4. ✓ (D,E) 5. NA (D,E)

RULE 7, DRAWINGS, MAPS, PHOTOS, SCHEMATIC DIAGRAM; (ALL ITEM C2)

1,1. ✓ 1,2. ✓ 1,3. ✓ 1,4. ✓
1,5. ✓

RULE 5,2. FIELD REPORT ACCEPTABILITY (STATE OFFICE REVIEW)

2,1. _____ 2,2. _____ 2,3. _____ 2,4. _____

REVIEWER _____ DATE _____

N/A = NOT APPLICABLE

* = SEE ITEM _____ IN BENEFICIAL USE REPORT

** = SEE ATTACHMENT NO. _____

*** = SEE REMARKS ATTACHED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION


Permit No. 36-08255
1. Owner: Stanley Lehmann Phone No. 536-2543
Current Address: 2997 S. 1600 E., Wendell, ID 83355
2. Accompanied by: Mr. Lehmann via telecon only EXAM. DATE: 2-25-92
Address: _____ Phone No. _____
Relationship to Permit Holder: _____
3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: ↓
_____ ☐ Copies Attached
2. Other water rights with same point of diversion: 36-2425
_____ ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



MICROFILMED
NOV 17 1992

Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached ☒ Aerial Photo Attached
Showing location(s) of point(s) of diversion and (required for irrigation of 10 acres or more).
place(s) of use (required).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

Well, motor, pump, buried mainline to pivot sprinkler, corner handlines. First well serves the pivot & handlines in 3 corners. The west well only serves the handlines in the SW corner of the NE/4 Sec. 1. The 3 wells are not connected. The west well does not serve lands under this permit.

☐ See Remarks on page 4 for continuation

Well or Diversion Identification No.*	1	U.S. Motors	100	HC 1023060	Wintworth	9659
Motor Make						
Hp						
Motor Serial No.						
Pump Make						
Pump Serial No. or Discharge Size						

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

[illegible]

Indicate Method of Determination

6. Place(s) of Use:

[illegible]

system
P/U

P/u To
Be L/c.

Do not use this space

2361 2 1 AON

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

Not measured.

E. FLOW CALCULATIONS

☒ Additional Computation Sheets Attached

1. Measured Method:

2. Alternate Method for Checking Purposes:

Theoretical capacity is 2.24 cfs on 0.76"/dc for 147 ac.. 76 ga to be l/c. x 0.02 ⁷⁶"/dc = 1.16 ~~1.16~~ cfs.

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 76 \times 4 = 304 \text{ AFA}$

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 1098 \text{ } 740.4$

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 304 \text{ AFA}$

2. Volume Calculations for Other Uses:

MICROFILMED

NOV 17 1992

H. REMARKS AND OVERLAP REVIEW ANALYSIS

Not to exceed 2.24 cfs when combined with Lic. 36-02425 Part (the part served by this well).

Although the system delivers about $\frac{3}{4}$ "/acre, previously-licensed ground is licensed at 1"/acre. So I am recommending that the newer land also be licensed at 1"/acre (with the restriction stated above).

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Irrigation	2-15	11-15	1.16	304
	4-1	10-31		
Totals:			1.16	304

2. Recommended Amendments


- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above

☒ None

☐ Other

J. AUTHENTICATION

Field Examiner's Name J.E. Stanton
Signature J.E. Stanton
Certification Date 3/20/92
Field Report Preparation Date 4-22-92



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

MICROFILMED

NOV 17 1992

GROUNDWATER MEASUREMENT REQUIREMENT ANALYSIS

FILE: 36-8255

DATE: 2-25-92

BY: J.E. Stanton

THEORETICAL RATE OF FLOW:

$$Q = \frac{(8.8) \times (\text{H.P.}) \times (\text{EFF.})}{\text{TDH}}$$

Q = CFS

H.P. = Total Brake Horsepower of pumping plant (including booster)

EFF. = Pumping plant efficiency (ASSUME 70% OR 0.70)

TDH = total dynamic head = [(LIFT) + (PSI X 2.31)]

LIFT = depth to water in FEET from land surface to pumping water level

PSI = pumping pressure measured in psi near pump
(if open discharge assume zero [0])

$$Q = \frac{(8.8) \times (100) \times (0.70)}{[(90) + (80 \times 2.31)]} = 2.24 \text{ cfs}$$

LIFT FROM:

measurement ()

owner ()

area estimate ()

well logs (X)

Booster (Y) (N)

PSI FROM:

measurement ()

owner (X)

estimate ()

owner gage ()

NOTES ON PUMP:

Motor Make, Serial or ID

Pump Make, Serial or ID, rating

REMARKS

ANNUAL VOLUME ANALYSIS

$$\text{POTENTIAL Acre Feet/Acre/Annum} = \frac{(\text{DAYS IN SEASON}) \times (1.98) \times (Q)}{(\text{RECOMMENDED ACRES IRRIGATED})}$$

(season)	(days)	
3/15 - 11/15	246	
4/1 - 11/1	215	POTENTIAL =
4/15 - 10/15	184	
3/1 - 12/1	276	

$$\text{POTENTIAL} = 7.4$$

$$\text{REQUIRED Acre Feet/Acre/Annum} = 4.0$$


(AF/Ann/Ac irrigation requirement from chart for area)

NOTE that this is NOT Consumptive use

IF POTENTIAL IS GREATER THAN REQUIRED THEN NO MEASUREMENT NECESSARY (X)

IF POTENTIAL IS LESS THAN REQUIRED THEN MEASUREMENT IS NECESSARY ()

NOV 17 1992



7.8

3

22.2

12

36.3
HEL

11

48.1
HEL

36-8255

13

9.2
HEL

17

7.9
HEL

15

7.2
HEL

1

22.2

7.8 13

10

6.9 13
HEL

5

9.0

5

6.4

13.2

720

7-977



70.6

HEL

HEL

NOV 17 1992

36-8255



Diversion Works

P/U

MICROFILMED
NOV 17 1992

July 25, 1991

STANLEY LEHMANN
2997 S. 1600 E.
WENDELL, ID 83355

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 36-08255

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the SOUTHERN Regional Office in Twin Falls at (208)736-3033.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

MICROFILMED

AUG 01 1991

ANALYSIS SHEET
for
PROOF OF BENEFICIAL USE

Permit No. 36-8255

Date 7-23-91

GENERAL CONSIDERATIONS

- ☒ Name same as permit?
☒ Address same as permit? If no, indicate below.
☒ Proof timely received? If no, complete priority advancement below.

SOURCE OF WATER

- ☐ Surface water source
☒ Ground water source
NA Drill permit req'd?
☐ Copy in file? Drill permit no. _____
☐ Amt paid for drilling permit? _____ Correct?
☐ Well log in file?

LICENSE EXAMINATION FEE

- Yes Required?
125.00 Amount submitted?
Yes Correct amount?

MEASURING DEVICE

- NO Measuring device or access port required?
☐ Installed?
☐ Waiver requested or needed?

DEFICIENCIES OR ACTION ITEMS

Proof acceptable

PRIORITY CALCULATION

Date proof received NA _____
Date proof due _____ - _____
No. of days late _____ = _____
Priority date _____ + _____
NEW PRIORITY DATE _____ = _____

LB

RECEIVED
JUN 28 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
PROOF OF BENEFICIAL USE

Department of Water Resources

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 36-08255 Telephone No. 536-2543

Name(s) of Permit Holder(s): Stanley Lehmann

Post Office Address: 29972 1600 E, Wendell, Idaho 83355

Source of Water: Ground Water

If ground water, well driller's name: used Existing Well Date drilled: _____

Extent of Use: 100 HP Pump 80 PSI

Domestic _____ (No. of households) Irrigation 82 (No. of acres)

Stockwater _____ (No. and type of stock) Other _____

Total rate and/or volume for which proof is submitted 1.64 cfs _____ acre/feet

Show date water was first diverted and beneficially used under this permit: May 1, 1991

One of the following may be a condition of approval of your permit:

Measuring device: Required? Yes ☒ No Installed? Yes ☒ No

OR

Flow Measurement Port: Required? Yes ☒ No Installed? Yes ☒ No

Fee Enclosed: \$ 125 (See License Examination Fee Schedule)

Person to contact to accompany the Department representative during the field examination:

Stanley Lehmann 536-2543
Name Telephone No.

29972 1600 E Wendell Idaho 83355
Address

The above information is my true statement of the extent to which the above numbers have been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

RECORDED

AUG 01 1991

6-26-1991 Stanley Lehmann
Date Signature (and title if on behalf of a company or organization)

STANLEY LEHMANN FARMS
Wendell, Idaho 83355

001218

PAID
AUG 01 1991

36-08255 —

1.64 cfs

36-08254 —

*10 cfs

1.74

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
COMMENCEMENT OF WORKS

Permit No. 36-08255 + 36-08254
Name(s) of Permit Holder(s): Stanley Lehmann
Post Office Address: 2997 S Idaho St, Wendell
Idaho 83355 Tel. No. 36-2543

☒ I hereby certify that construction of diversion works on the above referenced permit began on Feb 1, 1991 (date) I understand that I must continue to develop the water system with due diligence and maintain a valid permit.

☐ I hereby certify that construction of diverting works on the above referenced project has not yet begun due to the following reason beyond my control:

*Note: A financing difficulty is not an acceptable reason.

2-1-91
Date

Stanley Lehmann
Signature of Permit Holder

PLACE
STAMP

RECEIVED
JUN 28 1991



Department of Water Resources

AUG 01 1991

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

Statehouse
Boise, Idaho 83720
(208) 327-7900
July 13, 1990

STANLEY LEHMANN
2997 S. 1600 E.
WENDELL, ID 83355

P E R M I T A P P R O V A L N O T I C E

RE: PERMIT NO. P36-08255

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

Please note the requirement that as a permit holder you must commence the excavation or construction of diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The enclosed blue card must be completed and returned to this office as soon as you commence construction, no later than one year from the date the permit was approved.

We have enclosed a form entitled "Instructions for Proof of

MICROFILMED

JUL 20 1990

Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit into a license.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

MICROFILMED
JUL 26 1990

State of Idaho
Department of Water Resources

SWAN FALLS

APPLICATION FOR PERMIT ANALYSIS SHEET

LEHMANN, Stanley

INITIAL REVIEW BY: ADM

APPLICATION NUMBER: 36-8255

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No* In form to receipt.

Field check by: _____

Date: _____

Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department. Copies sent by: _____ Date: _____
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

PROCESSING:

- ☐ Yes ☒ No Platted by: _____ Map No. _____
☐ Yes ☒ No Other rights on same place of use. None
☒ Yes ☐ No* In form for advertising. 36-2425 is indicated on applic. as adjoining land.
☐ Yes ☐ No Final date for protests: _____
☐ Yes ☐ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: _____
☐ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☐ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required. - Flow Task Force Memo.
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district?
12-7-84 Date of priority recommended.
Special conditions of approval or cover letter. _____

Trust Water

allow 4 yrs. to develop

By: _____ Date: _____

STATE OFFICE REVIEW:

P23 P17 51 52 53 46 26

- ☐ See attached sheet for more information.

By: KW Date: 7-3-90 1990

POINT OF DIVERSION AND STREAM INDEX INFORMATION

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
State Office
1301 North Orchard St.

Statehouse Mail
Boise, Idaho 83720
(208) 327-7900

MAY 29, 1990

Gooding County Leader
442 Main Box 56
Gooding, ID 83330

Dear Legal Dept.:

Enclosed you will find legal notices which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before JUNE 25, 1990.

Yours truly,

SHARLA CURTIS
Secretary

Encl.

MICROFILMED

JUL 23 1990

NOTICE OF APPLICATION FOR TRUST WATER RIGHT

36-08255

LEHMANN, STANLEY
2997 S. 1600 E.
WENDELL, ID 83355

Source: GROUNDWATER

Diversion Pt: SENE Sec 1 T 08S R 14E
 SENW Sec 1 T 08S R 14E

Use: IRRIGATION (1.640 CFS)
 Total Diversion: (1.640 CFS)

Date Filed: 12/ 7/ 1984

In: T08S R14E S01 Lot 1 (NENE) Lot 2 (NWNE) SENE

82.0 ACRES TOTAL

The permit(s) will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, Statehouse Mail, Boise, Idaho 83720 on or before JUNE 25, 1990.

Published 6/ 6/1990 & 6/13/1990

R. Keith Higginson, Director

MICROFILMED

JUL 26 1990

MEMORANDUM

TO: FILE

FROM: TIM LUKE

RE: SWAN FALLS PROCESSING
APPLICATION NO.S 36-8254 & 36-8255

DATE: 5-21-90

The applicant has returned trust water questionnaires for the above referenced applications.

Application 36-8254 is a supplemental groundwater filing which reflects an increase in rate of diversion of a groundwater source previously licensed for the same land. This application may be approved with trust conditions but the acreage is not counted as trust acreage.

Application 36-8255 is a supplemental groundwater filing for land previously irrigated with North Side Canal shares. The Department's 1974 7.5 minute orthophoto and 1986 remote sensing data confirm that the lands under both applications were irrigated in those years. Trust conditions are also applicable to application 36-8255 but again, the acreage is not counted as trust acreage.

MICROFILMED

JUL 25 1990

WR-NUMBER	NAME	STG	SOURCE	T	R	S	NE			NW			SW			SE			SUM
							NE	NW	SW	NE	NW	SW	NE	NW	SW	NE	NW	SW	
3608255																			
0100005	NORTH SIDE CANAL CO.	D	SNAKE RIVER	08S	14E	1	:	:	:	:	:	:	:	:	:	:	:	:	
0100016	NORTH SIDE CANAL CO.	D	SNAKE RIVER	08S	14E	1	:	:	:	:	:	:	:	:	:	:	:	:	
0100212	NORTH SIDE CANAL CO.	D	SNAKE RIVER	08S	14E	1	:	:	:	:	:	:	:	:	:	:	:	:	
0100213	NORTH SIDE CANAL CO.	D	SNAKE RIVER	08S	14E	1	:	:	:	:	:	:	:	:	:	:	:	:	
0100215	NORTH SIDE CANAL CO.	D	SNAKE RIVER	08S	14E	1	:	:	:	:	:	:	:	:	:	:	:	:	
0100220	NORTH SIDE CANAL CO.	D	SNAKE RIVER	08S	14E	1	:	:	:	:	:	:	:	:	:	:	:	:	
3602215	SILVA	L	GROUNDWATER	08S	14E	1	40	38	:	:	:	:	40	40	40	40	40	40	240
3602425	SLIGAR	L	GROUNDWATER	08S	14E	1	:	:	:	:	:	:	:	:	:	:	:	:	78
3602464A	JENSEN	L	GROUNDWATER	08S	14E	1	:	:	:	:	:	:	:	:	:	:	:	40	40
3602520	LEHMAN	L	GROUNDWATER	08S	14E	1	:	:	:	37	40	:	:	:	:	:	:	:	77
3607006	COX	L	GROUNDWATER	08S	14E	1	:	:	:	37	33	:	:	:	:	:	:	:	70
3608254	LEHMANN	A	GROUNDWATER	08S	14E	1	:	:	:	40	40	:	:	:	:	:	:	:	80
3608255	LEHMANN	A	GROUNDWATER	08S	14E	1	2	:	:	:	:	:	:	:	:	:	:	:	2
	1986 MAPPING DATA	---	COUNTY 47 QUAD AA 70	08S	14E	1	41	37	:	42	37	:	37	40	40	40	39	40	471
	1986 MAPPING DATA	---	COUNTY 83 QUAD AA 70	08S	14E	1	41	39	:	42	37	:	37	40	40	38	40	40	474

MICROFILMED

JUL 26 1990

PAGE: 2

PLACE OF USE LOTS OVERLAP REPORT

05/21/90

WR-NUMBER	NE	NW	NE	SW	SE	NE	NW	NW	NE	SW	SE	NW	NW	NE	SW	SE	NE	NW	SW	SE	LOT + SUM
3608255	T08S	R14E	S 1																		80
3608255	1140	2140																			153
47 MAPPING:	1139	2139	3139	4136																	154
83 MAPPING:	1140	2139	3139	4136																	

MICROFILM

DATE: 11/11/90

RECEIVED

MAY 21 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
TRUST WATER INFORMATION QUESTIONNAIRE

Department of Water Resources

Application No. 36-8255

INSTRUCTIONS: IF YOU ARE NOT INTERESTED IN HAVING THE APPLICATION PROCESSED, PLEASE COMPLETE AND RETURN THE ENCLOSED WITHDRAWAL FORM.

IF YOU WISH TO HAVE THE APPLICATION PROCESSED, PLEASE ANSWER THE FOLLOWING QUESTIONS AS THOROUGHLY AS POSSIBLE. FAILURE TO RETURN EITHER THE WITHDRAWAL FORM OR QUESTIONNAIRE IS CAUSE FOR THE DEPARTMENT TO VOID THE APPLICATION.

1a. Are you the current owner of the land or place of use described under this application? Yes X No

b. If you are not the property owner, please describe the arrangement enabling you to develop the proposed project.

2a. Has the source of water listed on this application been used to irrigate any of the land described under this same application prior to October 1, 1984? Yes No X

b. If yes, please describe the extent of development and number of acres irrigated. (Note: Uses developed after October, 1984 are considered trust water diversions and may be subject to certain restrictions and/or conditions. You may be asked to verify uses established prior to October, 1984.)

3. If you answered NO to ques #2a, please state the number of acres you have irrigated with this source after October 1, 1984. 0

4. If you have not irrigated lands under this application, please state the number of acres you plan to complete. 80

5. If the permit is a supplemental filing please identify other water rights which are used on the same land.

North Side Canal Co

Use the reverse side of this form if you wish to add any comments. You may mark changes on the enclosed application to designate any proposed amendments. (Note: Proposed changes which result in an expansion of use will not be considered by the department.)

I hereby assert that the responses provided above are true to the best of my knowledge. I understand that any willful misrepresentations may result in voiding of the application.

Applicant

Stanley L. Brown

Date

May 15, 1990

RECORDED

JUL 20 1990

See back of App 36 8254



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 - (208) 327-7900

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

May 4, 1990

RE: APPLICATION FOR PERMIT NO. 36-8255

Dear APPLICANT:

Due to the Swan Falls litigation, Department approval of the enclosed application may have been delayed. The Department is presently reviewing your application and may authorize the proposed development.

The purpose of this letter is to determine: (1) if you are still interested in developing the project, and (2) the extent of development if any, that has already occurred under the application. Enclosed are two forms requesting information which will help the Department expedite the processing of the application.

1. If you have abandoned or have no interest in continuing with your plans for development of the project, please complete the enclosed withdrawal form and return it to the Department. If you request a withdrawal of the application and the application was not previously advertised, the department will refund your original filing fee.

2. If you wish to continue with your proposed development plans, or have completed all or a portion of the proposed development before October 1, 1984, then you must complete and return the enclosed questionnaire. You may use the questionnaire and enclosed application to make any comments &/or amendments concerning the application. Your completion of the questionnaire will expedite processing and help the department determine if the water diverted under the application is public water or trust water. Approved trust water applications may be subject to additional conditions.

Failure to return either of the above forms within thirty (30) days of the date of this letter is cause for the Department to void the application.

Please be further advised that if any undeveloped portion of your proposed project is greater than 200 acres, the Department will issue a notice requesting additional information as required by Water Appropriation Rule 4.5. (in particular, Rules 4,5,3. thru 4,5,3,5, apply to your project if it is more than 200 acres).

RECEIVED

JUL 21 1990


Page 2

If you have questions concerning the content of this letter or about completing the forms, please contact Tim Luke at the address below or by calling directly at 327-7864. The enclosed forms and all other relative information must be returned within thirty (30) days to:

Idaho Department of Water Resources
Statehouse Mail
Boise, Idaho 83720
Attn: Tim Luke

Please note that a copy of your application is enclosed. The application number is also shown on the enclosed questionnaire.

Sincerely,



TIM LUKE
Sr. Water Resource Agent

Enclosures

WATER RESOURCES
JUL 2 1970



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 -(208) 327-7900

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

January 5, 1990

Stanley Lehmann
Route #1, Box 355
Wendell, ID 83355

RE: Application for Permit Nos. 36-8254 & 36-8255

Dear Mr. Lehmann:

I have received your note inquiring whether the above referenced applications can be processed out of sequence. I have reviewed both applications and offer the following comments and recommendations.

Application No. 36-8254 appears to be a supplemental filing which seeks only to appropriate an additional rate of diversion for irrigation of land for which all but three acres are already covered by an existing license (No. 36-2520). The source of water and point of diversion is the same on both filings. I am not certain if this extra diversion rate is needed nor am I aware of what your well currently produces. I am not certain as to what your intentions were at the time you filed the application. If your current capacity is less than the rate under License No. 36-2520 (1.5 cfs), then Application No. 36-8254 is not needed. If the well produces more than 1.6 cfs, then technically you would need to file a third application for the difference in capacity. I would recommend that you re-evaluate the benefit of this application before the department takes any action. The department may approve a supplemental application out of sequence if the applicant can demonstrate that there is no additional depletion of trust water proposed by the application.

Application No. 36-8255 seeks an appropriation of water for undeveloped land. This application proposes a trust water diversion and must be processed in sequence. Due to the number of backlogged filings with earlier priority dates, I do not anticipate that your application will be approved prior to the upcoming irrigation season.

I have discussed the matter concerning your DLE filing with my supervisor and can inform you that we both agree that the department could consider processing the application for the remaining non-irrigation uses with no advancement in priority. If you should wish to pursue this matter, the department will most likely request that you provide information concerning ownership of the place of use and any necessary federal government approvals.

NOT RECORDED

JAN 10 1990

Please feel free to visit or call me at this office if you have questions concerning this matter.

Sincerely,

A handwritten signature in black ink, appearing to read 'Tim Luke', written in a cursive style.

Tim Luke
Sr. Water Resource Agent

TL:sc

MICROFILM

SEP 10 1984
FBI - MEMPHIS

PLACE OF USE 1/4 1/4 OVERLAP REPORT

01/04/90

WR-NUMBER	NAME	STG	SOURCE	T	R	S	NE				SW				SE				SUM
							NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
3608255																			
0100005	NORTH SIDE CANAL CO.	D	SNAKE RIVER	08S	14E	1	:	:	:	:	:	:	:	:	:	:	:	:	240
0100016	NORTH SIDE CANAL CO.	D	SNAKE RIVER	08S	14E	1	:	:	:	:	:	:	:	:	:	:	:	:	78
0100212	NORTH SIDE CANAL CO.	D	SNAKE RIVER	08S	14E	1	:	:	:	:	:	:	:	:	:	:	:	:	40
0100213	NORTH SIDE CANAL CO.	D	SNAKE RIVER	08S	14E	1	:	:	:	:	:	:	:	:	:	:	:	:	77
0100215	NORTH SIDE CANAL CO.	D	SNAKE RIVER	08S	14E	1	:	:	:	:	:	:	:	:	:	:	:	:	70
0100220	NORTH SIDE CANAL CO.	D	SNAKE RIVER	08S	14E	1	:	:	:	:	:	:	:	:	:	:	:	:	80
3602215	SILVA	L	GROUNDWATER	08S	14E	1	:	:	:	:	40	40	40	40	:	40	40	:	2
3602425	SLIGAR	L	GROUNDWATER	08S	14E	1	40	38	:	:	:	:	:	:	:	:	:	:	2
3602464A	JENSEN	L	GROUNDWATER	08S	14E	1	:	:	:	:	:	:	:	:	:	:	:	:	2
3602520	LEHMAN	L	GROUNDWATER	08S	14E	1	:	:	:	37	40	:	:	:	:	:	:	:	2
3607006	COX	L	GROUNDWATER	08S	14E	1	:	37	33	:	:	:	:	:	:	:	:	:	2
3608254	LEHMANN	A	GROUNDWATER	08S	14E	1	:	:	:	40	40	:	:	:	:	:	:	:	2
3608255	LEHMANN	A	GROUNDWATER	08S	14E	1	:	:	:	2	:	:	:	:	:	:	:	:	2
	1986 MAPPING DATA ---	-	COUNTY 47 QUAD AA 70	08S	14E	1	41	37	:	42	37	:	37	40	40	40	39	40	471
	1986 MAPPING DATA ---	-	COUNTY 83 QUAD AA 70	08S	14E	1	41	39	:	42	37	:	37	40	40	38	40	40	474

MICROFILMED

JUL 20 1990

Speed Letter.

To Tim Luke

From

Stanley Johnson

RECEIVED

DEC 21 1989

Subject Applications # 8254 & 8255

- No. 9 & 10 FOLD

MESSAGE

Department of Water Resources

We started this pivot project in the fall of 1984
Not knowing we would be tied up with Sweetfall
Problem. The center pivot was installed in the
Spring of 1985. Please review these Apps + let me
know if they qualify for out of Sequence processing.
Thank you

Date

12-19-89

Signed

Stanley Johnson

REPLY

RECEIVED

DEC 21 1989

Department of Water Resources
Southern Region, etc.

- No. 9 FOLD

- No. 10 FOLD

Date

Signed

Wilson Jones

DIVISION OF SINGLINE (P.D.) - GRAYLINE FORM 44-902 3-PART
© 1974 - PRINTED IN U.S.A.

RETAIN WHITE COPY, RETURN PINK COPY

1175

MICROFILMED

JUL 26 1990