


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.


BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

MICROFILMED

JUL 23 1990

Kent A. Bartholomew
(Applicant)

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = Not to scale

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☐ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Sta-rite	5.0	5505A2	Sta-rite	Unknown

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: No measurements

APR 29 1996



WR # 36-08241



P/D
(well cap
&
well house)



PIU
(Homes, yards,
#1 &
#2)

MISSOURI

APR 29 1996

36-08241

PRICK

WR 36-08241



P/U
(Home # 2)



Pasture
(Undeveloped)

APR 29 1995

APR 29 1995

WR# 36-08241



P/U
(Home #1)



Pasture
(Undeveloped)

APR 29 1996

36-08241

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 36-08241

Priority: April 14, 1984

Maximum Diversion Rate:

0.06 CFS

Maximum Diversion Volume:

2.4 AF

This is to certify, that KENT BARTHOLOMEW
43 E 400 N

JEROME ID 83338

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated March 13, 1984; and has submitted Proof of Beneficial Use on September 2, 1992. An examination indicates that the works have a diversion capacity of 0.070 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.06 CFS	2.4 AF

LOCATION OF POINT(S) OF DIVERSION:

NWNE , Sec. 31, Township 07S, Range 17E
JEROME County

PLACE OF USE: DOMESTIC

TWN RGE SEC

07S 17E 31

NWNE

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Domestic use is for 2 homes.
6. The irrigation use occurring under this domestic right shall not exceed 1/2 acre per home.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 18th day of April, 1996.

Acting for

KARL J. DREHER, Director

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 36-08241)
IN THE NAME OF KENT BARTHOLOMEW) ORDER OF
REINSTATEMENT)

WHEREAS, the Department issued the above-captioned permit with the condition that proof of construction of works and application of water to beneficial use (proof of beneficial use) be submitted on or before August 1, 1992; and,

WHEREAS, the Department notified the permit holder by certified mail that proof was due and instructed the permit holder of the steps to be taken to submit the proof of beneficial use; and,


WHEREAS, the Department notified the permit holder that the permit had lapsed for failure to submit the proof of beneficial use; and,

WHEREAS, Section 42-218a of the Idaho Code provides that a permit may be reinstated upon a showing of reasonable cause within sixty days of the date of the notice of lapsing; and,

WHEREAS, the permit holder has provided a reasonable showing why the permit should be reinstated by submitting proof of beneficial use on September 2, 1992;

IT IS, THEREFORE, HEREBY ORDERED that Permit No. 36-08241 be REINSTATED with an advance in priority to April 14, 1984.

Dated this 3rd day of September, 1992.


L. GLEN SAXTON
Chief, Water Allocation Bureau

SEP 10 1992

RECEIVED
SEP 2 1992

OFFICE USE ONLY
Amt. of Fee \$ 50.00
Date 9-2-92
Receipt No. 663366-803357
Receipt by [Signature]

RECEIVED
AUG 17 1992

Department of Water Resources
STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Department of Water Resources

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 36-08241 Telephone No. (208) 324-8394
2. Name(s) of Permit Holder(s): Kent Bartholomew
3. Mailing Address: 43 E 400 N Jerome ID-83338
4. Source of Water: Ground water

If **GROUNDWATER**, Well Driller's Name: Futon Drilling & Pump Date Drilled: 3-15-84

OPTIONAL:

Pump horsepower: 5 Pressure (psi): 50 Dynamic pumping level (ft.):

5. Extent of Use (as authorized by the permit):

Domestic 2 (No. of households) Stockwater 6 horses NA (No. and type of stock)
Irrigation 7 (No. of acres) Other

6. Total rate and/or volume for which proof is submitted 0.20 cfs OR acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? Yes No Installed? Yes No

OR

Flow Measurement Port: Required? Yes No Installed? Yes No

8. Fee Enclosed: \$ 50.00 (See License Fee Schedule on back of Instruction Sheet)

9. Person to contact to accompany the Department representative during field examination of the water system.

Kent Bartholomew (208) 324-8394
Name Telephone No.
43 E 400 N Jerome ID-83338
Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

Date

Kent Bartholomew

Signature (and title, if on behalf of a company or organization)

SEP 16 1992

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 36-08241

Proposed Priority: March 13, 1984 Maximum Diversion Rate: 0.20 CFS

This is to certify, that **KENT BARTHOLOMEW**
43 E. 400 N.
JEROME, ID 83338

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	03/15 to 11/15	0.14 CFS
DOMESTIC	01/01 to 12/31	0.06 CFS
	Totals	0.20 CFS

LOCATION OF POINT(S) OF DIVERSION: NWNE Sec. 31, Township 07S, Range 17E
JEROME County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
07S	17E	31	NWNE	7		7

Total number of acres irrigated: 7

PLACE OF USE: DOMESTIC, same as IRRIGATION use

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **August 1, 1992**.
2. Subject to all prior water rights.
3. Any license issued by IDWR pursuant to the permit or portion thereof for the use of trust water is subject to a term review of 20 years after the date of this approval to determine availability of water for the use and to re-evaluate the public interest at the end of the term.
4. Diversion and use of water under this permit is subject to an annual use fee if rules are subsequently promulgated which provide for the submittal of the fee.
5. The Director retains jurisdiction of the permit and/or subsequent license issued to change, add or remove any requirement as determined to be appropriate.
6. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
7. Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.
8. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.

RECORDED

JUL 23 1990

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 36-08241

CONDITIONS/REMARKS:

9. Domestic use is for 2 homes.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

13th day of July, 1990.

R. Keith Higginson
for R. Keith Higginson, Director

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant Kent Bartholomew Phone 324-8394

Post office address 538 East 18th Ave., Jerome, ID 83338

2. Source of water supply Groundwater which is a tributary of _____

3. Location of point of diversion is NW $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 31 Township 7S

Range 17E B.M. Jerome County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 0.14cfs for Irrigation purposes from Mar 15 to Nov 15 (both dates inclusive)
(cfs or acre-feet per annum)

Amount 0.06cfs for Domestic purposes from Jan 1 to Dec 31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 0.20 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Well & pump

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is 6 inches; proposed depth of well is 300 feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: NW $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 31 Township 7S

Range 17E B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water two.

(5) If water is to be used for other purposes describe: _____

MICROFILMED

JUL 20 1990

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

[illegible]

Total number of acres to be irrigated 7

c. Describe any other water rights used for the same purposes as described above. _____

Northside Canal Co. shares

9. a. Who owns the property at the point of diversion Applicant

b. Who owns the land to be irrigated or place of use "


c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

10. Remarks

RECEIVED

JUL 20 1990

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

MICROFILMED
JUL 23 1990

Kent R. Bartholmeu
(Applicant)

Received by JJ Date 3-13-84 Time 2:15 pm
Preliminary check by T.G. Blau Fee \$ 30.00
Receipted by JJ Date 3-13-84 # 33020
Publication prepared by _____ Date _____
Published in _____
Publication dates _____
Publication approved _____ Date _____
Protests filed by: none

Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by KW

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19____.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other:

RECORDED

JUL 20 1990

AFFIDAVIT of PUBLICATION

State of Idaho, }
County of Jerome } SS.

Patty Nance, being first duly sworn, deposes and says that he is the printer (publisher) of the Jerome North Side News, a newspaper published every week in Jerome, County of Jerome, State of Idaho; that said newspaper has been continuously and uninterruptedly published for a period of seventy-eight consecutive weeks prior to the first publication of the annexed notice, and is a newspaper qualified to publish legal notices as provided by act of the 1919 session of the legislature of the State of Idaho, known as House Bill 145; that the annexed advertisement was published once

each week for 2 consecutive issues in said newspaper proper and not in a supplement; that the date of the first publication

of said advertisement was on the 6th day of June

1991, and the date of the last publication was on the 13th

day of June, 1991.

Patty Nance

Subscribed and sworn to before me this 15

day of June, 1990.
(SEAL)

Vivian J. Anderson
NOTARY PUBLIC

NORTH SIDE NEWS
Jerome, Idaho

COST OF PUBLICATION

Numer of Picas per Line _____
Number of Lines in Notice _____
Number of Insertions 2X

Lines tabular at _____ 6¢/Pica
337.5 Lines straight at 16.88 5¢/Pica
Subsequent lines at 13.50 4¢/Pica
TOTAL COST 30.38

COPY OF NOTICE

(Paste Here)

Applying Trust Water Rt.
FILE OF NOTICE
K. Bartholomew
36-08241
PLAINTIFF ATTORNEY

DEFENDANT

PLAINTIFF

J. D. W. R. Case
BILL TO

NOTICE OF APPLICATION FOR TRUST WATER RIGHT

36-08241

BARTHOLOMEW, KENT

43 E. 400 N.

JEROME, ID 83338

Source: GROUNDWATER

Diversion Pt: NWNE Sec 31 T07S R17E

Use: IRRIGATION (.140 CFS)

DOMESTIC (.060 CFS)

Total Diversion: (.200 CFS)

Date Filed: 3/13/1984

In: T07S R17E S31 NWNE

7.0 ACRES TOTAL

The permit(s) will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, Statehouse Mail, Boise, Idaho 83720 on or before JUNE 25, 1990.

R. KEITH HIGGINSON,

Director

N00011

Pub:6-6, 13

PUBLICATION RATES

(Idaho Code, Rev. Statutes 1984)

7-8 pt. per line straight.....5¢/Pica

7-8 pt. per line tabular.....6¢/Pica

7-8 pt. per line successive

insertions.....4¢/Pica

No 3826

OK
JL
6-19-90

MICROFILMED

JUL 20 1990

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

RECEIVED
JUN 13 1984
Department of Water Resources
Sealed for Public Release

1. WELL OWNER

Name KEN BARTHOLOMEW

Address Jerome IDA. 83338

Owner's Permit No. 36-84-C-0020-000

7. WATER LEVEL

Static water level 322' feet below land surface

Flowing? ☐ Yes ☒ No G.P.M. flow _____

Artesian closed-in pressure _____ p.s.i.

Controlled by: ☐ Valve ☒ Cap ☐ Plug

Temperature _____ OF. Quality _____

2. NATURE OF WORK W.R. 36-08241

☒ New well ☐ Deepened ☐ Replacement

☐ Abandoned (describe method of abandoning) _____

8. WELL TEST DATA

☐ Pump ☐ Bailer ☐ Air ☐ Other _____

Discharge G.P.M.	Pumping Level	Hours Pumped

3. PROPOSED USE

☒ Domestic ☐ Irrigation ☐ Test ☐ Municipal

☐ Industrial ☐ Stock ☐ Waste Disposal or Injection

☐ Other _____ (specify type)

9. LITHOLOGIC LOG

Hole Diam.	Depth		Material	Water	
	From	To		Yes	No
8"	0	7	TOP SOIL		☒
8"	7	12	GREY LAVA		☒
8"	12	15	HARD PAN		☒
8"	15	61	GREY LAVA		☒
8"	61	80	BROWN LAVA		☒
8"	80	96	GREY LAVA		☒
8"	96	147	BROWN LAVA		☒
8"	147	155	GREY LAVA		☒
8"	155	173	BROWN		☒
8"	173	226	GREY LAVA		☒
8"	226	347	NO RETURNS		☒
		347	TOTAL DEPTH		
6"	312	347	6" Hole		

4. METHOD DRILLED

☒ Rotary ☒ Air ☐ Hydraulic ☐ Reverse rotary

☐ Cable ☐ Dug ☐ Other _____

5. WELL CONSTRUCTION

Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____

Thickness	Diameter	From	To
<u>250</u> inches	<u>6</u> inches	<u>1</u> feet	<u>312</u> feet

Was casing drive shoe used? ☒ Yes ☐ No

Was a packer or seal used? ☐ Yes ☒ No

Perforated? ☐ Yes ☒ No

How perforated? ☐ Factory ☐ Knife ☐ Torch

Size of perforation _____ inches by _____ inches

Number	From	To

Well screen installed? ☐ Yes ☒ No

Manufacturer's name _____

Type _____ Model No. _____

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____

Placed from _____ feet to _____ feet

Surface seal depth 312' Material used in seal: ☐ Cement grout

☒ Puddling clay ☐ Well cuttings

Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing

☒ Overbore to seal depth

Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent Weld

☐ Cemented between strata

Describe access port _____

10. Work started May 10, 84 finished May 15, 84

6. LOCATION OF WELL

Sketch map location must agree with written location.

N

W

E

S

31

Subdivision Name _____

Lot No. _____ Block No. _____

County Jerome

NE 1/4 NE 1/4 Sec. 31, T. 7 N/S, R. 17 E.

11. DRILLERS CERTIFICATION

I/We certify that all minimum well construction standards were complied with at the time the rig was removed.

Firm Name C.B. EATON'S Firm No. 26

Address AT 1, WENDELL Date 6/19/84

Signed by (Firm Official) Jamuel Eaton

and (Operator) Jerry J...



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

April 18, 1996

KENT BARTHOLOMEW
43 E 400 N
JEROME ID 83338

RE: WATER RIGHT NO. 36-08241

Dear Water Right Holder(s):

Enclosed is a copy of the Water Right License issued on the above referenced permit. If you have any questions, please contact me within 10 days of receipt of this license.

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen".

Shelley W. Keen
Water Rights Supervisor

SK:rl

Enclosure

RECEIVED
APR 23 1996


01/96

COMMENTS: License for domestic only

USE	CFS	DIV VOL	SRBA Overlap
<u>Dom</u>	<u>0.06</u>	<u>2.4</u>	<u>None</u>
			Adjustment Memo
			LICENSE LTR: P49
			#1 AMEND LTR: <u> </u> /P38
<u>TOTAL</u>	<u>0.06</u>	<u>2.4</u>	#2 AMEND LTR: P42/P47

[illegible]

3. Delivery System Diagram: Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = 100' Not to scale

✓ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

____ Aerial Photo Attached
(required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Sta-rite	5.0	5505 A2	Sta-rite	Unknown

***Code to correspond with No. on map and aerial photo**

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: No measurements

APR 29 1996

E. NARRATIVE/REMARKS/COMMENTS

A 6" well, with a 5.0 hp submersible pump & motor, diverts water to 2 homes with lawns, trees, shrubbery, & gardens for domestic use. The permit states that 7 acres are to be irrigated from the well. However, no irrigation system is currently developed or in place and being used. The owner said that he would need a year or two to develop & install a system. The recommendation for this permit is therefore that water be approved for diversion to 2 homes & lawns for domestic use.

No overlaps were found.

Have conditions of permit approval been met? ☒ yes ☐ no

APR 28 1995

F. FLOW CALCULATIONS

____ Additional Computation Sheets Attached

Measured Method:

$$Q = \frac{(5.0)(8.8)(0.7)}{[(2.31 \times 50) + 322]} = \underline{.07 \text{ cfs}}$$

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \underline{\hspace{2cm}}$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = \underline{\hspace{2cm}}$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = \underline{\hspace{2cm}}$$

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Domestic	1-1	12-31	.06	2.4
Totals:			.06	2.4

2. Recommended Amendments

____ Change P.D. as reflected above ____ Add P.D. as reflected above ☒ None
____ Change P.U. as reflected above ____ Add P.U. as reflected above ____ Other

I. AUTHENTICATIONField Examiner's Name Bruce Campbell Date 6/26/95

Reviewer _____ Date _____

SEAL

AUG 9 1995

PERMIT 36-08241 INIT

T. R. S. Q/Q

P/D 075 17E 31 NWNE

SCALE

PHOTO ID.

23

3753

3788

3815

19

3735

3806

3822

3704

3677

3751

Siphon

25

3828

29

3732

400

North Rd

P/D
P/U

3674

3677

3745

36

3674

3678

3742

3754


300 North Rd.

3644

3678

CANAL

CANAL



WR # 36-08241



P/D
(well cap
&
well house)



P/U
(Home's yard,
#1 &
#2)

RECEIVED
FEB 18 1964

36-08241

WR 36-08241



P/U
(Home # 2)



Pasture
(Undeveloped)

WR# 36-08241



P/U
(Home #1)



Pasture
(Undeveloped)

WR# 36-08241

36-08241

September 4, 1992

KENT BARTHOLOMEW
43 E. 400 N.
JEROME ID 83338

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 36-08241

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. Enclosed is an order advancing the priority of the permit since the proof was received after the proof due date. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the SOUTHERN Regional Office in Twin Falls at (208)736-3033.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

c: IDWR - Region

Enclosure

10/1/92
66710



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

August 17, 1992

Kent Bartholomew
43 East 400 North
Jerome, ID 83338

Re: Permit No. 36-08241

Dear Permit Holder:

Returned is the Proof of Beneficial Use form submitted to this office. It indicates the total rate of water to be 0.20 cfs.

When the total maximum rate of diversion is greater than 0.04 cfs, a license examination fee is required to be submitted with the proof. A license examination fee based on a rate of flow of 0.20 cfs is \$50. Note the back of the enclosed instruction sheet/fee schedule.

Since your permit lapsed on August 1, 1992, it is of no further force nor effect. Therefore, it is imperative that you return the original proof and \$50 fee as soon as possible. Upon receipt of the proof form and fee, we will continue processing your proof by notifying the region that a field exam is needed.

Also, please note that the letter you attached from Walker Water Systems does not constitute a complete field exam. Field exams can only be completed by the Department of Water Resources and certified field examiners.

If you have any questions or if I can be of any further assistance, please feel free to contact me.

Sincerely,

A handwritten signature in cursive script that reads "Karen L. Gustafson".

Karen L. Gustafson
Secretary/Records Manager

Enclosures

RECEIVED
SEP 10 1992

Is this acceptable proof
of beneficial use - or do
we need to do more or
send men?

Kent Bartholomew

8/14/92

RECEIVED

SEP 10 1992



WALKER WATER SYSTEMS, INC.

624 Pierce Street • Twin Falls, Idaho 83301 •
Area Code 208 • 733-4744

March 2, 1992

RECEIVED
AUG 17 1992
Department of Water Resources

Home Federal Savings & Loan
P. O. Box 1536
Twin Falls, ID 83301

RE: Kent Bartholomew Property
43 E 400 N Jerome, ID

To Whom It May Concern:

On February 24, 1992 I ran a flow test on the well on the
Kent Bartholomew property at ~~43~~ E 400 N, Jerome, ID.

The flow test showed that the pump was producing 26 gallons
per minute at 50 psi at the well.

If you have any further questions, please feel free to
call.

Sincerely,

WALKER WATER SYSTEMS, INC.

Joel R. Phinney
Pump Division

/ck

MICROFILMED

SEP 10 1992

August 5, 1992

KENT BARTHOLOMEW
43 E. 400 N.
JEROME ID 83338

LAPSE NOTICE

RE: PERMIT NO. 36-08241

Dear Permit Holder:

You are hereby notified that under the provisions of Section 42-218A, Idaho Code, the above referenced permit has lapsed and is of no further force nor effect. The department provided the proper forms to you in our proof due notice dated May 31, 1992. No further construction or additional development is authorized under this permit unless it is reinstated.

The permit can only be reinstated if you submit an acceptable proof of beneficial use or an acceptable request for extension of time to the department within sixty (60) days of the mailing of this lapse notice. An acceptable proof of beneficial use submittal must include the examination fee or a completed field examination report. A request for extension of time must be accompanied by a fifteen dollar (\$15) fee.

Enclosed again for your use are a proof of beneficial use form and a request for extension of time form. Please note that only one extension of time can be granted unless the project has not been completed because of lack of a necessary approval by a government agency or by litigation which may bring title to the water in question.

L. GLEN SAXTON
Chief, Water Allocation Bureau

LGS:klg

Enclosures

CERTIFICATION OF MAILING

I hereby certify that on 8/5/92
a copy/an original of this document was
deposited in the United States mail,
postage prepaid addressed to the
individual(s) named above.

klg

SEP 16 1992

May 31, 1992

KENT BARTHOLOMEW
43 E. 400 N.
JEROME ID 83338

PROOF DUE NOTICE

RE: PERMIT NO. 36-08241

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before August 1, 1992. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.


If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Karen L. Gustafson
Secretary/Records Manager

Enclosures



JUN 6 1992

S T A T E O F I D A H O

DEPARTMENT OF WATER RESOURCES

- - - - -

Statehouse
Boise, Idaho 83720
(208) 327-7900
July 13, 1990

KENT BARTHOLOMEW
43 E. 400 N.
JEROME, ID 83338

PERMIT APPROVAL NOTICE

RE: PERMIT NO. P36-08241

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

Please note the requirement that as a permit holder you must commence the excavation or construction of diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The enclosed blue card must be completed and returned to this office as soon as you commence construction, no later than one year from the date the permit was approved.

We have enclosed a form entitled "Instructions for Proof of

RECEIVED
JUL 20 1990

JUL 20 1990

Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit into a license.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

RECEIVED
JUL 2 1963

JUL 2 1963

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
State Office
1301 North Orchard St.

Statehouse Mail
Boise, Idaho 83720
(208) 327-7900

MAY 29, 1990

Northside News
Box 468
Jerome, ID 83338

Dear Legal Dept.:

Enclosed you will find legal notices which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before JUNE 25, 1990.

Yours truly,

SHARLA CURTIS
Secretary

Encl.

RECEIVED

JUL 2 1990

NOTICE OF APPLICATION FOR TRUST WATER RIGHT

36-08241

BARTHOLOMEW, KENT
43 E. 400 N.
JEROME, ID 83338

Source: GROUNDWATER

Diversion Pt: NWNE Sec 31 T 07S R 17E

Use: IRRIGATION (.140 CFS)
DOMESTIC (.060 CFS)
Total Diversion: (.200 CFS)

Date Filed: 3/13/ 1984

In: T07S R17E S31 NWNE

7.0 ACRES TOTAL

The permit(s) will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, Statehouse Mail, Boise, Idaho 83720 on or before JUNE 25, 1990.

Published 6/ 6/1990 & 6/13/1990

R. Keith Higginson, Director

RECORDED

JUN 20 1990

PLACE OF USE 1/4 1/4 OVERLAP REPORT

05/09/90

WR-NUMBER	NAME	STG	SOURCE	T	R	S	NE				NW				SW				SE				SUM
							NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
3608241																							
0100005	NORTH SIDE CANAL CO.	D	SNAKE RIVER	07S	17E	31					:				:			:					
0100016	NORTH SIDE CANAL CO.	D	SNAKE RIVER	07S	17E	31					:				:			:					
0100212	NORTH SIDE CANAL CO.	D	SNAKE RIVER	07S	17E	31					:				:			:					
0100213	NORTH SIDE CANAL CO.	D	SNAKE RIVER	07S	17E	31					:				:			:					
0100215	NORTH SIDE CANAL CO.	D	SNAKE RIVER	07S	17E	31					:				:			:					
0100220	NORTH SIDE CANAL CO.	D	SNAKE RIVER	07S	17E	31					:				:			:					
3604105	FLEENOR	S	WASTE WATER	07S	17E	31			10		:				:			:		10			
3608241	BARTHOLOMEW	A	GROUNDWATER	07S	17E	31			7		:				:			:		7			
	NO MAPPING INFO AVAILABLE																						

MICROFILMED

JUL 23 1990



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 -(208) 327-7900

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

May 10, 1990

Kent Bartholomew
43 E 400 N
Jerome, ID 83338

RE: Application for Permit No. 36-8241

Dear Mr. Bartholomew:

I have received your response to my letter and the department's trust water information questionnaire. I appreciate your cooperation in responding and providing an explanation about the status of your application.

Your claimed on your questionnaire that the groundwater source under this application was developed and used for irrigation of seven acres prior to October of 1984. This question concerning development prior to October of 1984 has been asked because it may determine how the Department classifies your application pursuant to the Swan Falls settlement and relative statutes.

If the project represented by the application was completed prior to October of 1984, the filing would be exempt from certain review requirements and would not include conditions relative to the Swan Falls settlement. Applications for undeveloped projects, or projects developed after October of 1984, would be subject to Swan Falls trust water conditions. These conditions do not prohibit approval of the application, nor will they prohibit one's ability to complete the project and obtain water right license. The conditions at this time generally pertain to the Department's ability to review all future Swan Falls trust water rights.

The Department does not presently have any documentation concerning prior development under your application. If you wish to have your application excluded from trust water classification and conditioning, you are asked to submit evidence to support your claim that the project under your application was developed prior to October, 1984. Examples of documentation include aerial photos, power records, receipts, and affidavits or statements from persons familiar with your operation.


If you do not submit documentation of prior development, the Department will process the application as a trust water filing. The Department plans to advertise your application as required by law beginning the first week of June, 1990, regardless of whether you submit the additional information. Upon completion of the advertising and protest period, which is 20 days, the Department will move towards approving the application to permit. You may

JUL 23 1990

submit the evidence any time before the termination of the advertising and protest period, or June 26, 1990.

Please contact me at this office if you have questions concerning this matter.

Sincerely,

A handwritten signature in cursive script, appearing to read "Tim Luke".

Tim Luke

Sr. Water Resource Agent

RECEIVED
JUL 23 1990

JUL 23 1990

K. Bartholomew
43 East 400 North
Jerome, ID 83338

HTD
4/11/73

Idaho Dept. of Water Resources
State House Mail
1301 No. Orchard Street
Boise Id,
83720

Attn. Tim Luke



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
TRUST WATER INFORMATION QUESTIONNAIRE

RECEIVED
MAY 09 1990
Department of Water Resources

Application No. 36-8241

INSTRUCTIONS: IF YOU ARE NOT INTERESTED IN HAVING THE APPLICATION PROCESSED, PLEASE COMPLETE AND RETURN THE ENCLOSED WITHDRAWAL FORM.

IF YOU WISH TO HAVE THE APPLICATION PROCESSED, PLEASE ANSWER THE FOLLOWING QUESTIONS AS THOROUGHLY AS POSSIBLE. FAILURE TO RETURN EITHER THE WITHDRAWAL FORM OR QUESTIONNAIRE IS CAUSE FOR THE DEPARTMENT TO VOID THE APPLICATION.

1a. Are you the current owner of the land or place of use described under this application? Yes ☒ No ☐
b. If you are not the propoerty owner, please describe the arrangement enabling you to develop the proposed project.

2a. Has the source of water listed on this application been used to irrigate any of the land described under this same application prior to October 1, 1984? Yes ☒ No ☐
b. If yes, please describe the extent of development and number of acres irrigated. (Note: Uses developed after October, 1984 are considered trust water diversions and may be subject to certain restrictions and/or conditions. You may be asked to verify uses established prior to October, 1984.)

1 water 7 acres with sprinkle irrigation
with well water, water in canal system unreliable

3. If you answered NO to ques #2a, please state the number of acres you have irrigated with this source after October 1, 1984. 7

4. If you have not irrigated lands under this application, please state the number of acres you plan to complete. _____

5. If the permit is a supplemental filing please identify other water rights which are used on the same land.

3 shares of North Side canal water

Use the reverse side of this form if you wish to add any comments. You may mark changes on the enclosed application to designate any proposed amendments. (Note: Proposed changes which result in an expansion of use will not be considered by the department.)

I hereby assert that the responses provided above are true to the best of my knowledge. I understand that any willful misrepresentations may result in voiding of the application.

Applicant Kent H. Bartholomew

Date 5-7-90

MICROFILMED

JUL 23 1990



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 - (208) 327-7900

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

May 4, 1990

RE: APPLICATION FOR PERMIT NO. 36-8241

Dear APPLICANT:

Due to the Swan Falls litigation, Department approval of the enclosed application may have been delayed. The Department is presently reviewing your application and may authorize the proposed development.

The purpose of this letter is to determine: (1) if you are still interested in developing the project, and (2) the extent of development if any, that has already occurred under the application. Enclosed are two forms requesting information which will help the Department expedite the processing of the application.

1. If you have abandoned or have no interest in continuing with your plans for development of the project, please complete the enclosed withdrawal form and return it to the Department. If you request a withdrawal of the application and the application was not previously advertised, the department will refund your original filing fee.

2. If you wish to continue with your proposed development plans, or have completed all or a portion of the proposed development before October 1, 1984, then you must complete and return the enclosed questionnaire. You may use the questionnaire and enclosed application to make any comments &/or amendments concerning the application. Your completion of the questionnaire will expedite processing and help the department determine if the water diverted under the application is public water or trust water. Approved trust water applications may be subject to additional conditions.

Failure to return either of the above forms within thirty (30) days of the date of this letter is cause for the Department to void the application.

Please be further advised that if any undeveloped portion of your proposed project is greater than 200 acres, the Department will issue a notice requesting additional information as required by Water Appropriation Rule 4,5. (in particular, Rules 4,5,3. thru 4,5,3,5, apply to your project if it is more than 200 acres).

MICROFILMED

JUL 20 1990


Page 2

If you have questions concerning the content of this letter or about completing the forms, please contact Tim Luke at the address below or by calling directly at 327-7864. The enclosed forms and all other relative information must be returned within thirty (30) days to:

Idaho Department of Water Resources
Statehouse Mail
Boise, Idaho 83720
Attn: Tim Luke

Please note that a copy of your application is enclosed. The application number is also shown on the enclosed questionnaire.

Sincerely,



TIM LUKE
Sr. Water Resource Agent

Enclosures

RECEIVED
JUL 1 1990