


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

MICROFILMED

MAR 12 1990

William P. Kearley D.M.
(Applicant)

RECEIVED
AUG 13 1993

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 36-08200
Phone No. 536-2349 368-0232
EXAM. DATE: 2-25-92 83705
Phone No. _____


1. Owner: William P. Kearley
Current Address: 3435 S. 1800 E., Wendell, ID 83355 3822 Camas St., Boise, ID
2. Accompanied by: Mr. Kearley via telecon only
Address: _____
Relationship to Permit Holder: _____
3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: Claim A36-10547 ☒ Copies Attached
2. Other water rights with same point of diversion: 36-2295, Claim A36-10547 ☐ Copies Attached ☒ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION


1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and place(s) of use (required).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater.)
☒ Aerial Photo Attached
(required for irrigation of 10 acres or more)

RECEIVED
NOV 22 1993





36-8200



Diversion Works



P/U

UNRECORDED
NOV 22 1993

AFFIDAVIT of PUBLICATION

RECEIVED

JAN 3 1990

State of Idaho,)
) SS.
County of Gooding)

Department of Water Resources
Southern Region Office

G. Manager

Patty Nance, being first duly sworn,
deposes and says that he is the printer (publisher) of the Gooding
County Leader, a newspaper published every week in Gooding, County
of Gooding, State of Idaho, that said newspaper has been continuous-
ly and uninterruptedly published for a period of seventy-eight consecu-
tive weeks prior to the first publication of the annexed notice, and is
a newspaper qualified to publish legal notices as provided by act of
the 1919 session of the legislature of the State of Idaho, known as
House Bill 145; that the annexed advertisement was published once

each week for 2X consecutive issues in said newspaper
proper and not in a supplement; that the date of the first publication
of said advertisement was on the 20th day of Dec.
1989, and the date of the last publication was on the 27th
day of Dec., 1989.

Patty Nance

Subscribed and sworn to before me this 2
day of Jan, 1990.
(SEAL)

Norma DeVoe

NOTARY PUBLIC

GOODING COUNTY LEADER
Gooding, Idaho

COST OF PUBLICATION

Number of Lines in Notice _____

Number of Insertions 2X

Lines tabular at _____ 6¢/Pica

Lines straight at 19.02 5¢/Pica

Subsequent lines at 15.21 4¢/Pica
TOTAL COST 34.23

COPY OF NOTICE
(Paste Here)

App. for Water Right
TITLE OF NOTICE
William Kearley

PLAINTIFF ATTORNEY

DEFENDANT

PLAINTIFF

Id. Dept. Water Res.
BILL TO T.F.

**NOTICE OF APPLICATION
FOR WATER RIGHT**
The Following application(s) have
been filed to appropriate the public
waters of the State of Idaho:
36-08200
KEARLEY, WILLIAM P.
3435 S. 1800 E.
WENDELL, ID 83355
Source: GROUNDWATER
Diverson Pt: SENW Sec 14 T 08S R 14E
Use: IRRIGATION (.400 CFS)
Total Diverson: (.400 CFS)
Date Filed: 5/26/1983
In: T08S R14E S14 SWNW
20.0 ACRES TOTAL
The permit(s) will be subject to all prior
water rights. Protests may be submitted
based on the criteria of Sec. 42-203A,
Idaho Code and/or the new public in-
terest criteria of Sec. 42-203C, Idaho
Code. Protests must be filed with the
Director, Dept. of Water Resources, 2148
4th Avenue East, Twin Falls, Idaho 83301
on or before JANUARY 8, 1990.
R. Keith Higginson
Director
G10740
Pub: 12-20, 27

PUBLICATION RATES
(Idaho Code, Rev. Statutes 1984)

7-8 pt. per line straight.....5¢/Pica
7-8 pt. per line tabular.....6¢/Pica
7-8 pt. per line successive
insertions.....4¢/Pica

No 523

10740

MAX 12 1990

REPRODUCED

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 36-08200

Priority: May 26, 1983

Maximum Diversion Rate: 0.28 CFS
Maximum Diversion Volume: 56.0 AF

This is to certify, that WILLIAM P KEARLEY
3822 CAMAS ST
BOISE ID 83705

has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated May 26, 1983; and
has submitted Proof of Beneficial Use on April 1, 1991. An examination indicates
that the works have a diversion capacity of 2.800 cfs of water from a GROUNDWATER
source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 to 10/31	0.28 CFS	56.0 AF

LOCATION OF POINT(S) OF DIVERSION: SENW , Sec. 14, Township 08S, Range 14E
GOODING County

PLACE OF USE: IRRIGATION
TWN RGE SEC

	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
08S 14E 14	SWNW 39	SENW 40	NESW 38	154
	NWSW 37			

Total number of acres irrigated: 154

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right limited to the amount that can actually be beneficially use used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.0 afa per acre for the lands above.
6. The total combined rate of diversion under this right and Right 36-02295 shall not exceed 2.80 cfs.

RECORDED

NOV 22 1993

State of Idaho
Department of Water Resources


WATER RIGHT LICENSE

WATER RIGHT NO. 36-08200

CONDITIONS/REMARKS:

7. This right is limited to the irrigation of 14 acres within the place of use described above in a single irrigation season.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 1st day of NOVEMBER, 1993.

Acting for  R. Keith Higginson, Director

NOV 2 1993

RECEIVED
APR 01 1991

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

Department of Water Resources

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 36-08200 Telephone No. 208-536-2379

2. Name(s) of Permit Holder(s): William P. Kearley

3. Post Office Address: 3435 S. 1800 E. Wendell ID 83355

4. Source of Water: Deep Well - Groundwater

a. If ground water, well driller's name: Eatons Well Drilling Date drilled: 1956

b. Pump horsepower: 90 Pressure (psi): 90 Dynamic pumping level (ft.): 70 ft.

5. Extent of Use:

Domestic 0 (No. of households)

Irrigation 160 (No. of acres)

Stockwater _____ (No. and type of stock)

Other _____

This filing is on water that has irrigated land since 1970. Well is licensed for 140 acres already. Filing for another 20 acres.

6. Total rate and/or volume for which proof is submitted 0.40 cfs _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? Yes ☒ No ☒ Installed? Yes ☒ No ☒

OR

Flow Measurement Port: Required? ☒ Yes ☐ No ☒ Installed? ☒ Yes ☐ No ☒

8. Fee Enclosed: \$ 100 (See License Examination Fee Schedule)

9. Person to contact to accompany the Department representative during the field examination:

Bill Kearley
Name

208-536-2379
Telephone No.

3435 S 1800 E Wendell ID 83355
Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

3/28/91
Date

William P. Kearley
Signature (and title if on behalf of a company or organization)

JUL 15 1991

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 36-08200

Proposed Priority: May 26, 1983 Maximum Diversion Rate: 0.40 CFS

This is to certify, that **WILLIAM P. KEARLEY**
3435 S. 1800 E.
WENDELL, ID 83355

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
-----------------------	----------------------	--------------------------

IRRIGATION	03/15 to 11/15	0.40 CFS
------------	----------------	----------

LOCATION OF POINT(S) OF DIVERSION: SENW Sec. 14, Township 08S, Range 14E
GOODING County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
------------	------------	------------	--------------	--------------	--------------	--------------

08S	14E	14	SWNW	20		20
-----	-----	----	------	----	--	----

Total number of acres irrigated: 20

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **April 1, 1991**.
2. Subject to all prior water rights.
3. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
4. Prior to the diversion of water under this permit a flow measurement port or other device as specified by the Department shall be installed to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.
5. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

6th day of March, 1990


R. Keith Higginson, Director
for

MICROFILMED

MAR 12 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant William P. Kearley Phone 536-2379

Post office address 3435 S. 1800E.
~~Route #2 Box 920, Wendell, ID 83355~~

2. Source of water supply Groundwater which is a tributary of _____

3. Location of point of diversion is SE $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 14 Township 8S

Range 14E B.M. Gooding County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 0.40cfs for Irrigation purposes from Mar 15 to Nov 15 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 0.40 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Existing well & pump

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial

use is 1 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____

Range _____ B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____


(4) Name of municipality to be served _____, or number of families to be supplied with domestic water _____.

(5) If water is to be used for other purposes describe: _____

MICROFILMED

MAR 12 1990

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

MICROFILMED
MAR 12 1990

William P. Kenley, D.M.
(Applicant)

Received by JS Date 5-26-83 Time 4:25 pm
Preliminary check by ZF Fee \$ 45.00
Receipted by JS Date 5-26-83 # 30210
Publication prepared by M. Baldwin Date 12-6-89
Published in Gooding Co. Leader
Publication dates 12-20 & 12-27-89
Publication approved T. Jasper Date 1-5-90
Protests filed by: none

Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by ZF KW

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other:

MICROFILMED
MAR 12 1990



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

November 2, 1993

WILLIAM P KEARLEY
3822 CAMAS ST
BOISE ID 83705

RE: WATER RIGHT NO. 36-08200

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

A handwritten signature in black ink, appearing to be 'Jim Johnson', with a long horizontal line extending to the right.

JIM JOHNSON
Water Rights Supervisor

JJ:dc

Enclosure

NOV 22 1993

WR0749NP
No. L36-08200

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)

DATE: 09/03/93
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	WILLIAM P KEARLEY 3822 CAMAS ST BOISE ID 83705 (208) 368-0232	05/26/1983	IRRIGATION	04-01 10-31	0.28 CFS	56.0 AFA
TOTAL DIVERSION:					0.28 CFS	56.0 AFA

Water Source: GROUNDWATER

Tributary to:

Stage: LICENSE

Point(s) of Diversion Capacity: 2.80 CFS

Point(s) of Diversion: T08S R14E S14 SE NW

Place of use Legal Description for: IRRIGATION

NE				NW				SW				SE				
T	R	S	: Lt Ac	Lt Ac	Lt Ac	Lt Ac	: Lt Ac	Lt Ac	Lt Ac	Lt Ac	: Lt Ac	Lt Ac	Lt Ac	Lt Ac	: Lt Ac	SUM
08S	14E	14	:				:	39	40	:	38	37	:		:	154.0
TOTAL ACRES																154.0

Pou County: GOODING

Other Water Rights with Same Point(s) of Diversion and Source:
36-02295 36-08200

Other Water Rights Listing Overlapping Place(s) of use:
36-02295 36-08200

Conditions of Approval:

- R31 - This right when combined with all other rights shall provide no
- more than .02 cfs per acre nor more than 4.0 afa per acre for the
- lands above.

Remarks: The total combined rate of diversion under this right and Right
36-02295 shall not exceed 2.80 cfs.
This right is limited to the irrigation of 14 acres within the
place of use described above in a single irrigation season.

Dates: App. Received: 05/26/1983 Priority Date: 05/26/1983
Proof Due Date: 04/01/1991 Proof Made Date: 04/01/1991
Exam Made Date: 02/25/1992 Exam Sent to S.O.: 08/12/1993
Licensed Date:

Misc: Water District Number: Field Exam Fee:

Audit: 09/03/93 CHAPMAN

IDAHO DEPARTMENT OF WATER RESOURCES
PLACE OF USE 1/4 1/4 COMPARISON REPORT
(REGIONAL)

(WATER RIGHT NUMBERS THAT BEGIN WITH AN '**' ARE ADJUDICATION CLAIMS)

WR-NUMBER	SOURCE	NE								NW								SW								SE								SUM																					
		NE		NW		SW		SE		NE		NW		SW		SE		NE		NW		SW		SE		NE		NW		SW		SE																							
		Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac																						
L3608200	T08S R14E S14	GROUNDWATER																																																					
	:																	39	40	:	38	37																	:	154															
0100005	SNAKE RIVE	:																	:																	:																			
0100016	SNAKE RIVE	:																	:																	:																			
0100212	SNAKE RIVE	:																	:																	:																			
A010021221	LARGE CLAI	:																	10	10	:																	40	20	:	80														
0100213	SNAKE RIVE	:																	:																	:																			
0100215	SNAKE RIVE	:																	:																	:																			
0100220	SNAKE RIVE	:																	:																	:																			
3602285	GROUNDWATE	:	34	32	35	40																	:	25	28																	:	194												
A3602285	GROUNDWATE	:	34	32	35	40																	:	25	28																	:	194												
3602295	GROUNDWATE	:																	20	40	:	40	40																	:	140														
A3602295	GROUNDWATE	:																	20	40	:	40	40																	:	140														
3604023	GROUNDWATE	:																	40	40	:																	:	80																
A3604023	GROUNDWATE	:																	40	40	:																	:	80																
3607672	GROUNDWATE	:																	:																	38	:	37	28	:	103														
A3607672	GROUNDWATE	:																	:																	38	:	37	28	:	103														
3607879	GROUNDWATE	:																	:																	:																	09	:	9
A3607879	GROUNDWATE	:																	:																	:																	09	:	9
3608200	GROUNDWATE	:																	20																	:																	:	20	
A3610547	GROUNDWATE	:																	20																	:																	:	20	

→ this is the claim # assigned to 36-08200.

LICENSE REVIEW CHECKLIST

Permit # 36-8200 Date 8-24-93 Brenda Chapman

NAME ✓ — Or Address Change?

PRIORITY DATE — ✓ Advance? — Memo to Advance —
— ✓ Order to Reinstate Needed?

SOURCE — ✓ Changes? Clarification of **Originally Intended** source —
— ✓ Notice of Intent to Void - Source change.

P/D — ✓ Amendment Needed? —
✓ — Is Overlap Analysis a Consideration?

P/U — ✓ Amendment Needed? —
✓ — Is Overlap Analysis a Consideration? WITH A CLAIM

TOTAL CFS — ✓ Incorrect Fee for rate recommended?
- NA - Disagree/Measurement none done

WELL LICENSED
FOR 2.80

— ✓ Pumping Theoretical $(8.8 \times .70 \times 90 \text{ HP}) = 2.72$
— ✓ System Capacity 2.72
— Allowable Amount: 14.02 = .28

TOTAL VOLUME Rate/ac 4.0 AFA Irr. Season C
4-1 to 10-31 Standard Irr. Season
— ✓ Disagree with Examiner's Calculations?
— ✓ Flow limit: .28 x 214 x 1.9835 = 118.8

USES — ✓ Change(s) in Nature of Use? —
— ✓ Amendment Needed? —

REMARKS W27, W28 ✓ Multiple P/Ds in 1/4 1/4?
— ✓ Special Overlap Condition RATE + VOLUME
— ✓ Other Limited to (14 acres)

CONDITIONS — ✓ Measuring/Locking Devices Misc/Dates
— ✓ W/Master Control ✓ Water Dist
R31 — Irrigation Overlap 5-26-83 App Rec'd
— ✓ Water Quality 2-25-92 Exam Made

COMMENTS: Combined RATE WITH 36-2295 can't exceed 2.80
COMBINE VOLUME CAN'T EXCEED 118.5

RECOMMENDED	CFS	VOL	REDUCE ACRES/RATE
Irrigation	<u>.28</u>	<u>56</u>	LICENSE <u>✓</u>
Domestic	<u>—</u>	<u>—</u>	AMEND <u>—</u>
Stockwater	<u>—</u>	<u>—</u>	

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
AUG 13 1993

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 36-08200
1. Owner: William P. Kearley Phone No. 536-2349 368-0232
Current Address: 3435 S. 1800 E., Wendell, ID 83355 3822 Camas St, Boise, ID
2. Accompanied by: Mr. Kearley via telecon only EXAM. DATE: 2-25-92 83705
Address: _____ Phone No. _____
Relationship to Permit Holder: _____


3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: Claim A36-10547 ☒ Copies Attached
2. Other water rights with same point of diversion: 36-2295, Claim A36-10547 ☐ Copies Attached ☒ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater.

☒ Aerial Photo Attached
(required for irrigation of 10 acres or more)

RECEIVED
NOV 22 1993

System Description (continued)

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

Well, motor, pump, booster motor & pump, mainline to pivot with end boom, corner handlines.

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
P/D	U.S. Motors	30	1052399	Layne & Bowler	22226
Booster	"	60	1407252	Pearless	27434

*Code to correspond with No. on map and aerial photo

5. **Point(s) of Diversion:**

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		NE	SE	NW	14	8S	14E	Gooding	

6. **Place(s) of Use:**

Indicate Method of Determination _____

System
P/U

P/U to
Be Lic.

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
8S	14E	14							39	40	38	37							154
8S	14E	14							14										14

Do not use this space

NOV 22 1993

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

None. Not required per groundwater measurement analysis sheet.

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

2. Alternate Method for Checking Purposes:

*Theoretical Capacity is 2.72 cfs, or 0.72"/acre ⁸⁸ 0.72 x 14 = 0.25 cfs * See Remarks*

F. PUMP EFFICIENCY DATA (Optional) ²

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 14 \times 4 = 56$

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 106$

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 56$

2. Volume Calculations for Other Uses:

NOV 22 1991

H. REMARKS AND OVERLAP REVIEW ANALYSIS

System capacity is 0.91"/acre.

Although 19 more acres are watered in the SW/NW Sec. 14 than were originally licensed, acreage in other tracts has been reduced. So there are actually only 14 additional acres that are being watered under this permit. Permissible P/U on Lic. under SRBA is ~~154~~ 140 acres within the 4 tracts, leaving 14 more acres that need to be covered. Owner has filed claim A36-10547 to cover the same expansion as this permit; if this claim is decreed, permit should be cancelled. If expansion is not recognized in SRBA, permit should be licensed as shown below. System flow rate has not increased under this permit, & appears to be less than what was originally licensed. Original 30 hp pump ran open discharge, while the present 90 hp ^{system} pump is under 60-80 psi. Not to exceed 2.80 cfs when combined with Rt. 36-02295. Theoretical capacity is within 5% of original license, so SRBA recommends 2.8 cfs system capacity. My exam now

I. RECOMMENDATIONS agrees with SRBA recommendations.

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Irrigation	4-12-15	10-31	0.25	56
Totals:			0.25	56

2. Recommended Amendments


- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above
☒ Change P.U. as reflected above ☐ Add P.U. as reflected above

☒ None

☐ Other

J. AUTHENTICATION

Field Examiner's Name J. E. Stanton
 Signature J. E. Stanton
 Certification Date 3/31/93
 Field Report Preparation Date 10-28-92



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

NOV 22 1993

GROUNDWATER MEASUREMENT REQUIREMENT ANALYSIS

FILE: 36-8200
DATE: 2-25-72
BY: J.E. Stanton

THEORETICAL RATE OF FLOW: $Q = \frac{(8.8) \times (\text{H.P.}) \times (\text{EFF.})}{\text{TDH}}$

Q = CFS
H.P. = Total Brake Horsepower of pumping plant (including booster)
EFF. = Pumping plant efficiency (ASSUME 70% OR 0.70)
TDH = total dynamic head = [(LIFT) + (PSI X 2.31)]
LIFT = depth to water in FEET from land surface to pumping water level
PSI = pumping pressure measured in psi near pump (if open discharge assume zero [0])

$$Q = \frac{(8.8) (\dots 90 \dots) (0.70)}{[(\dots 65 \dots) + (\dots 80 \dots \times 2.31)]} = \frac{2.72}{2.22 \text{ cfs}}$$

LIFT FROM:	PSI FROM:	NOTES ON PUMP:
measurement ()	measurement ()	Motor Make, Serial or ID
owner ()	owner ()	
area estimate ()	estimate ()	Pump Make, Serial or ID, rating
well logs (X)	owner gage (X)	
	Booster (Y) (N)	

REMARKS pressure gauge was stuck at 60 psi, not used. Gauge on pivot reads 80 psi according to Mr. Kearley (when end boom is off), 60 psi with end boom on.

ANNUAL VOLUME ANALYSIS

POTENTIAL Acre Feet/Acre/Annum = $\frac{(\text{DAYS IN SEASON}) \times (1.98) \times (Q)}{(\text{RECOMMENDED ACRES IRRIGATED})}$

(season)	(days)	
3/15 - 11/15	246	214
4/1 - 11/1	215	2.72
4/15 - 10/15	184	(... 246 ...) X (1.98) X (... 2.22 ...)
3/1 - 12/1	276	(... 154 ...)


POTENTIAL = 7.9

REQUIRED Acre Feet/Acre/Annum = 4.0
(AF/Ann/Ac irrigation requirement from chart for area)
NOTE that this is NOT Consumptive use

IF POTENTIAL IS GREATER THAN REQUIRED THEN NO MEASUREMENT NECESSARY (X)
IF POTENTIAL IS LESS THAN REQUIRED THEN MEASUREMENT IS NECESSARY ()

NOV 22 1992

THOUSAND SPRINGS C
IDAHO
7.5 MINUTE SERIES (TO



1256
T-922

2
293

36-8200

T-923

5.1

2.11

7.3

2
44.7

792
T-1053

8.0

4

9.5

2

5.9

3

17.7

4

26.3

14.7

5

4.8

580

T-993

4.9

5.7

HEL

3.5

HEL

9

6.8

HEL

6.17

T-833

8.1

HEL

3

116.7

HEL

4

6.7

HEL

5

5.7


HEL

NOV 22 1993

36-8200



Diversion Works



P/U

EXHIBIT 150
NOV 22 1993

April 16, 1991

WILLIAM P. KEARLEY
3435 S. 1800 E.
WENDELL, ID 83355

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 36-08200

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the SOUTHERN Regional Office in Twin Falls at (208)734-3578.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

RECEIVED
JUL 15 1991

ANALYSIS SHEET
for
PROOF OF BENEFICIAL USE

Permit No. 36-8200

Date 4-10-91

GENERAL CONSIDERATIONS

y Name same as permit?
y Address same as permit? If no, indicate below.
y Proof timely received? If no, complete priority advancement below.

SOURCE OF WATER

y Surface water source
y Ground water source
y Drill permit req'd?
y Copy in file? Drill permit no. _____
y Amt paid for drilling permit? _____ Correct?
y Well log in file?

LICENSE EXAMINATION FEE

y Required?
100.00 Amount submitted?
y Correct amount?

MEASURING DEVICE

y Measuring device or access port required?
y Installed?
not Waiver requested or needed?

DEFICIENCIES OR ACTION ITEMS

*Well drilled in 1956
Proof acceptable*

PRIORITY CALCULATION

Date proof received	_____	_____
Date proof due	_____	- _____
No. of days late	_____	= _____
Priority date	_____	+ _____
NEW PRIORITY DATE	_____	= _____

138995
January 31, 1991

WILLIAM P. KEARLEY
3435 S. 1800 E.
WENDELL, ID 83355

PROOF DUE NOTICE

RE: PERMIT NO. 36-08200

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before April 1, 1991. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

RECEIVED

JUL 15 1991

S T A T E O F I D A H O
DEPARTMENT OF WATER RESOURCES

Statehouse
Boise, Idaho 83720
(208) 327-7900
March 6, 1990

WILLIAM P. KEARLEY
3435 S. 1800 E.
WENDELL, ID 83355

PERMIT APPROVAL NOTICE

RE: PERMIT NO. P36-08200

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

Be sure to note the special condition requiring you to install a measuring device, or a flow measurement port to provide for the installation of measuring equipment by the Department. Enclosed please find a list of measuring device options, and specifications for the installation of the flow measurement port.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of

MICROFILMED

MAR 12 1990

Beneficial Use" that must be submitted to the Department when your project is completed. If development is complete, you may submit proof of beneficial use immediately.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

Microfilm

MAR 12 1990

08-Dec-1989

William P. Kearley
3435 S. 1800 E.
WENDELL ID 83355

Re: Application for Permit No. 36-08200

Dear Mr. Kearley:

The Department is now beginning the processing of applications which have been held as a result of the Swan Falls controversy.

From the Department's review of the above referenced water right application, it appears the application is only subject to the usual water right processing described in Section 42-203A, Idaho Code, and is not subject to the public interest criteria processing required of some applications in the Swan Falls settlement.

Please feel free to contact the Department if you have questions.

Very truly yours,

James E. Stanton
Sr. Water Resource Agent

JS:MB

MICROFILMED

MAR 12 1990

AFFIDAVIT of PUBLICATION

RECEIVED

JAN 3 1990

State of Idaho,)
) SS.
County of Gooding)

Department of Water Resources
Southern Region Office

G. Manser

Patty Nance, being first duly sworn, deposes and says that he is the printer (publisher) of the Gooding County Leader, a newspaper published every week in Gooding, County of Gooding, State of Idaho, that said newspaper has been continuously and uninterruptedly published for a period of seventy-eight consecutive weeks prior to the first publication of the annexed notice, and is a newspaper qualified to publish legal notices as provided by act of the 1919 session of the legislature of the State of Idaho, known as House Bill 145; that the annexed advertisement was published once

each week for 28 consecutive issues in said newspaper proper and not in a supplement; that the date of the first publication of said advertisement was on the 20th day of Dec. 1989, and the date of the last publication was on the 27th day of Dec., 1989.

Patty Nance

Subscribed and sworn to before me this 2 day of Jan, 19 90.
(SEAL)

Norma De Voe

NOTARY PUBLIC

GOODING COUNTY LEADER
Gooding, Idaho

COST OF PUBLICATION

Number of Lines in Notice _____

Number of Insertions 28

Lines tabular at _____ 6¢/Pica
Lines straight at 19.02 5¢/Pica
Subsequent lines at 15.21 4¢/Pica
TOTAL COST 34.23

COPY OF NOTICE
(Paste Here)

Applicable Water Right
TITLE OF NOTICE
William Kearley

PLAINTIFF ATTORNEY

DEFENDANT

PLAINTIFF

Id. Dept. Water Res.
BILL TO T.F.

NOTICE OF APPLICATION FOR WATER RIGHT
The Following application(s) have been filed to appropriate the public waters of the State of Idaho:
36-08200
KEARLEY, WILLIAM P.
3435 S. 1600 E.
WENDELL, ID 83355
Source: GROUNDWATER
Diversion Pt: SENW Sec 14 T 08S R 14E
Use: IRRIGATION (400 CFS)
Total Diversion: (400 CFS)
Date Filed: 5/26/1983
In: T08S R14E S14 SWNW
20.0 ACRES TOTAL
The permit(s) will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, 2148 4th Avenue East, Twin Falls, Idaho 83301 on or before JANUARY 8, 1990.
R. Keith Haggins
Director
G10740
Pub: 12-20, 27

PUBLICATION RATES
(Idaho Code, Rev. Statutes 1984)

7-8 pt. per line straight.....5¢/Pica
7-8 pt. per line tabular.....6¢/Pica
7-8 pt. per line successive insertions.....4¢/Pica

No 523

10740

MAR 12 1990

NOTIFIED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Southern Region
2148 4th Avenue East
Twin Falls, ID 83301
(208)734-3578

DECEMBER 6, 1989

GOODING COUNTY LEADER
BOX 56
GOODING, ID 83330

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before JANUARY 8, 1990.

Yours truly,

Mary Baldwin
Secretary/Office Coordinator

Enclosure

MICROFILMED

MAR 12 1990

36-08200

KEARLEY, WILLIAM P.
3435 S. 1800 E.
WENDELL, ID 83355

Source: GROUNDWATER

Diversion Pt: SENW Sec 14 T 08S R 14E

Use: IRRIGATION (.400 CFS)
 Total Diversion: (.400 CFS)

Date Filed: 5/26/1983

In: T08S R14E S14 SWNW

20.0 ACRES TOTAL

RECORDED

MAR 12 1990

GOODING LEGAL
SEND PROOF

NOTICE OF APPLICATION
FOR WATER RIGHT

The Following application(s) have
been filed to appropriate the public
waters of the State of Idaho:

38-08200

KEARLEY, WILLIAM P.
3435 S. 1800 E.

WENDELL, ID 83355

Source: GROUNDWATER

Diversion Pt: SENW Sec 14 T 08S R 14E

Use: IRRIGATION (.400 CFS)

Total Diversion: (.400 CFS)

Date Filed: 5/26/1983

In: T08S R14E S14 SWNW

20.0 ACRES TOTAL

The permit(s) will be subject to all prior
water rights. Protests may be submitted
based on the criteria of Sec. 42-203a,
Idaho Code and/or the new public in-
terest criteria of Sec. 42-203C, Idaho
Code. Protests must be filed with the
Director, Dept. of Water Resources, 2148
4th Avenue East, Twin Falls, Idaho 83301
on or before JANUARY 8, 1990.

R. Keith Higginson

Director

G10740

Pub: 12-20, 27

OK
ID 12-19-89

REPROFILMED

MAR 12 1990

The permit(s) will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, 2148 4th Avenue East, Twin Falls, Idaho 83301 on or before JANUARY 8, 1990.

R. Keith Higginson, Director

Published 12/20/1989 & 12/27/1989

MICROFILMED

MAR 12 1990

MEMORANDUM

TO: FILE/APPLICATION NO. 36-8200

FROM: TIM LUKE

RE: SWAN FALLS PROCESSING

DATE: 11-27-89

=====

The applicant has returned the trust water questionnaire and claims that the source was developed and used prior to October of 1984. The application was filed in May, 1983. The questionnaire states that the source under this application was diverted and used since at least 1970.

The department's 1974 7.5 min orthophoto shows irrigation on the 20 acres in question. The department classified this same land as irrigated in its remote sensing report for Gooding County using a 1986 landsat scene (report completed in 1988). The applicant also included a statement on the original application form in 1983 claiming that the 20 acres in question were added in 1970 as a result of a conversion to a sprinkler system. There appears to be sufficient evidence confirming irrigation of the 20 acres prior to October, 1984.

This application is exempt from the review requirements of Section 42-203C (i.e.; Swan Falls processing). The file is being returned to the regional office for advertising. I do not believe any special language is required for the advertising.

MICROFILMED

MAR 12 1990

WR-NUMBER	NAME	STG	SOURCE	T	R	S	NE				NW				SW				SE				SUM		
							NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE			
3608200																									
0100005	NORTH SIDE CANAL CO.	D	SNAKE RIVER	08S	14E	14																			
0100016	NORTH SIDE CANAL CO.	D	SNAKE RIVER	08S	14E	14																			
0100212	NORTH SIDE CANAL CO.	D	SNAKE RIVER	08S	14E	14																			
0100213	NORTH SIDE CANAL CO.	D	SNAKE RIVER	08S	14E	14																			
0100215	NORTH SIDE CANAL CO.	D	SNAKE RIVER	08S	14E	14																			
0100220	NORTH SIDE CANAL CO.	D	SNAKE RIVER	08S	14E	14																			
3602285	FARMER	L	GROUNDWATER	08S	14E	14	34	32	35	40									25	28	194				
3602295	MULL	L	GROUNDWATER	08S	14E	14						20	40		40	40					140				
3604023	JACOBSON	S	GROUNDWATER	08S	14E	14					40	40									80				
3607672	ISAACS	L	GROUNDWATER	08S	14E	14										38				37	28	103			
3607879	MC MINN	L	GROUNDWATER	08S	14E	14														9		9			
3608200	KEARLEY	A	GROUNDWATER	08S	14E	14						20										20			
	1986 MAPPING DATA ---	-	COUNTY 47 QUAD BB 20	08S	14E	14	36	39	39	40		39	37	37	39		39	37	37	38		37	39	39	611
	1986 MAPPING DATA ---	-	COUNTY 83 QUAD BB 20	08S	14E	14	36	39	39	40		39	37	37	38		38	37	37	39		37	39	38	609

MAR 12 1990

RECEIVED

Bill Kearley DVM
3435 S 1800 E
Wendell Id 83355

← NOTE
ADDRESS
CORRECTION
CORRECTED

MAR 12 1989

Attn: Tim Luke

MAIL
P 045 736 699

WENDELL, ID 83355
NOV 22
6 PM
1989



Idaho Dept of Water Resources
Statehouse Mail
Boise Id 83720

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
TRUST WATER INFORMATION QUESTIONNAIRE

RECEIVED
NOV 27 1989

Application No. 36-8200

Department of Water Resources

INSTRUCTIONS: IF YOU ARE NOT INTERESTED IN HAVING THE APPLICATION PROCESSED, PLEASE COMPLETE AND RETURN THE ENCLOSED WITHDRAWAL FORM.

IF YOU WISH TO HAVE THE APPLICATION PROCESSED, PLEASE ANSWER THE FOLLOWING QUESTIONS AS THOROUGHLY AS POSSIBLE. FAILURE TO RETURN EITHER THE WITHDRAWAL FORM OR QUESTIONNAIRE IS CAUSE FOR THE DEPARTMENT TO VOID THE APPLICATION.

- 1a. Are you the current owner of the land or place of use described under this application? Yes X No
b. If you are not the property owner, please describe the arrangement enabling you to develop the proposed project.

- 2a. Has the source of water listed on this application been used to irrigate any of the land described under this same application prior to October 1, 1984? Yes X No
b. If yes, please describe the extent of development and number of acres irrigated. (Note: Uses developed after October, 1984 are considered trust water diversions and may be subject to certain restrictions and/or conditions. You may be asked to verify uses established prior to October, 1984.)

Development is complete on 20 acres
this land has been irrigated since 1970 with water
from a 1956 filing date
30 Please state the number of acres you have irrigated under this application since October 1, 1984. 20 acres

4. If you have not irrigated lands under this application, please state the number of acres you plan to complete.

5. If the permit is a supplemental filing please identify other water rights which are used on the same land.

Use the reverse side of this form if you wish to add any comments. You may mark changes on the enclosed application to designate any proposed amendments. (Note: Proposed changes which result in an expansion of use will not be considered by the department.)

I hereby assert that the responses provided above are true to the best of my knowledge. I understand that any willful misrepresentations may result in voiding of the application.

Applicant William P. Kearley

Date 11/20/1989

RECEIVED

MAR 12 1990

IDAHO DEPARTMENT OF WATER RESOURCES
TRUST WATER INFORMATION QUESTIONNAIRE

When the original filing was made in 1956 there was 20 acres that was not included in the filing. The total acres of my land is 160. Since 1970 sprinklers have irrigated all of the 160. I am not asking for more water but just proportioning it over the entire 160 instead of 140.

MICROFILMED

MAR 12 1980



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 -(208) 327-7900

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

October 23, 1989

RE: APPLICATION FOR PERMIT NO. 36-8200

DEAR APPLICANT:

Due to the Swan Falls litigation, Department approval of the enclosed application may have been delayed. The Department is presently reviewing your application and may authorize the proposed development.

The purpose of this letter is to determine: (1) if you are still interested in developing the project, and (2) the extent of development if any, that has already occurred under your application.

Enclosed are two forms requesting information which will help the Department expedite the processing of the application.

1. If you have abandoned or have no interest in continuing with your plans for development of the project, please complete the enclosed withdrawal form and return it to the Department. If you request a withdrawal of the application and the application was not previously advertised, the department will refund your original filing fee.

2. If you wish to continue with your proposed development plans, or have completed all or a portion of the proposed development before October 1, 1984, the department asks that you complete and return the enclosed questionnaire. You may use the questionnaire and enclosed application to make any comments and/or amendments concerning the application. Your completion of the questionnaire will expedite processing and help the department determine if the water diverted under the application is public water or trust water.

Approved trust water applications may be subject to additional conditions.

Failure to return either of the above forms within thirty (30) days of the date of this letter is cause for the department to void the application.

RECORDED

MAR 14 1990

Page 2

If you have questions concerning the content of this letter or about completing the forms, please contact Tim Luke at the address below or by calling directly at 327-7864. The enclosed forms and all other relative information should be returned within thirty (30) days to:

Idaho Department of Water Resources
Statehouse Mail
Boise, Idaho 83720
Attn: Tim Luke

Please note that a copy of your application is enclosed. The application number is shown on the enclosed questionnaire.

Sincerely,



TIM LUKE
Sr. Water Resource Agent

Enclosures

TL:sc

cc: Region

MICROFILMED

MAR 12 1980