


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.




Scale: 2 inches equal 1 mile.

MICROFILMED

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Laila Van Tassell
(Applicant)


36-7966 System Diagram



AUG 08 1995

T.7S R.21E

PERMIT 36-7966 INIT _____
T. R. S. Q/Q
P/D _____
SCALE _____
PHOTO ID. _____




PERMIT 36-7966 INIT _____

T. R. S. Q/Q

P/D _____

SCALE _____

PHOTO ID. Aerial Photo (Reduced)





#1
P/O
Pump Station #1



#2
P/O
Pump Station
#2



#3
Booster Pumps
at Pump Station
#2

AUG 08 1995

36-07966

#4
P/4



#5
P/4



AUG 08 1995

AFFIDAVIT of PUBLICATION

State of Idaho, }
County of Jerome } SS.

Patty Nance *G. Manager*, being first duly sworn, deposes and says that he is the printer (publisher) of the Jerome North Side News, a newspaper published every week in Jerome, County of Jerome, State of Idaho; that said newspaper has been continuously and uninterruptedly published for a period of seventy-eight consecutive weeks prior to the first publication of the annexed notice, and is a newspaper qualified to publish legal notices as provided by act of the 1919 session of the legislature of the State of Idaho, known as House Bill 145; that the annexed advertisement was published once

each week for 2X consecutive issues in said newspaper proper and not in a supplement; that the date of the first publication of said advertisement was on the 2nd day of Aug., 1989, and the date of the last publication was on the 9th day of Aug., 1989.

Subscribed and sworn to before me this 6 day of Oct, 1989.
(SEAL)

Norma De Voe

NOTARY PUBLIC

NORTH SIDE NEWS

Jerome, Idaho

COST OF PUBLICATION

Numer of Picas per Line _____
Number of Lines in Notice _____
Number of Insertions 2X

Lines tabular at _____ 5¢/Pica
351 Lines straight at 14.04 4¢/Pica
Subsequent lines at 12.29 3.5¢/Pica
TOTAL COST 26.33

COPY OF NOTICE

(Paste Here)

Not. of Existing Water Right
Van Tassell

PLAINTIFF ATTORNEY

DEFENDANT

PLAINTIFF

BILL TO

NOTICE OF EXISTING WATER RIGHT PERMIT

Permit No. 36-7966

Presently Recorded as Follows:

Name: GAIL &/OR AFTON VAN TASSELL

Address: RT. 2, BOX 152, PAUL, ID 83347

Source: GROUNDWATER

Diversion Pt.: NESE SEC. 28, NESE SEC. 29, NENW SEC. 33 T7S R21E, LINCOLN CO.

Use: IRRIGATION (2.28 CFS)

Priority: FEBRUARY 23, 1981

Place of Use: E½SW SEC. 29, NWNE SEC. 32 T7S R21E

Total Acres: 114

This permit was not developed by July 1, 1985, and is being reprocessed in compliance with Section 42-203D, Idaho

Code. Protests against the continuance of the permit must be filed with the Director, Dept. of Water Resources, Statehouse Mall, Boise, ID 83720 on or before August 21, 1989.

R. Keith Higginson
Director
L16849

Pub: 8-2, 9

(Idaho Code, Rev. Statutes 1984)

7-8 pt. per line straight 4¢/Pica

7-8 pt. per line tabular 5¢/Pica

7-8 pt. per line successive

insertions 3¢/Pica

MICROFILMED

NOV 20 1989

N^o 3452

RECEIVED
OCT 12 1989

Department of Water Resources

NAME OF APPLICANT NHAP REVIEW #36-7966

Form No. 0

FROM PERMIT: 75-21E (2"=1MI)


14 29
40

13
40

16
34

32

FROM NHAP: 243-111 (9/2/84)



== IRRIGATED

== PLOWED

NHAP REVIEW SHOWS NO
DEFINITE IRRIGATION USE;
PERMITTED LANDS APPEAR
MOSTLY GRAY

NOV 20 1989

NOV 20 1989

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 36-07966

Priority: February 23, 1981

Maximum Diversion Rate:

0.37 CFS

Maximum Diversion Volume:

156.8 AF

This is to certify, that GAIL VAN TASSELL
AFTON VAN TASSELL

RT 2 BOX 2608

PAUL ID 83347

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated February 23, 1981; and has submitted Proof of Beneficial Use on February 7, 1994. An examination indicates that the works have a diversion capacity of 16.390 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 to 10/31	0.37 CFS	156.8 AF

LOCATION OF POINT(S) OF DIVERSION:

NESE , Sec. 28, Township 07S, Range 21E
NENW , Sec. 33, Township 07S, Range 21E
LINCOLN County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
07S	21E	28	NENE 19	NWNE 40	SWNE 40	
			SENE 39	SWNW 40	SENE 40	
			NESW 40	NWSW 40	SWSW 40	
			SESW 40	NESE 24	NWSE 34	
			SWSE 37	SESE 32		505
	29		NESW 33	SESW 33	NESE 33	
			NWSE 33	SWSE 40	SESE 40	212
	32		NWNE 40			40
	33		NENW 40	NWNW 40		80

Total number of acres irrigated: 837

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount that can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.

State of Idaho
Department of Water Resources**WATER RIGHT LICENSE**

WATER RIGHT NO. 36-07966

CONDITIONS/REMARKS:

5. This right is for the use of trust water and is subject to review 20 years after the issuance of the permit to determine availability of water and to re-evaluate the public interest.
6. Diversion and use of water under this right is subject to an annual use fee if rules are subsequently promulgated which provide for the submittal of the fee.
7. The Director retains jurisdiction of the right issued to change, add or remove any requirement as determined to be appropriate.
8. The following rights are also diverted through the point(s) of diversion described above: 36-02437, 36-02438, 36-02569 and 36-07512.
9. This right is limited to the irrigation of 114 acres within the place of use described above in a single irrigation season.
10. Use of this right with the rights listed below is limited to a total combined annual diversion volume of 3348 af and to the irrigation of a combined total of 837 acres in a single irrigation season. The combined rights include: 36-02437, 36-02438, 36-02569 and 36-07512.
11. This right when combined with the rights listed below and all other rights shall provide no more than .02 cfs per acre nor more than 4.0 afa per acre for the lands above. The combined rights include: 36-02437, 36-02438, 36-02569 and 36-07512.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 4TH
day of AUGUST, 1995.


Acting for KARL J. DREHER, Director

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT

(For Licensing Purposes)

WATER RIGHT NO. 36-07966

Date of Priority: February 23, 1981 Maximum Diversion Rate: 0.37 CFS
Maximum Diversion Volume: 156.8 AF

Comes now GAIL VAN TASSELL
AFTON VAN TASSELL

RT 2 BOX 2608
PAUL ID 83347

and represents to the Director of the

Idaho Department of Water Resources:

That he is the owner and holder of Permit to appropriate the Public Waters of the State of Idaho No. 36-07966, and requests that the permit be changed as follows:

Source: GROUNDWATER

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 to 10/31	0.37 CFS	156.8 AF

LOCATION OF POINT(S) OF DIVERSION: NESE , Sec. 28, Township 07S, Range 21E
NENW , Sec. 33, Township 07S, Range 21E
LINCOLN County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
07S	21E	28	NENE 19	NWNE 40	SWNE 40	
			SENE 39	SWNW 40	SENE 40	
			NESW 40	NWSW 40	SWSW 40	
			SESW 40	NESE 24	NWSE 34	
			SWSE 37	SESE 32		505
	29		NESW 33	SESW 33	NESE 33	
			NWSE 33	SWSE 40	SESE 40	212
	32		NWNE 40			40
	33		NENW 40	NWNW 40		80

Total number of acres irrigated: 837

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at _____, this _____ day of _____, 19____.

[Stamp]

AUG 08 1995

Gail Van Tassell
(Signature)

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 36-07966

FOR DEPARTMENT USE ONLY

Preliminary check by SWK Fee = \$50.00 Receipted by J. Wyatt # C033321 Date 8-4-95

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, Karl J. Dreher, of the Department of Water Resources hereby approve the
above Application for Amendment for Permit No. 36-07966 with the following;

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount that can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right is for the use of trust water and is subject to review 20 years after the issuance of the permit to determine availability of water and to re-evaluate the public interest.
6. Diversion and use of water under this right is subject to an annual use fee if rules are subsequently promulgated which provide for the submittal of the fee.
7. The Director retains jurisdiction of the right issued to change, add or remove any requirement as determined to be appropriate.
8. The following rights are also diverted through the point(s) of diversion described above: 36-02437, 36-02438, 36-02569 and 36-07512.
9. This right is limited to the irrigation of 114 acres within the place of use described above in a single irrigation season.
10. Use of this right with the rights listed below is limited to a total combined annual diversion volume of 3348 af and to the irrigation of a combined total of 837 acres in a single irrigation season. The combined rights include: 36-02437, 36-02438, 36-02569 and 36-07512.

AUG 28 1995


State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 36-07966

CONDITIONS/REMARKS:

11. This right when combined with the rights listed below and all other rights shall provide no more than .02 cfs per acre nor more than 4.0 afa per acre for the lands above. The combined rights include: 36-02437, 36-02438, 36-02569 and 36-07512.

Witness my hand this 4TH day of AUGUST, 1995.


Acting for KARL J. DREHER, Director

RECEIVED
AUG 10 1995

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF CHANGING THE
FLOW MEASUREMENT PORT OR
MEASURING DEVICE CONDITION
OF APPROVAL FOR PERMIT NO. 36-07966

ORDER


WHEREAS, the Department of Water Resources (department) has issued the above captioned water right permit with a condition of approval requiring the permit holder to install a flow measurement port or other device to facilitate the measurement and determination of the rate of diversion by the department; and

WHEREAS, the department has determined that the rate of diversion for certain ground water uses can be estimated by the department without the use of an installed flow measurement port; and,

WHEREAS, the department has determined that the rate of flow for the above captioned permit can be estimated without the use of a flow measurement port;

IT IS THEREFORE, HEREBY ORDERED that this condition of approval requiring the installation of a flow measurement port or other device for the above captioned permit is REMOVED.

Dated this 24th day of February, 1994.



L. GLEN SAXTON
Chief, Water Allocation Bureau

APR 11 1994

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

RECEIVED

FEB 07 1994

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 36-07966 Telephone No. 208 438-8165
2. Name(s) of Permit Holder(s): Gail or Afton Van Tassell
3. Mailing Address: Rt² Box 2608 Paul Idaho 83347
4. Source of Water: Deep Well

If GROUNDWATER, Well Driller's Name: using already existing Wells Date Drilled: _____

OPTIONAL:

Pump horsepower: 825 Pressure (psi): 80 psi Dynamic pumping level (ft.): _____

+370 feeters system is complex

5. Extent of Use (as authorized by the permit):
Domestic _____ (No. of households) Stockwater _____ (No. and type of stock)
Irrigation 11/4 (No. of acres) Other _____

6. Total rate and/or volume for which proof is submitted 2.88 cfs OR _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? _____ Yes ☒ No _____ Installed? _____ Yes _____ No _____

OR

Flow Measurement Port: Required? ☒ Yes _____ No _____ Installed? _____ Yes _____ No _____

8. Fee Enclosed: \$ _____ (See License Fee Schedule on back of Instruction Sheet)

9. Person to contact to accompany the Department representative during field examination of the water system.

Perry Van Tassell 438-8165 or 678-0248-1399
Name Telephone No.

Rt² Box 2608 Paul ID. 83347
Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

MICROFILMED

2-1-94
Date

Perry Van Tassell Sen
Signature (and title, if on behalf of a company or organization)

APR 11 1994

STATE OF IDAHO

For Office Use Only

\$15 FEE Received by Date 3/18/91Receipt # 6019749**RECEIVED**

DEPARTMENT OF WATER RESOURCES

MAR 18 1991 REQUEST FOR EXTENSION OF TIME

TO PROVIDE ADDITIONAL TIME IN WHICH TO SUBMIT PROOF

Department of Water Resources BENEFICIAL USE FOR A WATER RIGHT PERMIT

RECEIVED

APR 11 1991

The Idaho Department of Water Resources will consider this form as a request that the permit holder(s) be granted an additional period of time in which to complete development of a water right under Department of Water Resources Section 42-204, Idaho Code.

Permit No. 36-07966Name(s) of Permit Holder: Gail Van Tassel Aileen Van TasselPost Office Address: Rt 2 Box 2608 Paul Idaho 83347Telephone No. 208-438-8165Date Proof is Due: April 1, 1991

Describe what work has been completed toward the development of this water right:

(This must be filled out! If no work has been completed, show "none".)

I have sized up both pumps instead of putting a new well in.
I have put mainline in to connect the two pumps together.
I have put main line in going half the way into section 29
But have not yet completed the project Costing \$190,000.00

The permit holder(s) has been unable to complete the remainder of the work for the following reasons:

The main reason was the Swans Falls Litigation.
After it was resolved I have been doing part of the
project every year.

Permit holder(s) request an extension to May 30, 1995
(1 yr. minimum)X Gail Van Tassel
(Signature)*

FEE: \$15.00

MICROFILMED*IF OTHER THAN PERMIT HOLDER,
POWER OF ATTORNEY MUST BE SUPPLIED.

APR 19 1991

ACTION OF THE DEPARTMENT OF WATER RESOURCES

IT IS HEREBY ORDERED that the above request for extension of time be APPROVED and the time within which to submit proof of beneficial use is extended to June 1, 1994.

Signed this 17th day of April, 19 91.J. Alan Saylor
Chief, Water Allocation Bureau

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF PERMIT	)	
NO. 36-7966 IN THE NAME OF	)	CONTINUATION ORDER
GAIL &/OR AFTON VAN TASSELL	)	

This matter having come before the Idaho Department of Water Resources (IDWR) as a requirement of Section 42-203D, Idaho Code, the Department Finds, Concludes and Orders as follows:

FINDINGS OF FACT

1. Section 42-203D, Idaho Code, directs IDWR to review all permits issued prior to July 1, 1985, located within the Swan Falls Trust Water Area, to determine if water was beneficially used prior to said date.

2. If water was not beneficially used until after July 1, 1985, Section 42-203D further directs IDWR to review the permit under the provisions of Section 42-203C, Idaho Code.

3. Section 42-203C requires IDWR to determine whether diversion of water under a permit issued prior to July 1, 1985, causes a significant reduction of trust water available for power production and, if there is a significant reduction, to determine whether the reduction is in the public interest.

4. Permit No. 36-7966 (permit) was issued to Gail &/or Afton Van Tassell (permit holder) authorizing the diversion of 2.28 cfs of groundwater for irrigation of 114 acres.

5. IDWR records show that 43 acres authorized to be irrigated under Permit No. 36-7966, are irrigated with other water rights perfected prior to July 1, 1985.

RECEIVED
JUL 11 1985

JUL 20 1985

6. Water diverted and used on or after July 1, 1985 for the irrigation of land under the terms of this permit is trust water.

7. The development and use of groundwater authorized under this permit does not cause a significant reduction of trust water.

CONCLUSIONS OF LAW

1. The water authorized for diversion under Permit No. 36-7966 is trust water.

2. The use of water under the permit satisfies the provisions of Sections 42-203C and 42-203D, Idaho Code.

3. An order continuing the permit shall be issued.

ORDER

IT IS HEREBY ORDERED that Permit No. 36-7966 is valid and may CONTINUE as provided in Section 42-203D, Idaho Code, subject to the following additional conditions and limitations:

1. Proof of construction of works and application of water to beneficial use shall be submitted to IDWR on or before April 1, 1991.

2. The use of trust water authorized by this right is subject to review 20 years after the date of this order to determine availability of trust water and to reevaluate the public interest.

3. The construction of diversion works must be commenced within one (1) year of the date of this order and shall proceed diligently and uninterruptedly to completion unless temporarily interrupted by circumstances over which the permit holder has no control.

4. Diversion and use of trust water under this right is subject to an annual use fee if rules are subsequently promulgated which provide for the submittal of the fee.

5. The Director retains jurisdiction of this right to change, add or remove any requirement as determined to be appropriate.

6. All conditions of approval contained on the permit are incorporated into and made a part of this order.

Dated this 31st day of October, 1989.


L. GLEN SAXTON, Chief
Water Allocation Bureau

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

For Office Use Only

\$15 FEE Received *14*

Date *2-28-86*

Receipt # *37506*

REQUEST FOR EXTENSION OF TIME

To provide additional time in which to submit proof
of beneficial use on a water right permit

Afton Van Tassell of 1037 S. 2100 E., Paul, ID 83347
(Name) (Address)

State of Idaho, deposes and says:

That he is the holder, or the duly authorized agent of the holder*, of Permit to Appropriate the Public Water of the

State of Idaho No. 36-7966

RECEIVED
FEB 26 1986

That under the terms and conditions of said permit, work thereunder was required to be completed on or before

April 1, 1986.

Department of Water Resources

That he has heretofore performed the following work described under said permit:

(This must be filled out! If no work has been completed put none.)

Two wells are in existence and we are irrigating approximately 4/4 acres.

Costing \$ 25,000

That he is unable to complete the remainder of the work within the required time for the following reasons, to-wit:

Litigation with Idaho Power Co./Swan Falls has precluded development.

Wherefore, he asks that the Department of Water Resources extend the time for the completion of obligations

under said permit to April 1, 1991

(1 yr. minimum,
5 yrs. maximum)

Afton Van Tassell
(Signature)*

*IF OTHER THAN HOLDER, Power of Attorney must be supplied.

FEE: \$15.00

MICROFILMED

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

IT IS HEREBY ORDERED that the above application for extension of time be APPROVED and the time within
which to submit proof of beneficial use is extended to April 1, 1991.

Signed this 7th day of March, 1986.

A. Glen Saxton
Chief, Operations Bureau

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant Gail &/or Afton Van Tassell Phone 438-8165

Post office address Rt. 2, Box 152, Paul, Idaho, 83347 1037 S. 2100 E.

2. Source of water supply Groundwater which is a tributary of _____

3. Location of point of diversion is NE ^(existing) $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 28 Township 7S

Range 21E B.M. Lincoln County, additional points of diversion if any: _____

(existing)

(proposed)

NE $\frac{1}{4}$ NW $\frac{1}{4}$ Sec. 33, T7S, R21E, B.M. NE $\frac{1}{4}$ SE $\frac{1}{4}$ or SE $\frac{1}{4}$ SE $\frac{1}{4}$ Sec. 29, T7S, R21E, B.M.

4. Water will be used for the following purposes:

Amount 2.28 for Irrigation purposes from Mar. 15 to Nov. 15 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 2.28 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Two existing wells and one proposed well with pumps delivering to common sprinkler system.

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____

Range _____ B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water _____.

(5) If water is to be used for other purposes describe: _____

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
7S	21E	32		34															34
		29									40			40					80

Total number of acres to be irrigated 114

c. Describe any other water rights used for the same purposes as described above. _____

None

9. a. Who owns the property at the point of diversion Applicant


b. Who owns the land to be irrigated or place of use Applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____

10. Remarks _____

MICROFILMED

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

MICROFILMED

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Laila W. Tassell
(Applicant)

Proposed Priority

2/23/81

Received by ADM Date 2-23-81 Time 4:00 p.m.

Preliminary check by AS Fee \$ 85⁰⁰ # 16846

Receipted by Mary A. Hill Date 2-23-81

Publication prepared by adm Date 2/25/81

Published in Lincoln County Journal

Publication dates 3/2 + 3/19/81

Publication approved maey Date 3/2/81

Protests filed by: None

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by AK AK

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 36-7966, and said application is hereby approved.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before April 1, 19 86.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other:

An access port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.

Witness my hand this 23rd day of April, 1981.

A. Glen Saxton
Chief, Operations Bureau

MICROFILMED

R E L I N Q U I S H M E N T

TO WHOM IT MAY CONCERN:

I hereby relinquish to the State of Idaho,
all my right, title and interest in and to (~~APPROPRIATE THE PUBLIC WATERS OF THE STATE OF IDAHO,~~
~~PERMIT~~) to Appropriate the Public Waters of the State of Idaho,
No. LICENSE 36-7010.

Signed at Twin Falls, Idaho
this 23 day of February, 1981.

That portion being describe on my property being the SE $\frac{1}{4}$ SE $\frac{1}{4}$ Sec. 29, T7S, R21E, B.M.

Sailor Russell
~~APPROPRIATE THE PUBLIC WATERS OF THE STATE OF IDAHO,~~
Land Owner

ATTEST:

maria hill

RECORDED
INDEXED
FEB 24 1981
IDAHO DEPT. OF LAND



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0090
Phone: (208) 327-7900 FAX: (208) 327-7866

RECEIVED

JAN - 2 2002

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

December 21, 2001

438-8165
AFTON VAN TASSELL
GAIL VAN TASSELL
1115 N 16590 W
PAUL ID 83347

called for clarifications. Very sharp, very nice. They are purchasing Crestview Farms, now owned by Zahner. Gail will call me back this a.m. re Crestview. 1-12-02

Re: Snake River Basin Adjudication (SRBA)

Water Right(s) #36-2437, 36-7502, 36-7512, 36-7966, 36-10189, 36-10190
Change of Address 36-2438

Dear Water Right Holder:

IDWR has been notified the address presently in our records is incorrect. Although we have reached you at the address above, we need your written confirmation this is your correct mailing address before we can change our records. Future notices related to your water right can be sent only to the address on your water right or as otherwise changed by you.

Please sign your name at the bottom of this letter and return it to this office. Make corrections to your name and address if necessary and list any other water rights you may have before returning this letter by January 11, 2002. Thank you for your help.

If your mail delivery address changes in any form, please contact us in writing so we can update our records.

If there has been a change in ownership of the property connected with the water rights referenced above, please call this office toll-free at 1-800/451-4129 to obtain a form to make this required change to the water right record.

Sincerely,

Sally
Sally Sherman
Technical Records Specialist
Adjudication Bureau

SS:region


#####

The address is correct as shown above or as otherwise changed.

Perry Van Tassel
Claimant Signature


208-438-5049
Telephone No.

Snake River Basin Adjudication
Office of the Attorney General
PO Box 44449
Boise ID 83711-4449



- ☐ MOVED, LEFT NO ADDRESS
- ☐ NOT DELIVERABLE AS ADDRESSED
- ☐ UNABLE TO FORWARD
- ☐ ATTEMPTED - NOT KNOWN
- ☐ UNCLAIMED ☐ REFUSED
- ☐ NO SUCH STREET - NUMBER
- ☐ DO NOT REMAIN IN THIS ENVELOPE
- ☐ UNDELIVERED ADDRESS
- ☐ INCORRECT NAME/DATE
- ☐ BOX CLOSED TO POST

ADDRESS SERVICE
REQUESTED



1115 N. 1650 W.
Paul, ID 83347

Att.

~~804~~ CID
262543

VAN TASSELL, AFTON
RT 2 BOX 2608

~~BOISE ID 83711~~

36-7966 ~~SPR~~ WR over
36-7502 P.D. 57512 WR
36-2437 P.D.
36-10189 P.D.
36-10190 P.D.
36-2438

(AFTON VAN TASSELL)

Cifton V. L. Water License

36-07512

36-02437

36-02438

36-02547

36-07966

Total Water Right Acres - 837 acres

Homestead Rights

36-10189

36-10190

36-07502

Crestview - Farm Water Rights

36-07784 B + 36-07010 Combined -

Watered Acres
305 acres

36-07784 A -

272 acres

36-02387 -

45 acres

36-02351 -

250 acres

Total combined acres 892

Domestic Pump

36-14487

1-12-02 - 10 (Sat.)

Purchasing Crestview from Clayne Zallinger.

Perry Van Tassel told me this a.m. " " doesn't open mail for Crestview Farms, but gives it directly to Perry.

Crestview = CID 89383

Spike to Astor (mom) & Perry (son) today. Updated
~~Crestview Farms CID~~



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

August 7, 1995

GAIL VAN TASSELL
AFTON VAN TASSELL
RT 2 BOX 2608
PAUL ID 83347

RE: WATER RIGHT NO. 36-07966

Dear Water Right Holder(s):

Enclosed is a copy of the Water Right License issued on the above referenced permit along with a copy of your approved Application for Amendment.

Should you have any questions regarding these documents, please contact me.

Sincerely,

JIM JOHNSON, Manager
Water Right Permits Section

JJ:rl

Enclosure

RECEIVED
AUG 08 1995

AUG 08 1995



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

July 17, 1995

GAIL VAN TASSELL
AFTON VAN TASSELL
RT 2 BOX 2608
PAUL ID 83347

RE: WATER RIGHT NOS. 36-07512 AND 36-07966

Dear Water Right Holder(s):


The above licensed water rights are in the process of being licensed. However, before licenses can be issued, your permits must be amended to correspond with the findings of the Department's field examiner.

The enclosed Applications for Amendment contain information that will be included on the licenses when they are issued. The amendments reflect a change in the place of use descriptions. It is more accurate to reflect the acres covered under the above referenced water rights as part of a larger system. The licenses will list all of the acres irrigated from the two wells, but will be limited to the number of acres the examiner found pertinent to these rights within the places of use. Please review carefully and if you concur, sign the amendments and return with the \$50.00 (each) filing fee within 14 days.

The last page of the Application for Amendment forms contain a list of CONDITIONS/REMARKS proposed for the licenses when they are issued. These conditions/remarks may be modified upon further administrative review.

If you do not concur, or if you have any questions about this information, please contact me as soon as possible. My telephone number is (208) 327-7946.

Sincerely,


Shelley Walter Keen
Water Rights Supervisor

SWK:rl

Enclosure

RECEIVED
AUG 08 1995

WR0749NP
No. L36-07966

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT

DATE: 07/18/95
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY	WATER USE	USE PERIOD		DIVERSION RATE	DIVERSION VOLUME
		DATE		FROM	TO		
C	GAIL VAN TASSELL	02/23/1981	IRRIGATION	04-01	10-31	0.370 CFS	156.80 AFA
C	AFTON VAN TASSELL						
	RT 2 BOX 2608						
	PAUL ID 83347						
	(208) 438-8165						
TOTAL DIVERSION:						0.370 CFS	156.80 AFA

Water Source: GROUNDWATER

Tributary to:

Stage: LICENSE

Point(s) of Diversion Capacity: 16.390 CFS

Point(s) of Diversion: T07S R21E S28 NESE LINCOLN County
S33 NENW LINCOLN County

Place of use Legal Description for: IRRIGATION

			NE				NW				SW				SE																				
T	R	S	NENE		NWNE		SWNE		SENE		NENW		NWNW		SWNW		SENW		NESW		NWSW		SWSW		SESW		NESE		NWSE		SWSE		SESE		SUM
			Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac			
07S	21E	28	19		40		40		39						40		40		40		40		40		40		24		34		37		32	505.0	
07S	21E	29																	33				33				33		33		40		40	212.0	
07S	21E	32			40																													40.0	
07S	21E	33									40		40																					80.0	
																												TOTAL ACRES		837.0					

Pou County: LINCOLN

Other Water Rights with Same Point(s) of Diversion and Source:
36-02437 36-02438 36-02569 36-07502 36-07512 36-07966 L36-07512

Other Water Rights Listing Overlapping Place(s) of use:
36-02437 36-02438 36-02569 36-07010 36-07512 36-07966 L36-07512

Conditions of Approval:

- R55 - This right is for the use of trust water and is subject to review
- 20 years after the issuance of the permit to determine
- availability of water and to re-evaluate the public interest.
- R56 - Diversion and use of water under this right is subject to an
- annual use fee if rules are subsequently promulgated which
- provide for the submittal of the fee.
- R57 - The Director retains jurisdiction of the right issued to
- change, add or remove any requirement as determined to be
- appropriate.

Remarks: The following rights are also diverted through the point(s) of
diversion described above: 36-02437, 36-02438, 36-02569 and
36-07512.
This right is limited to the irrigation of 114 acres within
the place of use described above in a single irrigation

WR0749NP
No. L36-07966

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT

DATE: 07/18/95
PAGE: 2

Remarks: season.
Use of this right with the rights listed below is limited to a total combined annual diversion volume of 3348 af and to the irrigation of a combined total of 837 acres in a single irrigation season. The combined rights include: 36-02437, 36-02438, 36-02569 and 36-07512.
This right when combined with the rights listed below and all other rights shall provide no more than .02 cfs per acre nor more than 4.0 afa per acre for the lands above. The combined rights include: 36-02437, 36-02438, 36-02569 and 36-07512.

Dates: App. Received: 02/23/1981 Priority Date: 02/23/1981
Proof Due Date: 04/01/1994 Proof Made Date: 02/07/1994
Exam Made Date: 07/06/1994 Exam Sent to S.O.: 06/23/1995
Licensed Date:

Misc: Water District Number: Field Exam Fee: R (Received)

Audit: 07/05/95 BCHAPMAN 07/05/95 BCHAPMAN 07/05/95 BCHAPMAN 07/17/95 BCHAPMAN
07/17/95 BCHAPMAN

(WATER RIGHT NUMBERS THAT BEGIN WITH AN '*' ARE ADJUDICATION CLAIMS)

[illegible]

L3607966	T07S R21E S29	GROUNDWATER	:	:	: 33		33 :	33	33	40	40 :	212
3602569	GROUNDWATE	:	:	:	:	:	:		25	20	:	45
*3602569	GROUNDWATE	:	:	:	:	:	:		25	20	:	45
A3602569	GROUNDWATE	:	:	:	:	:	:		25	20	:	45
3607010	GROUNDWATE	:	:	:	:	:	:				38 :	38
3607512	GROUNDWATE	:	:	:	:	:	:	40	40	40	40 :	160
L3607512	GROUNDWATE	:	:	:	: 33		33 :	33	33	40	40 :	212
-3607966	GROUNDWATE	:	:	:	40		40 :					80
A3610185	DISALLOWED	:	:	:	:	:	:				38 :	38

L3607966	T07S R21E S32		GROUNDWATER	:		:		:		: 40
			40	:		:		:		
3607010	GROUNDWATE :	36		15 :		:		:		: 51
*3607010	GROUNDWATE :	38		32 :		:		:		: 70
A3607010	GROUNDWATE :	40		40 :		:		:		: 80
L3607512	GROUNDWATE :		40	:		:		:		: 40
A3607784	GROUNDWATE :	38		32 :		:		:		: 70
3607784B	GROUNDWATE :	38		32 :		:		:		: 70
*3607784B	GROUNDWATE :	38		32 :		:		:		: 70
~~3607966~~	~~GROUNDWATE :~~	~~34~~		~~:~~		~~:~~		~~:~~		~~: 34~~

L3607966	T07S R21E S33	GROUNDWATER										
	:											80
3602437	GROUNDWATE :											25
*3602437	GROUNDWATE :											33
A3602437	GROUNDWATE :											25
3607010	GROUNDWATE :	40	40	40	40			31	40			231
*3607010	GROUNDWATE :	40	40	40	40			35	40			235

(WATER RIGHT NUMBERS THAT BEGIN WITH AN '*' ARE ADJUDICATION CLAIMS)

WR-NUMBER	SOURCE	NE				NW				SW				SE				SUM
		Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	
A3607010	GROUNDWATE :	40		40		40		40				35		40				: 235
~~3607512~~	~~GROUNDWATE :~~																	~~: 80~~
L3607512	GROUNDWATE :																	: 80
A3607784	GROUNDWATE :	40		40		40		40										: 160
3607784B	GROUNDWATE :	40		40		40		40										: 160
*3607784B	GROUNDWATE :	40		40		40		40				35		40				: 235
3607978C	GROUNDWATE :															40	40	: 320

LICENSE REVIEW CHECKLIST



PERMIT NO. 036-07966 DATE 7-5-95

NAME	<u>Change OK</u>	Or Address Change?
PRIORITY DATE	<u>1981 PRIORITY</u>	Advance? <u> </u> Advanced to: <u> </u> Order to reinstate needed? <u> </u> Incorrect fee for rate recommended? <u>NO</u>
SOURCE	<u> </u>	Changes or just clarification of originally intended source? <u> </u> Notice of Intent to Void necessary? <u> </u>
POINT OF DIV	<u> </u>	Amendment needed? <u>Delete Sec 29 PD's</u> Overlaps? <u>36-02437, 02438, 02569, 02512</u> <u>(2.95) (2.95) (1.92) (9.2)</u>
PLACE OF USE	<u> </u>	Amendment needed? <u>Because of PPU recommendation</u> Overlaps? <u> </u>
DIV RATE	<u> </u>	Permit/fee limits: <u>2.28 cfs</u> Meas Q = <u>16.39</u> Theo Q = <u>15.48</u> Recommend: <u>.37</u> <u>100 acres x .02 = 2.00 114 acres / PPU</u> <u>SYSTEM TOTAL = 9.37 acres @ .019 cfs/acre</u> Combined rates exceed capacity <u>PPU-CONDITION</u>
ANNUAL VOLUME	<u> </u>	Volume Limit: <u>NEW Season: 4.0 (4-1 to 10-31)</u> Calculations: <u>100 x 4 = 400 afa</u> <u>837 x 4.0 = 3348 afa</u> Flow limit: <u>.37 cfs x 214 x 1.9835 = 156.8</u> Combined volumes exceed capacity/allowable <u>YES</u>
USES	<u> </u>	Change in Nature of Use or additional uses? <u> </u> Amendment necessary? <u> </u>
ADDITIONAL INFO	<u> </u>	Supplemental Groundwater <u>NO</u> PPU Scenario <u>YES</u> Irr/Dom Combination <u>NO</u> Shared G/W System <u>YES</u>
NEW REMARKS	<u>NO</u>	Multiple p/d(s) in 1/4 1/4?
NEW CONDITIONS	<u>YES</u>	Other <u>W36 (4) W45 (edit - 837 acres) W27 (100 acres)</u> <u>W34 (edit)</u>
COMMENTS:	<u>REDUCE ~~rate~~ rate; "PPU" recommendation</u>	<u>AMEND PPU</u>

RECOMMENDATION

CFS

VOLUME

SRBA Claim Filed NO
Adjustment Memo Needed YES

LICENSE

1ST AMEND LETTER Special
2ND AMEND LETTER P47

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JUL 23 1995

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 36-07966

1. Owner: Gail or Alton Van Tassell Phone No. 438-8165

Current Address: Rt. 2 Box 2609 Paul, ID 83347

2. Accompanied by: Perry Van Tassell EXAM DATE: 7-6-94

Address: Same Phone No. Same

Relationship to Permit Holder: Son

3. Source: Groundwater tributary to None

B. OVERLAP REVIEW

1. Other water rights with the same place of use: None

2. Other water rights with the same point of diversion: 36-7010, 36-2569, 36-2438, 36-2437

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			NE	SE	28	7S	21E	Lincoln	ASCS Aerial Photo
			NE	NW	33	7S	21E	Lincoln	ASCS Aerial Photo

2. Place(s) of Use:

Indicate Method of Determination ASCS Aerial Map

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
7S	21E	29									33			33					66
		32		34															34
			In NW/NE of Section 32 40 acres is being irrigated.																
			The other 6 acres is on Permit #36-7512.																

* See attached explanation of adjustments. BC

AUG 08 1995

See Attached
System Diagram

Photo of Diversion and System Attached

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
See Pumping	Plant	Sheet			

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: Several pressure readings were taken on sprinkler heads to determine flow rate.

AUG 08 1995

E. NARRATIVE/REMARKS/COMMENTS

No water rights overlap this water right for the places of use. Water rights 36-7010, 36-2569, 36-2438, and 36-2437 overlap this water right at the 2 points of diversion.

The system consists of 2 pumping stations which are connected together with buried mainline so that both stations supply water to the entire farm. 3 pivots and several hand lines are used to irrigate all of the land on the farm.

The 3 pivots are 950 gpm each.

Nozzles used in sprinklers are $\frac{9}{64}$ " diameter.

Nozzle pressure (Average) = 50 psi. (#2).

Average nozzle pressure for North pump station = 60 psi.

Have conditions of permit approval been met? ☒ yes ☐ no

RECEIVED
AUG 08 1995

F. FLOW CALCULATIONS

Measured Method:

☒ Additional Computation Sheets Attached**G. VOLUME CALCULATIONS**

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 100(4.0) = 400 \text{ afa}$$
$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 2(215)1.9835 = 853 \text{ afa}$$
$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 400 \text{ afa}$$

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Irrigation	4-1	10-31	2 cfs	400 afa
Totals:			2 cfs	400 afa

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATIONField Examiner's Name Alan Hansten Date 8-2-94

Reviewer _____ Date _____

SEAL
AUG 08 1995

MEMORANDUM

TO: File 36-07966 / Gail Van Tassell
FROM: Brenda Chapman
DATE: July 5, 1995
RE: Recommendation Adjustment(s)

=====

The final licensing recommendations for the above referenced water right are based on the information below:

C. DIVERSION AND DELIVERY SYSTEM

Point of Diversion Overlap: License 36-07010 should not be included in the overlap analysis. The SRBA recommendation for 36-07010 (under the current owner) is for the entire rate of the license but with a different point of diversion. Mr. Van Tassell filed an SRBA claim on a portion of the rate and acres of 36-07010 (.45 cfs for 38 acres in the SESE of Section 29) under A36-10185. That portion of 36-07010 was relinquished by Mr. Van Tassell in 1981. The claim was disallowed based on the above information. See the attached copy of the database "Comments" page of the claim.

The entire place of use for the system is 837 acres. With the "permissible place of use" recommendation, all of the permitted acres (114) are being recommended with the remaining rate available from the system's capacity of .37 cfs.

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use	Rate of Div	Annual Vol
Irrigation	4-01 to 10-31	.37	156.8

2. Recommended Amendments

☐ Change P.D.	☐ Add P.D.	☐ None
☐ Change P.U.	☒ Add P.U.	☐ Other

With the "permissible place of use" recommendation, an amendment to the place of use is necessary.

10/10/95
346.04.0005

SD-4120-2

Idaho Department of Water Resources
Comment Inquiry

Date: 07/05/95
Time: 14:27:46

Water Right Number: 36-10185

Comment Date: 5/30/1991 User ID: CHRISTEN

Subject: CLAIM WAS BASED UPON LICENSE 36-07010.

IN 1981 VAN TASSELL RELIQUISHED
ANY RIGHTS TO THAT LICENSE FOR ACRES IN THE SE¹/₄/SE¹/₄
OF SECTION 29. THE SAME ACRES IN THIS CLAIM. ENTIRE DIVERSION
RATE FOR 36-7010 HAS BEEN CLAIMED BY THE CURRENT OWNER.
TO RECOMMEND THIS CLAIM WOULD EXPAND THE DIVERION RATE.
THE ACRES CAN BE EVENTUALLY LICENSED UNDER A CURRENT PERMIT,
36-07512.

(Enter=Continue/Exit)

(GOLD4=Prev) (GOLD5=Next)

(GOLD8=Cancel)

14:27:46
AUG 08 1995

R E L I N Q U I S H M E N T

TO WHOM IT MAY CONCERN:

I hereby relinquish to the State of Idaho,
all my right, title and interest in and to (~~Application for Water Right~~)
(~~Permit~~) to Appropriate the Public Waters of the State of Idaho,
No. LICENSE 36-7010.

Signed at Twin Falls, Idaho
this 23 day of February, 1981.

That portion being describe on my property being the SE $\frac{1}{4}$ SE $\frac{1}{4}$ Sec. 29, T7S, R21E, B.M.

Sailor G. Gosselt
~~Application for Water Right~~
Land Owner

ATTEST:

Maureen Hill

RECEIVED
AUG 11 1981

AUG 08 1981

Sect. 29

NESE 29.8

1 (33) (30) 30.3
29.8

NWSE 31.4

> (33) 31.4
30.5

SWSE (40)

SESE (40)

Sect 32 NWNE 2

Sect 33 NE NW (40)

NW NW (40)

Permit
796

Sect 29 NESW 31.6

(33) (32) 31.6
31.8

SESW 32.4

1 (33) 32.1

Sect. 22 NWNE -

(40)

505

RECEIVED
AUG 08 1995

File: 36-7966

Pumping Plant Data

Well No.	Motor Make	Hp	Motor Serial #	Pump Make	Pump Serial #
#1					
Lift Pump	U.S. Motors	375	1298076	Layne	
North Booster	Allis-Chalmers	75	51-307-680	Aurora	77-6039-4
South Booster	G.E.	100	BR085024	Cornell	
#2					
Lift Pump	U.S. Motors	450	DJ7005467	Worthington	
Booster	U.S. Electric	100	9704074-146	Paco	
Booster	U.S. Electric	100	C040319-622	Cornell	74554

APPROVED FOR RELEASE

AUG 08 1995

36-7966

$$Q = \frac{8.8 (Hp) \cdot 7}{\text{Lift} + (Press) \times 2.31}$$

Theoretical flows:

#1 North Pump Station:

$$Q = \frac{8.8 (550 Hp) \cdot 7}{340 + 65 (2.31)}$$

$$Q = 6.91 \text{ cfs or } 302.2 \text{ gpm}$$

#2 South Pump Station:

$$Q = \frac{8.8 (650) \cdot 7}{340 + 55 (2.31)}$$

$$Q = 8.57 \text{ cfs or } 3847.5 \text{ gpm}$$

Measured Flows: 3 pivots @ 950 gpm = 2850 gpm

#1 North Pump station: 3 pivots + 83 sprinklers @ 60 psi (1/4")

$$2850 + 83 (4.5) = 3224 \text{ gpm}$$

$$= 7.18 \text{ cfs}$$

#2 South Pump station: 3 pivots + 307 sprinklers (1/4") @ 50 psi

$$2850 + 307 (4.18) = 4133 \text{ gpm}$$

$$= 9.21 \text{ cfs}$$

AUG 08 1995

36-7966



T.7S R.21E


PERMIT 36-7966 INIT

T. R. S. Q/Q

P/D

SCALE


PHOTO ID.



0 29

PERMIT 36-7966 INIT _____
T. R. S. Q/Q
P/D _____
SCALE _____
PHOTO ID. Aerial Photo (Reduced)

Chart



RECEIVED
Department of Water Resources
Southern Region Office


Aug 08 1995



#1
P/O
Pump Station #1




#2
P/O
Pump Station
#2




#3
Booster Pumps
at Pump Station
#2

AUG 08 1995




#4

P/4



#5

P/4



AUG 08 1995

February 24, 1994

GAIL AND AFTON VAN TASSELL
ROUTE 2 BOX 2608
PAUL ID 83347

PROOF ACKNOWLEDGEMENT LETTER

RE: PERMIT NO. 36-07966

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. Enclosed is an order waiving the flow measurement port condition on the permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the SOUTHERN Regional Office in Twin Falls, at (208)736-3033.

Sincerely,

JULIE L. YARBROUGH
Senior Secretary

Enclosure

c: IDWR - Region

RECEIVED
APR 11 1994

January 31, 1994

GAIL VAN TASSELL
AFTON VAN TASSELL
1037 S. 2100 E.
PAUL ID 833470000

PROOF DUE NOTICE

RE: PERMIT NO. 36-07966

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before April 1, 1994. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.


SINCERELY,

JULIE L. YARBROUGH
Senior Secretary

Enclosures

RECEIVED

APR 11 1994



April 17, 1991

GAIL VAN TASSELL
AFTON VAN TASSELL
RT 2 BOX 2608
PAUL ID 83347

Dear Mr. and Mrs. Van Tassell:

Re: Permit No. 36-7966

Enclosed is a copy of the approved request for extension of time. The time within which to submit proof of beneficial use is extended to June 1, 1994.

Note that the department has granted this extension based on due diligence. It is important that you work diligently toward the completion of this project during the construction period allowed. The department may not be able to grant additional requests.

Sincerely,

RITA I. FLECK
Secretary/Records Manager

Enclosure

RECEIVED

APR 19 1991

April 8, 1991

AFTON VAN TASSELL
RT 2 BOX 2608
PAUL ID 83347

Dear Ms. Van Tassell:

Re: Permit No. 36-7966

Returned is the request for extension of time form submitted to this office on March 18, 1991. Please sign the form next to the red "x" and return it. Upon receipt of the form the department will take action on your request.

If you have any questions, please contact me.

Sincerely,

RITA I. FLECK
Secretary/Records Manager

Enclosure

RECEIVED

APR 19 1991

QUOTATION NUMBER: Q001

ENERGY CONTROL SYSTEMS
(208)438-5655
Rt 2 663 Primrose Lane
Paul, Idaho 83347

Date: 12-6-90

Customer No.: _____

Customer Order: _____

Sold To: Hidden Valley Dairy Ship To: _____

Rt 2 Box 2608 _____

Paul, Idaho 83347 _____

Salesman: Dennis Orton Date Shipped: _____ VIA: _____

Quantity	Description	Price	Unit	Total
2460'	12" 125 # IPS PVC Pipe	5.66	ft	13923.60
2460'	Trench and Backfill	.35	ft	861.00
2460'	PVC Installation			885.00
1290'	#2 Wire Installed in PVC Pipe	1.46	ft	1883.40
1	Wire Splice			40.00
3	Thrust Blocks	50.00	ea	150.00
2	Indives	180.00	ea	360.00
1	Pivot Point Tee			260.00
1	12" Gear Operated Butterfly Valve w/ Ext.			584.00
2	3" Air and Pressure Relief Valves w/fittings	150.00	ea	300.00
	Welding Labor Estimate			250.00
	Survey			463.00
Total				\$20000.00


APR 16 1991

Note: Rockwork is extra and to be paid by customer.

Terms: 10% Down, 70% on Delivery Approved By: Verbal Order by Perry

12-6-90

Balance on Completion x



DATE 11-19 195

PUMP ESTIMATE
AND ORDER

CUSTOMER

ORDER	CUSTOMER
	

Leque 20040 Retrospect

PUMPING CONDITIONS

Lift in Well 340' | 340

Capacity 3100 | 3900 GP

Lift Above 66' lbs. 8'

Speed of Pump 1760 | 1760 RP.

Column Friction: 14' 23'

HP Required 422 | 444

Total Dynm. Head	420'	370'
------------------	------	------

Allowable Shaft HP _____

Number	DESCRIPTION	LIST PRICE	NET PRICE
1	400 HP MOTOR 3 Phase 460 Volt _____ Make _____ RPM With } Ratchet _____ Used w/ Made In 200HP	}	10,600
1	400 HP STARTER { Across Line } 460 Volt Used (800 AMP) Make _____ Auto Start } w/ L.A., S.C., P.F.		
	AMP SAFETY SWITCH _____ Volt _____ Phase _____ w/ Made In 200HP Make _____		
	GEAR DRIVE _____ Ratio { With } Ratchet _____ Make _____ Without }		
	WI SPICER SHAFT _____ " Long _____ Wied In		
	W DRIVE FLANGE _____ Bore _____ Key _____		
	W ENGINE FLANGE _____ Bore _____ Key _____		
	HEAD _____ " Outlet { Water Lub } Oil Lub }		
	OILER _____ Volt Solenoid _____		
	"X" DISCHARGE NIPPLE { TOE } TBE }		
1	380' SETTING OF "X" 157/16 "X" 3 w/ Made 1 1/16 x 2 1/2 in Length		6300
1	15 "BOWLS H/H Type 5 Stage { Open } Ports { Bronze } Wear Rings Close } Cast Iron }		6763
	{ Bronze } Impellers { Oversize } Shaft Fitted X X X Cast Iron } Standard }		
	"X" SUCTION { TOE } Couplings TBE }		
1	14 " STRAINER { Bronze } Screwed } { Basket } Galvanized } Welded } Cone }		227
	Rig Time Fit		2000
			29896
	TOTAL		

Quoted By Kan Hwa Lee



LAYNE PUMPS

Box 640, Twin Falls, Idaho 83303
Phone No. 733-3284

ORDER NO _____

DATE 10-4 1989

DEALER _____

PUMP ESTIMATE
AND ORDER

CUSTOMER _____

Perry Van Tassell

Route _____ Date Desired _____

15 300 HP

PUMPING CONDITIONS


Inside Dia. of Well _____
Depth of Well _____
Static Water Level _____
Drawdown _____

Lift in Well 340
Lift Above _____ Lbs. 10
Column Friction 14
Total Dynm. Head 364'

Capacity 3100 GPM
Speed of Pump 1760 RPM
HP Required 356 @ 80%
Allowable Shaft HP _____

Number	DESCRIPTION	LIST PRICE	NET PRICE
1	<u>350</u> HP MOTOR Phase _____ Volt _____ Make _____ RPM _____ With } Ratchet <u>Downward</u> <u>300 HP</u> Without } HP STARTER { Across Line } _____ Volt _____ Make _____ Auto Start } AMP SAFETY SWITCH _____ Volt _____ Phase _____ Make _____ GEAR DRIVE _____ Ratio { With } Ratchet _____ Make _____ Without } WL _____ SPICER SHAFT _____ " Long _____ W _____ DRIVE FLANGE _____ Bore _____ Key _____ W _____ ENGINE FLANGE _____ Bore _____ Key _____ HEAD _____ " Outlet { Water Lub } Oil Lub } OILER _____ Volt Solenoid _____ "X" "DISCHARGE NIPPLE { TOE } TBE } SETTING OF "X" _____ "X" _____ " in _____ Length _____ "BOWLS _____ Type _____ Stage { Open } Ports { Bronze } Wear Rings Close } Cast Iron } { Bronze } Impellers { Oversize } Shaft Fitted _____ X _____ X _____ Cast Iron } Standard } "X" ' SUCTION { TOE } _____ Couplings TBE } " STRAINER { Bronze } { Screwed } { Basket } Galvanized } Welded } Cone }		<u>2750</u>
5	<u>14TH Impellers (Trimmed) @ 360°</u> APR 19 1991 Shop time Rig time Adaption		<u>1800</u> <u>120</u> <u>2000</u> <u>200</u>
	TOTAL		<u>6870</u>

Quoted By Ray Wick



Highway 24
P.O. Box 797
RUPERT, IDAHO 83350
208-436-0436

PRICE QUOTATION AND SALES ORDER

Job No: _____

Date: 10-4-88Salesman: Dennis Orton

Phone: _____

Sold To: Hidden Valley Dairy Farm

Ship To: _____

QUANTITY	DESCRIPTION	UNIT PRICE	TOTAL
1	Valley Model 6000 1342' 8 Tower Pivot w/following:		
	8 - 164.4 x 6 5/8 Spans		
	1 - 27' Overhang		
	Run Light		
	Pivot Flex		
	Lightning Arrestor		
	14.9 x 24 Tires		
	Valley Low Pressure Spray Heads w/Drops & Pressure Regulators		
	Double 85 End Gun		
	w/2 HP End Gun Booster Pump & End Gun Shut Off & Stop In Slot		
	Stainless Steel Pivot Swivel		
	Motor Covers		
	Freight, Installation, Wiring, Pad & Survey		\$ 35,500.00
1	30 Amp Disconnect & Wire Tie In		200.00
1	Pivot Mainline Tie In		200.00
1	6" Electric Pivot Valve		750.00
	Total	\$	36,650.00
	Optional Sprinkler Packages:		
	1/3 Offset Drops & Behind Towers	+ 1600	
	1/4 Double Offset Drops, 1/4 Offset Drops, Behind Towers	+ 3000	3,000.00
	5 HP End Gun Booster Pump w/Nelson SR100 End Gun	+ 536	536.00
	Total	\$	40,186.00
	Total P-28#		50,676.00
	Grand Total	\$	99,832.00

TERMS: 20% down 70% upon delivery 10% balance upon completion - unless otherwise specified.

Balance due 10th of the month following date of invoice. A FINANCE CHARGE of 1 1/4% PER MONTH which is an ANNUAL PERCENTAGE RATE of 21% will be charged to all past due accounts. All Past Due accounts will be cash in advance.

ALL USED EQUIPMENT SOLD AS IS UNLESS OTHERWISE SPECIFIED


ROCK CLAUSE

"If during the process of excavation in performing the installation work described, Seller encounters rock or rock formations of any kind, which, in Seller's sole opinion, must be or should be removed to complete the installation, and Seller determines, in its sole discretion, that Seller has not the tools, equipment or expertise to remove the same, Seller will promptly give notice of such determination to Purchaser. Purchaser shall then arrange for removal of such rock or rock formation to Seller's specifications at the sole effort and expense of Purchaser. Further, if Seller should elect to remove such rock, though not obligated to do so, the expense for such removal shall be the responsibility of Purchaser. Seller will be entitled to additional compensation from Purchaser for materials, equipment and labor to be billed to Purchaser at the usual and customary billing rate or charge in addition to any other compensation stated in this agreement. In any event, any delay in rock removal shall be the responsibility and liability to Purchaser solely."

Comments: 10% Down 80% of Materials at Delivery Balance on Completion

Purchaser: Pay Via Teller 10/13/88

By: _____ Title: _____



Highway 24
P.O. Box 797
RUPERT, IDAHO 83350
208-436-0436

PRICE QUOTATION AND SALES ORDER

Job No: _____

Date: 10-4-88Salesman: Dennis Orton

Phone: _____

Sold To: Hidden Valley Dairy Farm

Ship To: _____

QUANTITY	DESCRIPTION	UNIT PRICE	TOTAL
1800'	10" 100# PIP PVC Pipe	3.81	6858.00
1800'	#2 Wire Installed in PVC Pipe	1.41	2538.00
1800'	Trench & Backfill	.30	540.00
1800'	PVC Installation	.25	450.00
2	10" Outdives	150.00	300.00
2	3" Air & Pressure Relief Valves	110.00	220.00
2	Thrust Blocks	50.00	100.00
	Total Mainline & Wire to Pivot		\$11,006.00
	Pump Tie In: Pad & Materials		400.00
	Welding Labor		350.00
1	8" GO Butterfly Valve		291.00
1	8" Check Valve		106.00
1	100 HP Cornell 6 H Booster Pump		
	1800 GPM @ 185 TDH		5710.00
1	44 Panel w/1A, SC, PE, HB Kill		1209.00
	Wiring		812.00
1	10" GO BF Valve		380.00
2	10" Check Valves	145.00	290.00
	Pump Tie In: Pad & Materials		500.00
	Welding Labor		350.00
	Total Pump T		\$ 10,398.00
	Total		\$ 21,404.00
	Less 100' Pipe & Wire		- 577.00

TERMS: 20% down 70% upon delivery 10% balance upon completion - unless otherwise specified.

Balance due 10th of the month following date of invoice. A FINANCE CHARGE of 1 1/4% PER MONTH which is an ANNUAL PERCENTAGE RATE of 21% will be charged to all past due accounts. All Past Due accounts will be cash in advance.

ALL USED EQUIPMENT SOLD AS IS UNLESS OTHERWISE SPECIFIED

ROCK CLAUSE


"If during the process of excavation in performing the installation work described, Seller encounters rock or rock formations of any kind, which, in Seller's sole opinion, must be or should be removed to complete the installation, and Seller determines, in its sole discretion, that Seller has not the tools, equipment or expertise to remove the same, Seller will promptly give notice of such determination to Purchaser. Purchaser shall then arrange for removal of such rock or rock formation to Seller's specifications at the sole effort and expense of Purchaser. Further, if Seller should elect to remove such rock, though not obligated to do so, the expense for such removal shall be the responsibility of Purchaser. Seller will be entitled to additional compensation from Purchaser for materials, equipment and labor to be billed to Purchaser at the usual and customary billing rate or charge in addition to any other compensation stated in this agreement. In any event, any delay in rock removal shall be the responsibility and liability to Purchaser solely."

Comments: _____

Purchaser: Perry Van Tord

By: _____

Title: _____



Highway 24
P.O. Box 797
RUPERT, IDAHO 83350
208-436-0436

PRICE QUOTATION AND SALES ORDER

Job No: _____

Date: 10-4-88

Salesman: Dennis Orton

Phone: _____

Sold To: Hidden Valley Dairy Farm

Ship To: _____

QUANTITY	DESCRIPTION	UNIT PRICE	TOTAL
2100' 2260'	12" 125# PIP PVC Pipe	7.40	16724.00 17,948
2260' 2300'	8" 125# PIP PVC Pipe	3.35	7705.00
980'	6" 125# PIP PVC Pipe	2.04	1999.20 2,244
48	8" Poly Riser Assemblies w/Steel Saddle Tees	60.00	2580.00 2,520
20	6" " " " " " "	56.00	1120.00 1,176
1	6" Out Dive w/Valve Top & End Plug		140.00
1	8" 45° Elbow		85.00
1	8 x 6 Reducer		68.00
1	12 x 10 x 8 Y Tee		342.00
38	12" Poly Riser Assemblies w/Steel Saddle Tees	69.00	2622.00 1,732
1	12" Indive	165.00	165.00
3	3" Air Pressure Relief Valves	110.00	330.00
5540'	Trench & Backfill	.30	1404.00 12,912.00
5540'	Pipe Installation		1810.00 100.00
4	Thrust Blocks	50.00	200.00 250.00
Total			\$ 37294.20
160' less 12" & 40' less 8" Pipe			(1455.00)
2100'	#2 Wire Installed in PVC Pipe	1.41	2961.00
TOTAL			38819.20

TERMS: 20% down 70% upon delivery 10% balance upon completion - unless otherwise specified.

Balance due 10th of the month following date of invoice. A FINANCE CHARGE of 1 1/2% PER MONTH which is an ANNUAL PERCENTAGE RATE of 21% will be charged to all past due accounts. All Past Due accounts will be cash in advance.

ALL USED EQUIPMENT SOLD AS IS UNLESS OTHERWISE SPECIFIED

ROCK CLAUSE

"If during the process of excavation in performing the installation work described, Seller encounters rock or rock formations of any kind, which, in Seller's sole opinion, must be or should be removed to complete the installation, and Seller determines, in its sole discretion, that Seller has not the tools, equipment or expertise to remove the same, Seller will promptly give notice of such determination to Purchaser. Purchaser shall then arrange for removal of such rock or rock formation to Seller's specifications at the sole effort and expense of Purchaser. Further, if Seller should elect to remove such rock, though not obligated to do so, the expense for such removal shall be the responsibility of Purchaser. Seller will be entitled to additional compensation from Purchaser for materials, equipment and labor to be billed to Purchaser at the usual and customary billing rate or charge in addition to any other compensation stated in this agreement. In any event, any delay in rock removal shall be the responsibility and liability of Purchaser solely."

Purchaser: Perry D. Treadwell Hidden Valley Dairy Farm

By: _____ Title: _____

138993
January 31, 1991

GAIL VAN TASSELL
AFTON VAN TASSELL
RT 2 BOX 152
PAUL ID 83347

PROOF DUE NOTICE

RE: PERMIT NO. 36-07966

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before April 1, 1991. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

RECORDED

APR 19 1991



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 -(208) 327-7900

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

November 2, 1989

RE: Permit No. 36-7966

Gail &/or Afton VanTassell
Rt. 2, Box 152
Paul, ID 83347

Dear Permit Holder:

Enclosed is an order that authorizes you to continue development under Permit to Appropriate Water No. 36-7966. Please note in condition #1., page two of the order that you must develop your system and beneficially use the water prior to April 1, 1991. Failure to beneficially use the water before April 1, 1991 could result in a loss of your water right permit.

Please note the conditions of approval contained in your permit and the continuation order. You must comply with the conditions to fully complete beneficial use.

Sincerely,

TIM LUKE
Sr. Water Resource Agent

TL:sc

RECEIVED

NOV 20 1989

AFFIDAVIT of PUBLICATION

State of Idaho, }
County of Jerome } SS.

Patty Jones, being first duly sworn, deposes and says that he is the printer (publisher) of the Jerome North Side News, a newspaper published every week in Jerome, County of Jerome, State of Idaho; that said newspaper has been continuously and uninterruptedly published for a period of seventy-eight consecutive weeks prior to the first publication of the annexed notice, and is a newspaper qualified to publish legal notices as provided by act of the 1919 session of the legislature of the State of Idaho, known as House Bill 145; that the annexed advertisement was published once

each week for 28 consecutive issues in said newspaper proper and not in a supplement; that the date of the first publication of said advertisement was on the 2nd day of Aug. 1989, and the date of the last publication was on the 9th day of Aug., 1989.

Subscribed and sworn to before me this 6 day of Oct, 1989.
(SEAL)

Norma De Voe

NOTARY PUBLIC

NORTH SIDE NEWS

Jerome, Idaho

COST OF PUBLICATION

Numer of Picas per Line _____
Number of Lines in Notice _____
Number of Insertions 28

Lines tabular at _____ 5¢/Pica
351 Lines straight at 14.00 4¢/Pica
Subsequent lines at 12.24 3.5¢/Pica
TOTAL COST 26.94

COPY OF NOTICE

(Paste Here)

Notice of Existing Water Right
TITLE OF NOTICE
John F. Smith

PLAINTIFF ATTORNEY

DEFENDANT

PLAINTIFF

BILL TO

NOTICE OF EXISTING WATER RIGHT PERMIT Permit No. 36-7966

Presently Recorded as Follows:
Name: GAIL & IOR AFTON VAN TASSELL

Address: RT. 2, BOX 152, PAUL, ID 83347

Source: GROUNDWATER
Diversion PL: NESE SEC. 28, NESE SEC. 29, NENW SEC. 33 T7S R21E, LINCOLN CO.

Use: IRRIGATION (2.28 CFS)
Priority: FEBRUARY 23, 1981
Place of Use: E½SW SEC. 28, NWNE SEC. 32 T7S R21E
Total Acres: 114

This permit was not developed by July 1, 1985, and is being reprocessed in compliance with Section 42-203D, Idaho

Code. Protests against the continuance of the permit must be filed with the Director, Dept. of Water Resources, Statehouse Mail, Boise, ID 83720 on or before August 21, 1989.

R. Keith Higginson
Director
L18849

Pub: 8-2, 9

(Idaho Code, Rev. Statutes 1984)

7-8 pt. per line straight 4¢/Pica

7-8 pt. per line tabular 5¢/Pica

7-8 pt. per line successive

insertions 3¢/Pica

No. 3452

RECEIVED
OCT 13 1989



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 - (208) 327-7900

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

July 26, 1989

Lincoln County Journal - ~~not a bill~~ *VIVIAN.*
P.O. Box 704
Shoshone, ID 83352

Dear Legal Department:

Enclosed you will find legal notices which we wish to have published on August 3 and August 10 (once a week for two consecutive weekly issues) in your newspaper. If your paper is published weekly, the notices must appear in the issue that is distributed during the weeks of July 31 and August 7. If you cannot publish the notices on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and billing to the office below before August 25, 1989.

Idaho Department of Water Resources
1301 North Orchard St.
Statehouse Mail
Boise, ID 83720

Sincerely,

Heidi M. Mikel

HEIDI M. MIKEL
Secretary

*Both #'s on same AFFIDAVIT
- she send AFFIDAVIT & Bill.*

RECEIVED

NOV 20 1989

NOTICE OF EXISTING
WATER RIGHT PERMIT

PERMIT NO. 36-7966 ✓
Presently Recorded as Follows:

Name: GAIL &/OR AFTON VAN TASSELL ✓
Address: RT. 2 BOX 152, PAUL, ID 83347 ✓
Source: GROUNDWATER ✓
Diversion Pt.: NESE SEC. 28, NESE SEC. 29, NENW SEC. 33 T7S
R21E, LINCOLN CO. ✓
Use: IRRIGATION (2.28 CFS) ✓
Priority: FEBRUARY 23, 1981 ✓
Place of Use: E1/2SW SEC. 29, NWNE SEC. 32 T7S R21E ✓
Total Acres: 114 ✓

This permit was not developed by July 1,
1985, and is being reprocessed in
compliance with Section 42-203D, Idaho
Code. Protests against the continuance of
the permit must be filed with the
Director, Dept. of Water Resources,
Statehouse Mail, Boise, ID 83720 on or
before August 21, 1989.

R. Keith Higginson, Director

UNRECORDED
NOV 20 1989

RECEIPT
For Monies Paid
to the
IDAHO DEPARTMENT OF WATER RESOURCES

Receipt No: C008067

Date: 07/07/89
Time: 11:57:55

Received

From: HIDDEN VALLEY DAIRY FARM

Type of Payment	Program Acct Class	Amount
TRUST WATER RE-AD FEE (36-7966)	0610199 1238 6490	\$20.00
	Total	\$20.00

CHECK 634

Idaho Department of Water Resources

Region: STATE

Signature: K. Young

MICROFILMED

APR 19 1991

FROM

Tim Loh

DATE

7-7

TO

Kim Y.

SUBJECT

Please receipt this check. It is for a Swan Falls
ReAdvertisement fee on permit # 36-7512.

Rt 2, Box 2608
Paul, ID 83347

RECEIVED

JUL 07 1989

RECEIVED

Department of Water Resources

NOV 20 1989

SIGNATURE

MEMORANDUM

TO: FILE

FROM: TIM LUKE

DATE: July 25, 1989

RE: SWAN FALLS PROCESSING/ PERMIT NO. 36-7966

=====

Mrs. Van Tassel and her son visited the office recently to review this permit and pay the trust water readvertisement fee. They claimed that the lands under this permit had been irrigated prior to 1985.

A review of 1984 NHAP photography on file at the State SCS office shows that very little of the land under the permit was irrigated in that year. A schematic and analysis of the 1984 photo is attached. The 1984 photo and schematic closely resemble the department's 1978 orthophoto. The department's 1986 remote sensing 7.5 min overlay of irrigated acreage is also similar to both the 1984 and 1978 coverage, except that there is slightly more irrigated acreage. The actual number of irrigated acres reported by the remote sensing division for 1986 is shown in red in the upper diagram of the attached analysis sheet. The total number of irrigated acres is 43 acres. While there appears to be a small increase in irrigated acres between 1984 and 1986, it should be presumed that all of the 43 acres were irrigated prior to July of 1985.

Based on the above review, I recommend that the department readvertise the permit and consider 43 acres as developed prior to July 1, 1985 and count the remaining 71 acres as trust water acres.

MAILED 10/25/89
NOV 29 1989

NAME OF APPLICANT NHAP REVIEW #35-466

Form No. 0

FROM DEKAT, 75-211 (2' = 1 MI)


14 29
40

13
70

16
34

32

FROM NHAP 243-111 (40' = 1 MI)



== IRRIGATED
== FLOWED

NHAP REVIEW JUNE 1989
DEFINITE IRRIGATED USE;
PERMITTED LANDS APPEAR
MOSTLY GRAY

NOV 20 1989



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 - (208) 327-7900

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

May 24, 1989

RE: PERMIT NO. 36-7966

Dear PERMIT HOLDER:

Due to the Swan Falls litigation, development proposed by the enclosed permit may have been delayed. The Department is presently reviewing the permit and may authorize completion of development proposed under the permit.

The purpose of this letter is to determine: (1) the extent of development under the permit, and (2) your continued interest in developing or completing development under the permit.

Enclosed are two forms which will help the Department expedite the reprocessing of the permit.

Please complete and return the enclosed questionnaire if you wish to continue with your plans of development or have completed all or a portion of your development before July 1, 1985.

Please complete the enclosed relinquishment form and return it to the Department if you have abandoned or have no interest in continuing with your plans for development of the project.

If the entire project was not completed prior to July 1, 1985, and you still wish to proceed with your plans of development, then you must submit a \$20.00 re-advertisement fee to the Department as required by Water Appropriation Rule 4,2,3. and Section 42-221F, Idaho Code.

Failure to return the questionnaire and pay any required re-advertisement fee within thirty (30) days of the date of this letter is cause for the Department to cancel the permit.

MICROFILMED

NOV 20 1989


Page 2

If you have questions concerning the content of this letter or about completing the forms, please contact Tim Luke at the address below or by calling directly at 327-7864. The enclosed forms and all other relative information must be returned within thirty (30) days to:

Idaho Department of Water Resources
Statehouse Mail
Boise, Idaho 83720
Attn: Tim Luke - Water Allocation/Trust Water

Please note that a copy of your permit is enclosed. The permit number is shown on the enclosed questionnaire.

Sincerely,

A handwritten signature in black ink, appearing to read "Tim Luke", written over a horizontal line.

TIM LUKE
Sr. Water Resource Agent

Enclosures

RECEIVED
JUL 11 1983

JUL 11 1983



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

CECIL D. ANDRUS
JOHN V. EVANS

Governor

A. KENNETH DUNN

Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

January 16, 1987

RE: Permit Nos. 36-7512 & 36-7966

John S. Ritchie
Coleman, McIntyre & Ritchie
Box 525
Twin Falls, ID 83303-0525

Dear Mr. Ritchie:

We are in receipt of your letter dated January 9, 1987, regarding the status of the above referenced permits.

Please be advised that the permit holders have not been dismissed from the Idaho Power lawsuit. The permits are subject to review per requirements of Section 42-203D, Idaho Code. At this time, it is uncertain when the review will be made.

If we can be of further assistance to you regarding this matter, please feel free to contact our office.

Sincerely,

KAY WALKER
Technical Records Specialist

KW:sc

MAILED
NOV 20 1987

COLEMAN, McINTYRE & RITCHIE

LAWYERS
156 SECOND AVE. WEST
P.O. BOX 525
TWIN FALLS, IDAHO 83303-0525
(208) 734-1224

JAN 12 1987

Department of Water Resources

C.G. McINTYRE, P.A.
JOHN R. COLEMAN
JOHN S. RITCHIE, P.A.
THOMAS M. ROBERTSON

January 9, 1987

State of Idaho
Department of Water Resources
Statehouse
Boise, ID 83720


RE: Van Tassell Permit Nos. 36-7512 and 36-7966

Dear Sirs:

Our office is assisting Afton Van Tassell with the probate of her husband Gail's estate and I am writing to correct the current status of the above referenced water permits. If you could advise me as to their status and whether they are subject to development given the resolution of the Swan Falls controversy I would be very grateful.

Thank you very much for your assistance.

Sincerely yours,


JOHN S. RITCHIE


JSR/nh

RECEIVED
JAN 12 1987
WATER RESOURCES

MEMORANDUM

March 11, 1986

TO: File 36-7966

FROM: Rita Fleck 

Re: Extension of Time

The permit indicates that there are two existing wells and one proposed well to irrigate 114 acres. On February 26, 1986, the department received a request for extension of time showing that these two wells are irrigating 114 acres. So, it looks as if the project is completed without needing the third well. That is not exactly true.

The two wells also irrigate over 801 acres under Permit No. 36-7512. This permit is tied into the system irrigating the 801 acres. A third well is needed to efficient water all of the land covered under these permits.

MICROFILMED

March 11, 1986

Afton Van Tassell
1037 S. 2100 E.
Paul, ID 83347

Dear Ms. Van Tassell:

V

Enclosed is a copy of the approved request for extension of time for Permit No. 36-7966. The time within which to submit proof of beneficial use is extended to April 1, 1991.


The department would like to remind you, however, that the permit is subject to the permit review provisions described in Sec. 42-203D, Idaho Code.

If you have any questions, please feel free to contact the department.

Sincerely,

RITA I. FKECK
Secretary/Records Manager

Enclosure





State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

A. KENNETH DUNN

Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

EXTENSION OF TIME

March 5, 1986

Afton Van Tassell
1037 S. 2100 E.
Paul, ID 83347

PERMIT NO. 36-7966

We are in receipt of the \$15 extension fee for Extension(s) of Time to provide additional time in which to submit proof of beneficial use on a water right permit.

Your request for extension(s) of time is being reviewed by staff. You will be informed of our decision when review has been completed.

Enclosed is our receipt No. 37506.

Roberta Garrett
Records Supervisor

Enclosure

RECEIVED



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

SEPTEMBER 1, 1985

DEAR PERMIT HOLDER:

ACCORDING TO OUR RECORDS, YOU ARE THE HOLDER OF A WATER PERMIT ON WHICH PROOF OF BENEFICIAL USE OF WATER WAS NOT SUBMITTED BEFORE JULY 1, 1985, WHICH INDICATES YOUR PROJECT IS NOT COMPLETE. THEREFORE, YOU NEED TO BE AWARE OF CHANGES IN IDAHO LAW, EFFECTIVE JULY 1, 1985, WHICH IMPACT ALL WATER PERMITS ISSUED BY THIS DEPARTMENT.

SPECIFICALLY, PURSUANT TO SECTION 42-203D, IDAHO CODE, THE DEPARTMENT MUST REVIEW ALL PERMITS FOR WHICH DEVELOPMENT OF WATER USE WAS NO COMPLETED ON OR BEFORE JULY 1, 1985, TO DETERMINE IF THEY MEET THE NEW REQUIREMENTS OF CHAPTER 2, TITLE 42, IDAHO CODE. RULES AND REGULATIONS GOVERNING THE RE-EVALUATION OF PERMITS ARE NOT YET FINALIZED. HOWEVER, IF YOU COMPLETED THE DEVELOPMENT UNDER YOUR PERMIT BEFORE JULY 1, 1985, YOU SHOULD SUBMIT A PROOF OF BENEFICIAL USE STATEMENT, STATING THAT THE PROJECT WAS COMPLETED BEFORE JULY 1, 1985 SO THAT YOUR PERMIT WILL NOT BE SUBJECT TO THE REVIEW REQUIREMENTS OF SECTION 42-203D, WHICH READS AS FOLLOWS:

42-203D. REVIEW OF PERMITS - OPPORTUNITY FOR HEARING. - (1)THE DEPARTMENT SHALL REVIEW ALL PERMITS ISSUED PRIOR TO THE EFFECTIVE DATE [JULY 1, 1985] OF THIS SECTION, EXCEPT TO THE EXTENT A PERMIT HAS BEEN PUT TO BENEFICIAL USE PRIOR TO JULY 1, 1985, TO DETERMINE WHETHER THEY COMPLY WITH THE PROVISIONS OF CHAPTER 2, TITLE 42, IDAHO CODE. IF THE DEPARTMENT FINDS THAT THE PROPOSED USE DOES NOT SATISFY THE CRITERIA OF CHAPTER 2, TITLE 42, IDAHO CODE, THEN THE DEPARTMENT SHALL EITHER CANCEL THE PERMIT OR IMPOSE THE CONDITIONS REQUIRED TO BRING THE PERMIT INTO COMPLIANCE WITH CHAPTER 2, TITLE 42, IDAHO CODE. IF THE DEPARTMENT FINDS THAT THE PERMIT SATISFIES THE CRITERIA ESTABLISHED IN CHAPTER 2, TITLE 42, IDAHO CODE, THEN THE DEPARTMENT SHALL ENTER AN ORDER CONTINUING THE PERMIT. (2)THE DEPARTMENT SHALL PROVIDE AN OPPORTUNITY FOR HEARING IN ACCORDANCE WITH SECTION 42-1701A, IDAHO CODE, AND SECTIONS 67-5209 THROUGH 67-5215, IDAHO CODE, FOR EACH HOLDER OF A PERMIT THAT IS PROPOSED EITHER TO BE CANCELLED OR MADE SUBJECT TO NEW CONDITIONS.

YOU MAY OBTAIN PROOF OF BENEFICIAL USE FORMS FROM THE DEPARTMENT. IF YOU HAVE ANY QUESTIONS, PLEASE LET US KNOW.

SINCERELY,

L. GLEN SAXTON
CHIEF, OPERATIONS BUREAU

RECEIVED
SEP 11 1985
OPERATIONS BUREAU

December 3, 1984

John S. Ritchie
COLEMAN, MCINTYRE & RITCHIE
P. O. Box 525
Twin Falls, ID 83303

Dear Mr. Ritchie:

Re: Gail and/or Afton Van Tassel
Permit Nos. 36-7512 and 36-7966

Pursuant to your request, enclosed are copies of the above-referenced permits. Please remit \$3.00 for the copies.

If I can be of further assistance, please feel free to contact me.

Sincerely,

RITA I. FLECK
Secretary/Records Manager

Enclosures

bcc: Roberta Garrett

RECEIVED

COLEMAN, MCINTYRE & RITCHIE

LAWYERS
156 SECOND AVE. WEST
P.O. BOX 525
TWIN FALLS, IDAHO 83303-0525
(208) 734-1224

RECEIVED

NOV 23 1984

C.G. MCINTYRE, P.A.
JOHN R. COLEMAN
JOHN S. RITCHIE, P.A.
THOMAS M. ROBERTSON

November 21, 1984

Department of Water Resources

State of Idaho
Department of Water Resources
Statehouse
Boise, Idaho 83720

Re: Gail and/or Afton Van Tassell
Permit Nos. 36-7512 and 36-7966

Dear Sirs:

Our office is probating the Estate of Gail Van Tassell who passed away on June 24, 1984. Mrs. Van Tassell, the surviving spouse and personal representative, is unfamiliar with the exact nature of the above two permits and I would appreciate receiving a copy of those permits so that they can be reviewed by my client. Naturally, we would be willing to pay any charges associated therewith.

The above information is important in that Mrs. Van Tassell has received notice that she must file for an extension on or before January 1, 1985, if she wishes to protect her rights. Therefore, I would ask that you provide me with the requested information as quickly as possible.

Thank you for your help in this matter.

Sincerely yours,

John Ritchie
JOHN S. RITCHIE

JSR:bjs

RECEIVED

S T A T E O F I D A H O
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

VAN TASSELL, GAIL & AFTON
RT. 2 BOX 152
PAUL, ID 83347

MAY 05, 1981

RE: PERMIT NO. 36-7966

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

BE SURE TO NOTE THE SPECIAL CONDITION REQUIRING YOU TO INSTALL A MEASURING DEVICE, OR AN ACCESS PORT TO PROVIDE FOR THE INSTALLATION OF MEASURING EQUIPMENT BY THE DEPARTMENT. ENCLOSED PLEASE FIND A LIST OF MEASURING DEVICE OPTIONS, AND SPECIFICATIONS FOR THE INSTALLATION OF THE ACCESS PORT.

WE HAVE ENCLOSED A FORM ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

MICROFILMED

AFFIDAVIT of PUBLICATION

State of Idaho, }
County of Lincoln } SS.

Melba Thorne, being first duly sworn, deposes and says that he is the printer (publisher) of the Lincoln County Journal, a newspaper published every week in Shoshone, Lincoln County, State of Idaho; that said newspaper has been continuously and uninterruptedly published for a period of seventy-eight consecutive weeks prior to the first publication of the annexed notice, and is a newspaper qualified to publish legal notices as provided by act of the 1919 session of the legislature of the State of Idaho, known as House Bill 145; that the annexed advertisement was published once each week for 52 consecutive issues in said newspaper proper and not in a supplement; that the date of the first publication of said advertisement was on the 12 day of March, 1981, and the date of the last publication was on the 19 day of March, 1981.

Melba Thorne
Subscribed and sworn to before me this 19 day of March, 1981.
(SEAL)

Mary Ann Hagen
NOTARY PUBLIC

LINCOLN COUNTY JOURNAL Shoshone, Idaho COST OF PUBLICATION

Number of Lines in Notice
Number of Insertions
Lines tabular at 315c
48 Lines straight at 9c 1392
48 Subsequent lines at 15c 9.12
TOTAL COST ... 2304

COPY OF NOTICE

(Paste Here)

Water Right
TITLE OF NOTICE

36-7966 Van Tassell
PLAINTIFF ATTORNEY

DEFENDANT

PLAINTIFF

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

36-7966

VAN TASSELL, GAIL &/or AFTON
RT. 2 BOX 152, PAUL, ID 83347

Source: GROUNDWATER

Date Filed: 02/23/1981

Amount: 2.28 CFS

Diversion Point: NESE Sec 28 T 07S R 21E NENW Sec 33 T 07S R 21E NESE SESE Sec 29 T 07S R 21E, LINCOLN Co.

Use: IRRIGATION (2.28 CFS) from 03/15 to 11/15

Place of Use: NWNE Sec 32 T 07S R 21E NESW SESW Sec 29 T 07S R 21E FOR 114 ACRES

Diversion Means: WELLS & PUMPS.

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 1041 Blue Lakes Blvd. North, Twin Falls, Idaho 83301 and received on or before MARCH 30, 1981.

/s/ C. STEPHEN ALLRED
Director

Pub: 3-12, 19, 1981

MAR 24 1981

Department of Water Resources
Southern District Office

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

36-7966-

VAN TASSELL, GAIL &/or AFTON

RT. 2 BOX 152, PAUL, ID 83347

Source: GROUNDWATER

Date Filed: 02/23/1981

Amount: 2.28 CFS

Diversion Point: NESE Sec 28 T 07S R 21E NENW Sec 33 T 07S R 21E NESE SESE
Sec 29 T 07S R 21E, LINCOLN Co.

Use: IRRIGATION (2.28 CFS) from 03/15 to 11/15

Place of Use: NWNE Sec 32 T 07S R 21E NESW SESW Sec 29 T 07S R 21E
FOR 114 ACRES

Diversion Means: WELLS & PUMPS.

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 1041 Blue Lakes Blvd. North, Twin Falls, Idaho 83301 and received on or before MARCH 30, 1981.

C. STEPHEN ALLRED

Director

Published 3/12 & 3/19/81.

MICROFILMED

SHONI LEGAL (257) 4c
GALLEY PROOF

**NOTICE OF APPLICATION
FOR WATER RIGHT**

Notice is hereby given
that the following applica-
tion(s) have been submitted
for permit to appropriate the
public waters of the State of
Idaho:

36-7966

VAN TASSELL, GAIL &/or
AFTON
RT. 2 BOX 152, PAUL, ID
83347

Source: GROUNDWATER

Date Filed: 02/23/1981

Amount: 2.28 CFS

Diversion Point: NESE Sec
28 T 07S R 21E NENW Sec 33
T 07S R 21E NESE SESE Sec
29 T 07S R 21E, LINCOLN
Co.

Use: IRRIGATION (2.28
CFS) from 03/15 to 11/15

Place of Use: NWNE Sec 32
T 07S R 21E NESW SESW
Sec 29 T 07S R 21E FOR 115
ACRES

Diversion Means: WELLS &
PUMPS.

If issued, the permit(s)
will be subject to all prior
water rights. Protests
against the granting of any
permit must be filed with the
Director of the Idaho Depart-
ment of Water Resources,
1041 Blue Lakes Blvd. North,
Twin Falls, Idaho 83301 and
received on or before
MARCH 30, 1981.

/s/ C. STEPHEN ALLRED
Director

Pub: 3-12, 19, 1981

ok
meyer
3/12/81

RECEIVED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Southern Region

1041 Blue Lakes Blvd N.
Twin Falls, Idaho 83301
(208) 734-3578

FEBRUARY 25, 1981

Lincoln County Journal
P. O. Box 704
Shoshone, Idaho 83352

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. We have allowed ample time for you to submit a galley proof to this office for review before the first publication date. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before MARCH 30, 1981.

Yours truly,

Mary A. Hill
Secretary

Encl.

MICROFILMED