

Show 40-acre subdivisions, townships, ranges and ditches.


Hand-drawn diagram on graph paper showing a rectangular area with dimensions 14E and 8, and a circular area with radius 20. The diagram is labeled with 'R. 14E', 'PP 8', '20', and '26'.

Robert C Thompson
(Signature)

MICROFILMED

Chief, Water Alloc. Bureau

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Robert C Thompson
(Applicant)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
OCT 27 1994

Department of Water Resources

A. GENERAL INFORMATION


1. Owner: Robert C. Thompson Permit No. 36-7871
Current Address: 1575 E. 3400 S., Wendell, ID 83355 Phone No. 536-6112
2. Accompanied by: Mr. Thompson EXAM. DATE: 1-22-92
Address: _____ Phone No. _____
Relationship to Permit Holder: _____
3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: _____ ☐ Copies Attached
2. Other water rights with same point of diversion: Domestic use covered by Claim A36-10264
_____ ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached




RECEIVED
MAR 27 1995


Scale: 1" = _____.

2. ☒ Copy of U.S.G.S. Quadrangle Attached ☒ Aerial Photo Attached
Showing location(s) of point(s) of diversion and (required for irrigation of 10 acres or more).
place(s) of use (required).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

FULL CIRCLE SPRINKLERS 30 Series



30



30 W

NEW COLOR CODED NOZZLES



Color Coded Band

$\frac{7}{64}$ " Green	$\frac{11}{64}$ " Yellow
$\frac{1}{8}$ " Red	$\frac{3}{16}$ " Blue
$\frac{5}{64}$ " Black	$\frac{13}{64}$ " White
$\frac{3}{32}$ " Orange	$\frac{7}{32}$ " Brown

These nozzles fit #29, 30, 14600, 40 B, and 14070 Series Sprinklers. Add CC after range nozzle size to specify color coded nozzle — for example — 30 EWTNT $\frac{3}{16}$ CC x $\frac{7}{32}$ 7°.

30

$\frac{3}{4}$ " male bearing, Standard or TNT. Cast bronze body and arm. Brass bearing sleeve, nipple, straight bore range nozzle and low angle spreader nozzle (7° or 20°). Stainless steel arm spring and bearing spring. Available on special order with nylon range nozzles and $\frac{3}{32}$ ", $\frac{1}{8}$ ", $\frac{5}{32}$ " spreader nozzles.

30 W

Same as 30 above except has brass plug instead of spreader nozzle. Single nozzle for lower precipitation rates.

30 WS

Same as 30 above except has a special cast body for single range nozzle only. No provision for adding a spreader nozzle as in 30 W.

PERFORMANCE FOR 30

Highest point of stream is 9' above nozzle.*

† Highest point of discharge															
P.S.I.	Nozzle 9/64" x 3/32" 7°		Nozzle 5/32" x 3/32" 7°		† Nozzle 11/64" x 3/32" 7°		Nozzle 3/16" x 3/32" 7°		Nozzle 3/16" x 1/8" 20°		Nozzle 13/64" x 1/8" 20°		Nozzle 7/32" x 1/8" 20°		
	Nozzle Pressure	Diameter (Feet)	Discharge GPM	Diameter (Feet)	Discharge GPM	Diameter (Feet)	Discharge GPM	Diameter (Feet)	Discharge GPM	Diameter (Feet)	Discharge GPM	Diameter (Feet)	Discharge GPM	Diameter (Feet)	Discharge GPM
25	80	4.04	82	4.83	83	5.55	85	6.31	85	7.41	86	8.30	88	9.24	
30	81	4.42	85	5.28	88	6.07	91	6.83	91	8.14	94	9.15	96	10.20	
35	82	4.80	87	5.71	90	6.57	94	7.52	94	8.83	97	9.94	100	11.10	
40	83	5.16	88	6.11	92	7.03	96	8.07	96	9.48	99	10.70	102	11.90	
45	84	5.52	89	6.48	93	7.46	98	8.57	98	10.10	101	11.30	104	12.70	
50	85	5.82	90	6.84	95	7.87	100	9.04	100	10.60	103	11.90	106	13.30	
55	86	6.10	91	7.17	96	8.25	101	9.46	101	11.10	104	12.50	107	13.90	
60	87	6.34	92	7.47	97	8.59	102	9.85	102	11.60	105	13.00	108	14.40	
65	88	6.58	93	7.77	98	8.91	103	10.26	103	12.00	106	13.50	109	14.90	
70	89	6.82	94	8.07	99	9.23	104	10.63	104	12.40	107	14.00	110	15.40	
75	90	7.06	95	8.37	100	9.55	105	10.99	105	12.80	108	14.50	111	15.90	
80	91	7.30	96	8.67	101	9.87	106	11.39	106	13.20	109	15.00	—	—	

PERFORMANCE FOR 30 W/30 WS

Highest point of stream is 9' above nozzle.*

P.S.I.	Nozzle 9/64" Dia. GPM	Nozzle 5/32" Dia. GPM	†Nozzle 11/64" Dia. GPM	Nozzle 3/16" Dia. GPM	Nozzle 13/64" Dia. GPM	Nozzle 7/32" Dia. GPM
25	80 2.90	82 3.52	83 4.24	85 5.00	86 5.89	88 6.83
30	81 3.16	85 3.85	88 4.64	91 5.50	94 6.51	96 7.58
35	82 3.40	87 4.16	90 5.02	94 5.97	97 7.08	100 8.26
40	83 3.63	88 4.45	92 5.37	96 6.41	99 7.60	102 8.87
45	84 3.84	89 4.72	93 5.70	98 6.81	101 8.07	104 9.41
50	85 4.04	90 4.98	95 6.01	100 7.18	103 8.49	106 9.88
55	86 4.22	91 5.22	96 6.30	101 7.51	104 8.87	107 10.30
60	87 4.38	92 5.44	97 6.56	102 7.82	105 9.20	108 10.60
65	88 4.65	93 5.73	98 6.83	103 8.19	106 9.47	109 10.95
70	89 4.80	94 5.93	99 7.08	104 8.48	107 9.78	110 11.29
75	90 5.00	95 6.16	100 7.34	105 8.78	108 10.18	111 11.71
80	91 5.18	96 6.32	101 7.58	106 9.09	109 10.52	—

*Shown for standard nozzle at normal operating pressure.
†Standard nozzle size.


Shaded areas in chart indicate NOT recommended working pressures for best distribution.


RECEIVED
MAR 27 1995

36-07871

36-07871

36-7871





MILITARY

MAR 27 1995

36-07871

36-7871

Large Well,
Booster
Pump



East Side
of Dairy



ALL INFORMATION CONTAINED
HEREIN IS UNCLASSIFIED
DATE 2-7-1995 BY SP-6 BJS/STP

36-07871

36-7871

Dairy



Corrals



MAILED
MAR 27 1995

36-07871

36-7871



Irrigation P/U

MAR 27 1995

36-07871

36-7871



Barn Sprinklers



Milking Area

MAR 27 1995

36-07871

AFFIDAVIT of PUBLICATION

RECEIVED

JUN 22 1990

State of Idaho,)
) SS.
County of Gooding)

Department of Water Resources
Southern Region Office

Patty Stance, being first duly sworn,
deposes and says that he is the printer (publisher) of the Gooding
County Leader, a newspaper published every week in Gooding, County
of Gooding, State of Idaho, that said newspaper has been continuous-
ly and uninterruptedly published for a period of seventy-eight consecu-
tive weeks prior to the first publication of the annexed notice, and is
a newspaper qualified to publish legal notices as provided by act of
the 1919 session of the legislature of the State of Idaho, known as
House Bill 145; that the annexed advertisement was published once
each week for 2 consecutive issues in said newspaper
proper and not in a supplement; that the date of the first publication
of said advertisement was on the 13th day of June
19 90, and the date of the last publication was on the 20th
day of June, 19 90.

Subscribed and sworn to before me this 21
day of June, 19 90.
(SEAL)

Vivian J. Gandragis
NOTARY PUBLIC

GOODING COUNTY LEADER
Gooding, Idaho
COST OF PUBLICATION

OK
MB
6/22/90

Number of Lines in Notice _____
Number of Insertions 2X

COPY OF NOTICE
(Paste Here)

Not. of Amend. to Wat. Permit
TITLE OF NOTICE
R.C. Thompson
36-07871

PLAINTIFF ATTORNEY

DEFENDANT

PLAINTIFF

J.D.W.R. T.F.
BILL TO

NOTICE OF AMENDMENT TO A WATER PERMIT NO. 36-07871

Notice is hereby given that ROBERT C. THOMPSON of Wendell, ID is the holder of Approved Permit No. 36-07871 authorizing the diversion of 1.0 cubic feet per second of water from ground-water in the NW 1/4 NE 1/4, S 26, T8S, R14E, County of Gooding, to be used for irrigation on 40 acres within NW 1/4 NE 1/4, S26, T8S, R14E; and the diversion of 0.80 cfs for commercial use within NW 1/4 NE 1/4, S26, T8S, R14E.

The permit holder has applied to the Department of Water Resources for an Amendment to the Permit, to change the Place of use as follows:

Amount: Same
Period of Use: Same
Point of Diversion: Same
Place of Use: 40 acres within NW 1/4 NE 1/4, SW 1/4 NE 1/4, S26, T8S, R14E and commercial use within NW 1/4 NE 1/4, S26, T8S, R14E.

Any protest against approval of the amending of Permit No. 36-07871 as set forth above must be filed with the Idaho Department of Water Resources, 222 Shoshone Street East, Twin Falls, ID 83301 on or before July 2, 1990.

R. Keith Higginson
Director
G14612

Pub: 6-13, 20

7-8 pt. per line tabular.....0¢/Pica
7-8 pt. per line successive
insertions.....4¢/Pica

MICROFILMED

SEP 04 1990

No 638

14612

Lines tabular at _____ 6¢/Pica
Lines straight at 421.8 21.09 5¢/Pica
Subsequent lines at 16.88 4¢/Pica
TOTAL COST 37.97

AFFIDAVIT of PUBLICATION

State of Idaho,)
) SS.
 County of Gooding)

Patty Nance G. Manager, being first duly sworn, deposes and says that he is the printer (~~publisher~~) of the Gooding County Leader, a newspaper published every week in Gooding, County of Gooding, State of Idaho, that said newspaper has been continuously and uninterruptedly published for a period of seventy-eight consecutive weeks prior to the first publication of the annexed notice, and is a newspaper qualified to publish legal notices as provided by act of the 1919 session of the legislature of the State of Idaho, known as House Bill 145; that the annexed advertisement was published once each week for 2X consecutive issues in said newspaper proper and not in a supplement; that the date of the first publication of said advertisement was on the 16th day of Aug. 1989, and the date of the last publication was on the 23rd day of Aug., 1989.

Subscribed and sworn to before me this 23 day of Aug, 19 89.
 (SEAL)

Norma De Voe

NOTARY PUBLIC

GOODING COUNTY LEADER
 Gooding, Idaho

COST OF PUBLICATION

Number of Lines in Notice _____
 Number of Insertions 2X

Lines tabular at 3.51 5¢/Pica
 Lines straight at 14.04 4¢/Pica
 Subsequent lines at 12.29 3.5¢/Pica
 TOTAL COST 26.33

MICROFILMED

SEP 26 1989

COPY OF NOTICE (Paste Here)

Existing Water Right
 TITLE OF NOTICE 36-7871

Robert C. Thompson
 PLAINTIFF ATTORNEY

DEFENDANT

PLAINTIFF

Dept. Water Res.
 BILL TO Boise

**NOTICE OF EXISTING
 WATER RIGHT PERMIT**
 Permit No. 36-7871
 Presently recorded as Follows:
 Name: ROBERT C. THOMPSON
 Address: RT. 1, BOX 249, WENDELL, ID 83355
 Source: GROUNDWATER
 Diversion Pt.: NWNE SEC. 26 T08S R14E, GOODING CO.
 Use: IRRIGATION (0.80 CFS)
 COMMERCIAL (1.00 CFS)
 Priority: 9/24/1979
 Place of Use: NWNE SEC. 26 T08S R14E
 Total Acres: 40
 This permit was not developed by July 1, 1985, and is being reprocessed in compliance with Section 42-203D, Idaho Code. Protests against the continuance of the permit must be filed with the Director, Dept. of Water Resources, Statehouse Mail, Boise, ID 83720 on or before September 4, 1989.
 R. Keith Higginson
 Director
 G16665
 Pub: 8-16, 23

PUBLICATION RATES

(Idaho Code, Rev. Statutes 1984)

7-8 pt. per line straight 4¢/Pica
 7-8 pt. per line tabular 5¢/Pica
 7-8 pt. per line successive
 insertions 3¢/Pica

No 1550

16665

AUG 24 1989

Department of Water Resources

AFFIDAVIT of PUBLICATION

State of Idaho, }
County of Gooding } SS.

Gary Srost, being first duly sworn, deposes and says that he is the printer (publisher) of the Gooding County Leader, a newspaper published every week in Gooding, County of Gooding, State of Idaho, that said newspaper has been continuously and uninterruptedly published for a period of seventy-eight consecutive weeks prior to the first publication of the annexed notice, and is a newspaper qualified to publish legal notices as provided by act of the 1919 session of the legislature of the State of Idaho, known as House Bill 145; that the annexed advertisement was published once

each week for 2 consecutive issues in said newspaper proper and not in a supplement; that the date of the first publication

of said advertisement was on the 11 day of October 1979, and the date of the last publication was on the 18 day of October, 1979.

Gary Srost

Subscribed and sworn to before me this 18

day of October, 1979.
(SEAL)

Garnett Olson
NOTARY PUBLIC

GOODING COUNTY LEADER

Gooding, Idaho

COST OF PUBLICATION

Number of Lines in Notice	<u>36</u>
Number of Insertions	<u>2</u>
Lines tabular at	315c
Lines straight at <u>36</u>	21c <u>7.56</u>
Subsequent lines at <u>36</u>	15c <u>5.40</u>
TOTAL COST	<u>12.96</u>

MICROFILMED

COPY OF NOTICE

(Paste Here)

36-7871
TITLE OF NOTICE
Thompson

PLAINTIFF ATTORNEY

DEFENDANT

PLAINTIFF

Dept of Water
BILL TO

36-7871

THOMPSON, ROBERT C.
ROUTE 1, WENDELL, ID
83355

Source: GROUNDWATER
Date Filed: 09/24/1979
Amount: 1.00 CFS
Diversion Point: NWNE Sec
26 T 08S R 14E, GOOD-
ING Co.

Use: IRRIGATION (0.80
CFS) from 03/15 to 11/15
COMMERCIAL (1.00 CFS)
from 01/01 to 12/31

Place of Use: NWNE Sec 26
T 08S R 14E FOR 40 ACRES
Diversion Means: WELL,
PUMP AND SPRINKLER

If issued, the permit(s)
will be subject to all prior
water rights. Protests
against the granting of any
permit must be filed with the
Director of the Idaho De-
partment of Water Re-
sources, 1041 Blue Lakes
Blvd. North, Twin Falls,
Idaho 83301 and received on
or before OCTOBER 29, 1979.

*ok
mays
10/21*

(Id

7 pt

7 pt

7 pt

/s/ C. Stephen Allred
Director

Pub: 10-11, 18

RECEIVED

NOV 21 1979

Department of Water Resources
Southern District Office

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 36-07871

Priority: September 24, 1979

Maximum Diversion Rate:

1.00 CFS

Maximum Diversion Volume:

208.7 AF

This is to certify, that ROBERT C THOMPSON
1575 E 3400 S

WENDELL ID 83355

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated September 24, 1979; and has submitted Proof of Beneficial Use on October 15, 1991. An examination indicates that the works have a diversion capacity of 1.250 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 to 10/31	0.80 CFS	160.0 AF
STOCKWATER	01/01 to 12/31	0.16 CFS	34.8 AF
COMMERCIAL	01/01 to 12/31	0.80 CFS	13.9 AF
	Totals	1.00 CFS	208.7 AF

LOCATION OF POINT(S) OF DIVERSION:

NWNE , Sec. 26, Township 08S, Range 14E
GOODING County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
08S	14E	26	NWNE 16.5	SWNE 23.5		40

Total number of acres irrigated: 40

PLACE OF USE: STOCKWATER

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>
08S	14E	26

NWNE

PLACE OF USE: COMMERCIAL

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>
08S	14E	26

NWNE

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount that can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.

MAR 27 1995

State of Idaho
Department of Water Resources**WATER RIGHT LICENSE**

WATER RIGHT NO. 36-07871

CONDITIONS/REMARKS:

5. This right is for the use of trust water and is subject to review 20 years after the issuance of the permit to determine availability of water and to re-evaluate the public interest.
6. Diversion and use of water under this right is subject to an annual use fee if rules are subsequently promulgated which provide for the submittal of the fee.
7. The Director retains jurisdiction of the right issued to change, add or remove any requirement as determined to be appropriate.
8. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.0 afa per acre for the lands above.
9. Return water shall be treated to insure that the effluent meets Idaho Water Quality Standards.
10. Three points of diversion are located within NWNE, S26, T08S, R14E.
11. Right 36-10264 is also diverted through the point(s) of diversion described above.
12. Commercial use is for a dairy operation.
13. Stockwater use is for 650 dairy cattle and 700 range cattle.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 24TH
day of MARCH, 1995

Acting for R. Keith Higginson, Director

1995

APPROVED

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 36-07871

RECEIVED

DEC 19 1994

Department of Water Resources

Date of Priority: September 24, 1979

Maximum Diversion Rate:

1.00 CFS

Maximum Diversion Volume:

208.7 AF

Comes now

ROBERT C THOMPSON

1575 E 3400 S

WENDELL ID 83355

and represents to the Director of the

Idaho Department of Water Resources:

That he is the owner and holder of Permit to appropriate the Public Waters of the State of Idaho No. 36-07871, and requests that the permit be changed as follows:

Source: **GROUNDWATER**

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 to 10/31	0.80 CFS	160.0 AF
STOCKWATER	01/01 to 12/31	0.16 CFS	34.8 AF
COMMERCIAL	01/01 to 12/31	0.80 CFS	13.9 AF
	Totals	1.00 CFS	208.7 AF

LOCATION OF POINT(S) OF DIVERSION:

NWNE , Sec. 26, Township 08S, Range 14E
GOODING County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
08S	14E	26	NWNE 16.5	SWNE 23.5		40

Total number of acres irrigated: 40

PLACE OF USE: STOCKWATER

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>
08S	14E	26

NWNE

PLACE OF USE: COMMERCIAL

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>
08S	14E	26

NWNE

MICROFILMED

MAR 27 1995

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 36-07871

RECEIVED
DEC 19 1994
Department of Water Resources

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at WENDELL, this 16th day of DECEMBER, 1994.

Robert C Thompson
(Signature)

STATE OF IDAHO, COUNTY OF

On this 16th day of DECEMBER, 1994,
before me, a Notary Public in and for said State, personally appeared

ROBERT C. THOMPSON

known to me to be the person(s) whose name is subscribed to the
within instrument, and acknowledged to me that HE executed
the same

J. E. Martin

Notary Public
, Idaho

Residing at WENDELL, IDAHO
My commission expires: 11-8-97

Microfilm

MAR 27 1995

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 36-07871

FOR DEPARTMENT USE ONLY

Preliminary check by RC Fee = 50⁰⁰ Received by RT # C031856 Date 12-19-94 ✓

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, R. Keith Higginson, of the Department of Water Resources hereby approve the above Application for Amendment for Permit No. 36-07871 with the following;

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount that can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right is for the use of trust water and is subject to review 20 years after the issuance of the permit to determine availability of water and to re-evaluate the public interest.
6. Diversion and use of water under this right is subject to an annual use fee if rules are subsequently promulgated which provide for the submittal of the fee.
7. The Director retains jurisdiction of the right issued to change, add or remove any requirement as determined to be appropriate.
8. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.0 afa per acre for the lands above.
9. Return water shall be treated to insure that the effluent meets Idaho Water Quality Standards.
10. Three points of diversion are located within NWNE, S26, T08S, R14E.
11. Right 36-10264 is also diverted through 2 of the point(s) of diversion described above.
12. Commercial use is for a dairy operation.
13. Stockwater use is for 650 dairy cattle and 700 range cattle.

MICROFILMED

MAR 27 1995

State of Idaho
Department of Water Resources


APPLICATION FOR AMENDMENT

(For Licensing Purposes)

WATER RIGHT NO. 36-07871

Witness my hand this 24TH day of MARCH, 1995.

Acting for


R. Keith Higginson, Director

RECEIVED

MAR 27 1995

RECEIVED

OCT 15 1991

Department of Water Resources
Southern Region Office

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

For Office Use Only
Amt. of Fee \$ 100.00
Date 10-15-91
Receipt No. 5013775
Received by J.F. Altman

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 36-7871 Telephone No. 536-6112

2. Name(s) of Permit Holder(s): Robert C. Thompson

3. Post Office Address: 1575 E. 3400 S., Wendell, ID 83355

4. Source of Water: Groundwater

a. If ground water, well driller's name: Eaton Drilling & Pump Co. Date drilled: About 1980

b. Pump horsepower: 20+20=40hp Pressure (psi): 90 Dynamic pumping level (ft.): 43

5. Extent of Use:

Domestic _____ (No. of households)

Irrigation 40 (No. of acres)

Stockwater _____ (No. and type of stock)

Other Commercial - Dairy Barn

6. Total rate and/or volume for which proof is submitted ~~0.80~~ 1.0 cfs _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? ☒ Yes ☒ No Installed? _____ Yes ☒ No

OR

Flow Measurement Port: Required? ☒ Yes _____ No Installed? _____ Yes ☒ No Will be installed

8. Fee Enclosed: \$ 100.00 (See License Examination Fee Schedule)

9. Person to contact to accompany the Department representative during the field examination:

Same

Name

Telephone No.

Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

X 10-2-91
Date

X Robert C Thompson
Signature (and title if on behalf of a company or organization)

DEC 10 1991
MED

STATE OF IDAHO

APPROVED

APPLICATION FOR AMENDMENT OF A PERMIT

To change the point of diversion and/or the place of use.

Comes now Robert C. Thompson Phone 536-6112
of (address) 1575 E. 3400 S., Wendell, ID 83355, and represents to the
Director of the Idaho Department of Water Resources:

That he is the owner and holder of Permit to appropriate the Public Waters of the State of Idaho
No. 36-07871, and requests that the permit and permit map be changed as follows:

1. Point of diversion: Same $\frac{1}{4}$ $\frac{1}{4}$, Section _____, Township _____, Range _____, B.M.,
County of _____ . Other points of diversion: _____

2. Period and nature of use: (irrigation, domestic, stockwatering, industrial, etc.) Same

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre feet per annum)

3. Place of use or land to be irrigated:

TWP	RGE	SEC	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				TOTALS
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
85	14E	26		C 20	20														40

Total number of acres to be irrigated = 40

4. a. Who owns the property at the point of diversion? Applicant
b. Who owns the land to be irrigated or the place of use? "
c. If the property is owned by a person other than the applicant, describe the arrangement enabling the
applicant to make this filing: _____

MICROFILMED

SEP 04 1990

RECEIVED
JUL 17 1990

Department of Water Resources

36-7871

Complete the following map by showing land and point of diversion as proposed by this amendment.

Show 40-acre subdivisions, townships, ranges and ditches.

Scale: 2 inches equal 1 mile.

That no one will be injured by such change, and that such change will be made at permit holder's own risk.

Signed at TWIN FALLS, this 6 day of APRIL, 19 90.

Robert C. Thompson
(Signature)

FOR DEPARTMENT USE ONLY

Preliminary check by GF Fee = \$20.00

Received by GA Date 4-6-90 5011854

Publication prepared by MB Date 5/31/90

Published in Gooding Co. Leader

Publication dates 6/13 + 6/20/90

MICROFILMED

ACTION OF THE DEPARTMENT OF WATER RESOURCES

SEP 04 1990

I, L. GLEN SAXTON, of the Department of Water Resources hereby approved the above referenced application for amendment provided the conditions as set forth in permit No. 36-07871 are met.

Witness my hand this 16th day of August, 19 90.

L. Glen Saxton
Chief, Water Alloc. Bureau

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF PERMIT
NO. 36-7871/IN THE NAME
OF ROBERT C. THOMPSON

CONTINUATION ORDER

This matter having come before the Idaho Department of Water Resources (IDWR) as a requirement of Section 42-203D, Idaho Code, the Department Finds, Concludes and Orders as follows:

FINDINGS OF FACT

1. Section 42-203D, Idaho Code, directs IDWR to review all permits issued prior to July 1, 1985, located within the Swan Falls Trust Water Area, to determine if water was beneficially used prior to said date.

2. If water was not beneficially used until after July 1, 1985, Section 42-203D further directs IDWR to review the permit under the provisions of Section 42-203C, Idaho Code.

3. Section 42-203C requires IDWR to determine whether diversion of water under a permit issued prior to July 1, 1985, causes a significant reduction of trust water available for power production and, if there is a significant reduction, to determine whether the reduction is in the public interest.

4. Permit No. 36-7871 (permit) was issued to Robert C. Thompson (permit holder) authorizing the diversion of 1.00 cfs of groundwater for irrigation of 40.0 acres.

5. Information submitted by the permit holder shows that the irrigation of the 40.0 acres authorized under this permit did not occur prior to July 1, 1985.

RECORDED

SEP 26 1989

6. The development and use of water authorized under this permit does not cause a significant reduction of trust water.

CONCLUSIONS OF LAW

1. The water authorized for diversion under Permit No. 36-7871 is trust water.

2. The use of water under the permit satisfies the provisions of Sections 42-203C and 42-203D, Idaho Code.

3. An order continuing the permit shall be issued.

ORDER

IT IS HEREBY ORDERED that Permit No. 36-7871 is valid and may CONTINUE as provided in Section 42-203D, Idaho Code, subject to the following additional conditions and limitations:

1. Proof of construction of works and application of water to beneficial use shall be submitted to IDWR on or before November 1, 1991.

2. The use of trust water authorized by this right is subject to review 20 years after the date of this order to determine availability of trust water and to reevaluate the public interest.

3. Diversion and use of trust water under this right is subject to an annual use fee if rules are subsequently promulgated which provide for the submittal of the fee.

4. The Director retains jurisdiction of this right to change, add or remove any requirement as determined to be appropriate.

MICROFILMED

SEP 26 1989

5. All conditions of approval contained on the permit are incorporated into and made part of this order.

Dated this 18th day of September, 1989.

L. Glen Saxton

L. GLEN SAXTON, Chief
Water Allocation Bureau

MICROFILMED

SEP 26 1989

RECEIVED
AUG 01 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

REQUEST FOR EXTENSION OF TIME

Department of Water Resources
To provide additional time in which to submit proof
of beneficial use for a water right permit

The Idaho Department of Water Resources will consider this form as a request that the permit holder(s) be granted an additional period of time in which to complete development of a water right under the provisions of Section 42-204, Idaho Code.

Permit No. 36-7871

Name(s) of Permit Holder: Robert C. Thompson

Post Office Address: 1575 E 3400 S, , ID 83355

Telephone No. 536-6112

Date Proof is Due: 11/1/89

Describe what work has been completed toward the development of this water right: A well and 25HP Pump
(This must be filled out! If no work has been completed, show "none".)

have been put in and used to irrigate lawns and for commercial dairy uses. An additional
32 acres have been purchased adjacent to the 40 acre parcel which will be partially irrigated
upon completion of the protection. Removal of rocks to both pieces of property is 90%
complete. Costing \$ 17,000

The permit holder(s) has been unable to complete the remainder of the work for the following reasons:

THE PERMIT IS BEING REPROCESSED UNDER THE SWAN FALLS AGREEMENT.
PASTURE IRRIGATION HAS BEEN DELAYED DO TO INVOLVEMENT IN THE DAIRY BUYOUT
PROGRAM & PURCHASE OF THE ADDITIONAL 32 ACRES WITH NEEDED EXCESS ROCK REMOVAL.

Permit holder(s) request an extension to Nov 1, 1991. Robert C Thompson
(1 yr. minimum) (Signature)*

FEE: \$15.00

*IF OTHER THAN PERMIT HOLDER,
POWER OF ATTORNEY MUST BE SUPPLIED.

ACTION OF THE DEPARTMENT OF WATER RESOURCES

IT IS HEREBY ORDERED **NOT RECORDED** If the above request for extension of time be APPROVED and the time within which to submit proof of beneficial use is extended to November 1, 1991.

Signed this 18th day of SEP 26 1989
September, 19 89

Z. Glen Saxton
Chief, Water Allocation Bureau

RECEIVED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

For Office Use Only
Fee Received 15.00
Date 10-15-84
Receipt # 35146

OCT 9 1984

REQUEST FOR EXTENSION OF TIME

To provide additional time in which to submit
proof of beneficial use on a water right permit

RECEIVED

OCT 15 1984

Department of Water Resources
Southern District Office

Department of Water Resources

Robert C. Thompson
(Name)

of

Route #1 Box 249, Wendell
(Address)

State of Idaho, deposes and says:

That he is the holder, or the duly authorized agent of the holder*, of Permit to Appropriate the Public Water of the State of Idaho No. 36-7871.

That under the terms and conditions of said permit, work thereunder was required to be completed on or before November 1, 19 84.

That he has heretofore performed the following work described under said permit: _____
(This must be filled out! If no work has been completed put none.)

Well has been drilled and dairy has been developed.

Completed work by

Costing \$ 7,000.

That he is unable to complete the remainder of the work within the required time for the following reasons, to-wit:

Moratorium on power hookups due to Swan Falls litigation prevented development of irrigation use. Development has been toward dairy up to this time.

Wherefore, he asks that the Department of Water Resources extend the time for the completion of obligations under said permit to November 1, 19 89.
(1 yr. minimum, 5 yrs. maximum)

NOTE
AS OF JULY 1, 1980,
THERE IS A \$15.00
CHARGE FOR REQUESTS
FOR EXTENSION OF
TIME.

Robert C Thompson
(Signature)*

*IF OTHER THAN HOLDER, Power of Attorney must be supplied.

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

IT IS HEREBY ORDERED that the above application for extension of time be APPROVED and the time within which to submit the statement of beneficial use is extended to November 1, 1989.

Signed this 25th day of October, 19 84.

J. Glen Sayton
Chief, Operations Bureau

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

RECEIVED
APPROVED

To appropriate the public waters of the State of Idaho

Department of Water Resources
Southern District Office

1. Name of applicant Robert C. Thompson Phone 536-6112

Post office address Route #1, Wendell, Idaho, 83355

2. Source of water supply Groundwater which is a tributary of _____

3. Location of point of diversion is NW $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 26 Township 8S

Range 14E B.M. Gooding County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 0.80 cfs for Irrigation purposes from Mar. 15 to Nov. 15 (both dates inclusive)
(cfs or acre-feet per annum)

Amount 1.00 cfs for Commercial purposes from Jan. 1 to Dec. 31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 1.00 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Well & pump delivering to sprinkler system for irrigation and a pressure system for use in connection with dairy.

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is 10 inches; proposed depth of well is 150 feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial

use is 5 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: NW $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 26 Township 8S

Range 14E B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water _____.

(5) If water is to be used for other purposes describe: Commercial Use will be for washing of cows in connection with a dairy operation; and other uses in connection with the dairy.

MICROFILMED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
8S	14E	26		40															40

Total number of acres to be irrigated 40

c. Describe any other water rights used for the same purposes as described above. None


9. a. Who owns the property at the point of diversion Applicant

b. Who owns the land to be irrigated or place of use Applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____

10. Remarks _____

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Robert C Thompson
(Applicant)

Proposed Priority 9/24/79

Received by ADM Date 9/24/79 Time 2:00 pm

Preliminary check by [signature] Fee \$ 35.00 # 13337

Receipted by maria Date 9/24/79

Publication prepared by maria Date 9/27/79

Published in Garding County Leader

Publication dates 11/11 & 10/22/79

Publication approved maria Date 10/3/79

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by Lt Jim

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 36-7871, and said application is hereby approved.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before November 1, 19 84.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other: (1) An access port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.
(2) Return water shall be treated to insure that the effluent meets intrastate stream water quality standards.

Witness my hand this 6th day of November, 19 79.

L. Glen Saxton
Chief, Operations Bureau



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098
Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

March 24, 1995

Robert C Thompson
1575 E 3400 S
Wendell, ID 83355

RE: Water Right No. 36-07871

Dear Water Right Holder:

Enclosed is a copy of the Water Right License issued on the above referenced permit along with a copy of your approved Application for Amendment.

Should you have any question regarding these documents, please contact me.

Sincerely,

Shelley Walter Keen
Water Rights Supervisor

SWK:rl

enclosure

Microfilm

MAR 27 1995

MEMORANDUM

Date: March 13, 1995
From: Jim Johnson
To: File
Subject: Conversation with Mr. Thompson

=====

In order to confirm if dairy is presently operational I called Mr. Thompson. Presently there are about 800 cows including milkers and dry stock. This operation has been continuous for at least 10 years. The sprinkler system installed to wash that cows is being used.

I think the recommendations of the examiner for licensing the permit is reflective of the present and past use.

Microfilm

MAR 27 1995



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

December 6, 1994

ROBERT C THOMPSON
1575 E 3400 S
WENDELL ID 83355

RE: WATER RIGHT NO. 36-07871

Dear Water Right Holder(s):

The above referenced water right is in the process of being licensed. However, before a license can be issued, your permit must be amended to correspond with the actual use of water found by a representative of our department at the time of the field examination. The enclosed Application for Amendment contains this information. Please review carefully and if you concur, sign the amendment and return with the \$50.00 filing fee within 14 days.

The last page of the Application for Amendment form contains a list of CONDITIONS/REMARKS proposed for the license when it is issued. These conditions/remarks may be modified upon further administrative review.

If you do not concur or have any questions with this information, please contact me as soon as possible. My telephone number is (208) 327-7947.

Sincerely,

A handwritten signature in dark ink, appearing to read 'JTM Johnson', with a horizontal line extending to the right.

JTM JOHNSON, Manager
Water Right Permits Section

JJ:dc

Enclosure

MICROFILMED

MAR 27 1995

LICENSE REVIEW CHECKLIST

PERMIT NO. 36-0 7871 DATE 11-30-94



NAME Yes No ☒ Or Address Change? check
 PRIORITY DATE Yes No ☒ Advance? Yes Advanced to:
 Order to reinstate needed?
 Incorrect fee for rate recommended? NO

SOURCE Yes No ☒ Changes or just clarification of originally intended source?
 Notice of Intent to Void necessary?

POINT OF DIV Yes No ☒ Amendment needed?
 Overlaps? DOMESTIC CLAIM 36-10264 ON HOUSE WELL

PLACE OF USE Yes No ☒ Amendment needed?
 Overlaps? SAME AS ABOVE

DIV RATE Yes No ☒ Permit/fee limits: 1 CFS
 Meas Q = Theo Q = 1.25 CFS Recommend: 1 CFS
40 acres x .02 = .80 CFS + clean up
Cow sprinklers @ 338 gpm = .75 (Pumps ratings = .82 CFS)
 Combined rates exceed capacity
.16 will adequately supply volume.

ANNUAL VOLUME Yes No ☒ Season of use: C/4 (4-1 to 10-31) NEW
 Calculations: 40 x 4 = 160 AF
DAIRY = 12450 gpd x 365 days = 13.9 AF
 Flow limit: 1 cfs x 365 x 1.9835 = 723
 Combined volumes exceed capacity/allowable

USES Yes No ☒ Change in Nature of Use or additional uses? Stockwater
 Amendment necessary?

REMARKS W32 W36 Multiple p/d(s) in 1/4 1/4? 2/NWNE - SEC 26 - RS - 14 E
 Other 2 of the p/ds

CONDITIONS Yes No ☒ Measuring/Locking Devices
R3/ ☒ Watermaster control - District
R09 ☒ Irrigation Overlap
 ☒ Water Quality
 ☒ Other TRUST R55/64/57 Heat/Cool/ Fish verified
CONDITIONS

COMMENTS: (p/u) Amendment not necessary because permit was amended in 1990 to
include SWNE 1/4 in the p/u.

* Nature of use Amendment
necessary to add stockwater.

RECOMMENDED	CFS	VOL	SRBA Claim Filed	<u>NO</u>
<u>Commercial</u>	<u>.80</u>	<u>13.9</u>	Adjustment Memo Needed	<u>YES</u>
<u>Irrigation</u>	<u>.80</u>	<u>160.0</u>		
<u>Stockwater</u>	<u>.16</u>	<u>34.8</u>		
<u>Total</u>	<u>1.0</u>	<u>208.7</u>	LICENSE	
			1ST AMENDMENT LETTER	<u>P46</u>
			FINAL AMENDMENT LETTER	<u>P42</u>

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
OCT 27 1994

Department of Water Resources

A. GENERAL INFORMATION


1. Owner: Robert C. Thompson Permit No. 36-7871
Current Address: 1575 E. 3400 S., Wendell, ID 83355 Phone No. 536-6112
2. Accompanied by: Mr. Thompson EXAM. DATE: 1-22-92
Address: _____ Phone No. _____
Relationship to Permit Holder: _____
3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: _____ ☐ Copies Attached
2. Other water rights with same point of diversion: Domestic use covered by Claim A36-10264
_____ ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached ☒ Aerial Photo Attached
Showing location(s) of point(s) of diversion and (required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

Well, submersible motor & pump, 4" line to divider box, lines from divider box to 58 Rainbirds (5.82gpm/hr, 3/32" x 1/8") in dairy barn, & to booster motor feeding pivot (3-Tower, 1/4-mile length) & handlines for 2 north corners.

2 separate wells with 3hp & 5hp submersible pumps (pumps are connected to each other via common mainline) serve dairy for cleanup purposes & stock watering, & serve 1 home. Small wells are not connected to the large well.

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
Main Well	Franklin	20		Sta-Rite	Model 200 N8
Booster	Rayco	20	3935-2288	Pyco	F70B00497
House Well	Sta-Rite	3		Sta-Rite	Model 40P4H025
Barn Well	Sta-Rite	5		Sta-Rite	Model 70P4J025

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		NE	NW	NE	26	8S	14E	Gooding	3 points of diversion

6. Place(s) of Use:

Indicate Method of Determination

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
8S	14E	26																	
					16.5	22.5													40
					C														
					S														

Do not use this space

MAR 27 1995

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

Main pump rated 300 gpm at 50 psi & 63' lift (175' TDH).
Barn well rated 70 gpm at 175' TDH.
House well rated 45 gpm at 175' TDH. } Per Eston Drilling & Pump Co.

E. FLOW CALCULATIONS

☒ Additional Computation Sheets Attached

1. Measured Method:

Irrig. - Theoretical capacity of main pump & booster = 0.99 cfs, Allow 40 ac. x 0.02 cfs/ac. = 0.80 cfs

2. Alternate Method for Checking Purposes:

58 heads x 5.82 gpm/head = 338 gpm, ~~Allow~~ 300 gpm pump rating + 70 gpm rating = 0.82 cfs
Allow 0.80 cfs for commercial use applied for.

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3); Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 40 \times 4 = 160$

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 160 \text{ AFA}$

2. Volume Calculations for Other Uses:

Commercial - 300 gpm x 40 m/day = 12000 gpd + 450 gpd = 12450 gpd x 365 days/ann = 4544250 gpd = 15.7 AFA

Stock - 700 hd x 12 gpd/head x 365 days/ann = 9.4 AFA
650 hd x 26 gpd/head x 365 days/ann = 26.2 AFA } 35.6 AFA

MAR 27 1995

H. REMARKS AND OVERLAP REVIEW ANALYSIS

Dairy now serves 188 milkers & 27 dry stock now, has served up to 560 milkers & 700 dry stock before dairy buyout in 1986. Stock are watered from separate pumps. Herd size will increase to 500 head in 1992, according to Mr. Thompson. Per telecon w/Shaile Curtis, allow water for 650 milkers, 700 dry stock. 2 north pivot corners will be watered this year but not afterward. SW pivot corner will then be watered. This is related to expansion of the herd. Main well runs Rainbirds in barn with booster off & irrigation lines off. To run sprinklers, line to barn must be closed. Booster motor is then turned on. Lawn on property totals about 1/2 acre (covered by domestic claim). Recommend irrigation P/U be licensed as historically watered, although this would be incorrect if licensing takes too long. Takes 40 minutes Rainbird use per day & 450 gpd for cleanup, according to dairy operator.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Commercial	1-1	12-31	0.80	13.9
Irrigation	3-15	11-15	0.80	160
Stockwater	1-1	12-31	0.16	25.6
Totals:			1.0	209.5

2. Recommended Amendments

- ☐ Change P.D. as reflected above ☒ Add P.D. as reflected above ☐ None
☒ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

J. AUTHENTICATION

Field Examiner's Name J. E. Stanton
 Signature J. E. Stanton
 Certification Date _____
 Field Report Preparation Date 3-13-92

CONSULTANT SEAL

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

* See attached explanation memo on adjustments.

1105-1117

MAR 27 1995

MEMORANDUM

TO: File 36-07871 / Robert C. Thompson
FROM: Brenda Chapman
DATE: December 1, 1994
RE: Recommendation Adjustment(s)

=====

The final licensing recommendations for the above referenced water right are based on the information below:

G. VOLUME CALCULATIONS

Stockwater volume recommendation has been reduced. Dairy cattle requirements are 35 gallons per head rather than 36.

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use	Rate of Div	Annual Vol
Irrigation	4-01 to 10-31	.80	160.0
Stockwater	1-01 to 12-31	.16	34.8
Commercial	1-01 to 12-31	.80	13.9

See item G.

2. Recommended Amendments

☐ Change P.D.	☐ Add P.D.	☐ None
☐ Change P.U.	☐ Add P.U.	☒ Other

*Nature of Use - New
one added*

An amendment is not necessary for the place of use. The approved 1990 Amendment of Permit added the SWNE $\frac{1}{4}$. However, an amendment must be solicited to add the stockwater use. It was not on the original permit.

MICROFILMED
MAR 27 1995

GROUNDWATER MEASUREMENT REQUIREMENT ANALYSIS

FILE: 36-7871

DATE: 1-22-92

BY: J.E. Stanton

THEORETICAL RATE OF FLOW: $Q = \frac{(8.8) \times (\text{H.P.}) \times (\text{EFF.})}{\text{TDH}}$

Q = CFS

H.P. = Total Brake Horsepower of pumping plant (including booster)

EFF. = Pumping plant efficiency (ASSUME 70% OR 0.70)

TDH = total dynamic head = [(LIFT) + (PSI X 2.31)]

LIFT = depth to water in FEET from land surface to pumping water level

PSI = pumping pressure measured in psi near pump
(if open discharge assume zero [0])

$Q = \frac{(8.8) \times (40) \times (0.70)}{[(53) + (80 \times 2.31)]} = 0.99$

LIFT FROM:

measurement ()

owner ()

area estimate ()

well logs (X)

Booster (Y) (N)

PSI FROM:

measurement ()

owner (X)

estimate ()

owner gage ()

NOTES ON PUMP:

Motor Make, Serial or ID

Pump Make, Serial or ID, rating

REMARKS

ANNUAL VOLUME ANALYSIS

POTENTIAL Acre Feet/Acre/Annum = $\frac{(\text{DAYS IN SEASON}) \times (1.98) \times (Q)}{(\text{RECOMMENDED ACRES IRRIGATED})}$

(season)	(days)	
3/15 - 11/15	246	POTENTIAL = $\frac{(\dots 246 \dots) \times (1.98) \times (\dots 99 \dots)}{(\dots 40 \dots)}$
4/1 - 11/1	215	
4/15 - 10/15	184	
3/1 - 12/1	276	

POTENTIAL = 12

REQUIRED Acre Feet/Acre/Annum = 4

(AF/Ann/Ac irrigation requirement from chart for area)

NOTE that this is NOT Consumptive use

IF POTENTIAL IS GREATER THAN REQUIRED THEN NO MEASUREMENT NECESSARY (X)

IF POTENTIAL IS LESS THAN REQUIRED THEN MEASUREMENT IS NECESSARY ()

MAR 27 1995

FULL CIRCLE SPRINKLERS 30 Series



30

$\frac{1}{4}$ " male bearing, Standard or TNT. Cast bronze body and arm. Brass bearing sleeve, nipple, straight bore range nozzle and low angle spreader nozzle (7° or 20°). Stainless steel arm spring and bearing spring. Available on special order with nylon range nozzles and $\frac{1}{8}$ ", $\frac{1}{4}$ ", $\frac{1}{2}$ " spreader nozzles.

30 W

Same as 30 above except has brass plug instead of spreader nozzle. Single nozzle for lower precipitation rates.

30 WS

Same as 30 above except has a special cast body for single range nozzle only. No provision for adding a spreader nozzle as in 30 W.

PERFORMANCE FOR 30

*Closest point of stream is 3" above nozzle.


Nozzle 3/32" 7°	Nozzle 5/32" 7°	Nozzle 7/32" 7°	Nozzle 3/16" 1°	Nozzle 3/16" 2°	Nozzle 11/64" 1°	Nozzle 7/32" 2°
100	100	100	100	100	100	100
101	101	101	101	101	101	101
102	102	102	102	102	102	102
103	103	103	103	103	103	103
104	104	104	104	104	104	104
105	105	105	105	105	105	105
106	106	106	106	106	106	106
107	107	107	107	107	107	107
108	108	108	108	108	108	108
109	109	109	109	109	109	109
110	110	110	110	110	110	110
111	111	111	111	111	111	111

PERFORMANCE FOR 30 W / 30 WS

*Closest point of stream is 3" above nozzle.

Nozzle 11/64"	Nozzle 5/32"	Nozzle 7/32"	Nozzle 3/16"	Nozzle 11/64"	Nozzle 7/32"
100	100	100	100	100	100
101	101	101	101	101	101
102	102	102	102	102	102
103	103	103	103	103	103
104	104	104	104	104	104
105	105	105	105	105	105
106	106	106	106	106	106
107	107	107	107	107	107
108	108	108	108	108	108
109	109	109	109	109	109
110	110	110	110	110	110
111	111	111	111	111	111

NEW COLOR CODED NOZZLES



Color Coded Band

$\frac{1}{4}$ " Green	$\frac{1}{4}$ " Yellow
$\frac{1}{8}$ " Red	$\frac{1}{8}$ " Blue
$\frac{1}{4}$ " Black	$\frac{1}{4}$ " White
$\frac{1}{2}$ " Orange	$\frac{1}{2}$ " Brown

These nozzles fit #29, 30, 14600, 40 B, and 14070 Series Sprinklers. Add CC after range nozzle size to specify color coded nozzle — for example — 30 EWTNT $\frac{1}{8}$ CC x $\frac{1}{2}$ 7°.


*Shown for standard nozzle at normal operating pressure.
†Standard nozzle size.

Shaded areas in chart indicate NOT recommended working pressures for best distribution.

RECEIVED
MAR 27 1995

36-07871

36-07871



36-7871

42'30"

(NIAGARA SPRINGS)
3069 II NW

MIROCHE
MAR 22



MAR 27 1995

36-07871

W. L. DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

BALLPOINT PEN
RECEIVED
JUL 7 1962


[illegible]

USE ADDITIONAL SHEETS IF NECESSARY - FORWARD THE WHITE COPY TO THE DEPARTMENT

36-7871

Large Well,
Booster
Pump

East Side
of Dairy




RECEIVED
MAR 27 1995

36-07871

36-7871

Daisy




Corrals

APR 1 1995

MAR 27 1995

36-07871

36-7871





Irrigation P/U

MAR 27 1995

36-07871

36-7871



Barn Sprinklers

Milking Area

MAR 27 1995

36-07871

November 22, 1991

ROBERT C. THOMPSON
ROUTE 1, BOX 249
WENDELL, ID 83355

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 36-07871

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

I note that the permit issued to you by the department requires the installation of a flow measurement port to allow the department to determine the rate of diversion. The proof which you submitted does not show that you have installed this equipment.

The installation of the flow measurement port must be complete by the time the department representative conducts the examination of your system unless the department has rescinded the requirement prior to the field examination. In some cases, the equipment requirement can be rescinded because the equipment cannot be physically installed, is not appropriate or can be accommodated with other measuring methods.

If you have questions concerning this matter, please feel free to contact the SOUTHERN Regional Office in Twin Falls at (208)736-3033.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

c: IDWR - Region

RECEIVED
DEC 10 1991

ROBERT C THOMPSON
1575 E 3400 S
WENDELL ID 83355

138995
August 31, 1991

PROOF DUE NOTICE

RE: PERMIT NO. 36-07871

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before November 1, 1991. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

MICROFILMED
DEC 10 1991

August 16, 1990

RE: Permit No. 36-7871

Robert C. Thompson
1575 E. 3400 S.
Wendell, ID 83355

Dear Water Right Holder(s):

Enclosed is a copy of your approved Application for Amendment submitted in connection with the above referenced permit.

If you have any questions concerning this document, please feel free to contact us.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:blm

Enclosure

MICROFILMED

SEP 14 1990

31-May-1990

ROBERT C. THOMPSON
1575 E 3400 S
WENDELL ID 83355

Re: Application for Amendment, 36-07871

Dear Mr. Thompson:

The Department of Water Resources acknowledges receipt of your application for amendment of a permit.

This office will be advertising the application in the Gooding County Leader on 6/13 & 6/20/90. A period of ten days following the second publication will be allowed for the submittal of protests.

If the application is protested you will be sent a copy of the protest. The protest must be resolved before the application is approved or denied. If the protest is not resolved voluntarily, this Department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to our State Office in about five weeks. State office personnel will conduct a complete review prior to final processing of the application and will notify you of the outcome of this review. A typical processing time for an unprotested application is about eight weeks.

Final regional review cannot be completed until we receive evidence of ownership of the place of use.

Please feel free to contact this office if you have any questions regarding this procedure.

Very truly yours,

MICROFILMED

Gary Funderburg
Sr. Water Resource Agent

GF:MB

SEP 04 1990

AFFIDAVIT of PUBLICATION

RECEIVED

State of Idaho,)
) SS.
County of Gooding)

JUN 22 1990

Department of Water Resources
Southern Region Office

Patty Spance, being first duly sworn, deposes and says that he is the printer (publisher) of the Gooding County Leader, a newspaper published every week in Gooding, County of Gooding, State of Idaho, that said newspaper has been continuously and uninterruptedly published for a period of seventy-eight consecutive weeks prior to the first publication of the annexed notice, and is a newspaper qualified to publish legal notices as provided by act of the 1919 session of the legislature of the State of Idaho, known as House Bill 145; that the annexed advertisement was published once

each week for 2 consecutive issues in said newspaper proper and not in a supplement; that the date of the first publication of said advertisement was on the 13th day of June 1990, and the date of the last publication was on the 20th day of June, 1990.

Patty Spance

Subscribed and sworn to before me this 21

day of June, 1990
(SEAL)

Vivian J. Gandiaga
NOTARY PUBLIC

GOODING COUNTY LEADER
Gooding, Idaho
COST OF PUBLICATION

Number of Lines in Notice _____

Number of Insertions 2x

- _____ Lines tabular at _____ 6¢/Pica
- 421.8 Lines straight at 21.09 5¢/Pica
- _____ Subsequent lines at 16.88 4¢/Pica

TOTAL COST 37.97

COPY OF NOTICE
(Paste Here)

Not. of Amend. to West. Permit
TITLE OF NOTICE

R.C. Thompson

36-07871

PLAINTIFF ATTORNEY

DEFENDANT

PLAINTIFF

J.D.W.R. T.F.
BILL TO

7-8 pt. per line tabular.....6¢/Pica
7-8 pt. per line successive
insertions.....4¢/Pica

MICROFILMED

SEP 04 1990

N₉ 638

14612

31-May-1990

GOODING COUNTY LEADER
BOX 56
GOODING ID 83330

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the required publication dates. If time allows, please submit a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

In order to receive payment, an affidavit of publication must be submitted to the Department along with the publication bill.

Very truly yours,

Mary Baldwin
Secretary/Office Coordinator

Enclosure

MICROFILMED

SEP 04 1990

NOTICE OF AMENDMENT TO A WATER PERMIT

NO. 36-07871

Notice is hereby given that ROBERT C. THOMPSON of Wendell, ID is the holder of Approved Permit No. 36-07871 authorizing the diversion of 1.0 cubic feet per second of water from groundwater in the NW1/4NE1/4, S26, T8S, R14E, County of Gooding, to be used for irrigation on 40 acres within NW1/4NE1/4, S26, T8S, R14E; and the diversion of 0.80 cfs for commercial use within NW1/4NE1/4, S26, T8S, R14E.

The permit holder has applied to the Department of Water Resources for an Amendment to the Permit, to change the Place of Use as follows:

Amount: Same

Period of Use: Same

Point of Diversion: Same

Place of Use: 40 acres within NW1/4NE1/4, SW1/4NE1/4, S26, T8S, R14E and commercial use within NW1/4NE1/4, S26, T8S, R14E.

Any protest against approval of the amending of Permit No. 36-07871 as set forth above must be filed with the Idaho Department of Water Resources, 222 Shoshone Street East, Twin Falls, ID 83301 on or before July 2, 1990.

R. Keith Higginson, Director

Published in the Gooding County Leader on 6/13 & 6/20/90.

MICROFILMED

SEP 04 1990



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 -(208) 327-7900

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

September 21, 1989

RE: Permit No. 36-7871

Robert C. Thompson
Rt. 1, Box 249
Wendell, ID 83355

Dear Mr. Thompson:

Enclosed is an order that authorizes you to continue development under permit to appropriate water no. 36-7871. Please note in condition #1., page two of the order that you must develop your system and beneficially use the water prior to November 1, 1991. Failure to beneficially use the water before November 1, 1991 could result in a loss of your water right permit.

Also enclosed is a copy of the approved extension of time request.

Please note the conditions of approval contained in your permit and the continuation order. You must comply with the conditions to fully complete beneficial use.

Sincerely,

TIM LUKE
Sr. Water Resource Agent

TL:sc

MICROFILMED
SEP 26 1989

AFFIDAVIT of PUBLICATION

State of Idaho,)
) SS.
 County of Gooding)

Patty Nance G. Manager
 being first duly sworn,
 deposes and says that he is the printer (~~publisher~~) of the Gooding
 County Leader, a newspaper published every week in Gooding, County
 of Gooding, State of Idaho, that said newspaper has been continuous-
 ly and uninterruptedly published for a period of seventy-eight consecu-
 tive weeks prior to the first publication of the annexed notice, and is
 a newspaper qualified to publish legal notices as provided by act of
 the 1919 session of the legislature of the State of Idaho, known as
 House Bill 145; that the annexed advertisement was published once
 each week for 2X consecutive issues in said newspaper
 proper and not in a supplement; that the date of the first publication
 of said advertisement was on the 16th day of Aug.
 1989, and the date of the last publication was on the 23rd
 day of Aug., 1989.

Patty Nance
 Subscribed and sworn to before me this 23
 day of Aug., 1989.
 (SEAL)

Norma De Voe
 NOTARY PUBLIC

GOODING COUNTY LEADER
 Gooding, Idaho

COST OF PUBLICATION

Number of Lines in Notice _____
 Number of Insertions 2X SEP 26 1989

Lines tabular at _____ 5¢/Pica
351 Lines straight at 14.04 4¢/Pica
 Subsequent lines at 12.29 3.5¢/Pica
 TOTAL COST 26.33

COPY OF NOTICE (Paste Here)


Existing Water Right
 TITLE OF NOTICE 36-7871

Robert C. Thompson
 PLAINTIFF ATTORNEY

DEFENDANT

PLAINTIFF

Dept. Water Res.
 BILL TO Boise



PUBLICATION RATES	
(Idaho Code, Rev. Statutes 1984)	
7-8 pt. per line straight	4¢/Pica
7-8 pt. per line tabular	5¢/Pica
7-8 pt. per line successive	3¢/Pica
insertions	3¢/Pica

No 1550

16665

Department of Water Resources

AUG 24 1989

RECEIVED

August 9, 1989

Gooding County Leader
Box 56
Gooding, ID 83330

Dear Legal Department:

Enclosed you will find a legal notice which we wish to have published on August 17 and August 24 (once a week for two consecutive weekly issues) in your newspaper. If your paper is published weekly, the notice must appear in the issue that is distributed during the weeks of August 14 and August 21. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and billing to the office below before September 4, 1989.

Idaho Department of Water Resources
1301 North Orchard St.
Statehouse Mail
Boise, ID 83720

Sincerely,

SHARLA R. CURTIS
Secretary

MICROFILMED

SEP 26 1989

NOTICE OF EXISTING
WATER RIGHT PERMIT

PERMIT NO. 36-7871

Presently Recorded as Follows:

Name: ROBERT C. THOMPSON

Address: RT 1, BOX 249
WENDELL, ID 83355

Source: GROUNDWATER

Diversion Pt.: NWNE SEC. 26 T08S R14E GOODING CO.

Use: IRRIGATION (0.80 CFS)

COMMERCIAL (1.00 CFS)

Priority: 9./24/1979

Place of Use: NWNE SEC. 26 T08S R14E

Total Acres: 40

This permit was not developed by July 1, 1985, and is being reprocessed in compliance with Section 42-203D, Idaho Code. Protests against the continuance of the permit must be filed with the Director, Dept. of Water Resources, Statehouse Mail, Boise, ID 83720 on or before September 4, 1989.

R. Keith Higginson, Director

Microfilm

SEP 26 1989




State of Idaho

DEPARTMENT OF WATER RESOURCES

Southern Region, 2148 4th Ave. East, Twin Falls, Idaho 83301 (208) 734-3578

CECIL D. ANDRUS
Governor



Dear Tim,

Department of Water Resources

The attached check is to cover re-advertising permit 36-7871 under Swan Falls agreement. Development to date includes well installation, pump purchases, dairy development. Dairy has operated with 1000 cows prior to entering a gov't program in 1986. Water has not been used to irrigate, but land has been developed (improved).

If you need further information please contact applicant at:

Robert Thompson
1575 E 3400 S
Wendell, ID 83355
phone: 536-6112

Sincerely,
Douglas Jones

MICROFILMED

SEP 26 1989



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

SEPTEMBER 1, 1985

DEAR PERMIT HOLDER:

ACCORDING TO OUR RECORDS, YOU ARE THE HOLDER OF A WATER PERMIT ON WHICH PROOF OF BENEFICIAL USE OF WATER WAS NOT SUBMITTED BEFORE JULY 1, 1985, WHICH INDICATES YOUR PROJECT IS NOT COMPLETE. THEREFORE, YOU NEED TO BE AWARE OF CHANGES IN IDAHO LAW, EFFECTIVE JULY 1, 1985, WHICH IMPACT ALL WATER PERMITS ISSUED BY THIS DEPARTMENT.

SPECIFICALLY, PURSUANT TO SECTION 42-203D, IDAHO CODE, THE DEPARTMENT MUST REVIEW ALL PERMITS FOR WHICH DEVELOPMENT OF WATER USE WAS NO COMPLETED ON OR BEFORE JULY 1, 1985, TO DETERMINE IF THEY MEET THE NEW REQUIREMENTS OF CHAPTER 2, TITLE 42, IDAHO CODE. RULES AND REGULATIONS GOVERNING THE RE-EVALUATION OF PERMITS ARE NOT YET FINALIZED. HOWEVER, IF YOU COMPLETED THE DEVELOPMENT UNDER YOUR PERMIT BEFORE JULY 1, 1985, YOU SHOULD SUBMIT A PROOF OF BENEFICIAL USE STATEMENT, STATING THAT THE PROJECT WAS COMPLETED BEFORE JULY 1, 1985 SO THAT YOUR PERMIT WILL NOT BE SUBJECT TO THE REVIEW REQUIREMENTS OF SECTION 42-203D, WHICH READS AS FOLLOWS:

42-203D. REVIEW OF PERMITS - OPPORTUNITY FOR HEARING. - (1)THE DEPARTMENT SHALL REVIEW ALL PERMITS ISSUED PRIOR TO THE EFFECTIVE DATE [JULY 1, 1985] OF THIS SECTION, EXCEPT TO THE EXTENT A PERMIT HAS BEEN PUT TO BENEFICIAL USE PRIOR TO JULY 1, 1985, TO DETERMINE WHETHER THEY COMPLY WITH THE PROVISIONS OF CHAPTER 2, TITLE 42, IDAHO CODE. IF THE DEPARTMENT FINDS THAT THE PROPOSED USE DOES NOT SATISFY THE CRITERIA OF CHAPTER 2, TITLE 42, IDAHO CODE, THEN THE DEPARTMENT SHALL EITHER CANCEL THE PERMIT OR IMPOSE THE CONDITIONS REQUIRED TO BRING THE PERMIT INTO COMPLIANCE WITH CHAPTER 2, TITLE 42, IDAHO CODE. IF THE DEPARTMENT FINDS THAT THE PERMIT SATISFIES THE CRITERIA ESTABLISHED IN CHAPTER 2, TITLE 42, IDAHO CODE, THEN THE DEPARTMENT SHALL ENTER AN ORDER CONTINUING THE PERMIT. (2)THE DEPARTMENT SHALL PROVIDE AN OPPORTUNITY FOR HEARING IN ACCORDANCE WITH SECTION 42-1701A, IDAHO CODE, AND SECTIONS 67-5209 THROUGH 67-5215, IDAHO CODE, FOR EACH HOLDER OF A PERMIT THAT IS PROPOSED EITHER TO BE CANCELLED OR MADE SUBJECT TO NEW CONDITIONS.

YOU MAY OBTAIN PROOF OF BENEFICIAL USE FORMS FROM THE DEPARTMENT. IF YOU HAVE ANY QUESTIONS, PLEASE LET US KNOW.

SINCERELY,

L. GLEN SAXTON
CHIEF, OPERATIONS BUREAU

MICROFILMED

SEP 26 1989

Form 204-p
6/82

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
COMMENCEMENT OF WORKS

Permit No.

36-7874

Name(s) of Permit Holder(s):

ROBERT C. THOMPSON

Post Office Address:

KT 1 BOX 249 WENDELL,
IDAHO 83355

Tel. No. (208) 536-6112

☒ I hereby certify that construction of diversion works for the above referenced permit began on 1 OCT 1989 (date). I understand that I must continue to develop the water system with due diligence to maintain a valid permit.

☐ I hereby certify that construction of diverting works on the above referenced project has not yet begun due to the following reason beyond my control:

*Note: A financing difficulty is
not an acceptable reason.


8-9-82
Date

Robert C. Thompson
Signature of Permit Holder

MR. & MRS. J. L. THOMPSON

ROUTE 1

WENDELL, IDAHO 83355



RECEIVED

AUG 12 1982

Department of Water Resources



NOT RECORDED
SEP 26 1989

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

October 25, 1984

Robert C. Thompson
Rt. 1, Box 249
Wendell, ID 83355

Dear Mr. Thompson:

Re: Permit No. 36-7871

Enclosed is a copy of the approved request for extension of time. The time within which to submit the statement of beneficial use postcard is extended to November 1, 1989.

In connection with the development of a water right under this permit, the Department wishes to call to your attention an Idaho Supreme Court decision issued in November 1982 which likely could affect your future use of water.

The decision in the case of Idaho Power Company vs the State of Idaho, et al stated in part that Idaho Power Company's use of water for power generation purposes at the Swan Falls dam on the Snake River is not subordinated to upstream depletion by later-in-time uses. The question of whether Idaho Power's 8,400 cfs water right at Swan Falls dam has been diminished by subsequent development, however, was remanded back to district court for determination. The findings of the district court could restrict water availability or require compensation to Idaho Power Company for uses developed later in time than Idaho Power Company's water right at Swan Falls dam.

Sincerely,

RITA I. FLECK
Secretary/Records Manager

Enclosure

RECEIVED
OCT 27 1984



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

EXTENSION OF TIME

October 15, 1984

Robert C. Thompson
Route 1, Box 249
Wendell, ID 83355

PERMIT NO. 36-7871

We are in receipt of the \$15 extension fee for Extension(s) of Time to provide additional time in which to submit proof of beneficial use on a water right permit.

Your request for extension(s) of time is being reviewed by staff. You will be informed of our decision when review has been completed.

Enclosed is our receipt No. 35146.

Roberta Garrett
Records Supervisor

Enclosure

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL
138165

THOMPSON, ROBERT C.
ROUTE 1
WENDELL,, ID 83355

PROOF DUE NOTICE

AUGUST 31, 1984

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 36-7871 WAS THAT PROOF OF THE EXTENT OF YOUR BENEFICIAL USE MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE NOVEMBER 01, 1984. (SEE LAST PAGE OF YOUR APPROVED PERMIT OR YOUR LAST APPROVED EXTENSION REQUEST). ENCLOSED IS A POSTCARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU OR A PREVIOUS OWNER OF THIS PERMIT HAVE NOT RECEIVED A PRIOR EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME IF THE DELAY IS FOR REASONABLE CAUSE AS PROVIDED IN SECTION 42-204, IDAHO CODE. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED. AN EXTENSION OF TIME REQUEST FORM IS ENCLOSED FOR YOUR CONVENIENCE.

EITHER THE BENEFICIAL USE POSTCARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE DESCRIBED PROOF DUE DATE. IF NEITHER IS RECEIVED, THE DEPARTMENT WILL SEND YOU A LAPSE NOTICE. WITHIN SIXTY (60) DAYS OF THE MAILING OF THE LAPSE NOTICE, THE PERMIT WILL NO LONGER BE OF ANY FORCE NOR EFFECT.

SINCERELY,

RITA FLECK
SECRETARY/RECORDS MANAGER

ENCLOSURES

MICROFILMED



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 373 W. Franklin Street, Boise, Idaho

JOHN V. EVANS
Governor

C. STEPHEN ALLRED
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 384-2215

November 6, 1979

Robert C. Thompson
Route # 1
Wendell, Idaho, 83355

Dear Mr. Thompson,

RE: Permit No. 36-7871

Enclosed is a copy of your approved Application for Permit. We direct your attention to the conditions of approval on the fourth page.

Be sure to note the special condition requiring you to install an access port or other device to provide for the installation of measuring equipment by the Department. Enclosed are specifications for the installation of the access port, as well as a list of measuring device options.

The exercise of this permit may also be affected by the court's determination of water rights in the case of Idaho Power Company v. State of Idaho, et al., Civil No. 62237, currently pending before the District Court of Ada County.

Idaho Power officials tell us that because of Case No. U-1006-124 filed before the Idaho Public Utilities Commission, Idaho Power Company is asking the District Court of Ada County to determine whether the Power Company's water rights on the Snake River are protected against subsequent upstream appropriations in the waters of the Snake River and surface and subterranean tributaries between Milner Dam and Hells Canyon.

Since the use of water under your permit may affect the flows in this reach of the Snake River, the final decision in Idaho Power Company v. State of Idaho, et al. (Ada County Civil No. 62237) may determine to what extent the exercise of your permit may be subject to the water rights of Idaho Power.

While the Ada County court is examining this question, Idaho Power Company has not filed a specific protest to your permit. However, the Department of Water Resources has been advised that the Power Company is not waiving any of its rights to contest or limit the exercise of your permit or a subsequent license or water right.

If you have any questions, please let us know.

Sincerely,

David R. Tuthill, Jr.

DAVID R. TUTHILL, JR.
Supervisor, Water Allocations Section

DRT:lr

Enclosure

MICROFILMED



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
SOUTHERN REGION

John V. Evans
Governor

C. Stephen Allred
Director

1041 Blue Lakes Blvd. North
Twin Falls, Idaho 83301
(208) 734-3578

October 30, 1979

Mr. Alex Schaefer
Department of Health & Welfare
Division of Environment
P. O. Box 1626
Twin Falls, Idaho 83301

Re: Application for Permit No. 36-7871 - Robert C. Thompson

Dear Mr. Schaefer:

Enclosed is a copy of the above referenced application for permit
for your information and files.

Sincerely,

Mary A. Hill
Secretary

for

Loren O. Holmes
Southern Region Supervisor

Encl:

MICROFILMED

AFFIDAVIT of PUBLICATION

State of Idaho, }
County of Gooding } SS.

Bary Grant, being first duly sworn, deposes and says that he is the printer (publisher) of the Gooding County Leader, a newspaper published every week in Gooding, County of Gooding, State of Idaho, that said newspaper has been continuously and uninterruptedly published for a period of seventy-eight consecutive weeks prior to the first publication of the annexed notice, and is a newspaper qualified to publish legal notices as provided by act of the 1919 session of the legislature of the State of Idaho, known as House Bill 145; that the annexed advertisement was published once

each week for 2 consecutive issues in said newspaper proper and not in a supplement; that the date of the first publication

of said advertisement was on the 11 day of October 1979, and the date of the last publication was on the 18 day of October, 1979.

Subscribed and sworn to before me this 18 day of October, 1979.
(SEAL)

Garner Blair

NOTARY PUBLIC

GOODING COUNTY LEADER

Gooding, Idaho

COST OF PUBLICATION

Number of Lines in Notice	<u>36</u>
Number of Insertions	<u>2</u>
Lines tabular at	315c
Lines straight at <u>36</u>	21c <u>7.56</u>
Subsequent lines at <u>36</u>	15c <u>5.40</u>
TOTAL COST	<u>12.96</u>

MICROFILMED

COPY OF NOTICE

(Paste Here)

36-7871
TITLE OF NOTICE
Shompson

PLAINTIFF ATTORNEY

DEFENDANT

PLAINTIFF

Dept of Water
BILL TO

ok
margie
10/20

(Id)

7 pt

7 pt

7 pt

RECEIVED

NOV 21 1979

Department of Water Resources
Southern District Office

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

36-2821-

THOMPSON, ROBERT C.

ROUTE 1, WENDELL,, ID 83355

Source: GROUNDWATER

Date Filed: 09/24/1979

Amount: 1.00 CFS

Diversion Point: NWNE Sec 26 T 08S R 14E, GOODING Co.

Use: IRRIGATION	(0.80 CFS)	from 03/15 to 11/15
COMMERCIAL	(1.00 CFS)	from 01/01 to 12/31

Place of Use: NWNE Sec 26 T 08S R 14E FOR 40 ACRES

Diversion Means: WELL, PUMP AND SPRINKLER

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 1041 Blue Lakes Blvd. North, Twin Falls, Idaho 83301 and received on or before OCTOBER 29, 1979.

C. STEPHEN ALLRED

Director

Published 10/11 & 10/18/79.

MICROFILMED

36-7871

THOMPSON, ROBERT C.
ROUTE 1, WENDELL, ID
83355

Source: GROUNDWATER
Date Filed: 09/24/1979

Amount: 1.00 CFS
Diversion Point: NWN Sec
26 T 08S R 14E, GOOD-
ING Co.

Use: IRRIGATION (0.80
CFS) from 03/15 to 11/15
COMMERCIAL (1.00 CFS)
from 01/01 to 12/31

Place of Use: NWN Sec 26
T 08S R 14E FOR 40 ACRES
Diversion Means: WELL,
PUMP AND SPRINKLER

If issued, the permit(s)
will be subject to all prior
water rights. Protests
against the granting of any
permit must be filed with the
Director of the Idaho De-
partment of Water Re-
sources, 1041 Blue Lakes
Blvd. North, Twin Falls,
Idaho 83301 and received on
or before OCTOBER 29, 1979.

/s/ C. Stephen Allred
Director

Pub: 10-11, 18

ok
mace
10/3/79

S T A T E O F I D A H O
DEPARTMENT OF WATER RESOURCES
Southern Region

1041 Blue Lakes Blvd N.
Twin Falls, Idaho 83301
(208) 734-3578

SEPTEMBER 27, 1979

Gooding County Leader
P.O. Box 56
Gooding, Idaho 83330

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. We have allowed ample time for you to submit a galley proof to this office for review before the first publication date. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billings to this office before OCTOBER 29, 1979.

Yours truly,

Mary A. Hill
Secretary

Encl.

MICROFILMED