


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Judy Remsburg
(Applicant)

RECEIVED

AUG 8 1977

Department of Water Resources
Southern District Office

APK
8/9/77

The Minidoka County News

RUPERT, IDAHO

AFFIDAVIT OF PUBLICATION

County of Minidoka,)
) ss.
STATE OF IDAHO,)

Donald R. Frey, being first

duly sworn, deposes and says that he is the
editor

of The Minidoka County
News, a weekly newspaper published at Rupert,
Idaho, in the county aforesaid, and that the paper
is of general circulation therein. Deponent further
states that the printed notice attached hereto was
duly published according to law in the regular
weekly editions of The Minidoka County News for

two consecutive weeks, commencing

with the issue dated July 12, 1977, and

ending with the issue dated July 19, 1977.

Donald R. Frey
Subscribed and sworn to before me this

3rd day of August, 1977.

Laurie Lynne Notary Public

Cost of Publication _____

Notary Fee _____

Total Cost _____

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that
John D. &/or Judy Remsberg,
Rupert, Idaho 83350, has on
7-1-77 submitted Application
No. 36-7730 for a permit to
appropriate 4.0 cubic feet per
second of water from ground-
water by means of pumps,
well, sprinklers within the
SE $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 14, Twp. 9S,
Rge. 24E, B.M., Minidoka
County to be used from Mar.
15 to Nov. 15 for irrigation
purposes of 440 acres within
the NW $\frac{1}{4}$, SW $\frac{1}{4}$, Sec. 14;
N $\frac{1}{2}$ NW $\frac{1}{4}$, SE $\frac{1}{4}$ NW $\frac{1}{4}$, Sec.
23, Twp. 9S, Rge. 24E., B.M.

If issued, this permit will be
subject to all prior water
rights. Protests against the
granting of the permit must
be filed with the Idaho De-
partment of Water Resources,
1041 Blue Lakes Blvd., Twin
Falls, Idaho, 83301 on or
before July 29, 1977.

C. Stephen Allred
Director

Published in the Minidoka
County News on 7-12 and
7-19-77.

No. 179-July 12, 19, 1977

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
DEC 06 1991

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 36-7730

1. Owner: John D. Remsberg Phone No. 436-5955 mobile

Current Address: RT. 4 Box 103, Rupert, ID 83350

2. Accompanied by: Mrs. Remsberg EXAM. DATE: 6-25-91

Address: _____ Phone No. _____

Relationship to Permit Holder: _____

3. Source: Groundwater tributary to _____


B. OVERLAP REVIEW

1. Other water rights with same place of use: Minidoka Irrigation District shares
_____ ☐ Copies Attached

2. Other water rights with same point of diversion: —
_____ ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



MICROFILMED
APR 08 1992

Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☒ Aerial Photo Attached (required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).

36-7730



Diversion Works

MICROFILMED
APR 08 1992

200N

NAD

24E

10

14

T1426
2229

TRACT HEL

200E

95

T1438
2229

T14
195
TRACT

2
53.5

3
19.5

4
30.4

5
3.4

Tract-HEL

1
85.9

4
2.3

6
37.6

5
23.5

PD

7
31.4

1
66.0

T144
965

6
3.6

8
3.6

MICROFILMED
APR 08 1992

15 14

7
33.6


8
5.2

9
29.3

11
3.9

12

2



ROAD CLASSIFICATION
 Medium-duty ——— Light-duty
 Unimproved dirt ———
 ○ State Route


RUPERT NW, IDAHO
 N4237.5—W11337.5/7.5

Mapped, edited, and published by the Geological Survey

Control by USGS and USC&GS

Topography by photogrammetric methods from aerial photographs taken 1962 and planetable surveys 1964

Polyconic projection. 1927 North American datum
 10,000-foot grid based on Idaho coordinate system,
 central zone
 1000-meter Universal Transverse Mercator grid ticks,
 zone 12, shown in blue
 The red dashed lines indicate selected fence lines



UTM GRID AND 1964 MAGNETIC NORTH
 DECLINATION AT CENTER OF SHEET

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 36-07730

Priority: July 1, 1977

Maximum Diversion Rate: 4.00 CFS
Maximum Diversion Volume: 1600.0 AF

This is to certify, that JOHN D REMSBERG
JUDY REMSBERG

RT 4 BOX 103
RUPERT ID 83350

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated July 1, 1977; and has submitted Proof of Beneficial Use on July 9, 1982. An examination indicates that the works have a diversion capacity of 6.010 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	4.00 CFS	1600.0 AF

LOCATION OF POINT(S) OF DIVERSION: SESW , Sec. 14, Township 09S, Range 24E
MINIDOKA County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
09S	24E	14	NENW 39	NWNW 34	SWNW 38	
			SENW 34	NESW 38	NWSW 33	
			SWSW 37	SESW 32		285
	23		NENW 39	NWNW 34	SWNW 2	
			SENW 40			115

Total number of acres irrigated: 400

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount that can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.0 afa per acre for the lands above.

RECORDED

APR 08 1992

State of Idaho
Department of Water Resources


WATER RIGHT LICENSE

WATER RIGHT NO. 36-07730

CONDITIONS/REMARKS:

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 5TH
day of MARCH, 1992.

Acting for


R. Keith Higginson, Director

MICROFILMED

APR 08 1992

RECEIVED

FEB 27 1991

State of Idaho
Department of Water Resources

APPROVED

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 36-07730

Department of Water Resources

Date of Priority: July 1, 1977

Maximum Diversion Rate: 4.00 CFS
Maximum Diversion Volume: 1600.0 AF

Comes now

JOHN D REMSBERG
JUDY REMSBERG

RT 4 BOX 103
RUPERT ID 83350

and represents to the Director of the

Idaho Department of Water Resources:

That he is the owner and holder of Permit to appropriate the Public Waters of the State of Idaho No. 36-07730, and requests that the permit be changed as follows:

Source: GROUNDWATER

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	4.00 CFS	1600.0 AF

LOCATION OF POINT(S) OF DIVERSION: SESW, Sec. 14, Township 09S, Range 24E
MINIDOKA County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
09S	24E	14	NENW 39	NWNW 34	SWNW 38	
			SESW 34	NESW 38	NWSW 33	
			SWSW 37	SESW 32		285
	23		NENW 39	NWNW 34	SWNW 2	
			SESW 40			115

Total number of acres irrigated: 400

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at _____, this 20 day of February, 19 92.

(Signature)

MICROFILMED

APR 08 1992

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 36-07730

FOR DEPARTMENT USE ONLY

Preliminary check by SA Fee = \$20.00

Received by SA Date 2-27-92 #023366

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, R. Keith Higginson, of the Department of Water Resources hereby approve the above Application for Amendment for Permit No. 36-07730 with the following;

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount that can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.0 afa per acre for the lands above.

Witness my hand this 5TH day of MARCH, 1992

Acting for

R. Keith Higginson
R. Keith Higginson, Director

MICROFILMED

APR 08 1992

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF CHANGING THE MEASURING
DEVICE REQUIREMENT FOR PERMIT NO. 36-7730

ORDER

WHEREAS, the above numbered permit was approved with the condition that a measuring device of a type approved by the Department be permanently installed and maintained as part of the diverting works; and,

WHEREAS, on July 1, 1978, the Department adopted a new water measurement condition which states: "An access port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department"; and,

WHEREAS, the former condition required the permit holder to purchase and install a measuring device or hire a professional engineer to certify the rate of diversion; and,

WHEREAS, the measuring device condition effective July 1, 1978, requires less capital expenditure by the permit holder; and,

WHEREAS, to be equitable to holders of permits issued prior to July 1, 1978, the new condition should be retroactive;

NOW THEREFORE, it is hereby ordered that the condition of approval of this permit related to water measurement is hereby changed as follows:

"The permit holder shall either install a measuring device or provide a certified measurement by a professional engineer or install an access port or other device as specified by the Department".

Dated this 1st day of June 1981.

MICROFILMED

APR 08 1992

Glen Saxton

GLEN SAXTON
Chief, Operations Bureau

Identification No. _____

Application No. 36-7730

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT APPROVED

To Appropriate the Public Waters of the State of Idaho

(TYPE OR PRINT IN INK)

1. Name of applicant John D. &/or Judy Remsberg Phone: 436-3721
post office address Rt. # 4, Rupert, Idaho

2. Source of water supply groundwater which is a tributary of _____

3. a. Location of point of diversion is SE $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 14 Township 9S
Range 24E B.M. Minidoka County; additional points of diversion if any: _____

b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____

4. Water will be used for the following purposes:

Amount 4.0 for irrigation purpose from Mar. 15 to Nov. 15 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 4.0 cubic feet per second and/or

b. _____ acre feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. pumps, well, sprinklers

b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet, materials used in storage dam: _____

Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)

c. Proposed well diameter is 20 inches; proposed depth of well is 80 feet.

7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 5 years.

b. Estimated construction cost is \$ 10,000.

8. Description of proposed uses:

a. If water is **not** for irrigation:

(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M. _____

(2) Amount of power to be generated: _____ hp under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water _____

(5) If water is to be used for other purposes describe: _____

RECORDED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

[illegible]


Total number of acres to be irrigated 440

c. Describe any other water rights used for the same purposes as described above. Minidoka
Irrigation District water

9. a. Who owns the property at the point of diversion applicant
 b. Who owns the land to be irrigated or place of use applicant
 c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____

10. Remarks Supplemental filing due to drought

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Gudy Remsburg
(Applicant)

Proposed Priority 7/ 1/77.

Received by gs Date 7-1-77 Time 11:45 am
Preliminary check by ADM Fee \$ 55.00
Receipted by gs Date 7-1-77 # 8617
Publication prepared by dm Date 7/5/77
Published in Minidoka Cty. News
Publication dates 7/2 + 7/19/77
Publication approved gs Date 8/9/77
Priority reduced to _____ Reason _____

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by ADM gs

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES


This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 36-7730, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before September 1, 19 82.
- c. Other: For licensing purposes a scientific measurement of the diversion rate of the system as it is normally operated shall be provided by either properly installing an approved type of measuring device or by having a professional engineer certify the rate of diversion to the Department prior to submitting proof of beneficial use of water.

The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.

Witness my hand this 15 day of September 19 77.


Deputy Director

RUPERT, IDAHO

[illegible]

two consecutive weeks, commencing with the issue dated July 12, 1977, and ending with the issue dated July 19, 1977.

3rd day of August, 1977.

Total Cost _____

Published in the Minidoka
County News on 7-12 and
7-19-77.
No. 179 July 12, 19, 1977

March 9, 1992

JOHN D REMSBERG
JUDY REMSBERG
RT 4 BOX 103
RUPERT ID 83350

RE: WATER RIGHT NO. 36-07730

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit along with a copy of your approved application for amendment.

Should you have any questions regarding these documents, please feel free to contact our office.

Sincerely,

SHARLA CURTIS
Water Resource Agent

SC:clh

Enclosure

MICROFILMED

APR 08 1992

February 14, 1992

JOHN D REMSBERG
JUDY REMSBERG
RT 4 BOX 103
RUPERT ID 83350

RE: WATER RIGHT NO. 36-07730

Dear Water Right Holder(s):

The above referenced water right is in the process of being licensed. However, before a license can be issued, your permit must be amended to correspond with the findings of the Department's field examiner.

The enclosed application for amendment contains information that will be included on the license when it is issued. Please review carefully and if you concur, sign the amendment and return with the \$20.00 filing fee within 15 days.

If you do not concur with these findings or if you have any questions, please contact us within the 15-day period.

Sincerely,

SHARLA CURTIS
Water Resource Agent

SC:blm

Enclosure

REPRODUCTION
APR 08 1992

LICENSE REVIEW CHECKLIST

Permit No. 36-7730

Date 12/11/91

Name Address change? ok

Priority date Advance? ok - shut read timely w/ no fee - fee pd timely after
 Memo to advance request from region
 Order to reinstate needed? ---

Total cfs Fee sufficient for rate recommended? ✓
 Limited by capacity? ---

Total volume Limited by flow? ---
 Rate/ac 4.0 afa (irrigation)
 Calculations from examiner appropriate? ✓

Capacity Actual measurement checked ---
 Theoretical checked ✓ 65 psi(?)

Source Clarification of originally intended source is
 the only change allowed - if any other change in
 source has occurred, a notice of intent to void
 is needed ok

P/D Verify with map ✓ Amendment req'd? NO
 Remark needed for more than one per 44 ---
 Is overlap analysis a consideration in final
 recommendations? NO

Uses Period of use for each use compatible with
 appropriate maps, data entry standards, etc. ✓
 Change(s) in nature of use - amendment req'd N/A

P/U Verify with map ✓ Amendment req'd? ✓ 2ae SWNW, S23
 Is overlap analysis a consideration in final
 recommendations? NO - NO ADJ. CLAIM FILED ON
36-4063

Remarks More than one p/d in 44 ---
 Non-irrig uses ---
 Special overlap condition ---
 Other ---

Conditions -

Measuring device ?
 W.Master control ---
 Overlap R31
 Water quality ---
 Other ---

Dates/Misc. -

Water Dist ---
 App Rec'd ✓
 Proof Rec'd ✓
 Exam Made ---

Comments/Memos needed:

License --- Paragraphs ---
 10-day --- Paragraphs ---
 30-day ✓ Paragraphs 39 40 41 / P42 43 46 / P60
51

Special correspondence req'd? NO

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
DEC 06 1991

Department of Water Resources

A. GENERAL INFORMATION


1. Owner: John D. Remsberg Permit No. 36-7730
Current Address: RT. 4 Box 103, Rupert, ID 83350 Phone No. 436-5955 mobile
2. Accompanied by: Mrs. Remsberg EXAM. DATE: 6-25-91
Address: _____ Phone No. _____
Relationship to Permit Holder: _____
3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: Minidoka Irrigation District shares
_____ ☐ Copies Attached
2. Other water rights with same point of diversion: —
_____ ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



MICROFILMED
APR 08 1992

Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required). ☒ Aerial Photo Attached
(required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

Well, motor, pump, buried mainlines to sprinkler system. Well is tied into same system that ~~now~~ normally uses Minidoka Irrigation District shares.

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	U.S. Motors	200	none	?	no tag

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		NW	SE	SW	14	95	24E	Minidoka	

6. Place(s) of Use:

Indicate Method of Determination

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
95	24E	14					39	34	38	34	38	33	37	32					285
		23					39	34	2	40									115

MICROFILMED

APR 08 1992

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

Not measured - not in operation during exm.

E. FLOW CALCULATIONS

☒ Additional Computation Sheets Attached

1. Measured Method:

Theoretical Flow is 6.01 cfs, Allow 4.0 cfs applied for.

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 400 \times 4 = 1600$

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 6.01 \times 246 \times 1.9835 = 2978.9$

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 1600$

2. Volume Calculations for Other Uses:

MICROFILMED
APR 08 1992

H. REMARKS AND OVERLAP REVIEW ANALYSIS

Well was drilled in 1977 for drought relief, and was last used in 1977 according to Mr. Remsberg. It is not economically feasible to use the well as long as surface water (MID shares) is available.

By having the well available if needed, Mr. Remsberg has fulfilled his original intention. He grows potatoes, etc., & would suffer serious economic losses if his canal water was cut off. Having the well available for emergency use protects him against such losses. Recommend this development be licensed. Claim 26-4063 was for a different drought-relief well on this farm. That well has not been used for a great many years, & is now only a hole in the ground. Well was not claimed in SRBA.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Irrigation	2-15	11-15	~~6.0~~ 4.0	1600
Totals:			~~6.0~~ 4.0	1600


2. Recommended Amendments

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above
☒ Change P.U. as reflected above ☐ Add P.U. as reflected above

- ☐ None
☐ Other

J. AUTHENTICATION

Field Examiner's Name J. E. Stanton
 Signature J. E. Stanton
 Certification Date 4/10/91
 Field Report Preparation Date 6-26-91




K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

MICROFILMED

APR 08 1992

36-7730



Diversion Works

MICROFILMED
APR 08 1992

00N

NA 24E

T1426
2229

TRACT HEL

200

95

T1438
2229

T14
195
TRACT

4
30.4

TRACT-HEL

7
31.4

66.0

MICROFILMED
APR 08 1992

PD

5
23.5

6
37.6

2
53.5

3
11.5

4
2.3

1
85.9

7
37.7

8
38.8

9
39.9

1
2.9

2
1.8

3
3.9

5

6
3.8

8
3.8

2223

56

T 1446
970

10
37.0

282

55

974

6

4
3.5

30.5

194

TRAFFIC-HELL
T1428

二六

24E

16

1143

17
17.54

00

6

IN

04

5-7-75




11606
11740

Ties

4


REF FILMED
PR 08 1992



ROAD CLASSIFICATION
 Medium-duty ——— Light-duty ———
 Unimproved dirt ———
 ○ State Route

RUPERT NW, IDAHO
 N4237.5—W11337.5/7.5

Mapped, edited, and published by the Geological Survey
 Control by USGS and USC&GS
 Topography by photogrammetric methods from aerial
 photographs taken 1962 and planetable surveys 1964
 Polyconic projection. 1927 North American datum
 10,000-foot grid based on Idaho coordinate system,
 central zone
 1000-meter Universal Transverse Mercator grid ticks,
 line 12, shown in blue
 The red dashed lines indicate selected fence lines



UTM GRID AND 1964 MAGNETIC NORTH
 DECLINATION AT CENTER OF SHEET

GROUNDWATER MEASUREMENT REQUIREMENT ANALYSIS

FILE: 36-7730
DATE: 6-25-91
BY: J.E. Stanton

THEORETICAL RATE OF FLOW: $Q = \frac{(8.8) \times (\text{H.P.}) \times (\text{EFF.})}{\text{TDH}}$

Q = CFS
H.P. = Total Brake Horsepower of pumping plant (including booster)
EFF. = Pumping plant efficiency (ASSUME 70% OR 0.70)
TDH = total dynamic head = [(LIFT) + (PSI X 2.31)]
LIFT = depth to water in FEET from land surface to pumping water level
PSI = pumping pressure measured in psi near pump (if open discharge assume zero [0])

$$Q = \frac{(8.8) (\dots 200 \dots) (0.70)}{[(\dots 48.55 \dots) + (\dots 65 \dots \times 2.31)]} = 6.0 \text{ cfs}$$

LIFT FROM:	PSI FROM:	NOTES ON PUMP:
measurement (✓)	measurement (✓)	Motor Make, Serial or ID
owner (M)	owner (M) X	
area estimate ()	estimate ()	Pump Make, Serial or ID, rating
well logs (✓)	owner gage ()	
Booster (Y) (N)		

REMARKS

Depth to water measured 12-3-91 at 55'.00

ANNUAL VOLUME ANALYSIS

POTENTIAL Acre Feet/Acre/Annum = $\frac{(\text{DAYS IN SEASON}) \times (1.98) \times (Q)}{(\text{RECOMMENDED ACRES IRRIGATED})}$

(season)	(days)	
3/15 - 11/15	246	
4/1 - 11/1	215	
4/15 - 10/15	184	
3/1 - 12/1	276	

$$\text{POTENTIAL} = \frac{(\dots 246 \dots) \times (1.98) \times (\dots 6.0 \dots)}{(\dots 400 \dots)}$$

$$\text{POTENTIAL} = 7.32$$

REQUIRED Acre Feet/Acre/Annum = 4.0
(AF/Ann/Ac irrigation requirement from chart for area)
NOTE that this is NOT Consumptive use

IF POTENTIAL IS GREATER THAN REQUIRED THEN NO MEASUREMENT NECESSARY (✓)

IF POTENTIAL IS LESS THAN REQUIRED THEN MEASUREMENT IS NECESSARY ()

NOT RECORDED
APR 08 1992



State of Idaho

DEPARTMENT OF WATER RESOURCES

SOUTHERN REGION

CECIL D. ANDRUS
Governor

A. KENNETH DUNN
Director

2148 4th Ave. E.
Twin Falls, Idaho 83301
(208) 734-3578

May 29, 1987

John Remsberg
Rt 4, Box 103
Rupert, ID 83350

Re: Permit No. 36-7730

Dear Mr. Remsberg;

Please find enclosed receipt No. 45005 in the amount of \$175.00 for examination fee received in this office 05/28/87 for the above referenced permit.

Please feel free to contact this office if you have any questions.

Very truly yours,

Lori Graves

Lori A. Graves
Clerk

Encl:

MICROFILMED

APR 08 1992



State of Idaho

DEPARTMENT OF WATER RESOURCES

SOUTHERN REGION

CECIL D. ANDRUS
Governor

A. KENNETH DUNN
Director

2148 4th Ave. E.
Twin Falls, Idaho 83301
(208) 734-3578

May 19, 1987

John D. &/or Judy Remsberg
Rt. 4, Box 103
Rupert, ID 83350

Dear Mr. & Mrs. Remsberg:

Enclosed herewith is the Examination Fee Information Form originally submitted on May 7, 1986. The form is being returned because it was submitted without the fee required by statute.

Due to an oversight, no response was made at the time the form was received.

Please check one of the two boxes on the form indicating whether you wish the Department or a Private Consultant certified by the Department to conduct the examination and return it to this office.

If you choose to have the licensing examination done by the Department, please enclose a fee of \$175.00 based on the fee schedule for the 4 cfs of water under the permit.

If you have any questions or if we can be of assistance, please let us know.

Very truly yours,

Loren O. Holmes
Loren O. Holmes, P.E.
Southern Region Supervisor

LH:mb

Enclosures

MICROFILMED

APR 08 1992

4/86

RECEIVED

JUN 02 1987

MAY 28 1987

For Office Use Only

Fee Received 175

Date 5/28/87

Receipt #

Receipt by 16

Sent to S.O. 5/29/87

APR 3 1987
Department of Water Resources
Southern Region Office

Department of Water Resources
Southern Region Office

DEPARTMENT OF WATER RESOURCES

EXAMINATION FEE INFORMATION

RECEIVED

MAY 7 1986

no incl. 15
Department of Water Resources

1. Permit No. 36-7730

ONE OF THE FOLLOWING BOXES SHOULD BE MARKED TO DESIGNATE YOUR CHOICE:

☒ I choose to have the department make the field examination of this permit; attached is the examination fee. (If this box is marked, complete items 1 thru 8.)

2. Permit Holder: John & Gudy Rumsberg

3. Post Office Address: Rt 4 Box 103 Rupert 83350

Telephone No. 436-3721

4. Source of Water: Ground

5. Extent of Use:

Domestic (No. of households) Stockwater (No. and type of stock)

Irrigation 440 (acres) Other/Remark

6. Total rate &/or volume for which proof is submitted 4 cfs 400 acre-feet

7. Show the date water was first diverted and beneficially used under this permit:

1976 -

8. Person to contact to accompany the department representative during the field examination:

- I do not have the pump in operation

(Name)

as this is a drought Relief well

(Address)

(Telephone Number)

☐ I choose to have the field examination conducted by a certified water right examiner. Attached is a statement from the certified examiner verifying that he has been retained to conduct the examination. (If this box marked, complete items 1 thru 7.)

APR 08 1992

Date

Signature of Permit Holder (and title, if appropriate)



State of Idaho
DEPARTMENT OF WATER RESOURCES
SOUTHERN REGION

CECIL D. ANDRUS
Governor

A. KENNETH DUNN
Director

2148 4th Ave. E.
Twin Falls, Idaho 83301
(208) 734-3578

May 19, 1987

John D. &/or Judy Remsberg
Rt. 4, Box 103
Rupert, ID 83350

36-7730

Dear Mr. & Mrs. Remsberg:

Enclosed herewith is the Examination Fee Information Form originally submitted on May 7, 1986. The form is being returned because it was submitted without the fee required by statute.


Due to an oversight, no response was made at the time the form was received.

Please check one of the two boxes on the form indicating whether you wish the Department or a Private Consultant certified by the Department to conduct the examination and return it to this office.

If you choose to have the licensing examination done by the Department, please enclose a fee of \$175.00 based on the fee schedule for the 4 cfs of water under the permit.

If you have any questions or if we can be of assistance, please let us know.

Very truly yours,


Loren O. Holmes, P.E.
Southern Region Supervisor

LH:mb

Enclosures

MICROFILMED

APR 08 1992



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

A. KENNETH DUNN

Director

Mailing address:

Statehouse

Boise, Idaho 83720

36-7730

REMSBERG, JOHN D.

REMSBERG, JUDY

RT. 4 BOX 103

RUPERT, ID 83350

138260

April 17, 1986

CERTIFIED MAIL

EXAMINATION FEE NOTICE

Dear Permit Holder:

Department records show that proof of beneficial use has been submitted for the above-referenced permit, but that a field examination has not yet been conducted to determine the extent of beneficial use of the water for licensing purposes.

House Bill 671 (effective April 4, 1986) enacted by the 1986 Idaho Legislature requires the payment of a fee before this department can conduct the field examination needed to issue a license confirming use of water under the permit. This letter is notification that the license examination fee is due within sixty (60) days of the date of this letter. The examination fee information sheet (enclosed) must be returned with the fee.

As an alternative to submitting the fee, the department will accept a field examination report completed by a certified water right examiner from the private sector. If you choose to have the examination done by a certified water right examiner, you need not submit the license examination fee to the department, but you must within sixty (60) days of the date of this letter return to the department, the examination fee information sheet showing appropriate information together with a statement from the certified examiner to verify that you have retained a certified examiner to conduct the field examination. If you choose this alternative, a completed field examination report must be submitted within one year of the date of this letter. You cannot later change your decision to use this alternative and submit the fee to the department to conduct the field examination, but you may change to another certified examiner.

APR 08 1986

Certified water right examiners are licensed engineers, geologists, or land surveyors certified by the department to conduct water right examinations. The procedure for certifying examiners results from the recently enacted HB 671 and is being developed at this time. A listing

of certified water right examiners will be available from this department when examiners have been certified.

If your permitted use, in fact, has already been examined by the department and you have not asked to have the examination repeated, the fee requirement is not applicable to your permit. If you believe this is the case, please contact the department.

The license examination fee is to be based on the amount of water you indicate you have developed, as listed in item 6 on the examination fee information sheet. The amount of water on which the examination fee is based can be less than the permitted amount, if less water has been diverted and beneficially used. The licensed amount of water, however, will not exceed the amount you claim on the examination fee information sheet. The enclosed license examination fee schedule shows a listing of applicable fees.

FAILURE TO SUBMIT WITHIN THE SIXTY (60) DAY PERIOD, THE FEE OR THE STATEMENT THAT A CERTIFIED EXAMINER HAS BEEN RETAINED TO MAKE THE FIELD EXAMINATION, WILL BE CAUSE TO ADVANCE THE PRIORITY OF THE PERMIT ONE DAY FOR EACH DAY THAT THE FEE SUBMITTAL IS LATE.

FAILURE TO SUBMIT THE FEE OR THE COMPLETED FIELD EXAMINATION REPORT WITHIN A YEAR WILL BE CAUSE TO CONSIDER THE PROOF OF BENEFICIAL USE TO BE INCOMPLETE AND TO LAPSE THE PERMIT.

The attached examination fee information sheet and the fee may be submitted to the following department offices.

Northern Region

Idaho Dept. of Water Resources
4055 Government Way
Coeur d'Alene, ID 83814
Phone: 765-4639

Eastern Region

Idaho Dept. of Water Resources
150 Shoup Ave., Suite 15
Idaho Falls, ID 83401
Phone: 525-7161

Southern Region

Idaho Dept. of Water Resources
1041 Blue Lakes Blvd. North
Twin Falls, ID 83301
Phone: 734-3578

Western Region

Idaho Dept. of Water Resources
450 W. State St., (Third Floor)
Boise, ID 83720
Phone: 334-2190

Sincerely,



L. GLEN SAXTON
Chief, Operations Bureau

Enclosures

MICROFILMED

APR 08 1992



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
SOUTHERN REGION

John V. Evans
Governor

C. Stephen Allred
Director

1041 Blue Lakes Blvd. North
Twin Falls, Idaho 83301
(208) 734-3578

September 17, 1982

John D. & Judy Remsberg
Rt. 4 Box 103
Rupert, Idaho 83350

Re: Permit No. 36-7730

Dear Mr. & Mrs. Remsberg:

We acknowledge receipt of the affidavit submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We cannot tell just when this examination will be made, but our examiner will try to contact you at the time he makes the examination so that you may show him the system.

Field examinations must be done while the system is in operation. For this reason we concentrate on irrigation permits during the summer months and do examinations on permits for other uses during the non-irrigating months.

If you have any questions regarding the field examination, please contact our office.

Sincerely,

Gary L. Funderburg
Sr. Water Resource Agent

LOH:GLF:marya

MICROFILMED

APR 08 1992

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 36-7730.

Name(s) of Permit Holder: John D. & Judy Remsberg III

Post Office Address: Rt. 4 Box 103

RUPERT, IDAHO 83450 436-3721

Source of Water: GROUNDWATER

Extent of Use: ☐ Domestic (number of households)

☐ Stockwater (number and type of stock)

☒ Irrigation 440 (acres) WHEN USED

☒ Other ADVISE US WHEN YOU WILL BE

HERE TO TEST. WILL HAVE TO START.

Measuring Device: Required? ☐ Yes ☐ No Installed? ☐ Yes ☐ No

Access Port: Required? ☒ Yes ☐ No Installed? ☐ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.



7 Jul 14 1982

Date Signature of Permit Holder

J. Remsburg III

Rt. 4 Box 103

Rupert, Idaho 83350



UNDELIVERED

APR 08 1992

RECEIVED



JUL 8 1982

Department of Water Resources

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL
138226

REMSBERG, JOHN D. & JUDY
RT. 4
RUPERT, ID 83350

JUNE 30, 1982

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 36-7730 WAS THAT EVIDENCE OF THE EXTENT OF DEVELOPMENT MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE SEPTEMBER 01, 1982. (SEE LAST PAGE OF YOUR APPROVED PERMIT). ENCLOSED IS A POST CARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF OF BENEFICIAL USE.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU HAVE NOT PREVIOUSLY RECEIVED AN EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME PROVIDED THE DELAY IS FOR REASONABLE CAUSE AS INDICATED IN SECTION 42-204, IDAHO CODE, AMENDED. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED.

EITHER THE BENEFICIAL USE POST CARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE MENTIONED DATE, OTHERWISE, THE PERMIT WILL LAPSE AND BE OF NO FURTHER FORCE OR EFFECT WITHIN 60 DAYS.

SINCERELY,

RITA FLECK
SR. SECRETARY

ENC: 1

RECORDED

JUN 08 1982



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

A. KENNETH DUNN

Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

February 24, 1982

Dear Wateruser:

The enclosed Order changes the measuring device condition of approval on your water right permit.

The changed condition is less restrictive and provides you the option to install an access port or have your system measured and certified by a professional engineer. Instructions for access port installation are also enclosed.

If you have questions regarding this matter, please contact the regional office nearest to you.

Sincerely,

DAVID R. TUTHILL JR., P. E.
Supervisor, Water Allocations Section

DRT:jg

Enclosures

NORTHERN REGION OFFICE
Route #5, Box 203, Government Way
Coeur d'Alene, Idaho 83814
Telephone 667-6484

EASTERN REGION OFFICE
150 Shoup Avenue
Idaho Falls, Idaho 83401
Telephone 525-7161

SOUTHERN REGION OFFICE
1041 Blue Lake Boulevard North
Twin Falls, Idaho 83301
Telephone 734-3578

WESTERN REGION OFFICE
92 South Cole Road
Boise, Idaho 83709
Telephone 334-2190

RECEIVED

APR 08 1982



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
SOUTHERN REGION

John V. Evans
Governor

C. Stephen Allred
Director

1041 Blue Lakes Blvd. North
Twin Falls, Idaho 83301
(208) 734-3578

August 17, 1978

Mr. John Remsberg
Route #4
Rupert, Idaho 83350

Re: Application for Permit #36-7730

Dear Mr. Remsberg:

Per our telephone conversation of August 15, 1978, I am forwarding to you a Proof of Application of Water to Beneficial Use. Please complete the form, sign it before a notary, and return it to this office. I am including a copy of your approved permit no. 36-7730 for your information.

Please note that item 7b of the Proof of Beneficial Use must be completed before we can accept the proof. That is, a measuring device must be in your possession and either installed or ready to be installed in the main line of your sprinkler system. If you prefer to have a certified engineer make the measurement, the engineer should measure your irrigation system at full capacity. A letter from the engineer, containing the measurement, should then accompany the proof.

If you have any further questions, please feel free to contact this office.

Sincerely,

James E. Stanton

Jim E. Stanton
Senior Water Resource Agent

JES:marya

Encl:

MICROFILMED

September 19, 1977

Re: Permit No. 36-7730

John D. &/or Judy Remsberg
Route #4
Rupert, ID 83350

Dear Mr. and Mrs. Remsberg:

Enclosed is a copy of your approved Application for Permit No. 36-7730 . We direct your attention to the conditions of approval as listed on the fourth page.

Be sure to note that a special condition requiring you to either install and maintain a measuring device at your point of diversion or to provide the Department a certified measurement of the systems diversion capacity prior to submitting proof of beneficial use of water. We have enclosed a letter describing the different types of measuring devices accepted by this office.

Sincerely,

BOBBY D. FLEENOR
Chief, Operations Bureau

BDF/cah

Enclosure

MICROFILMED

DEPARTMENT OF WATER RESOURCES
- STAFF ANALYSIS -

Item Initial Date

Application No. 36-7730 - John D. &/or Judy Remsberg

- ☒ Source
- ☒ Point of Diversion
- ☒ County
- ☒ Quantity of Water and Period of Use
- ☒ Description of Diverting Works
- ☒ Time required for B/U of water
- ☒ Place of Use or Acres Irrigated
- ☒ Map
- ☒ Signature
- ☒ Fee

(1) ADM 7-5-77

In form to receipt

(2) _____

Send Copies to:

- _____ Idaho State Health Department
- _____ Idaho Fish and Game Department
- _____ Bureau of Land Management

(3) _____

- _____ Request Special Use Permit from U.S.F.S.
- _____ Request Easement from B.L.M.
- _____ Request Information from Applicant

(4) SL 7-5-77

In form for advertising

(5) _____

Platted on Map No. _____

(6) _____

Located within Water District No. _____

(7) ADM 8/9/77

Critical groundwater area: yes _____ no ☒

(8) ADM 8/9/77

Groundwater levels:

_____ Declining, ☒ Stable, _____ Increasing

(comment) _____

(9) _____

Col Other rights on the same place of use none

(10) _____

Comments: _____

(11) DD 8/9/77

Affidavit of Publication received(date) 8/8/77

(12) Am 7/5/77

Final date for protests 7/29/77

Protests received: yes _____ no ☒

(13) ADM 8/9/77

All requested information received from agencies or applicant: yes ☒ no _____

(14) ADM 8/9/77

Action recommended:

☒ Approve _____ Deny

_____ Proposed Priority

_____ Reason for Reduction _____

☒ Measuring device required

_____ See attached sheet for other conditions of approval

_____ No special conditions approval

(15) District Southern

By Alan A. Merrill For Regional Supervisor Date 8/9/77

cc. Sent to Boise 7/5/77 Am

MICROFILMED

Supplemental

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that John D. &/or Judy Rensberg

Rupert, ID 83350

has on 7/1/77 submitted Application No. 36-7730

for a permit to appropriate 4.0 cubic feet per second ~~acre feet per annum~~

of water from groundwater

by means of pumps, well, sprinklers

within the SE1/4, Sec. 14, Twp. 9S, Rge. 24E., R.M., Minidoka County

to be used from Mar. 15 to Nov. 15

for irrigation purposes of 440 acres

within the NW1/4, SW1/4, Sec. 14; NE1/4, SE1/4, Sec. 23, Twp. 9S, Rge. 24E., R.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 1041 Blue Lakes Blvd., North, Twin Falls, Idaho, 83301 on or before July 29, 1977.

C. Stephen Allred

Director

Published in the Minidoka County News

on 3 7/12 and 7/19/77

MICROFILMED



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
SOUTHERN DISTRICT

1041 Blue Lakes Blvd. North
Twin Falls, Idaho 83301
(208) 734-3578

July 5, 1977

Minidoka County News
625 Fremont Avenue
Rupert, ID 83350

Re: Claim to a Water Right No. 36-4063 - John D. &/or Judy Remsberg
Application For Permit No. 36-7730 - " " " "

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

In order to receive payment, an affidavit of publication must be submitted to the Department along with the publication bill.

Sincerely,

Michael L. Steele
Southern Region Supervisor

MLS;sm

Enclosure

NOT RECORDED