


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Robert F. Henry
(Applicant)

AFFIDAVIT of PUBLICATION

RECEIVED

State of Idaho, }
County of Jerome } SS.

JUN 1 1977

L. L. LANGDON
ASST. PUBLISHER

Department of Water Resources
Southern District Office

being first duly sworn,
deposes and says that he is the printer (publisher) of the Jerome
North Side News, a newspaper published every week in Jerome, County
of Jerome, State of Idaho; that said newspaper has been continuous-
ly and uninterruptedly published for a period of seventy-eight consecu-
tive weeks prior to the first publication of the annexed notice, and is
a newspaper qualified to publish legal notices as provided by act of
the 1919 session of the legislature of the State of Idaho, known as
House Bill 145; that the annexed advertisement was published once

each week for 2 consecutive issues in said newspaper
proper and not in a supplement; that the date of the first publication

of said advertisement was on the 19 day of May,
1977, and the date of the last publication was on the 26
day of May, 1977.

L. L. Langdon

Subscribed and sworn to before me this 31st

day of May, 1977.
(SEAL)

Darla Bratt

NOTARY PUBLIC

NORTH SIDE NEWS

Jerome, Idaho

COST OF PUBLICATION

Number of Lines in Notice 32
Number of Insertions 2
Lines tabular at 315c
32 Lines straight at 21c 6.72
32 Subsequent lines at 15c 4.80
TOTAL COST 11.52

COPY OF NOTICE

(Paste Here)

Water permit #36-7700
TITLE OF NOTICE

PLAINTIFF ATTORNEY

DEFENDANT

PLAINTIFF

Dep. of Water
BILL TO

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that
Robert F. Henry, Jerome,
Idaho 83338 has on 5-2-77 sub-
mitted Application No. 36-7700
for a permit to appropriate 2.0
cubic feet per second of water
from groundwater by means of
well, pump, motor and
sprinkler system within the

NW $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 3, Twp. 9S,
Rge. 19E., B.M., Jerome County
to be used from Jan. 1 to Dec. 31
for stockwater purposes and
from March 15 to Nov. 15 for
irrigation purposes of 120 acres
within the SE $\frac{1}{4}$, Sec. 3, Twp. 9S,
Rge. 19E., B.M.

If issued, this permit will be
subject to all prior water rights.
Protests against the granting of
the permit must be filed with
the Idaho Department of Water
Resources, 1041 Blue Lakes
Blvd., North, Twin Falls, Idaho,
83301 on or before June 6, 1977.


C. STEPHEN ALLRED
Director
5-19-2tc

Insertions

ok/Am
6/3/77

Nº 3584

MICROFILMED



State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 36-7700

Priority: May 2, 1977

Amount: .73 CFS

353.3 AF

This is to certify, that ROBERT F. HENRY
395 S. EDEN RD.

JEROME, ID 83338

has complied with the terms and conditions of the permit issued pursuant to Application for Permit dated May 2, 1977, and has submitted proof to the Department of Water Resources on June 1, 1982, that water has been applied to a beneficial use; an examination by the Department indicates that the works have a diversion capacity of .73 cfs of water from a GROUNDWATER source and that a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>VOLUME</u>
Irrigation	03/15 to 11/15	.73 cfs	352.0 af
Stockwater	01/01 to 12/31	.03 cfs	1.3 af
Totals		.73 CFS	353.3 AF

LOCATION OF POINT OF DIVERSION(S):

NESE , Sec. 3, Township 9S, Range 19E
Jerome County

PLACE OF USE: Irrigation

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
9S	19E	3	SWNE 1	NESE 2	NWSE 38	SWSE 20	62
			SESE 1				
	10		NENE 22	SENE 4			26

Total number of acres irrigated: 88

PLACE OF USE: Stockwater

TWN RGE SEC

9S 19E 3

NESE

SWSE

SESE

CONDITIONS/REMARKS:

1. The right to the use of the water hereby confirmed is limited to the amount which can actually be beneficially used and is restricted and appurtenant to the lands or place of use and to the purpose herein described, as provided by the laws of Idaho.
2. This right is subject to all prior water rights and may be forfeited by five years of non-use.
3. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
4. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.0 afa per acre for the lands above.

MICROFILMED

MAR 06 1987

State of Idaho
Department of Water Resources

PAGE 2


WATER RIGHT LICENSE

WATER RIGHT NO. 36-7700

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 23rd day
of FEBRUARY, 1987.

Acting for the

Director



MICROFILMED

MAR 06 1987

DEC 24 1986

Ident. No. _____

STATE OF IDAHO

Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)

APPROVED

Department of Water Resources

Comes now Robert F. Henry Phone _____of (address) Rt. 4* Jerome, ID 83338 395 S. Eden Rd., and represents to the
Director of the Idaho Department of Water Resources:That he is the owner and holder of Permit to Appropriate the Public Waters of the
State of Idaho No. 36-7700, and requests that the permit be changed as follows:1a. Point of diversion: NE 1/4 SE 1/4, Section 3, Township 9S, Range 19E,
B.M., County of Jerome. Other points of diversion: _____1b. Source: groundwater tributary to -----

2a. Period and nature of use:

Amount 0.73 for Irrigation purposes from 3/15 to 11/15 (both dates inclusive)
(cfs or acre feet per annum)Amount 0.03 for Stockwater purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre feet per annum)Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre feet per annum)Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre feet per annum)2b. The maximum quantity diverted shall not exceed 0.73 cfs or 353.3 acre feet
per year.

3. Place of use or land to be irrigated:

			NE				NW				SW				SE					
TWP	RGE	SEC	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	TOTALS	
9S	19E	3			1										X	2	38	X	X	62
		10	22			4														26

X = Stockwater place of use

Total number of acres to be irrigated = 884. Date of priority: May 2, 1977

5. Conditions (if any): This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.0 afa per acre for the lands above.

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at Jerome-Idaho, this 15 day of Dec, 1986.
Robert F. Henry
(Signature)

FOR DEPARTMENT USE ONLY

Preliminary check by kw Fee = \$20.00 ✓ Received by ccw Date 12/24/86 #40911

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, A. KENNETH DUNN, of the Department of Water Resources hereby Approve the above Application for Amendment for Permit No. 36-7700.

Witness my hand this 23rd day of FEBRUARY, 1987.

Acting for the Director

Norman C Young

RECORDED
MAR 06 1987

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF CHANGING THE MEASURING
DEVICE REQUIREMENT FOR PERMIT NO. 36-7700

ORDER

WHEREAS, the above numbered permit was approved with the condition that a measuring device of a type approved by the Department be permanently installed and maintained as part of the diverting works; and,

WHEREAS, on July 1, 1978, the Department adopted a new water measurement condition which states: "An access port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department"; and,

WHEREAS, the former condition required the permit holder to purchase and install a measuring device or hire a professional engineer to certify the rate of diversion; and,

WHEREAS, the measuring device condition effective July 1, 1978, requires less capital expenditure by the permit holder; and,

WHEREAS, to be equitable to holders of permits issued prior to July 1, 1978, the new condition should be retroactive;

NOW THEREFORE, it is hereby ordered that the condition of approval of this permit related to water measurement is hereby changed as follows:

"The permit holder shall either install a measuring device or provide a certified measurement by a professional engineer or install an access port or other device as specified by the Department".

Dated this 1st day of June 1981.

MICROFILMED

Glen Saxton

GLEN SAXTON
Chief, Operations Bureau

Identification No. _____

Application No. 36-7700

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT APPROVED

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

1. Name of applicant Robert F. Henry Phone: 825-5648
post office address Rte. #4, Jerome, Idaho 83338
2. Source of water supply groundwater which is a tributary of _____
3. a. Location of point of diversion is NW $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 3 Township 9S
19E., Jerome B.M. County; additional points of diversion if any: _____

- b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____
4. Water will be used for the following purposes:
Amount 2.0cfs for irrigation purpose from March 15 to Nov. 15 (both dates inclusive)
Amount .05 for stockwater purpose from Jan. 1 to Dec. 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
a. 2.0cfs cubic feet per second and/or
b. _____ acre feet per annum.
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. _____
deep well, pump, motor, and sprinkler system

- b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet, materials used in storage dam: _____
Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)
- c. Proposed well diameter is 14 inches; proposed depth of well is 200 feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 5 years.
b. Estimated construction cost is \$ _____.
8. Description of proposed uses:
a. If water is **not** for irrigation:
(1) Give the place of use of water: NW $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 3 Township 9S
Range 19E. B.M.
(2) Amount of power to be generated: _____ hp under _____ feet of head.
(3) List number of each kind of livestock to be watered _____
50 cows and 50 calves
(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water _____.
(5) If water is to be used for other purposes describe: _____

MICROFILMED
1985

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP.	RANGE	SEC.	NE1/4				NW1/4				SW1/4				SE1/4				TOTALS
			NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	
9S	19E.	3													40	40	20	20	120

Total number of acres to be irrigated120

c. Describe any other water rights used for the same purposes as described above.NONE


9. a. Who owns the property at the point of diversionAPPLICANT

b. Who owns the land to be irrigated or place of useAPPLICANT

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

10. Remarks

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Robert F. Henry
(Applicant)

Proposed Priority 5/ 2/77

Received by mls Date 5-2-77 Time 2:55
Preliminary check by _____ Fee \$ 35.00 # 3471
Received by AB Date 5/2/77
Publication prepared by AB Date 5/10/77
Published in North Side News
Publication dates 5/19 + 5/26/77
Publication approved lm Date 6/23/77
Priority reduced to _____ Reason _____

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by mls

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 36-7700, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before June 1, 19 82.
- c. Other: A measuring device of a type approved by this Department shall be permanently installed and maintained as part of the diverting works.

2. Denial of said application is for the following reasons: _____

Witness my hand this 29 day of June, 19 77.


Deputy Director

AFFIDAVIT of PUBLICATION

State of Idaho, }
County of Jerome } SS.

L. L. LANGDON
ASST. PUBLISHER

Department of Water Resources
Southern District Office

being first duly sworn,
deposes and says that he is the printer (publisher) of the Jerome North Side News, a newspaper published every week in Jerome, County of Jerome, State of Idaho; that said newspaper has been continuously and uninterruptedly published for a period of seventy-eight consecutive weeks prior to the first publication of the annexed notice, and is a newspaper qualified to publish legal notices as provided by act of the 1919 session of the legislature of the State of Idaho, known as House Bill 145; that the annexed advertisement was published once

each week for 2 consecutive issues in said newspaper proper and not in a supplement; that the date of the first publication

of said advertisement was on the 19 day of May, 1977, and the date of the last publication was on the 26 day of May, 1977.

L. L. Langdon

Subscribed and sworn to before me this 31st

day of May, 1977.
(SEAL)

Darla Bratt

NOTARY PUBLIC

NORTH SIDE NEWS

Jerome, Idaho

COST OF PUBLICATION

Number of Lines in Notice	<u>32</u>
Number of Insertions	<u>2</u>
Lines tabular at	315c
<u>32</u> Lines straight at	21c <u>6.72</u>
<u>32</u> Subsequent lines at	15c <u>4.80</u>
TOTAL COST	<u>11.52</u>

COPY OF NOTICE

(Paste Here)

Water permit #36-7700
FILE OF NOTICE

PLAINTIFF ATTORNEY

DEFENDANT

PLAINTIFF

Dep. of Water
BILL TO

NOTIFICATION
Notice is hereby given that Robert F. Henry, Jerome, Idaho 83303 has on 5-27 submitted Application No. 36-7700 for a permit to appropriate 2.0 cubic feet per second of water from [redacted] and [redacted] the NW 1/4 Sec. 34, T. 14N, R. 20E, S. 10E to be used for stockwater purposes and from March 15 to Nov. 15 for irrigation purposes of 120 acres within the SE 1/4 Sec. 3, T. 14N, R. 20E, S. 10E.

If issued, this permit will be subject to all water laws. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 1041 Blue Lakes Blvd. North, Twin Falls, Idaho 83301 on or before June 1, 1977.

C. STEPHEN ALLRED
Director
5-31-77

Insertions

ok/Am
6/3/77

No 3584



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

CECIL D. ANDRUS

Governor

copy
KENNETH DUNN

Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

March 2, 1987

ROBERT F. HENRY
395 S. EDEN RD.
JEROME, ID 83338

RE: Permit No. 36-7700

Dear Permit Holder(s):

Enclosed herewith is a copy of your Water Right License issued on the above referenced permit along with a copy of your approved application for amendment.

Should you have any questions regarding these documents, please feel free to contact our office.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

MAR 06 1987

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
LICENSING REPORT

36-7700
Permit No.

1. Measurement Calculations

- a) Field Measurement Calculations (Include theoretical capacities and system capacity)

See field notes $0.001 \text{ AF}/59.5 \text{ sec} = \frac{0.001 \times 43560}{59.5} = 0.73 \text{ cfs}$

- b) Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 88 \times 4.0 \text{ AFA/acc} = 352 \text{ AFA} \checkmark$
 $V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 0.73 \text{ cfs} \times 245 \text{ days/season} \times 1.9835 \text{ AF/cfs} = 354.7 \text{ AFA} \checkmark$
 $V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 352 \text{ AFA} \checkmark$

- c) Volume Calculations for Other Uses:

Swatank volume - $100 \text{ hd} \times .0134 \text{ AFA/Rd} \times \frac{245 \text{ days}}{365 \text{ days/year}} = 0.90 \text{ AFA}$ Allow 1.0 AFA
 $V = 100 \text{ hd} \times 0.0134 = 1.34 \text{ AF} \approx 1.3 \text{ AF}$
 $V = .03 \times 1.9835 \times 365 = 21.7 \text{ AF}$

2. Overlap Review per VAX =

- a) Other water rights with same place of use: North Side Canal Co. shares

01-0006, 36-7705, 01-0212, 01-0213, 01-0215, 01-0220
no overlap per exam

- b) Other water rights with same point of diversion: none

- c) Analysis: Recommend R31 for overlapping plu rights -

MICROFILMED

MAR 06 1987

30 day
P/D & P/U

4. Permit Holder: Robert F. Henry ✓

Address: Route #4, Jerome, ID 83338

5. Source: Groundwater ✓ tributary to —

- | 6. Beneficial Use | Period of Use | | Rate of Diversion | Annual Volume |
|---------------------------------|--------------------------|----------------------------|-------------------|--------------------|
| | From | To | Q (cfs) | V (afa) |
| irrigation ✓ | Mar 15 ✓ | Nov 15 ✓ | 0.73 ✓ | 352.0 ✓ |
| ~~livestock~~ Stockwater | ~~Mar 15~~ 1/1* ✓ | ~~Nov 15~~ 12/31* ✓ | 0.03 ✓ | ~~1.0~~ 1.3 |

Allowable Maximums: 0.73 cfs ✓ ~~250.1~~ 353.3 AF

7. Point(s) of Diversion:

[illegible]

- ### 8. Place(s) of Use

[illegible]

9. Recommended Conditions/Remarks: R31

* Allow year-round stock use per permit... Exam does not indicate why short year was recommended.

- ## 10. Recommended Amendments

☒ Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None☒ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

11. Examiner's Signature J. F. Stanton Date 7-10-84

Checked in Regional Office by John M. Smith Date 7/16/84

Approved in State Office by K. Walker **UNRECORDED** Date 9-2-86

MAR 06 1987

ROBERT F. HENRY
395 South Eden Road
JEROME - IDAHO 83338

← note
NEW
address!!

STATE of IDAHO Resources
Dept of WATER
STATE Office
450 W. State Street
Boise - IDAHO

MAR 06 1981
MICROFILMED



December 12, 1986

RE: Permit No. 36-7700

Robert F. Henry
Rt. 4
Jerome, ID 83338

Dear Permit Holder:

On October 8, 1986, we forwarded an amendment to you to be completed to amend this permit to correspond with the findings of the field examiner so that we could issue this license.

As of this date, we have not received this amendment. If we do not receive it within fifteen (15) days, we will assume you no longer have any interest in this permit and cancellation proceedings will begin.

If you have any questions, please contact us.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

MICROFILMED

MAR 06 1987



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

A. KENNETH DUNN

Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

October 8, 1986

RE: Permit No. 36-7700

Robert F. Henry
Rt. 4
Jerome, ID 83338

Dear Permit Holder(s):

The above referenced water right is in the process of being licensed. However, before a license can be issued, your permit must be amended to correspond with the findings of the Department's field examiner.

The enclosed application for amendment contains all of the information that will be included on the license when it is issued. Please review carefully and if you concur, sign the amendment and return with the \$20.00 filing fee within 30 days.

If you do not concur with these findings or if you have any questions, please contact us within the 30-day period.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

MAR 06 1987

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

Department of Water Resources

Permit No. 36-7700

Phone No. 825-5648

1. Owner: Robert F. Henry Phone No. 825-5648
Current Address: Route #4, Jerome, ID 83338
2. Accompanied by: Mr. Henry EXAM. DATE: 6-13-1984
Address: _____ Phone No. _____
Relationship to Permit Holder: _____
3. Source: Groundwater tributary to _____

3. Source: Groundwater tributary to _____

Well/Diversion* No.	Motor Make	HP	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
1	GE	40	BNJ209309	Aurora	37771598
2 booster		7.5		Berkeley	77 71 831
3 booster	Century	7.5	6-332988-03	"	

*Code with points of diversion, system diagram & photos on reverse side. Disregard if only one.

5. System Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

Well, pump, motor, open discharge into ditch, ditches & pipelines to 3 wheel lines & 1/2 handlines. Two motors & pumps to pressurize sprinklers

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Spring Meter						

7. Measurements ☐ Additional data/computation sheets attached

Measured .001 AF / 59.5 sec = 329 gpm = 0.73 d/s

- | 8. Point(s) of Diversion: | Indicate Method of Determination |
|---------------------------|----------------------------------|
|---------------------------|----------------------------------|

[illegible]


9. Place(s) of Use: Irrigation - give acres served by system at time of exam.
Indicate Method of Determination Aerial Photo

[illegible]

Total Acres 88

10. Other water rights on these lands Northside Canal Co, shares
11. Other water right diverted from same p.d. _____

12. **Diversion and Delivery System Diagram:** Indicate all major components and distances between components. Indicate ditch size/pipe i.d. as applicable. Indicate on systems with measurement port the distance between the port and the nearest component/pipe bend/restriction both upstream and downstream, and the inside pipe diameter at the measurement port. On multiple diversion systems indicate how diversion systems are connected.



13. ☐ Photo of Diversion & System Attached ☒ Aerial Photo of Place of Use Attached or Map of Irrigated Acreage Attached
14. Remarks Well supplements canal water, & is not used except in dry years
Recommend waiver of measuring-device requirement. System can be measured
with Spurling meter.

15. Recommended Amendments

☒ Change P.D. as reflected above☐ Add P.D. as reflected above☐ None

☒ Change P.U. as reflected above☐ Add P.U. as reflected above☐ Other
16. Examiner's/Consultant's Signature J.F. Stanton Date 7-10-84
Consultant's License Number _____
IDWR Director's Authorization to Conduct
Beneficial Use Examination _____

Date

CONSULTANT SEAL

100 # / 54.5 sec
= 328.6 gpm

85 cows & 85 calves
use water in dry years

88 ac irrig

GE 40 hp motor
#BNJ209309

Aurora pump #3771598

open discharge into
ditch

pipe runs less than half
full,

need sparking meter
to measure this one
pumps about 30-40"

Century 7.5 hp motor #6-332988-03

Berkley pump #7971831

pressure 1 wheel line
1/2 handline

1 handline, 2 wheel line on upper pasture

MICROFILMED
MAR 06 1981



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
SOUTHERN REGION

John V. Evans
Governor

C. Stephen Allred
Director

1041 Blue Lakes Blvd. North
Twin Falls, Idaho 83301
(208) 734-3578

July 9, 1982

Robert F. Henry
Route 4
Jerome, Idaho 83338

Re: Permit No. 36-7700

Dear Mr. Henry:

We acknowledge receipt of the affidavit submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We cannot tell just when this examination will be made, but our examiner will try to contact you at the time he makes the examination so that you may show him the system.

Field examinations must be done while the system is in operation. For this reason we concentrate on irrigation permits during the summer months and do examinations on permits for other uses during the non-irrigating months.

If you have any questions regarding the field examination, please contact our office.

Sincerely,

Gary L. Funderburg
Sr. Water Resource Agent

LOH:GLF:marya

Encl:

RECEIVED

June 22, 1982

Robert F. Henry
Route 4
Jerome, ID 83338

Dear Mr. Henry:

Re: Permit No. 36-7700

This office acknowledges receipt of the statement of beneficial use postcard along with your request for removal of the measuring device requirement.

The department will defer action upon your request until a field examiner from our Southern Regional office makes an examination of your system. If he can measure the rate of flow without you installing an access port or other device then your waiver request will be granted. In the meanwhile, you are not required to install an access port or other device until it is recommended by our examiner.

If you have any questions concerning this matter, please feel free to contact this office or our Southern Regional office at 334-3578.

Sincerely,

RITA I. FLECK
Sr. Secretary

cc: Southern Region

RECEIVED

DEPARTMENT OF WATER RESOURCES

I, the Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. _____

Name(s) of Permit Holder: _____

36-7700

Post Office Address: _____

R+4

TERRELL - TDAHO

Tel. No.

825-5646

Source of Water: _____

WELL

Extent of Use:

☐ Domestic

(number of households)

☐ Stockwater

(number and type of stock)

☐ Irrigation

X

(acres)

☐ Other

Measuring Device:

Required?

☒ Yes

☐ No

Installed?

☐ Yes

☐ No

Accepted:

Required?

☐ Yes

☐ No

Installed?

☐ Yes

☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

MAY 25 - 1982

D

Robert F. Henry
Signature of Permit Holder

PLACE
TEN CENT
STAMP
HERE



IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

RECEIVED

DEPARTMENT OF WATER RESOURCES
JUN 2 1987

REGISTERED



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

A. KENNETH DUNN

Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

March 4, 1982

Dear Wateruser:

The enclosed Order changes the measuring device condition of approval on your water right permit.

The changed condition is less restrictive and provides you the option to install an access port or have your system measured and certified by a professional engineer. Instructions for access port installation are also enclosed.

If you have questions regarding this matter, please contact the regional office nearest to you.

Sincerely,

David R. Tuthill Jr.

DAVID R. TUTHILL JR., P. E.
Supervisor, Water Allocations Section

DRT:jg

Enclosures

TERRY BLAU

SPARKING METER

NORTHERN REGION OFFICE
Route #5, Box 203, Government Way
Coeur d'Alene, Idaho 83814
Telephone 667-6484

EASTERN REGION OFFICE
150 Shoup Avenue
Idaho Falls, Idaho 83401
Telephone 525-7161

SOUTHERN REGION OFFICE
1041 Blue Lake Boulevard North
Twin Falls, Idaho 83301
Telephone 734-3578

WESTERN REGION OFFICE
92 South Cole Road
Boise, Idaho 83709
Telephone 334-2190

MICROFILMED

"OVER"

RECEIVED

Gentlemen:

In 1977 we drilled ARE IRRIGATION Well.
In 1978 it was dry. We had originally figured
to get 600 gallons per minute. We have a
40 hp motor on it. After we lowered it 20 ft
in 1978 we only have approximately 325 gallons
per minute.

This well has an open discharge into a
ditch which it mixes with canal water. The discharge
pipe only runs approximately $\frac{1}{3}$ full.

We use well during last week of June -
July - and August.

I would like to ask for a waiver of
measuring device.

RECEIVED

JUN 1 1982

Department of Water Resources
Southern District Office

MICROFILMED

Robert F. Henry
Rt 4
Jerome - Idaho

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

138541

HENRY, ROBERT F.
RT. 4
JEROME, ID 83338

MARCH 31, 1982

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 36-7700 WAS THAT EVIDENCE OF THE EXTENT OF DEVELOPMENT MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE JUNE 01, 1982. (SEE LAST PAGE OF YOUR APPROVED PERMIT). ENCLOSED IS A POST CARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF OF BENEFICIAL USE.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU HAVE NOT PREVIOUSLY RECEIVED AN EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME PROVIDED THE DELAY IS FOR REASONABLE CAUSE AS INDICATED IN SECTION 42-204, IDAHO CODE, AMENDED. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED.

EITHER THE BENEFICIAL USE POST CARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE MENTIONED DATE, OTHERWISE, THE PERMIT WILL LAPSE AND BE OF NO FURTHER FORCE OR EFFECT WITHIN 60 DAYS.

SINCERELY,

RITA FLECK
SR. SECRETARY

ENC: 1

MICROFILMED



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

A. KENNETH DUNN

Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

March 4, 1982

Dear Wateruser:

The enclosed Order changes the measuring device condition of approval on your water right permit.

The changed condition is less restrictive and provides you the option to install an access port or have your system measured and certified by a professional engineer. Instructions for access port installation are also enclosed.

If you have questions regarding this matter, please contact the regional office nearest to you.

Sincerely,

DAVID R. TUTHILL JR., P. E.
Supervisor, Water Allocations Section

DRT:jg

Enclosures

NORTHERN REGION OFFICE
Route #5, Box 203, Government Way
Coeur d'Alene, Idaho 83814
Telephone 667-6484

EASTERN REGION OFFICE
150 Shoup Avenue
Idaho Falls, Idaho 83401
Telephone 525-7161

SOUTHERN REGION OFFICE
1041 Blue Lake Boulevard North
Twin Falls, Idaho 83301
Telephone 734-3578

WESTERN REGION OFFICE
92 South Cole Road
Boise, Idaho 83709
Telephone 334-2190

MICROFILMED

July 5, 1977

Re: Permit No. 36-7700

Robert F. Henry
Route #4
Jerome, ID 83338

Dear Robert:

Enclosed is a copy of your approved Application for Permit No. . We direct your attention to the conditions of approval as listed on the 36-7700 page.

Be sure to note that a special condition requiring you to install and maintain a measuring device at your point of diversion has been placed upon your permit. We are enclosing a letter describing different types of measuring devices accepted by this office.

Sincerely,

BOBBY D. FLEENOR
Chief, Water Rights

Enclosure: Copy of permit

MICROFILMED

DEPARTMENT OF WATER RESOURCES
- STAFF ANALYSIS -

Item Initial Date

Application No. 36-7700 Robert L. Henry

☒ Source
☒ Point of Diversion
☒ County
☒ Quantity of Water and Period of Use
☒ Description of Diverting Works
☒ Time required for B/U of water
☒ Place of Use or Acres Irrigated
☒ Map
☒ Signature
☒ Fee

(1) AS 5-9

In form to receipt

(2) AS 5-9

Send Copies to:

☐ Idaho State Health Department
☐ Idaho Fish and Game Department
☐ Bureau of Land Management

(3) AS 5-9

☐ Request Special Use Permit from U.S.F.S.
☐ Request Easement from B.L.M.
☐ Request Information from Applicant

(4) ADM 5-11-77

In form for advertising

(5) _____

Platted on Map No. _____

(6) _____

Located within Water District No. _____

(7) mls 6-5-77

Critical groundwater area: yes _____ no ☒

(8) mls 6-5-77

Groundwater levels:

_____ Declining, ☒ Stable, _____ Increasing

(comment) _____

(9) _____

Other rights on the same place of use

(10) _____

Comments: _____

(11) Am 6/3/77

Affidavit of Publication received(date) 6/1/77

(12) Am _____

Final date for protests 6/6/77
Protests received: yes _____ no ☒

(13) _____

All requested information received from agencies or applicant: yes _____ no _____

(14) mls 6-5-77

Action recommended:

☒ Approve _____ Deny

_____ Proposed Priority

_____ Reason for Reduction

☒ Measuring device required

_____ See attached sheet for other conditions of approval

_____ No special conditions for approval

(15) District Southern By Michael Stule Date 6-5-77

CC sent to Boise 5-9-77 Am

MICROFILMED

May 10, 1977

North Side News
P.O. Box 468
Jerome, Idaho 83338

RE: Application for Permit #36-7700-Robert F. Henry

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

In order to receive payment, an affidavit of publication must be submitted to the Department along with the publication bill.

Sincerely,

Michael L. Steele
Southern Region Supervisor

MLS:sb

Enclosure

Bill submitted: _____

MICROFILMED

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Robert F. Henry
Jerome, Idaho 83338
has on 5/2/77 submitted Application No. 36-7700
for a permit to appropriate 2.0 cubic feet per second ~~acre feet per annum~~
of water from groundwater
by means of well, pump, motor, and sprinkler system
within the NW $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 3, Twp. 9S, Rge. 19E., B.M., Jerome County

to be used from Jan. 1 to Dec. 31 for stockwater purposes and from
~~for~~ March 15 to Nov. 15 for irrigation purposes of 120 acres
within the SE $\frac{1}{4}$, Sec. 3, Twp. 9S, Rge. 19E., B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 1041 Blue Lakes Blvd., North, Twin Falls, Idaho, 83301 on or before June 6, 1977.

C. STEPHEN ALLRED

Director

Published in the North Side News

on 5/19 and 5/26/77

MICROFILMED

LEGAL

ok/Jan 5/20/77

**NOTICE OF APPLICATION
FOR WATER PERMIT**

Notice is hereby given that Robert F. Henry, Jerome, Idaho 83338 has on 5-2-77 submitted Application No. 36-7700 for a permit to appropriate 2.0 cubic feet per second of water from groundwater by means of well, pump, motor and sprinkler system within the NW $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 3, Twp. 9S, Rge. 19E., B.M., Jerome County to be used from Jan. 1 to Dec. 31 for stockwater purposes and from March 15 to Nov. 15 for irrigation purposes of 120 acres within the NW $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 3, Twp. 9S, Rge. 19E., B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 1041 Blue Lakes Blvd., North, Twin Falls, Idaho, 83301 on or before June 6, 1977.

C. STEPHEN ALLRED
Director
5-19-2tc