


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

[Signature]
(Applicant)

MICROFILMED

AFFIDAVIT of PUBLICATION

RECEIVED

State of Idaho, }
County of Jerome } SS.

MAY 18 1977

L. L. LANGDON
ASST. PUBLISHER

Department of Water Resources
Solicitor General's Office

being first duly sworn,
deposes and says that he is the printer (publisher) of the Jerome North Side News, a newspaper published every week in Jerome, County of Jerome, State of Idaho; that said newspaper has been continuously and uninterruptedly published for a period of seventy-eight consecutive weeks prior to the first publication of the annexed notice, and is a newspaper qualified to publish legal notices as provided by act of the 1919 session of the legislature of the State of Idaho, known as House Bill 145; that the annexed advertisement was published once

each week for 2 consecutive issues in said newspaper proper and not in a supplement; that the date of the first publication of said advertisement was on the 5th day of May, 1977, and the date of the last publication was on the 12 day of May, 1977

L. L. Langdon

Subscribed and sworn to before me this 12th

day of May, 1977.
(SEAL)

Darla Bratt

NOTARY PUBLIC

NORTH SIDE NEWS

Jerome, Idaho

COST OF PUBLICATION

Number of Lines in Notice	<u>32</u>
Number of Insertions	<u>2</u>
Lines tabular at	315c
<u>32</u> Lines straight at	21c
<u>32</u> Subsequent lines at	15c
TOTAL COST	<u>11.52</u>

COPY OF NOTICE

(Paste Here)

Water Permit

TITLE OF NOTICE

#36-7698

PLAINTIFF ATTORNEY

DEFENDANT

PLAINTIFF

Dep of Water

BILL TO

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Fred R. Stewart, Jerome, Idaho, has on 4-22-77 submitted Application No. 36-7698 for a permit to appropriate 5 cubic feet per second of water from GROUNDWATER by means of well, pump, booster pump, sprinkler lines within the NW¹/₄SE¹/₄, Sec. 32, Twp. 8S, Rge. 19E., B.M., Jerome County to be used from March 15 to Nov. 1 for irrigation purposes of 250 acres within the S¹/₂NW¹/₄, SW¹/₄, W¹/₂SE¹/₄, Sec. 32, Twp. 8S, Rge. 19E., B.M.; N¹/₂SE¹/₄, SE¹/₄SE¹/₄, Sec. 31, Twp. 8S, Rge. 19E., B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 1041 Blue Lakes Blvd., North, Twin Falls, Idaho, 83301 on or before May 23, 1977.

STEPHEN ALLRED
Director


5-5-2tc

insertions

No


3573

RECEIVED



SCHEMATIC DIAGRAM OF SYSTEM

(Include distance from pump to measuring device, if applicable.)



Point(s) of diversion: ✓ NW 1/4 SE 1/4 Sec. 32 T. 85 R. 19E

Place(s) of Use ✓ less acreage

TWP.	RGE.	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
85	19E	32							20	4	24	37	5	8		8	5		113 ✓
		31													36	10		1	47 ✓

Recommended Amendments:

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

Examiner's Signature J. F. Stanton Date 10-1-82
 Checked by Larry A. Blau Date 1-19-83
 Approved by Ray Walker Date 8-16-84

160





Diagram of System

License-exam of 36-7614



(See Attached Aerial Photo)



MICROFILMED

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 36-7698 Priority April 22, 1977 Amount 2.36 cfs

THIS IS TO CERTIFY, that Fred R. Stewart
of Jerome, Idaho, has complied with the terms and conditions of Permit
No. 36-7698 issued pursuant to Application for Permit dated April 22, 1977,
and has submitted proof to the Department of Water Resources on September 23, 1982,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of 2.36 cfs of water from a groundwater source,
tributary to _____, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
Irrigation	from <u>March 15</u> to <u>November 15</u>	at <u>2.36</u> cfs and	<u>640.0</u> acre feet
	from _____ to _____	at _____ cfs and	_____
	from _____ to _____	at _____ cfs and	_____

(both dates inclusive)

Subject, however, to the condition that no more than 2.36 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
640.0 acre feet per year, said waters to be diverted within the NW $\frac{1}{4}$ SE $\frac{1}{4}$ Section 32,
Twp 8S, Rge 19E in the County of Jerome

Description and location of place of use:

Twp.	Range	Sec.	NEW				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				Totals
			NEW	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NEW	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NEW	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NEW	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
8S	19E	31													36	10		1	47
		32							20	4	24	39	5	8	8		5		113

Total number of acres irrigated 160

This right when combined with all other rights shall provide no more than .02 cfs
per acre nor more than 4.0 afa per acre for the lands above.

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho
Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use
herein described, and is subject to all prior water rights, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 2ND day of
AUGUST, 19 85.

MICROFILMED

Acting for the Director

Norman C. Young

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF CHANGING THE MEASURING
DEVICE REQUIREMENT FOR PERMIT NO. 36-7698

ORDER

WHEREAS, the above numbered permit was approved with the condition that a measuring device of a type approved by the Department be permanently installed and maintained as part of the diverting works; and,

WHEREAS, on July 1, 1978, the Department adopted a new water measurement condition which states: "An access port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department"; and,

WHEREAS, the former condition required the permit holder to purchase and install a measuring device or hire a professional engineer to certify the rate of diversion; and,

WHEREAS, the measuring device condition effective July 1, 1978, requires less capital expenditure by the permit holder; and,

WHEREAS, to be equitable to holders of permits issued prior to July 1, 1978, the new condition should be retroactive;

NOW THEREFORE, it is hereby ordered that the condition of approval of this permit related to water measurement is hereby changed as follows:

"The permit holder shall either install a measuring device or provide a certified measurement by a professional engineer or install an access port or other device as specified by the Department".

Dated this 1st day of June 1981.

Glen Saxton

GLEN SAXTON
Chief, Operations Bureau

Identification No. _____

Application No. 36-7698

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

APPROVED

To Appropriate the Public Waters of the State of Idaho

(TYPE OR PRINT IN INK)

1. Name of applicant Fred R. Stewart Phone: 825-5104
post office address Box 318, Rte. #4, Jerome, Idaho 83338
2. Source of water supply deep well, groundwater which is a tributary of _____
3. a. Location of point of diversion is NW $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 32 Township 8S
Range 19E., B.M. Jerome County; additional points of diversion if any: _____

- b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____
4. Water will be used for the following purposes:
Amount 5cfs for irrigation purpose from March 15 to Nov. 1 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
a. 5cfs cubic feet per second and/or
b. _____ acre feet per annum.
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. 125 Hp deep well pump, plus booster
pump - 1 mile, 10 inch main line, 10 quarter miles of lateral sprinkler lines

- b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet, materials used in storage dam: _____
Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)
- c. Proposed well diameter is 18 inches; proposed depth of well is 300 feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is xx 5 years. (as per telephone conversation of 4/28/77) **ADM**
b. Estimated construction cost is \$ 20,000.00.
8. Description of proposed uses:
a. If water is **not** for irrigation:
(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M. _____
(2) Amount of power to be generated: _____ hp under _____ feet of head.
(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water _____.
(5) If water is to be used for other purposes describe: _____

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP.	RANGE	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
8S	19E	32							20	5	10	40	30	40		10	30		185
8S	19E	31 32													40	15		10	65

250

Total number of acres to be irrigated _____

c. Describe any other water rights used for the same purposes as described above. 29 shares A.F. water to be sold to other water users


9. a. Who owns the property at the point of diversion APPLICANT

b. Who owns the land to be irrigated or place of use APPLICANT

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____

10. Remarks _____

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

[Signature]
(Applicant)

Proposed Priority 4-22-77

Received by SB Date 3:00 Time 4/22/77
Preliminary check by JA Fee \$ 65.00 # 3448
Receipted by SB Date 4/22/77
Publication prepared by SB Date 4/27/77
Published in North Side News
Publication dates 5/5 & 5/12/77
Publication approved _____ Date _____
Priority reduced to _____ Reason _____

Protests filed by: _____

Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by hls jo

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 36-7698, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:


a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before November 1, 19 82.

c. Other: For licensing purposes a scientific measurement of the diversion rate of the system as it is normally operated shall be provided by either properly installing an approved type of measuring device or by having a professional engineer certify the rate of diversion to the Department prior to submitting proof of beneficial use of water.

2. Denial of said application is for the following reasons: _____

Witness my hand this 15 day of November, 19 77.


Deputy Director

AFFIDAVIT of PUBLICATION

RECEIVED

State of Idaho, }
County of Jerome } SS.

L. L. LANGDON
ASST. PUBLISHER

Deposited in the office of the

being first duly sworn, deposes and says that he is the printer (publisher) of the Jerome North Side News, a newspaper published every week in Jerome, County of Jerome, State of Idaho; that said newspaper has been continuously and uninterruptedly published for a period of seventy-eight consecutive weeks prior to the first publication of the annexed notice, and is a newspaper qualified to publish legal notices as provided by act of the 1919 session of the legislature of the State of Idaho, known as House Bill 145; that the annexed advertisement was published once

each week for 2 consecutive issues in said newspaper proper and not in a supplement; that the date of the first publication

of said advertisement was on the 5th day of May

1927, and the date of the last publication was on the 12

day of May, 1927

L. L. Langdon

Subscribed and sworn to before me this 12th

day of May, 1927.
(SEAL)

Darla Pratt

NOTARY PUBLIC

NORTH SIDE NEWS

Jerome, Idaho

COST OF PUBLICATION

Number of Lines in Notice 32

Number of Insertions 2

Lines tabular at 315c

32 Lines straight at 21c 6.72

32 Subsequent lines at 15c 4.80

TOTAL COST 11.52

COPY OF NOTICE

(Paste Here)

Water Permit

TITLE OF NOTICE

#36-7698

PLAINTIFF ATTORNEY

DEFENDANT

PLAINTIFF

Rep of Water

NOTICE OF PUBLICATION

Notice is hereby given that Fred R. Stearns, Jerome, Idaho, has on 4-25-27 submitted Application No. 36-7698 for a permit to appropriate 5 cubic feet per second of water from GROUNDWATER by means of well, pump, booster pump, sprinkler lines within the NW 1/4, Sec. 32, Twp. 28S, Rge. 19E, B.M. Jerome County to be used from March 15 to Nov. 1 for irrigation purposes of 250 acres within the SW 1/4, W 1/4, SE 1/4, Sec. 32, Twp. 28S, Rge. 19E, B.M. N. 1/4, SE 1/4, Sec. 31, Twp. 28S, Rge. 19E, B.M.

If issued, this permit will be subject to all laws and regulations. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 1001 State Capitol Bldg., Boise, Idaho, before 4:30 p.m. on or before May 1, 1927.

STEPHEN J. ...
Director

Insertions

No 3573

ok/ am 5/10/27

Use Typewriter or Ballpoint Pen

Office Use Only

Inspected by _____

Twp _____ Rge _____ Sec _____

1/4 1/4 1/4

Lat: : Long: :


1. DRILLING PERMIT NO. 36-95-S-0202-100
Other IDWR No. water right 36-07698

2. OWNER:

Name Fred Stewart
Address Rt 4 Box 318
City Jerome State Id Zip 83338

3. LOCATION OF WELL by legal description:

Sketch map location must agree with written location.



Twp. 8 North ☐ or South ☒
 Rge. 19 East ☒ or West ☐
 Sec. 32 1/4 NW 1/4 SE 1/4
10 acres 40 acres 160 acres
 Gov't Lot _____ County Jenome
 Lat: _____ Long: _____
 Address of Well Site 3/4 Miles North
of Hunt Camp Memorial City _____
 (Give at least name of road + Distance to Road or Landmark)
 Lt. _____ Blk. _____ Sub. Name _____

4. USE:

☐ Domestic ☐ Municipal ☐ Monitor ☒ Irrigation
☐ Thermal ☐ Injection ☐ Other

5. TYPE OF WORK check all that apply

(Replacement etc.)

☐ New Well ☒ Modify ☐ Abandonment ☐ Other Repair

6. DRILL METHOD

☐ Air Rotary ☒ Cable ☐ Mud Rotary ☐ Other _____

7. SEALING PROCEDURES

SEAL/FILTER PACK			AMOUNT Sacks or Pounds	METHOD
Material	From	To		

Was drive shoe used? ☐ Y ☒ N Shoe Depth(s) _____
Was drive shoe seal tested? ☒ Y ☐ N How? _____

8. CASING/LINER:

Diameter	From	To	Gauge	Material	Casing	Liner	Welded	Threaded
					☐	☐	☐	☐
					☐	☐	☐	☐
					☐	☐	☐	☐

Length of Headpipe _____ Length of Tailpipe _____

9. PERFORATIONS/SCREENS

☐ Perforations Method _____

Screens	Screen Type
1	1
2	2
3	3
4	4
5	5
6	6
7	7
8	8
9	9
10	10
11	11
12	12
13	13
14	14
15	15
16	16
17	17
18	18
19	19
20	20
21	21
22	22
23	23
24	24
25	25
26	26
27	27
28	28
29	29
30	30
31	31
32	32
33	33
34	34
35	35
36	36
37	37
38	38
39	39
40	40
41	41
42	42
43	43
44	44
45	45
46	46
47	47
48	48
49	49
50	50
51	51
52	52
53	53
54	54
55	55
56	56
57	57
58	58
59	59
60	60
61	61
62	62
63	63
64	64
65	65
66	66
67	67
68	68
69	69
70	70
71	71
72	72
73	73
74	74
75	75
76	76
77	77
78	78
79	79
80	80
81	81
82	82
83	83
84	84
85	85
86	86
87	87
88	88
89	89
90	90
91	91
92	92
93	93
94	94
95	95
96	96
97	97
98	98
99	99
100	100

From	To	Slot Size	Number	Diameter	Material	Casing	Liner
						☐	☐
						☐	☐
						☐	☐

10. STATIC WATER LEVEL OR ARTESIAN PRESSURE:

229 ft. below ground Artesian pressure _____ lb.
Depth flow encountered _____ ft. Describe access port or
control devices:

11. WELL TESTS:

☐ Pump ☐ Bailer ☐ Air ☐ Flowing Artesian

Yield gal./min.	Drawdown	Pumping Level	Time
<i>no test</i>			

Water Temp. *Cold* Bottom hole temp.

Water Quality test or comments: _____

12. LITHOLOGIC LOG: (Describe repairs or abandonment)

Water

[illegible]

Completed Depth 400 (Measurable)

Date: Started 1 Nov 1995 Completed 15 Dec 1995

13. DRILLER'S CERTIFICATION

I/We certify that all minimum well construction standards were complied with at the time the rig was removed.

Firm Name Boley & Henry Firm No. 86

Firm Official Waine Boles, - Date 6 April 1986

and
Supervisor or Operator B. B. Bly Date 6 April 1996

(Sign once if Firm Official & Operator)



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

A. KENNETH DUNN

Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

August 6, 1985

RE: Permit No. 36-7698

Fred R. Stewart
Rt. 4, Box 318
Jerome, ID 83338

Dear Mr. Stewart:

Enclosed herewith is a copy of the Water Right License issued on the above referenced Permit.

Sincerely,

JIM JOHNSON
Water Distribution Supervisor

JJ:sc

Enclosure

MICROFILMED



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN

Director

August 20, 1984

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

RE: Permit No. 36-7698

Fred R. Stewart
Route 4
Jerome, ID 83338

Dear Mr. Stewart:

A representative of this Department has made an examination of the works covered by your Permit No. 36-7698, and has found the following:

Amount of water that can be recognized as beneficially used under
Idaho law: 2.36 cfs Source: groundwater

The maximum quantity diverted shall not exceed 640.0 acre feet
per year.

Point(s) of diversion: NW $\frac{1}{4}$ SE $\frac{1}{4}$ Sec. 32, Twp 8S, Rge 19E

Beneficial Use: Irrigation of 47 acres within N $\frac{1}{2}$ SE $\frac{1}{4}$, SE $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 31,
and 113 acres within S $\frac{1}{2}$ NW $\frac{1}{4}$, SW $\frac{1}{4}$, W $\frac{1}{2}$ SE $\frac{1}{4}$, Sec. 32, Twp 8S, Rge 19E

Priority date established: April 22, 1977

Conditions (if any): This right when combined with all other rights shall provide
no more than .02 cfs per acre nor more than 4.0 afa per acre for the lands above

If you do not concur with these findings, please contact us within 10 days, otherwise a water license will be issued as set forth above.

Sincerely,


JIM JOHNSON
Water Distribution Supervisor

JJ:sc

MICROFILMED


MICROFILMED

MICROFILMED



SCHEMATIC DIAGRAM OF SYSTEM

(Include distance from pump to measuring device, if applicable.)



Point(s) of diversion: NW 1/4 SE 1/4 Sec. 32 T. 8S R. 19E

Place(s) of Use less acreage

TWP.	RGE.	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
8S	19E	32							20	4	20	37	5	8		8	5		113 ✓
		31													38	10		1	49 ✓

160

Recommended Amendments:

- ☐ Change P.D. as reflected above
- ☐ Add P.D. as reflected above
- ☒ None
- ☐ Change P.U. as reflected above
- ☐ Add P.U. as reflected above
- ☐ Other

Examiner's Signature J. F. Stanton

Checked by Larry A. Blau

Approved by Ray Walker

Date 10-1-82

Date 1-19-83

Date 8-16-84

Overlap Review for 36-7698

per permit: shares in A.F.
water - was to be sold

per micrapische 8/16/84:

plu - 36-2460
36-7614

p/d - none

Plu overlap 36-2460 - overlap in S $\frac{1}{2}$ NW $\frac{1}{4}$, Sec.
32; different p/d - see copy
of license attached

NONE 36-7614 - License, different p/d -
does not appear to have
plu overlap - see copy of
exam map

Recommend R16(4.0) for
plu overlap -
kw

allow capacity of system

WATER LICENSE

Water License No. G-29287/36-2460 Priority January 11, 1961 Amount 4.72 c.f.s.THIS IS TO CERTIFY, that ANNA LOUISE ROBINSON

of Jerome, Idaho, made application for a permit to appropriate the public waters of the State of Idaho, dated January 11, 1961; that Permit G-29287/36-2460 was issued pursuant to said application; that the proposed works were completed on or about February 18, 1969 with a storage/or carrying capacity of 6.5 c.f.s., said works consisting of well, pump, motor, and sprinkler system; and that on February 18, 1969 proof was made to the satisfaction of the State Reclamation Engineer, of the beneficial use of 944 acre feet per season, with a maximum rate of diversion of 4.72 cubic feet per second of the waters of ground water, tributary of _____, for the purpose of Irrigation from April 1 to November 1; and for _____ from _____ to _____; and for _____ from _____ to _____; and that the use of said waters has been made in accordance with the laws of Idaho, and is hereby confirmed by the State Reclamation Engineer and entered in the records of the Idaho Department of Reclamation: the point of diversion is located in NE $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 32, T. 8 S, R. 19 E, B.M., and other additional points _____, in the County of Jerome; and that the amount of water to which such right is entitled and which is hereby confirmed, for the purposes aforesaid, is limited to an amount actually beneficially used for said purposes and shall not exceed 944 acre feet per year.


Description and location of place of use:

TWP.	RANGE	SEC.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				TOTALS
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
8 S	19 E	32	39	23	22	12	37	35	(32)	36									236
									overlap										

Total number of acres irrigated 236

The right to the use of the water hereby confirmed is restricted to the lands or place of use herein described, as provided by the laws of Idaho.

Witness the seal and signature of the State Reclamation Engineer, affixed at Boise, Idaho, this

27th day of October, 19 69.

 State Reclamation Engineer

36 2460

MICROFILMED

 29287
 36-2460
 plated





Diagram of System

Diagram of System

License-exam of 36-4614



(See Attached Aerial Photo)



MICROFILMED

October 15, 1982

Fred R. Stewart
Route 4
Jerome, ID 83338

Dear Mr. Stewart:

Re: Permit No. 36-7698

This office acknowledges receipt of the postcard as the statement of beneficial use.

It is the Department's understanding that a field exam has been conducted by one of our regional representatives. Based on his recommendations, a water right license will be issued.

If you have further questions concerning your permit, please feel free to contact me.

Sincerely,

RITA I. FLECK
Sr. Secretary

cc: region

UNRECORDED

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 36-7698

Name(s) of Permit Holder: Fred R. Stewart

Post Office Address: Rte 4 June Ida

Tel. No. 825-5104

Source of Water:

Extent of Use: ☐ Domestic (number of households)
☐ Stockwater (number and type of stock)
☒ Irrigation (acres)
☐ Other

Measuring Device: Required? ☐ Yes ☐ No Installed? ☐ Yes ☐ No

Access Port: Required? ☒ Yes ☐ No Installed? ☒ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

9/31/82
Date

[Signature]
Signature of Permit Holder

PLACE
13 CENT
STAMP
HERE

RECEIVED

SEP 20 1992

Department of Water Resources



IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

138553

STEWART, FRED R.
RT. 4 BOX 318
JEROME, ID 83338

AUGUST 31, 1982

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 36-7698 WAS THAT EVIDENCE OF THE EXTENT OF DEVELOPMENT MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE NOVEMBER 01, 1982. (SEE LAST PAGE OF YOUR APPROVED PERMIT). ENCLOSED IS A POST CARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF OF BENEFICIAL USE.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU HAVE NOT PREVIOUSLY RECEIVED AN EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME PROVIDED THE DELAY IS FOR REASONABLE CAUSE AS INDICATED IN SECTION 42-204, IDAHO CODE, AMENDED. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED.

EITHER THE BENEFICIAL USE POST CARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE MENTIONED DATE, OTHERWISE, THE PERMIT WILL LAPSE AND BE OF NO FURTHER FORCE OR EFFECT WITHIN 60 DAYS.

SINCERELY,

RITA FLECK
SR. SECRETARY

ENC: 1

MAILED 11



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

April 30, 1982

Dear Wateruser:

The enclosed Order changes the measuring device condition of approval on your water right permit.

The changed condition is less restrictive and provides you the option to install an access port or have your system measured and certified by a professional engineer. Instructions for access port installation are also enclosed.

If you have questions regarding this matter, please contact the regional office nearest to you.

Sincerely,

DAVID R. TUTHILL JR., P. E.
Supervisor, Water Allocations Section

DRT:jg

Enclosures

NORTHERN REGION OFFICE
Route #5, Box 203, Government Way
Coeur d'Alene, Idaho 83814
Telephone 667-6484

EASTERN REGION OFFICE
150 Shoup Avenue
Idaho Falls, Idaho 83401
Telephone 525-7161

SOUTHERN REGION OFFICE
1041 Blue Lake Boulevard North
Twin Falls, Idaho 83301
Telephone 734-3578

WESTERN REGION OFFICE
92 South Cole Road
Boise, Idaho 83709
Telephone 334-2190

November 16, 1977

Re: Permit No. 36-7698

Fred R. Stewart
Box 318
Route #4
Jerome, ID 83338

Dear Mr. Stewart:

Enclosed is a copy of your approved Application for Permit No. 36-7698. We direct your attention to the conditions of approval as listed on the fourth page.

Be sure to note that a special condition requiring you to either install and maintain a measuring device at your point of diversion or to provide the Department a certified measurement of the systems diversion capacity prior to submitting proof of beneficial use of water. We have enclosed a letter describing the different types of measuring devices accepted by this office.

Sincerely,

BOBBY D. FLEENOR
Chief, Operations Bureau

BDF/cah

Enclosure



INTER-DEPARTMENT MEMO — 1

DATE

10/28/77

FROM

Allen

TO

Jan

SUBJECT

Permit 36-7698

Please find affidavit forfeiting the portion
of Lic. 36-2460 ; thus allowing for filing
of this permit.

Allen

SIGNATURE

MICROFILMED

OCT 27 1977

STATE OF IDAHO

COUNTY OF Jerome

RECEIVED

AFFIDAVIT

FRED R. STEWART, Being first duly sworn deposes and says:


I am a resident of Jerome, County of Jerome, State of Idaho, and I own real property in Jerome County, a portion of which is legally described as follows, to-wit:

Twenty-Five acres within the South Half of the South Half of the Northwest Quarter (S $\frac{1}{2}$ S $\frac{1}{2}$ NW $\frac{1}{4}$) of Section Thirty-Two (32), Township Eight (8) South, Range Nineteen (19) East, B.M., County of Jerome, State of Idaho.


The above described land has been issued a water right under water license G-29287/36-2460. The issuance of the water right under the above described license was wrongfully done. The water has never been used on the above described land as described by the license.

I do hereby forfeit or abandon the implied water right to the above described land as recorded by water license G-29287/36-2460.

I do so for the purpose of clearing the above described land so that I may file for a subsequent water right pursuant to application for permit No. 36-7698.


Fred R. Stewart

Subscribed and sworn to before me this 27th day of Oct, 1977.


Notary Public for Idaho
Residing at Jerome, Idaho

October 7, 1977

Mr. Fred R. Stewart
Box 318, Route #4
Jerome, ID 83338

Dear Mr. Stewart:

Please find enclosed a draft of an Affidavit for you to sign to abandon the licensed right on a portion of your land; thus allowing for the approval of your application for permit No. 36-7698.

Please check the Affidavit over carefully, then sign it and have it notarized.

If you have any questions, please feel free to contact me.

Sincerely,

Allen Merritt
Water Resource Analyst

AM:sm

Enclosure

INTER-DEPARTMENT MEMO — 1

FROM Allen

DATE 9/

TO File (36-7698)

SUBJECT Overlap of Acres.

In telephone conversation with Bob Fleenor the suggestion was made that Mr. Stewart write a letter stating that he does not use and will not use the portion of license # 36-2460 on his land.

Allen

SIGN

MICROFILMED

September 19, 1977

Mr. Fred Stewart
Box 318, Route #4
Jerome, ID 83338

Dear Mr. Stewart:

Our office is still holding your application for permit No. 36-7698 pending either the possible transfer we discussed, or the deletion of the overlapped lands from your application.

Our office will hold your application for ten more days. If no action is taken to correct the overlap, our office will reduce your application by 0.50cfs and delete the 25 acres in question.

Please contact our office as soon as possible.

Sincerely,

Allen Merritt
Water Resource Analyst

AM:sm

FROM Allen

DATE 8/9/77

TO File

SUBJECT Fred Stewart Application

Mr. Stewzrd came into my office regarding the problem of the over filing of water on a portion of his property. After review the problem we contacted Mr. Emmett Merkley. Apparently Mr. Merkley will come into the office and transfer part of the license # 36-2460 to allow Mr. Stewart's application.

Allen

SIGNATURE

MICROFILMED

DEPARTMENT OF WATER RESOURCES
- STAFF ANALYSIS -

Item Initial Date

Application No. 36-7698-Fred R. Stewart

- ☒ Source
☒ Point of Diversion
☒ County
☒ Quantity of Water and Period of Use
☒ Description of Diverting Works
☒ Time required for B/U of water
☒ Place of Use or Acres Irrigated
☒ Map
☒ Signature
☒ Fee

- (1) JS 11-26-77 In form to receipt
- (2) _____ Send Copies to:
_____ Idaho State Health Department
_____ Idaho Fish and Game Department
_____ Bureau of Land Management
- (3) _____ Request Special Use Permit from U.S.F.S.
_____ Request Easement from B.L.M.
_____ Request Information from Applicant
- (4) ADM 4-29-77 In form for advertising
- (5) _____ Platted on Map No. _____
- (6) _____ Located within Water District No. _____
- (7) mls 5-23-77 Critical groundwater area: yes _____ no ☒
- (8) mls 5-23-77 Groundwater levels:
_____ Declining, ☒ Stable, _____ Increasing
(comment) _____
- (9) _____ Other rights on the same place of use
- (10) _____ Comments: _____
- (11) _____ Affidavit of Publication received(date) _____
- (12) mls 5-23-77 Final date for protests 5/23/77
Protests received: yes _____ no ☒
- (13) _____ All requested information received from agencies or
applicant: yes _____ no _____
- (14) mls 5-23-77 Action recommended:
☒ Approve _____ Deny
4-22-77 Proposed Priority
_____ Reason for Reduction _____
☒ Measuring device required
_____ See attached sheet for other conditions of
approval
_____ No special conditions for approval
- (15) District Southern By Michael Steele Date 5-23-77

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Fred R. Stewart

Jerome, Idaho

has on 4/22/77 submitted Application No. 36-7698

for a permit to appropriate 5 cubic feet per second ~~acre feet per annum~~

of water from GROUNDWATER

by means of well, pump, booster pump, sprinkler lines

within the NW $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 32, Twp. 8S, Rge. 19E., B.M., Jerome County

to be used from March 15 to Nov. 1

for irrigation purposes of 250 acres

within the S $\frac{1}{2}$ NW $\frac{1}{4}$, SW $\frac{1}{4}$, W $\frac{1}{2}$ SE $\frac{1}{4}$, Sec. 32, Twp. 8S, Rge. 19E., B.M.; N $\frac{1}{2}$ SE $\frac{1}{4}$,

SE $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 31, Twp. 8S, Rge. 19E., B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 1041 Blue Lakes Blvd., North, Twin Falls, Idaho, 83301 on or before May 23, 1977.

STEPHEN ALLRED
~~XXXXXXXXXXXXXXXXXXXX~~
~~XXXXXXXXXXXXXXXXXXXX~~

Director

Published in the North Side News

on 5/5 and 5/12/77

ORIGINAL FILED

LEGAL *OK/5B*
5/4/77
NOTICE OF APPLICATION
FOR WATER PERMIT

Notice is hereby given that Fred R. Stewart, Jerome, Idaho, has on 4-22-77 submitted Application No. 36-7698 for a permit to appropriate 5 cubic feet per second of water from GROUNDWATER by means of well, pump, booster pump, sprinkler lines within the NW $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 32, Twp. 8S, Rge. 19E., B.M., Jerome County to be used from March 15 to Nov. 1 for irrigation purposes of 250 acres within the S $\frac{1}{2}$ NW $\frac{1}{4}$, SW $\frac{1}{4}$, W $\frac{1}{2}$ SE $\frac{1}{4}$, Sec. 32, Twp. 8S, Rge. 19E., B.M.; N $\frac{1}{2}$ SE $\frac{1}{4}$, SE $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 31, Twp. 8S, Rge. 19E., B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 1041 Blue Lakes Blvd., North, Twin Falls, Idaho, 83301 on or before May 23, 1977.

STEPHEN ALLRED
Director

5-5-2tc

April 27, 1977

North Side News
P.O. Box 468
Jerome, Idaho 83338

RE: Application for Permit #36-7698-Fred R. Stewart

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

In order to receive payment, an affidavit of publication must be submitted to the Department along with the publication bill.

Sincerely,

Michael L. Steele
Southern Region Supervisor

MLS:sb

Enclosure

Bill submitted: _____

MICROFILMED