


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Robert D Isaac
(Applicant)

AFFIDAVIT of PUBLICATION

RECEIVED

State of Idaho, }
County of Gooding } SS.

FEB 14 1977

Department of Water Resources
Southern District Office

Kim R. Compton
being first duly sworn,
deposes and says that he is the printer (publisher) of the Gooding
County Leader, a newspaper published every week in Gooding, County
of Gooding, State of Idaho, that said newspaper has been continuous-
ly and uninterruptedly published for a period of seventy-eight consecu-
tive weeks prior to the first publication of the annexed notice, and is
a newspaper qualified to publish legal notices as provided by act of
the 1919 session of the legislature of the State of Idaho, known as
House Bill 145; that the annexed advertisement was published once

each week for 2 consecutive issues in said newspaper
proper and not in a supplement; that the date of the first publication

of said advertisement was on the 3 day of February

19 77, and the date of the last publication was on the 10

day of February, 19 77

Subscribed and sworn to before me this 10

day of February, 19 77.
(SEAL)

Gaelen Hain
NOTARY PUBLIC

GOODING COUNTY LEADER

Gooding, Idaho

COST OF PUBLICATION

Number of Lines in Notice	<u>40</u>	<u>40</u>
Number of Insertions	<u>2</u>	<u>2</u>
Lines tabular at	315c	
<u>40</u> Lines straight at <u>40</u>	21c	<u>8.40</u>
<u>40</u> Subsequent lines at <u>40</u>	15c	<u>6.00</u>
TOTAL COST		<u>14.40</u>

COPY OF NOTICE

(Paste Here)

WP 36-7672

TITLE OF NOTICE

drawn

PLAINTIFF ATTORNEY

DEFENDANT

PLAINTIFF

Dept of Water
BILL TO

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given
that Robert D. Isaacs Rte. #1,
Wendell, Idaho 83355 has on
1/27/77 submitted Application
No. 36-7672 for a permit to
appropriate 2.4 cubic feet per
second of water from ground-
water by means of well,
motor, sprinkler system with-
in the SE $\frac{1}{4}$ SE $\frac{1}{4}$, SW $\frac{1}{4}$ SE $\frac{1}{4}$,
Sec. 14, Twp. 8 S, Rge. 14 E.,
B.M., Gooding County to be
used from April 1 to Nov. 1 for
irrigation purposes of 120
acres within the SE $\frac{1}{4}$ SW $\frac{1}{4}$.

S $\frac{1}{2}$ SE $\frac{1}{4}$, Sec. 14, Twp. 8 S,
Rge. 14 E., B.M.


If issued, this permit will
be subject to all prior water
rights. Protests against the
gathering of the permit must
be filed with the Idaho De-
partment of Water Resources,
1041 Blue Lakes Blvd., North,
Twin Falls, Idaho, 83301 on or
before 2/21/77.

/s/ R. Keith Higginson
Director

Pub: 2-3, 10

No 1100

MICROFILMED



SCHMATIC DIAGRAM OF SYSTEM

(Include distance from point to measuring device, if applicable.)

MICROFILMED

Point(s) of diversion: SW¹/₄ SE¹/₄, Sec. 14, T.8S., R.14E., B.M.

Place(s) of Use

TWP.	RGE.	SEC.	NE ¹ / ₄				NW ¹ / ₄				SW ¹ / ₄				SE ¹ / ₄				TOTALS
			NE ¹ / ₄	NW ¹ / ₄	SW ¹ / ₄	SE ¹ / ₄	NE ¹ / ₄	NW ¹ / ₄	SW ¹ / ₄	SE ¹ / ₄	NE ¹ / ₄	NW ¹ / ₄	SW ¹ / ₄	SE ¹ / ₄	NE ¹ / ₄	NW ¹ / ₄	SW ¹ / ₄	SE ¹ / ₄	
✓ 8 S.	14 E.	14												38			37	28	103

103


Recommended Amendments:

- ☐ Change P.D. as reflected above
 ☐ Add P.D. as reflected above
 ☒ None
- ☐ Change P.U. as reflected above
 ☐ Add P.U. as reflected above
 ☐ Other

Examiner's Signature Allen D. Merrill
 Date 5/12/82

Checked by J.F. Stanton
 Date 9-28-82

Approved by [Signature]
 Date 1-5-83



MICROFILMED

West Point School
(Abandoned)

390 000
FEET

42 30"

36-7672

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 36-7672 Priority January 27, 1977 Amount 1.77 cfs

THIS IS TO CERTIFY, that Robert D. Isaacs
of Wendell, Idaho, has complied with the terms and conditions of Permit
No. 36-7672 issued pursuant to Application for Permit dated January 27, 1977,
and has submitted proof to the Department of Water Resources on February 26, 1982,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of 1.77 cfs of water from a groundwater source,
tributary to _____, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
Irrigation	from April 1 to November 1	at 1.77 cfs and	412.0 acre feet
	from _____ to _____	at _____ cfs and	_____
	from _____ to _____	at _____ cfs and	_____

(both dates inclusive)

Subject, however, to the condition that no more than 1.77 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
412.0 acre feet per year, said waters to be diverted within the SW $\frac{1}{4}$ SE $\frac{1}{4}$, Section 14, Twp.
8S, Rge. 14E in the County of Goddard

Description and location of place of use:

Twp.	Range	Sec.	NE¼				NW¼				SW¼				SE¼				Totals	
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼		
8S	14E	14												38				37	28	103

Total number of acres irrigated 103

This right when combined with all other rights shall provide no more than 0.02
cfs per acre nor more than 4.0 afa per acre for the lands above.

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho
Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use
herein described, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 31 day of
January, 19 83.

Director

DRT

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF CHANGING THE MEASURING
DEVICE REQUIREMENT FOR PERMIT NO. **36-7672**

ORDER

WHEREAS, the above numbered permit was approved with the condition that a measuring device of a type approved by the Department be permanently installed and maintained as part of the diverting works; and,

WHEREAS, on July 1, 1978, the Department adopted a new water measurement condition which states: "An access port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department"; and,

WHEREAS, the former condition required the permit holder to purchase and install a measuring device or hire a professional engineer to certify the rate of diversion; and,

WHEREAS, the measuring device condition effective July 1, 1978, requires less capital expenditure by the permit holder; and,

WHEREAS, to be equitable to holders of permits issued prior to July 1, 1978, the new condition should be retroactive;

NOW THEREFORE, it is hereby ordered that the condition of approval of this permit related to water measurement is hereby changed as follows: "The permit holder shall either install a measuring device or provide a certified measurement by a professional engineer or install an access port or other device as specified by the Department".

Dated this 18th day of August, 1978.


C. STEPHEN ALLRED
Director

MICROFILMED

Identification No. _____

Application No. 36-7672

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

1. Name of applicant Robert D. Isaacs Phone: 536-2088
post office address Rte. #1, Wendell, Idaho
2. Source of water supply groundwater which is a tributary of _____
3. a. Location of point of diversion is SW SE $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 14 Township 8 S
Range 14 E. B.M. Gooding County; additional points of diversion if any: _____

b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____
4. Water will be used for the following purposes:
Amount 2.4 for Irrigation purpose from April 1 to Nov. 1 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
a. 2.4 cubic feet per second and/or
b. _____ acre feet per annum.
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. _____
well, motor, sprinkler system

b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet, materials used in storage dam: _____
Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)
c. Proposed well diameter is 12 inches; proposed depth of well is 140 feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 5 years.
b. Estimated construction cost is \$ _____.
8. Description of proposed uses:
a. If water is **not** for irrigation:
(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M. _____
(2) Amount of power to be generated: _____ hp under _____ feet of head.
(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water _____.
(5) If water is to be used for other purposes describe: _____

MICROFILMED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

[illegible]

Total number of cases in 1990: 120

c. Describe any other water rights used for the same purposes as described above. (If none, write "None")

80 Shares North Side Canal Water


7. a. Who owns the property at the point of diversion: Applicant

6. Who owns the land to be irrigated or place of use. **Applicant**

c. If the property is owned by a person other than the applicant, describe how the owner is enabling the applicant to make this filing _____

10. Remarks _____

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Robert B Isaac
(Applicant)

Proposed Priority 1/27/77

Received by AS Date 1-27-77 Time 1:30 PM.
Preliminary check by ADM Fee \$ 45.00 Recd. #2319
Received by SB Date 1/27/77
Publication prepared by SB Date 1/28/77
Published in Hooding County Leader
Publication dates 2/3 & 2/10/77
✓ Publication approved SB Date 2/3/77
Priority reduced to _____ Reason _____

Protests filed by: _____

Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by mls jg

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES


This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 36-7672, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before March 1, 19 82.
- c. Other: A measuring device of a type approved by the Director shall be permanently installed and maintained as part of the diverting works.

2. Denial of said application is for the following reasons: _____

Witness my hand this 21 day of March 19 77.


Director

AFFIDAVIT of PUBLICATION

RECEIVED

State of Idaho, }
County of Gooding } SS.

FEB 24 1977

Department of Water Resources
Southern District Office

Kim R. Compton being first duly sworn,
deposes and says that he is the printer (publisher) of the Gooding
County Leader, a newspaper published every week in Gooding, County
of Gooding, State of Idaho, that said newspaper has been continuously
and uninterruptedly published for a period of seventy-eight consecu-
tive weeks prior to the first publication of the annexed notice, and is
a newspaper qualified to publish legal notices as provided by act of
the 1919 session of the legislature of the State of Idaho, known as
House Bill 145; that the annexed advertisement was published once

each week for 2 consecutive issues in said newspaper
proper and not in a supplement; that the date of the first publication

of said advertisement was on the 3 day of February

19 77, and the date of the last publication was on the 10

day of February, 19 77

Subscribed and sworn to before me this 10

day of February, 19 77.
(SEAL)

NOTARY PUBLIC

GOODING COUNTY LEADER

Gooding, Idaho

COST OF PUBLICATION

Number of Lines in Notice	<u>40</u>	<u>40</u>
Number of Insertions	<u>2</u>	<u>2</u>
Lines tabular at	<u>315c</u>	
<u>40</u> Lines straight at	<u>40</u>	<u>21c</u>
<u>40</u> Subsequent lines at	<u>40</u>	<u>15c</u>
TOTAL COST	<u>14.40</u>	

COPY OF NOTICE

(Paste Here)

WP 36-7672

TITLE OF NOTICE

Water

PLAINTIFF ATTORNEY

DEFENDANT

PLAINTIFF

Dept of Water
BILL TO

NOTICE OF PUBLICATION FOR WATER PERMIT

Notice is hereby given
that Robert D. Wendell, Idaho, on
1/27/77 submitted Application
No. 36-7672 for a permit to
appropriate 2.4 cubic feet per
second of water from ground-
water by means of well,
motor, sprinkler system with-
in the SE $\frac{1}{4}$ SE $\frac{1}{4}$, SW $\frac{1}{4}$ SE $\frac{1}{4}$,
Sec. 14, Twp. 8 S, Rge. 14 E.,
B.M., Gooding County to be
used from April 1 to Nov. 1 for
irrigation purposes of 120
acres within the SE $\frac{1}{4}$ SE $\frac{1}{4}$.

2-25-77, Sec. 14, Twp. 8 S,
Rge. 14 E., B.M.

If issued, this permit will
be subject to all prior water
rights. Protests against the
granting of the permit must
be filed with the Idaho De-
partment of Water Resources,
1041 Blue Lakes Blvd., North,
Twin Falls, Idaho, 83301 on or
before 2/21/77.

/s/ R. Keith Higginson
Director

Pub: 2-3, 10

12450

Nº 1100

MICROFILMED

February 15, 1983

RE: Permit No. 36-7672

Robert D. Isaacs
Route #1
Wendell, ID 83355

Dear Mr. Isaacs:

Enclosed herewith is a copy of the Water Right License issued on the above referenced Permit.

Sincerely,



JIM JOHNSON
Water Distribution Supervisor

JJ:kw
Enclosure

MICROFILMED



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

A. KENNETH DUNN

Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

January 11, 1983

RE: Permit No. 36-7682

Robert D. Isaacs
Route #1
Wendell, WID 83355

Dear Mr. Isaacs:

A representative of this Department has made an examination of the works covered by your Permit No. 36-7682, and has found the following:

Amount of water that can be recognized as beneficially used under Idaho law: 1.77 cfs Source: groundwater

The maximum quantity diverted shall not exceed 412.0 acre feet per year.

Point(s) of diversion: SW $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 14, Twp. 8S, Rge. 14E, Gooding County

Beneficial use: Irrigation of 103 acres within the SE $\frac{1}{4}$ SW $\frac{1}{4}$, S $\frac{1}{2}$ SE $\frac{1}{4}$, Sec. 14, Twp. 8S, Rge. 14E

Priority date established: January 27, 1977

Conditions (if any): This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 4.0 afa per acre for the lands above.

If you do not concur with these findings please contact us within 10 days, otherwise a water license will be issued as set forth above.

Sincerely,

JIM JOHNSON
Water Distribution Supervisor

JJ:kw

MICROFILMED

DEC 3 1982

Department of Water Resources

Permit No.

DATE	INITIALS	REMARKS
------	----------	---------

- | | | | | |
|--------------------------|--|------------|-------|-------|
| ☐ | Appointment letter mailed: | _____ | _____ | _____ |
| ☐ | Telephone call made:
(List Telephone No. used) | _____ | _____ | _____ |
| ☐ | Appointment scheduled for:
(Date, time, location) | 5/11/82 | ADM | _____ |
| | | 10:00 p.m. | | _____ |

Date 5/11/82 Accompanied by Robert Isaacs Total Q measured 1.77 cfs
If source is surface water, estimate total flow of source _____
Methods of measurement Annubar Meets Permit requirements? _____

$$V = (103 \text{ acres}) \times (4.0 \text{ A.F./Ann./Acre}) = 412 \text{ A.F./Ann.}$$

WELL/DIVERSION* NO.	HP	MOTOR MAKE	MOTOR SERIAL NO.	PUMP MAKE	PUMP SERIAL NO.	MEASURING DEVICE TYPE	CONDITION OF MEAS. DEV.	REMARKS
	60	U.S. Elect Motor	R-6233-03- 176	Peerless	No Serial	7.981" bsr 0-13" meter	Good	

System Description Well with Pump delivers to 6" portable alum. main line
which delivers water to 4 - wheel-lines and 1 short hand-line.

**Code with map on reverse side. Disregard code if only one.*

Irrigation requirement = 4.0 AFA/Acre


Q (cfs)	V (afa)	FROM	TO
<u>1.77 cfs</u> ✓	<u>412.0</u> ✓	<u>4/1</u>	<u>11/1</u>

Irrigation

Total

Remarks When meas. was taken all four wheel-lines were operating with pressure at closest sprinkler meas. 41 psi. Mr. Isaacs opened valve at end of east mainline to approximate discharge of hand-line; discharge increased to 1.84 cfs however pressure in nearest sprinkler dropped to 36 psi. Mr. Isaacs indicated that he does not normally operate all sprinklers at the same time due to the pressure drop. I recommend that 1.77 be allowed as this is how he normally operates system.

Overlap Review attached



SCHEMATIC DIAGRAM OF SYSTEM

(Include distance from pump to measuring device, if applicable.)

Point(s) of diversion: SW¹/₄ SE¹/₄, Sec. 14, T.8S., R.14E., B.M.

Place(s) of Use

TWP.	RGE.	SEC.	NE ¹ / ₄				NW ¹ / ₄				SW ¹ / ₄				SE ¹ / ₄				TOTALS
			NE ¹ / ₄	NW ¹ / ₄	SW ¹ / ₄	SE ¹ / ₄	NE ¹ / ₄	NW ¹ / ₄	SW ¹ / ₄	SE ¹ / ₄	NE ¹ / ₄	NW ¹ / ₄	SW ¹ / ₄	SE ¹ / ₄	NE ¹ / ₄	NW ¹ / ₄	SW ¹ / ₄	SE ¹ / ₄	
✓ 8 S.	14 E.	14												38				37 28	103

103

Recommended Amendments:

- ☐ Change P.D. as reflected above
- ☐ Add P.D. as reflected above
- ☒ None
- ☐ Change P.U. as reflected above
- ☐ Add P.U. as reflected above
- ☐ Other

Examiner's Signature

Checked by

Approved by

Allen D. Menth

J.F. Stanton

Reyn

Date

Date

Date

5/12/92

9-28-82

1-5-83

21

4.6

D545
(632A)

E
60.0

3301
084

3677672

D848
(4652)

12.7

37

240

34

24

32

44


38

93

31

8

5



36-7672

IDWR SUPPLEMENTAL FIELD REPORT
FOR ANNUBAR MEASUREMENT

Measured by: ADM

Date 5/11/82

Owner: Robert

Permit No. 76-7672

Description of well &/or measuring site (give distance to restrictions upstream and downstream): 60 H.P. U.S. Elec Motor ID# R-6233-3-176
Peerless Pump No Serial
Model 8X8X16 1/2

Measured inside diameter of pipe in inches (A) 8"

Size of Annubar used in test 7.891"

State ID# of Annubar Meter used 091411

Size Eagle Eye Meter used 0-13

State ID# of Meter used 091465

Date of Last Calibration of Meter 1/18/82

Observed inches of H2O read on Meter 10.5

Adjusted inches of H2O from Last Calibration (B) _____

CALCULATION: $\frac{(3.85) \times (A)^2 \times \sqrt{B}}{448.8} =$ cfs measured

Where A and B are measured in inches and 3.85 is a constant for the model 75 Annubar.


SKETCH:

4- Wheel-lines with
reverse of 30 bits
each running at
time of exam

1/4" drilled from
1/4" nozzles

1- 15 bit handle
not running.

Opened Valve
dropped pressure from
41 psi to 36 psi
2nd distance 824 ft
but not normally
operated that way.



Overlap Review for 36-7672

Permit 02-7249 Snake R. No Overlap - different Source
Recommend Cond R1b

Permit 36-7879 gw Overlaps P/U in SESE Sec 14 (9ac)

No Overlap - stage being Permit
and can assume the acres
are different.

Recommend Cond R1b

RC 1/5/83



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
SOUTHERN REGION

John V. Evans
Governor

1041 Blue Lakes Blvd. North
Twin Falls, Idaho 83301
(208) 734-3578

C. Stephen Allred
Director

RECEIVED

MAY 27 1982

Department of Water Resources

May 19, 1982

Robert D. Isaacs
Rt. 1
Wendell, Idaho 83355

Re: Permit No. 36-7672

Dear Mr. Isaacs:

We acknowledge receipt of the affidavit submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We cannot tell just when this examination will be made, but our examiner will try to contact you at the time he makes the examination so that you may show him the system.

Field examinations must be done while the system is in operation. For this reason we concentrate on irrigation permits during the summer months and do examinations on permits for other uses during the non-irrigating months.

If you have any questions regarding the field examination, please contact our office.

Sincerely,

GARY L. FUNDERBURG
Sr. Water Resource Agent

LOH:GLF:marya

MICROFILMED

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 36-7672.

Name(s) of Permit Holder: Robert D. Isaacs

Post Office Address: Rt. 1, Wendell, Idaho

Tel. No. 536-2088

Source of Water: groundwater

Extent of Use: ☐ Domestic (number of households)
☐ Stockwater (number and type of stock)
☒ Irrigation 120 (acres)
☐ Other

Measurement Device: Required? ☐ Yes ☐ No Installed? ☐ Yes ☐ No
 Access Port: Required? ☒ Yes ☐ No Installed? ☒ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

Feb. 25, 1982 Robert D. Isaacs

MICROFILMED

RECEIVED

PLACE
TEN CENT
STAMP
HERE

FEB 26 1982

Department of Water Resources



MICROFILMED

RECEIVED

FEB 26 1982

Department of Water Resources
Southern District Office

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

138981

ISAACS, ROBERT D.
RT. 1
WENDELL, ID 83355

DECEMBER 31, 1981

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 36-7672 WAS THAT EVIDENCE OF THE EXTENT OF DEVELOPMENT MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE MARCH 01, 1982. (SEE LAST PAGE OF YOUR APPROVED PERMIT). ENCLOSED IS A POST CARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF OF BENEFICIAL USE.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU HAVE NOT PREVIOUSLY RECEIVED AN EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME PROVIDED THE DELAY IS FOR REASONABLE CAUSE AS INDICATED IN SECTION 42-204, IDAHO CODE, AMENDED. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED.

EITHER THE BENEFICIAL USE POST CARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE MENTIONED DATE, OTHERWISE, THE PERMIT WILL LAPSE AND BE OF NO FURTHER FORCE OR EFFECT WITHIN 60 DAYS.

SINCERELY,

RITA FLECK
SR. SECRETARY

ENC: 1

MICROFILMED



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

C. STEPHEN ALLRED
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

19 May, 1981

Dear Wateruser:

The enclosed Order changes the measuring device condition of approval on your water right permit.

The changed condition is less restrictive and provides you the option to install an access port or have your system measured and certified by a professional engineer. Instructions for access port installation are also enclosed.

If you have questions regarding this matter, please contact the Regional Office nearest to you.

Sincerely,

David R. Tuthill Jr.

DAVID R. TUTHILL JR., P.E.
Supervisor, Water Allocations Section

DRT:jg

Enclosures

Northern Region Office
Rt. #5 Box 203, Government Way
Coeur d'Alene, Idaho 83814

Eastern Region Office
1515 Lincoln Road
Idaho Falls, Idaho 83401

Southern Region Office
1041 Blue Lake Boulevard North
Twin Falls, Idaho 83301

Western Region Office
92 South Cole Road
Boise, Idaho 83705

MICROFILMED

IDENT. NO. 36-71672

I D A H O D E P A R T M E N T O F W A T E R R E S O U R C E S

WATER RIGHT
DATA ENTRY LOG

[illegible]

March 2, 1977

Re: Permit No. 36-7672

Robert D. Isaacs
Route #1
Wendell, ID 83355

Dear Mr. Isaacs:

Enclosed is a copy of your approved Application for Permit No. 36-7672. We direct your attention to the conditions of approval as listed on the fourth page.

Be sure to note that a special condition requiring you to install and maintain a measuring device at your point of diversion has been placed upon your permit. We are enclosing a letter describing different types of measuring devices accepted by this office.

Sincerely,

BOBBY D. FLEENOR
Chief, Water Rights

Enclosure: Copy of permit

MICROFILMED

DEPARTMENT OF WATER RESOURCES
- STAFF ANALYSIS -

Item Initial Date

Application No. 36-7672 - ISAACS, Robert D.

☒ Source
☒ Point of Diversion
☒ County
☒ Quantity of Water and Period of Use
☒ Description of Diverting Works
☒ Time required for B/U of water
☒ Place of Use or Acres Irrigated
☒ Map
☒ Signature
☒ Fee

(1) ADM 1-28-77

In form to receipt

(2) ADM 1-28-77

Send Copies to:

Idaho State Health Department
Idaho Fish and Game Department
Bureau of Land Management

(3) ADM 1-28-77

Request Special Use Permit from U.S.F.S.
Request Easement from B.L.M.
Request Information from Applicant

(4) JS 1-31-77

In form for advertising

(5)

Platted on Map No.

(6)

Located within Water District No.

(7) mls 2-23-77

Critical groundwater area: yes no ☒

(8) mls 2-23-77

Groundwater levels:

 Declining, ☒ Stable, Increasing

(comment)

(9)

Other rights on the same place of use

(10)

Comments:

(11) SB 2/15/77

Affidavit of Publication received(date)

(12)

Final date for protests 2/21/77

Protests received: yes no ☒

(13)

All requested information received from agencies or applicant: yes no

(14) mls 2-23-77

Action recommended:

☒ Approve Deny

 Proposed Priority

 Reason for Reduction

☒ Measuring device required

 See attached sheet for other conditions

MICROFILMED

Southern Michael Hale 2-23-77
Copy sent to Boise 1/28/77

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Robert D. Isaacs
Rte. #1, Wendell, Idaho 83355
has on 1/27/77 submitted Application No. 36-7672
for a permit to appropriate 2.4 cubic feet per second ~~XXXXXX~~
of water from groundwater
by means of well, motor, sprinkler system
within the SE1/4, SW1/4, Sec. 14, Twp. 8 S, Rge. 14 E., B.M., Gooding County

to be used from April 1 to Nov. 1
for irrigation purposes of 120 acres

within the SE1/4, SW1/4, Sec. 14, Twp. 8 S, Rge. 14 E., B.M.

If issued, this permit will be subject to all prior water rights. Protests
against the granting of the permit must be filed with the Idaho Department of
Water Resources, 1041 Blue Lakes Blvd., North, Twin Falls, Idaho, 83301 on or be-
fore 2/21/77.

R. KEITH HIGGINSON

Director

Published in the Gooding County Leader

2/3

and 2/10/77

MICROFILMED

RECEIVED

Department of Water Resources
Southern District Office

**NOTICE OF APPLICATION
FOR WATER PERMIT**

Notice is hereby given that Robert D. Isaacs Rte. #1, Wendell, Idaho 83355 has on 1/27/77 submitted Application No. 36-7672 for a permit to appropriate 2.4 cubic feet per second of water from groundwater by means of well, motor, sprinkler system within the SE $\frac{1}{4}$ SE $\frac{1}{4}$, SW $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 14, Twp. 8 S, Rge. 14 E., B.M., Gooding County to be used from April 1 to Nov. 1 for irrigation purposes of 120 acres within the SE $\frac{1}{4}$ SW $\frac{1}{4}$, S $\frac{1}{2}$ SE $\frac{1}{4}$, Sec. 14, Twp. 8 S, Rge. 14 E., B.M. *de SB*

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 6041 Blue Lakes Blvd., North, Twin Falls, Idaho, 83301 on or before 2/21/77. *2/21/77*

/s/ R. Keith Higginson
Director

Pub: 2-3, 10

January 28, 1977

Gooding County Leader
Box 56
Gooding, Idaho 83330

RE: Application for Permit #36-7672 - Isaacs, Robert D.

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

In order to receive payment, an affidavit of publication must be submitted to the Department along with the publication bill.

Sincerely,

Michael L. Steele
Southern Region Supervisor

MLS:sb

enclosure

Bill submitted: 2/15/77

MICROFILMED