


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Raymond G Clark
(Applicant)

- [illegible]

- CONSULTANT SEAL



Pumping System of
Ray Clark

TURBIN MOTOR & PUMP.



Rate-Flow meter



Property South of Railroad
Tracts.

UNFILMED

MAY 10 1989

Ray Clark
36-7644

8-30-1984

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 36-07644

Priority: September 22, 1976 Amount: 3.34 CFS 758.0 AFA

This is to certify, that RAYMOND G. CLARK

RT. 4 BOX 207

JEROME, ID 83338

has complied with the terms and conditions of the permit issued pursuant to Application for Permit dated September 22, 1976, and has submitted proof to the Department of Water Resources on September 4, 1981, that water has been applied to a beneficial use; an examination by the Department indicates that the works have a diversion capacity of 3.340 cfs of water from a GROUNDWATER source and that a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>VOLUME</u>
IRRIGATION	03/15 to 11/15	3.34 CFS	758.0 AFA

LOCATION OF POINT(S) OF DIVERSION: SWSE, Sec. 31, Township 08S, Range 18E
JEROME County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
08S	18E	31	SESW 33.8	SWSE 33	SESE 31.1		97.9
09S	18E	6	LOT 1(NENE) 27.5	LOT 2(NWNE) 32.2	LOT 3(NENW) 31.9		91.6

Total number of acres irrigated: 189.5

CONDITIONS/REMARKS:

1. The right to the use of water hereby confirmed is limited to the amount which can actually be beneficially used and is restricted and appurtenant to the lands or place of use and to the purpose herein described, as provided by the laws of Idaho.
2. This right is subject to all prior water rights and may be forfeited by five years of non-use.
3. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
4. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.0 afa per acre for the lands above.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 21st day of April, 1989.

MICROFILMED

MAY 10 1989

Acting for the Director

[Signature]

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF CHANGING THE MEASURING
DEVICE REQUIREMENT FOR PERMIT NO. 36-7644

ORDER

WHEREAS, the above numbered permit was approved with the condition that a measuring device of a type approved by the Department be permanently installed and maintained as part of the diverting works; and,

WHEREAS, on July 1, 1978, the Department adopted a new water measurement condition which states: "An access port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department"; and,


WHEREAS, the former condition required the permit holder to purchase and install a measuring device or hire a professional engineer to certify the rate of diversion; and,

WHEREAS, the measuring device condition effective July 1, 1978, requires less capital expenditure by the permit holder; and,

WHEREAS, to be equitable to holders of permits issued prior to July 1, 1978, the new condition should be retroactive;

NOW THEREFORE, it is hereby ordered that the condition of approval of this permit related to water measurement is hereby changed as follows: "The permit holder shall either install a measuring device or provide a certified measurement by a professional engineer or install an access port or other device as specified by the Department".

Dated this 18th day of August, 1978.


C. STEPHEN ALLRED
Director

MICROFILMED

SEP 11 1978

SEP 11 1978

RECEIVED

SEP 22 1976

Department of Water Resources
Southern District Office

Identification No. _____

Application No. 36-7644

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

1. Name of applicant Raymond G. Clark Phone: 324-5013
post office address Route #4, Box 207, Jerome, Idaho 83338
2. Source of water supply groundwater which is a tributary of _____
3. a. Location of point of diversion is SW $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 31 Township 8S
Range 18E B.M. Jerome County; additional points of diversion if any: _____

b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____
4. Water will be used for the following purposes:
Amount 4.0 cfs for irrigation purpose from March 15 to Nov. 15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
a. 4.0 cubic feet per second and/or
b. _____ acre feet per annum.
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. well, pump, motor and handline,
wheel line sprinkler system

b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet, materials used in storage dam: _____
Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)
c. Proposed well diameter is 16 inches; proposed depth of well is 300 feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 5 years.
b. Estimated construction cost is \$ 75,000.
8. Description of proposed uses:
a. If water is **not** for irrigation:
(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M. _____
(2) Amount of power to be generated: _____ hp under _____ feet of head.
(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water _____.
(5) If water is to be used for other purposes describe: _____

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP.	RANGE	SEC.	NE1/4				NW1/4				SW1/4				SE1/4				TOTALS
			NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	
8S	18E	31												28			28	24	80
9S	18E	6	40	40			40												120

Total number of acres to be irrigated 200

c. Describe any other water rights used for the same purposes as described above.

158 shares of North Side Canal Co. water


9. a. Who owns the property at the point of diversion Applicant

b. Who owns the land to be irrigated or place of use Applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing.

10. Remarks

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Raymond G. Clark
(Applicant)

Proposed Priority 9-22-76

Received by ADM Date 9-22-76 Time 10:30

Preliminary check by mls Fee \$ 55.00 #2214

Receipted by pj Date 9-22-76

Publication prepared by pj Date 9-24-76

Published in North Side News

Publication dates 9-30 and 10-7-76

Publication approved LM Date 9-28-76

Priority reduced to _____ Reason _____

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by mls

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 36-7644, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before November 1, 19 81.

c. Other: A measuring device of a type approved by the Director shall be permanently installed and maintained as part of the diverting works.

2. Denial of said application is for the following reasons: _____

Witness my hand this 16 day of November, 19 76.

R. Karl Higin
Director

AFFIDAVIT of PUBLICATION

State of Idaho, }
County of Jerome } SS.

L. E. LANGDON
ASST. PUBLISHER

being first duly sworn,
deposes and says that he is the printer (publisher) of the Jerome
North Side News, a newspaper published every week in Jerome, County
of Jerome, State of Idaho; that said newspaper has been continuous-
ly and uninterruptedly published for a period of seventy-eight consecu-
tive weeks prior to the first publication of the annexed notice, and is
a newspaper qualified to publish legal notices as provided by act of
the 1919 session of the legislature of the State of Idaho, known as
House Bill 145; that the annexed advertisement was published once

each week for 2 consecutive issues in said newspaper
proper and not in a supplement; that the date of the first publication
of said advertisement was on the 30th day of September
1976, and the date of the last publication was on the 7th
day of October, 1976.

L. E. Langdon

Subscribed and sworn to before me this 29th
day of October, 1976.
(SEAL)

Darla Scott
NOTARY PUBLIC

NORTH SIDE NEWS Jerome, Idaho COST OF PUBLICATION

Number of Lines in Notice	<u>34</u>
Number of Insertions	<u>2</u>
Lines tabular at	315c
<u>34</u> Lines straight at	21c
<u>34</u> Subsequent lines at	15c
TOTAL COST	<u>12²⁴</u>

COPY OF NOTICE (Paste Here)

NTC App WTR Permit-Clark
TITLE OF NOTICE
36-7644

PLAINTIFF ATTORNEY

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that
Raymond G. Clark, Route No. 4,
Box 207, Jerome, Idaho 83338
has on 9-22-76 submitted App-
lication No. 36-7644 for a
permit to appropriate 4.0 cubic 2ES
feet per second of water from BLW
groundwater by means of well,
pump, motor and handline,
wheel line sprinkler system
within the SW $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 31,
Twp. 8S, Rge. 18E, B.M.,
Jerome County to be used from
March 15 to November 15 for
irrigation of 200 acres within the
SE $\frac{1}{4}$ SW $\frac{1}{4}$, S $\frac{1}{2}$ SE $\frac{1}{4}$, Sec. 31,
Twp. 8S; N $\frac{1}{2}$ NE $\frac{1}{4}$, NE $\frac{1}{4}$ NW $\frac{1}{4}$,
Sec. 6, Twp. 9S, Rge. 18E, B.M.
If issued, this permit will be
subject to all prior water rights.
Protests against the granting of
the permit must be filed with
the Idaho Department of Water
Resources, 1041 Blue Lakes
Blvd., North, Twin Falls, Idaho,
83301 on or before October 18,
1976.

R. KEITH HIGGINSON
Director

9-30-2tc-n

PUBLICATION RATES (Idaho Code, Rev. Statutes 1971)	
7 pt. per line, straight	21c
7 pt. per line, tabular	315c
7 pt. per line, successive insertions	15c

No. 3270

*OK
11-2-76*

April 25, 1989

RAYMOND G. CLARK
RT. 4 BOX 207
JEROME, ID 83338

RE: PERMIT NO. 36-07644

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

MAY 10 1989

March ~~M~~, 1989

RAYMOND G. CLARK
RT. 4 BOX 207
JEROME, ID 83338

RE: PERMIT NO. 36-07644

Dear Permit Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

NOT FILMED

MAY 10 1989

POINT OF DIVERSION OVER

WR-NUMBER	TWP	RNG	SC	TRACT	LT	#SOURCE	#NAME
				1\4 1\4 1\4			
3607644	08S	18E	31	SW SE		GROUNDWATER	CLARK, RAYMOND
3608286	<i>application - 1985</i>					GROUNDWATER	CLARK, RAYMOND

MICROFILMED

MAY 10 1989

[illegible]

- [illegible]

- CONSULTANT SEAL

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

LICENSING REPORT

RECEIVED

OCT 31 1985

36-7644
Permit No.

Department of Water Resources

1. Measurement Calculations

- a) Field Measurement Calculations (Include theoretical capacities and system capacity)

$$1500 \text{ gal}/60 \text{ sec} = 3.34 \text{ cfs}$$

- b) Volume Calculations for Irrigation:

$$\begin{aligned} V_{I.R.} &= (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 189.5 \times 4 = 758 \\ V_{D.R.} &= [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 3.34 \times 245 \times 1.9835 = 1623 \\ V &= \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 758 \text{ ACF/ANN.} \end{aligned}$$

- c) Volume Calculations for Other Uses:

2. Overlap Review

- a) Other water rights with same place of use: _____

- b) Other water rights with same point of diversion: _____

- c) Analysis:

MICROFILMED

MAY 10 1989

● RECOMMENDED AMOUNTS ●


- [illegible]



TURBIN MOTOR & Pump.



Pumpping SYSTEM OF
Ray Clark



Property South of Railroad
TRACTS.

Rata-Flow meter

Ray Clark
36-7644

8-30-1984

RECEIVED

MAY 10 1989



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
SOUTHERN REGION

John V. Evans
Governor

C. Stephen Allred
Director

1041 Blue Lakes Blvd. North
Twin Falls, Idaho 83301
(208) 734-3578

November 2, 1981

Raymond G. Clark
Rt. 4 Box 207
Jerome, Idaho 83338

Re: Application for Permit No. 36-7644

Dear Mr. Clark:

We acknowledge receipt of the affidavit submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We cannot tell just when this examination will be made, but our examiner will try to contact you at the time he makes the examination so that you may show him the system.

Field examinations must be done while the system is in operation. For this reason we concentrate on irrigation permits during the summer months and do examinations on permits for other uses during the non-irrigating months.

If you have any questions regarding the field examination, please contact our office.

Sincerely,

Gary L. Funderburg
Senior Water Resource Agent

GLF:maray

MICROFILMED

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this as a statement that the permit holder has completed development to the extent shown below of Permit No. 36-7644.

Name(s) of Permit Holder: Raymond G Clark

Post Office Address: Route 4 Box 207

Jerome, Idaho 83338 Tel. No. 324-5013

Source of Water: Underground

Extent of Use:

☐ Domestic	_____	(number of households)
☐ Stockwater	_____	(number and type of stock)
☒ Irrigation	<u>200</u>	(acres)
☐ Other	_____	

Measuring Device: Required? ☒ Yes ☐ No Installed? ☒ Yes ☐ No

Access Port: Required? ☒ Yes ☐ No Installed? ☒ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

Sept 2/81
Date

Raymond G Clark
Signature of Permit Holder

MICROFILMED

Raymond G. Clark
Rt 4 Box 207
Jerome, Idaho 83338

PLACE
TEN CENT
STAMP
HERE

RECEIVED



SEP 4 1981

IDAHO DEPARTMENT OF WATER RESOURCES

STATEHOUSE

Department of Water Resources

BOISE, IDAHO 83720

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

CLARK, RAYMOND G.
RT. 4 BOX 207
JEROME, ID 83338

#138505

AUGUST 31, 1981

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 36-7644 WAS THAT EVIDENCE OF THE EXTENT OF DEVELOPMENT MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE NOVEMBER 01, 1981. (SEE LAST PAGE OF YOUR APPROVED PERMIT). ENCLOSED IS A POST CARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF OF BENEFICIAL USE.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU HAVE NOT PREVIOUSLY RECEIVED AN EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME PROVIDED THE DELAY IS FOR REASONABLE CAUSE AS INDICATED IN SECTION 42-204, IDAHO CODE, AMENDED. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED. A REQUEST FOR EXTENSION OF TIME FORM IS ENCLOSED FOR YOUR CONVENIENCE. PLEASE NOTE THAT A FEE OF \$15.00 MUST BE SUBMITTED WITH THIS FORM.

EITHER THE BENEFICIAL USE POST CARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE MENTIONED DATE, OTHERWISE, THE PERMIT WILL LAPSE AND BE OF NO FURTHER FORCE OR EFFECT WITHIN 60 DAYS.

SINCERELY,

RITA FLECK
SR. SECRETARY

ENCLOSURES

MINUTEMED

IDENT. NO. 36-7644

I D A H O D E P A R T M E N T O F W A T E R R E S O U R C E S

WATER RIGHT
DATA ENTRY LOG

[illegible]



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

C. STEPHEN ALLRED
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

October 31, 1980

Dear Wateruser:

The enclosed Order changes the measuring device condition of approval on your water right permit.

The changed condition is less restrictive and provides you the option to install an access port or have your system measured and certified by a professional engineer. Instructions for access port installation are also enclosed.

If you have questions regarding this matter, please contact the Regional Office nearest to you.

Sincerely,

David R. Tuthill Jr.

DAVID R. TUTHILL JR., P.E.
Supervisor, Water Allocations Section

DRT:jg

Enclosures

Northern Region Office
Rt. #5 Box 203, Government Way
Coeur d'Alene, Idaho 83814

Eastern Region Office
1515 Lincoln Road
Idaho Falls, Idaho 83401

Southern Region Office
1041 Blue Lake Boulevard North
Twin Falls, Idaho 83301

Western Region Office
92 South Cole Road
Boise, Idaho 83705

MICROFILMED

November 22, 1976

Re: Permit No. 36-7644

Raymond G. Clark
Route #4, Box 207
Jerome, ID 83338

Dear Mr. Clark:

Enclosed is a copy of your approved Application for Permit No. 36-7644. We direct your attention to the conditions of approval as listed on the fourth page.

Be sure to note that a special condition requiring you to install and maintain a measuring device at your point of diversion has been placed upon your permit. We are enclosing a letter describing different types of measuring devices accepted by this office.

Sincerely,

BOBBY D. FLEENOR
Chief, Water Rights

Enclosure: Copy of permit

DEPARTMENT OF WATER RESOURCES
- STAFF ANALYSIS -

Raymond G. Clark

Item Initial Date

Application No. 36-7644 Raymond G. Clark

☒ Source
☒ Point of Diversion
☒ County
☒ Quantity of Water and Period of Use
☒ Description of Diverting Works
☒ Time required for B/U of water
☒ Place of Use or Acres Irrigated
☒ Map
☒ Signature
☒ Fee

(1) mls 9-24-76

In form to receipt

(2) _____

Send Copies to:

_____ Idaho State Health Department
_____ Idaho Fish and Game Department
_____ Bureau of Land Management

(3) _____

_____ Request Special Use Permit from U.S.F.S.
_____ Request Easement from B.L.M.
_____ Request Information from Applicant

(4) TGB 9-24-76

In form for advertising

(5) _____

Platted on Map No. _____

(6) _____

Located within Water District No. _____

(7) mls 11-3-76

Critical groundwater area: yes _____ no ☒

(8) mls 11-3-76

Groundwater levels:

_____ Declining, ☒ Stable, _____ Increasing

(comment) _____

(9) _____

Other rights on the same place of use

(10) _____

Comments: _____

(11) _____

Affidavit of Publication received(date) 11-2-76

(12) _____

Final date for protests 10-18-76
Protests received: yes _____ no _____

(13) _____

All requested information received from agencies or applicant: yes _____ no _____

(14) mls 11-3-76

Action recommended:

☒ Approve _____ Deny

_____ Proposed Priority

_____ Reason for Reduction

☒ Measuring device required

_____ See attached sheet for other conditions of approval

_____ No special conditions for approval

(15) District Southern By Michael Steele Date 11-3-76

Appt sent to Boise on 9-24-76 p1

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Raymond G. Clark

Route #4, Box 207, Jerome, Idaho 83338

has on 9-22-76 submitted Application No. 36-7644

for a permit to appropriate 4.0 cubic feet per second ~~XXXXXXFEETPERSECOND~~

of water from groundwater

by means of well, pump, motor and handline, wheel line sprinkler system

within the SW₁/4, SE₁/4, Sec. 31, Twp. 8S, Rge. 18E, B.M., Jerome County

to be used from March 15 to November 15

for irrigation of 200 acres

within the SE₁/4, SW₁/4, S₁/2, Sec. 31, Twp. 8S; N₁/2, NE₁/4, NE₁/4, Sec. 6, Twp. 9S,
Rge. 18E, BM.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 1041 Blue Lakes Blvd., North, Twin Falls, Idaho, 83301 on or before October 18, 1976.

R. KEITH HIGGINSON

Director

Published in the North Side News

on Sept. 30 and Oct. 7, 1976

GALLEY PROOF

NOTICE OF APPLICATION
FOR WATER PERMIT

Notice is hereby given that Raymond G. Clark, Route No. 4, Box 207, Jerome, Idaho 83338 has on 9-22-76 submitted Application No. 36-7644 for a permit to appropriate 4.0 cubic feet per second of water from groundwater by means of well, pump, motor and handline, wheel line sprinkler system within the SW $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 31, Twp. 8S, Rge. 18E, B.M., Jerome County to be used from March 15 to November 15 for irrigation of 200 acres within the SE $\frac{1}{4}$ SW $\frac{1}{4}$, S $\frac{1}{2}$ SE $\frac{1}{4}$, Sec. 31, Twp. 8S; N $\frac{1}{2}$ NE $\frac{1}{4}$, NE $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 6, Twp. 9S, Rge. 18E, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 1041 Blue Lakes Blvd., North, Twin Falls, Idaho, 83301 on or before October 18, 1976.

R. KEITH HIGGINSON
Director

9-30-2tc-n

OK
HM
9-28-76

September 24, 1976

North Side News
P. O. Box 468
Jerome, Idaho 83338

Re: Application for Permit No. 36-7644 - Raymond G. Clark

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

In order to receive payment, an affidavit of publication must be submitted to the Department along with the publication bill.

Sincerely,

Michael L. Steele
Southern Region Supervisor

MLS:pj

Enc.

Bill submitted: _____

RECEIVED
SEP 27 1976
FBI - JEROME