


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.


(Applicant)

RECEIVED AFFIDAVIT of PUBLICATION

OCT 18 1976

State of Idaho,

SS.

County of Gooding Resources
Southern District Office

Kim R. Compton

being first duly sworn, deposes and says that he is the printer (publisher) of the Gooding County Leader, a newspaper published every week in Gooding, County of Gooding, State of Idaho, that said newspaper has been continuously and uninterruptedly published for a period of seventy-eight consecutive weeks prior to the first publication of the annexed notice, and is a newspaper qualified to publish legal notices as provided by act of the 1919 session of the legislature of the State of Idaho, known as House Bill 145; that the annexed advertisement was published once

each week for 2 consecutive issues in said newspaper proper and not in a supplement; that the date of the first publication

of said advertisement was on the 7 day of October,

19 76, and the date of the last publication was on the 14

day of October, 19 76.

Kim R. Compton

Subscribed and sworn to before me this 14

day of October, 19 76.

(SEAL)

Garnett Hall
NOTARY PUBLIC

GOODING COUNTY LEADER

Gooding, Idaho

COST OF PUBLICATION

Number of Lines in Notice 32 32

Number of Insertions 2 2

Lines tabular at 315c

32 Lines straight at 32 21c 6.72

32 Subsequent lines at 32 15c 4.80

TOTAL COST 11.52

CO OF NOTICE

(Paste Here)

WP # 36-7640

TITLE OF NOTICE

PLAINTIFF ATTORNEY

DEFENDANT

PLAINTIFF

Dept of Water
BILL TO

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Bruce Olsen Route #1, Wendell, Idaho has on 8-23-76 submitted Application No. 36-7640 for a permit to appropriate 3.2 cubic feet per second of water from groundwater by means of well, motor, pump and sprinkler system within the SW $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 35, Twp. 7S, Rge. 14E, B.M., Gooding County to be used from March 15 to November 15 for irrigation within the E $\frac{1}{2}$ SW $\frac{1}{4}$, W $\frac{1}{2}$ SE $\frac{1}{4}$, Sec. 35, Twp. 7S, Rge. 14E, B.M. (160 acres).

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 1041 Blue Lakes Blvd., North, Twin Falls, Idaho, 83301 on or before October 25, 1976.

/S/ R. KEITH HIGGINSON
Director


b: 10-7, 14

7 pt. per line, straight	21c
7 pt. per line, tabular	315c
7 pt. per line, successive insertions	15c

16673

No 975

RECEIVED



SCHEMATIC DIAGRAM OF SYSTEM

(Include distance from pump to measuring device, if applicable.)

Point(s) of diversion: NW 1/4 SE 1/4, Sec 35 T 7 S R 14 E.

Place(s) of Use ☒

TWP.	RGE.	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
7S	14E	35									36			36		36			108 ☒

108

Recommended Amendments:

- ☒ Change P.D. as reflected above
- ☐ Add P.D. as reflected above
- ☐ None
- ☐ Change P.U. as reflected above
- ☐ Add P.U. as reflected above
- ☐ Other

Examiner's Signature Gary Jendaburg

Checked by J.P. Stanton

Approved by Kay Walker

Date 12-12-1983


Date 12-12-83

Date 8/2/86

MICROFILMED

DEC 16 1986

36-7640



State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 36-7640 Priority October 8, 1976 Amount 2.13 cfs
(Late Proof)

THIS IS TO CERTIFY, that Paul Borchard
of Wendell, Idaho, has complied with the terms and conditions of Permit
No. 36-7640 issued pursuant to Application for Permit dated August 23, 1976,
and has submitted proof to the Department of Water Resources on July 14, 1982,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of 2.13 cfs of water from a groundwater source,
tributary to _____, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
Irrigation	from <u>March 15</u> to <u>November 15</u>	at <u>2.13</u> cfs and	<u>432.0</u> acre feet
	from _____ to _____	at _____ cfs and	
	from _____ to _____	at _____ cfs and	

(both dates inclusive)

Subject, however, to the condition that no more than 2.13 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
432.0 acre feet per year, said waters to be diverted within the NW 1/4 SE 1/4 Section 35,
Twp 7S, Rge 14E in the County of Gooding

Description and location of place of use:

Twp.	Range	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
7S	14E	35									36			36		36			108

Total number of acres irrigated 108

CONDITIONS OF APPROVAL

a. Modifications to or variance from this license must be made within the limits of Section 42-222, **Idaho Code**, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

b. The right to the use of the water hereby confirmed is restricted and appurtenant to lands or place of use herein described, and is subject to all prior water rights, as provided by the laws of Idaho.

c. Any water right confirmed in this license for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this license and shall not give rise to any right or claim against any future rights to the use of water other than hydropower, within the State of Idaho initiated later in time than the priority of this license.

This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.0 afa per acre for the lands above.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 26TH day of NOVEMBER, 19 86.

RECORDED

DEC 16 1986

Acting for the Director

Norman C. Young

15-
2-
3-14

Ident. No.

STATE OF IDAHO

APPLICATION FOR AMENDMENT
(For Licensing Purposes)

RECEIVED

NOV 19 1986

Comes now Paul Borchard

Phone

Department of Water Resources

of (address) ~~* Rt. 1~~ Wendell, ID 83355 ~~* 1511 E. 3600 S.~~, and represents to the Director of the Idaho Department of Water Resources:

That he is the owner and holder of Permit to Appropriate the Public Waters of the State of Idaho No. 36-7640, and requests that the permit be changed as follows:

1a. Point of diversion: NW 1/4 SE 1/4, Section 35, Township 7S, Range 14E, B.M., County of Gooding. Other points of diversion: _____

1b. Source: groundwater tributary to -----

2a. Period and nature of use:

Amount 2.13 for Irrigation purposes from 3/15 to 11/15 (both dates inclusive)
(cfs or acre feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre feet per annum)

2b. The maximum quantity diverted shall not exceed 2.13 cfs or 432.0 acre feet per year.

3. Place of use or land to be irrigated:

TWP	RGE	SEC	NE				NW				SW				SE				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
7S	14E	35									36			36		36			108

Total number of acres to be irrigated = 108

4. Date of priority: October 8, 1976 (Late Proof)

5. Conditions (if any): This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.0 afa per acre for the lands above.

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at Wendell, this 17 day of Nov, 1986.

Paul L. Bordman
(Signature)

FOR DEPARTMENT USE ONLY

Preliminary check by kw Fee = \$20.00 ✓ Received by mg Date 11-19-86 # 40825

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, A. KENNETH DUNN, of the Department of Water Resources hereby APPROVE the above Application for Amendment of Permit No. 36-7640.

Witness my hand this 26TH day of NOVEMBER, 1986.

Norman Young
Acting for the Director

MICROFILMED

DEC 10 1986

State of Idaho
Department of Water Resources

ASSIGNMENT OF PERMIT

I, BRUCE OLSEN, hereby assign to PAUL BORCHARD
of RT. 1 WENDELL IDAHO 83351
Address

CHECK ONE



All my right, title, and interest in and to Permit No. 36-7640
to appropriate the public waters of the State of Idaho.



The following described portion of my right, title, and interest in and to Permit
No. _____ to appropriate the public waters of the State of Idaho.

(Describe that portion of the permit being assigned by listing the acreage within
each 40 acre subdivision, the point of diversion and the amount of water in cubic
feet per second for direct diversion, or acre feet for storage)

RECEIVED
MAR 10 1982
Department of Water Resources
Bureau of Water Control

RECEIVED
MAR 12 1982
Department of Water Resources

Made this _____ day of _____, 19 _____.

Paul Borchard
Permit Holder

Sharon L. Olsen
Spouse of Permit Holder

State of Idaho)
County of Gooding) ss.

On this 3rd day of March, 19 82, personally
appeared before me the signer(s) of the above instrument, who duly acknowledged to me
that he (she) (they) executed the same.

seal

James Hill
Notary Public residing at

Wendell, Idaho

My commission expires:

After Term

MICROFILMED
DEC 16 1985

RECEIVED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

REQUEST FOR EXTENSION OF TIME

JAN 10 1980

Department of Water Resources
Southern District Office

To provide additional time in which to submit
proof of beneficial use on a water right permit

Bruce Olsen of Route #1, Wendell
(Name) (Address)

State of Idaho, deposes and says:

That he is the holder, or the duly authorized agent of the holder*, of Permit to Appropriate the Public Waters of the State of Idaho No. 36-7640.

That under the terms and conditions of said permit, work thereunder was required to be completed on or before December 1, 19 79.


That he has heretofore performed the following work described under said permit: _____

Well has been drilled.

Costing \$ 2,000.

That he is unable to complete the remainder of the work within the required time for the following reasons, to-wit: Idaho Power Co. will not hook up power to the well pending final action on their lawsuit.

Wherefore, he asks that the Department of Water Resources extend the time for the completion of obligations under said permit to December 1, 19 84.


(Signature)*

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

IT IS HEREBY ORDERED that the above application for extension of time be APPROVED and the time within which to submit proof of beneficial use of water is extended to December 1, 1984.

IT IS FURTHER ORDERED that the permit be reinstated and the priority advanced to October 8, 1976, pursuant to Section 42-218a of the Idaho Code.

Signed this 28th day of January, 19 80.


Chief, OPERATIONS BUREAU

MICROFILMED

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF CHANGING THE MEASURING
DEVICE REQUIREMENT FOR PERMIT NO. **36-7640**

ORDER

WHEREAS, the above numbered permit was approved with the condition that a measuring device of a type approved by the Department be permanently installed and maintained as part of the diverting works; and,

WHEREAS, on July 1, 1978, the Department adopted a new water measurement condition which states: "An access port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department"; and,

WHEREAS, the former condition required the permit holder to purchase and install a measuring device or hire a professional engineer to certify the rate of diversion; and,

WHEREAS, the measuring device condition effective July 1, 1978, requires less capital expenditure by the permit holder; and,

WHEREAS, to be equitable to holders of permits issued prior to July 1, 1978, the new condition should be retroactive;

NOW THEREFORE, it is hereby ordered that the condition of approval of this permit related to water measurement is hereby changed as follows: "The permit holder shall either install a measuring device or provide a certified measurement by a professional engineer or install an access port or other device as specified by the Department".

Dated this 18th day of August, 1978.


C. STEPHEN ALLRED
Director

MICROFILMED

RECEIVED

AUG 23 1976

Department of Water Resources
Southern District Office

Identification No. _____

Application No. 36-7640

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

Assigned to:
Paul BORCHARD

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

1. Name of applicant Bruce Olsen Phone: 536-2256
post office address Route #1, Wendell, Idaho
2. Source of water supply groundwater which is a tributary of _____
3. a. Location of point of diversion is SW $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 35 Township 7S
Range 14E B.M. Gooding County; additional points of diversion if any: _____

b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____
4. Water will be used for the following purposes:
Amount 2.21 ~~3.2~~ cfs for irrigation purpose from March 15 to Nov. 15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated: GLF
a. 3.2 2.21 cubic feet per second and/or
b. _____ acre feet per annum.
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. well, motor, pump and sprinkler
system

b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet, materials used in storage dam: _____
Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)
c. Proposed well diameter is 16 inches; proposed depth of well is 200 feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 3 years.
b. Estimated construction cost is \$ 25,000.
8. Description of proposed uses:
a. If water is **not** for irrigation:
(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M. _____
(2) Amount of power to be generated: _____ hp under _____ feet of head.
(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water _____.
(5) If water is to be used for other purposes describe: _____

1.57 108 216

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP.	RANGE	SEC.	NE1/4				NW1/4				SW1/4				SE1/4				TOTALS
			NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	
7S	14E	35									40			40		40	40		160

Total number of acres to be irrigated 160

c. Describe any other water rights used for the same purposes as described above.

45 shares North Side water which has been sold.


9. a. Who owns the property at the point of diversion Applicant

b. Who owns the land to be irrigated or place of use Applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

10. Remarks

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.


(Applicant)

Proposed Priority 8-23-76

Received by GF Date 8-23-76 Time 2:00
Preliminary check by EW Fee \$ 55.00 #2186
Receipted by pj Date 8-23-76
Publication prepared by pj Date 8-24-76
Published in Gooding County Leader
Publication dates 9-2 and 9-9-76
Publication approved LM Date 10-6-76
Priority reduced to _____ Reason _____

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by MBH

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES


This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 36-7640, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before December 1, 1979.
- c. Other: A measuring device of a type approved by the Director shall be permanently installed and maintained as part of the diverting works.

2. Denial of said application is for the following reasons: _____

Witness my hand this 16 day of November, 1976.


Director

RECEIVED AFFIDAVIT of PUBLICATION

OCT 18 1976

State of Idaho,

SS.

County of Gooding
Southern District Office

Kim R. Compton

being first duly sworn, deposes and says that he is the printer (publisher) of the Gooding County Leader, a newspaper published every week in Gooding, County of Gooding, State of Idaho, that said newspaper has been continuously and uninterruptedly published for a period of seventy-eight consecutive weeks prior to the first publication of the annexed notice, and is a newspaper qualified to publish legal notices as provided by act of the 1919 session of the legislature of the State of Idaho, known as House Bill 145; that the annexed advertisement was published once

each week for 2 consecutive issues in said newspaper proper and not in a supplement; that the date of the first publication

of said advertisement was on the 2 day of October

19 76, and the date of the last publication was on the 14

day of October, 19 76.

Kim R. Compton

Subscribed and sworn to before me this 14

day of October, 19 76.

(SEAL)

Garnett Hall
NOTARY PUBLIC

GOODING COUNTY LEADER

Gooding, Idaho

COST OF PUBLICATION

Number of Lines in Notice 32 32

Number of Insertions 2 2

Lines tabular at 315c

32 Lines straight at 32 21c 6.72

32 Subsequent lines at 32 15c 4.80

TOTAL COST 11.52

COPY OF NOTICE

(Paste Here)

WP # 36-7640


TITLE OF NOTICE

PLAINTIFF ATTORNEY

DEFENDANT

PLAINTIFF

W. J. of Water
BILL TO



(1)
7 pt. per line, straight 21c
7 pt. per line, tabular 315c
7 pt. per line, successive
insertions 15c

16673

No 975

RM
10-18-76

Eaton Drilling and Pump Service

pg 2 of 2

36-93-S-0205-000

WENDELL, IDAHO 83355

208-536-2223

"Serving Magic Valley Since 1907"

RECEIVED

JUL 06 1993

Department of Water Resources
Southern Region Office

State of Idaho
Department of Water Resources
222 Shoshone St. S.
Twin Falls, Id 83301

REQUEST FOR VARIANCE

DATE: 6-4-93

WELL LOCATION: T. 7 S R. 14 E sec 35 NWSE Bending City

OWNER: Paul Berchard Permit # 36-93-S-205-001

Top Soil at well location is 1 feet. Request permission to set casing 8 feet into bedrock. Total depth casing set would then be 9 feet below ground surface.

Casing will then be properly sealed with cement grout up to the top of the bedrock.

Thank you for your attention to this variance request.

Eaton Drilling & Pump Service, Inc.


Drilling Supervisor

December 12, 1986

RE: Permit No. 36-7640

Paul Borchard
1511 E. 3600 S.
Wendell, ID 83355

Dear Permit Holder(s):

Enclosed herewith is a copy of your Water Right License issued on the above referenced permit along with a copy of your approved application for amendment. Also enclosed is Departmental Receipt No. 40825 in the amount of \$20.00.

Should you have any questions regarding these documents, please feel free to contact our office.

Sincerely,

JIM JOHNSON
Water Rights Supervisor


JJ:sc
Enclosures

MICROFILMED

DEC 16 1986

PAUL BORCHARD
1511 E. 3600 S.
WENDELL, IDAHO 83355

note
address
correction



Dept. of Water Resources
450 W. State St.
Bozoe

83720

DEC 16 1986

MICROFILMED



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

A. KENNETH DUNN

Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

November 10, 1986

RE: Permit No. 36-7640

Paul Borchard
Rt. 1
Wendell, ID 83355

Dear Permit Holder(s):

The above referenced water right is in the process of being licensed. However, before a license can be issued, your permit must be amended to correspond with the findings of the Department's field examiner.

The enclosed application for amendment contains all of the information that will be included on the license when it is issued. Please review carefully and if you concur, sign the amendment and return with the \$20.00 filing fee within 30 days.

If you do not concur with these findings or if you have any questions, please contact us within the 30-day period.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

DEC 16 1986

FROM *Jim*

DATE

SUBJECT

TO *key*

Is it. 36-2534 from a G.W. source?

*yes but not same p/d —
is diverted from SESW,
Sec. 35, T75, R14E.*

SIGNATURE

Jim
TO: GARY
FROM: Gary
Jim

This looks OK - Have no idea
what is being done w/ other right. 10-15-86

RE: Overlap.

This rt. OVERLAPS w/ another G.W. rt. (36-2534).
It has been past practice to not consider
existing G.W. rts. in overlaps when
the P./D. is not in the same $\frac{1}{4}$ $\frac{1}{4}$.

Any comments before we send
correspondance?

State of Idaho
DEPARTMENT OF WATER RESOURCES
FIELD REPORT

RECEIVED

JAN 6 1984

36-7640

Permit No.

CONTACT WITH PERMIT HOLDER

Department of Water Resources
Southern District Office

	DATE	INITIALS	REMARKS
☐ Appointment letter mailed:	8-27-82	AF	
☐ Telephone call made: (List Telephone No. used)			
☐ Appointment scheduled for: (Date, time, location)	8-28-83 1:30 P.M.		

EXAMINATION

Date Aug 28, 1983 Accompanied by Paul Borchard Total Q measured ✓ 2.13 cfs
If source is surface water, estimate total flow of source _____
Methods of measurement Eagle Eye Meter Meets Permit requirements? yes

Measurement calculations: IRR, 2.13 cfs
Volume: (2.13 cfs)(1.98)(245 days) = 1033.26 Afa.
(IRR Req 4.0 Afa/Ac) (108 Afa) = 432 Afa ✓

WELL/DIVERSION* NO.	HP	MOTOR MAKE	MOTOR SERIAL NO.	PUMP MAKE	PUMP SERIAL NO.	MEASURING DEVICE TYPE	CONDITION OF MEAS. DEV.	REMARKS
	60	G.E.	G29A21901	Rayne & Bonner Vert. line			Good	

System Description Well Motor pump w/ pivot


*Code with map on reverse side. Disregard code if only one.

RECOMMENDED AMOUNTS

USE Irrigation ✓
Irrigation requirement = 4.0 ✓ AFA/Acre
Q (cfs) 2.13 ✓ V (afa) 432 ✓ FROM MARCH 15 ✓ TO NOV. 15 ✓
Total 1033 432 Afa

Remarks THIS WATER is pump from the ground
& delivered to a pivot sprinkler system.

Overlap Review per VAX:
pld - none
plu - 01-0005, 01-0016, 01-0212, 01-0213, 01-0215, 01-0220,
36-2534 g.w.
Recommend R31 for Plu overlap.



SCHEMATIC DIAGRAM OF SYSTEM

(Include distance from pump to measuring device, if applicable.)

Point(s) of diversion: NW 1/4 SE 1/4, Sec 35 T 7 S R 14 E.

Place(s) of Use ☒

TWP.	RGE.	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
7S	14E	35									36			36		36			108 ✓

108

Recommended Amendments:






- ☒ Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

Examiner's Signature Gary J. Jankowski
 Checked by J. P. Stanton
 Approved by Ray Walker

Date 12-13-1983
 Date 12-12-83
 Date 8/2/86

MICROFILMED

DEC 16 1986



D 6.1
(985d)

DEC 10

IDWR SUPPLEMENTAL FIELD REPORT
FOR ANNUBAR MEASUREMENT

Measured by:

Song Furuberg

Date

Aug 28, 1983

Owner:

Paul Borchard

Permit No.

36-7640

Description of well &/or measuring site (give distance to restrictions upstream and downstream): well, Motor, pump w/pivot

Measured inside diameter of pipe in inches (A)

8"

Size of Annubar used in test

7.98

State ID# of Annubar Meter used

Size Eagle Eye Meter used

10-80

State ID# of Meter used

091475

Date of Last Calibration of Meter

4-25-83

Observed inches of H2O read on Meter

18"

Adjusted inches of H2O from Last Calibration (B)

0.917


CALCULATION: $\frac{(3.85) \times (A)^2 \times \sqrt{B}}{448.8} =$

2.13 ✓

cfs measured

Where A and B are measured in inches and 3.85 is a constant for the model 75 Annubar.

SKETCH:



1041 gpm

2.32 cfs

x 0.917

2.127

MICROFILMED

DEC 10 1986



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
SOUTHERN REGION

John V. Evans
Governor

C. Stephen Allred
Director

1041 Blue Lakes Blvd. North
Twin Falls, Idaho 83301
(208) 734-3578

August 27, 1982

Paul Borchard
Rt. 1
Wendell, Idaho 83355

Re: Permit No. 36-7640

Dear Mr. Borchard:

We acknowledge receipt of the affidavit submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We cannot tell just when this examination will be made, but our examiner will try to contact you at the time he makes the examination so that you may show him the system.

Field examinations must be done while the system is in operation. For this reason we concentrate on irrigation permits during the summer months and do examinations on permits for other uses during the non-irrigating months.

If you have any questions regarding the field examination, please contact our office.

Sincerely,

Gary L. Funderburg
Sr. Water Resource Agent

MICROFILMED

DEC 16 1986

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 36-7640

Name(s) of Permit Holder: Paul Botchard

Post Office Address: Rt 1 Wendell, ID 83355

Source of Water: Ground water

Extent of Use:

☐ Domestic	(number of households)
☐ Stockwater	(number and type of stock)
☒ Irrigation	<u>160</u> (acres)
☐ Other	

RECEIVED
Permit No. 36-7640
JUL 14 1982

Measuring Device:	Required?	☒ Yes ☐ No	Installed?	☐ Yes ☐ No
Access Port:	Required?	☐ Yes ☐ No	Installed?	☒ Yes ☐ No

Department of Water Resources
Southern District Office

The above information is a true statement of the extent to which the above numbered permit has been developed.

7/14/82

Date

Paul Botchard
Signature of Permit Holder

PLACE
TEN CENT
STAMP
HERE

Department of Water Resources

JUL 16 1982

RECEIVED
BUI



IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE

BOISE, IDAHO 83720

MICROFILMED

DEC 16 1986

March 25, 1982

RE: Permit No. 35-7640

Paul Borchard
Route #1
Wendell, ID 83355

Dear Permit Holder:

This is to acknowledge receipt of the assignment conveying the above referenced permit to you. The assignment has been recorded and the Department records changed accordingly.

Enclosed for your records is a copy of the permit. Please note the conditions of approval on the fourth page.

Sincerely,

ROBYN CARLSON
Chief Clerk

RC:kw
Enclosure

RECEIVED

DEC 7 1986

February 7, 1980

Bruce Olsen
Route 1
Wendell, ID 83355

Dear Mr. Olsen:

Re: Permit No. 36-7640

Enclosed is a copy of the approved request for an extension of time. The time within which to submit proof of beneficial use of water is extended to December 1, 1984.

Please note that the priority date has been advanced to October 8, 1976.

Sincerely,

JAN GROVER
Water Rights Supervisor

JG:rf

Enclosure

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

OLSEN, BRUCE
RT. 1
WENDELL, ID

DECEMBER 05, 1979

DEAR PERMIT HOLDER:

YOU ARE HEREBY NOTIFIED THAT UNDER THE PROVISIONS OF SECTION 42-218A OF THE IDAHO CODE, PERMIT NO. 36-7640 HAS LAPSED SINCE YOU HAVE NOT NOTIFIED US THAT YOU HAVE COMPLETED THE PROJECT BY THE DATE REQUIRED ON YOUR PERMIT. YOU WERE PROVIDED FORMS FOR THAT PURPOSE IN OUR NOTICE TO YOU DATED SEPTEMBER 30, 1979.

YOUR PERMIT CANNOT BE REINSTATED UNLESS YOU SUBMIT THE PROOF OF BENEFICIAL USE AFFIDAVIT, ENCLOSED, OR SHOW OTHER REASONABLE CAUSE WHY THE PERMIT SHOULD BY REINSTATED WITHIN 60 DAYS FROM THE DATE OF THIS LAPSE NOTICE.

C. STEPHEN ALLRED
DIRECTOR

ENCLOSURE

CERTIFICATION OF RECEIVING
Thereby certifying that the enclosed was
delivered to the addressee on
DEC 5 1979
Rita Fleck

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 384-2215

OLSEN, BRUCE
RT. 1
WENDELL, ID

101368

SEPTEMBER 30, 1979

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 36-7640 WAS THAT EVIDENCE OF THE EXTENT OF DEVELOPMENT MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE DECEMBER 01, 1979. (SEE LAST PAGE OF YOUR APPROVED PERMIT). ENCLOSED IS A POST CARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF OF BENEFICIAL USE.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU HAVE NOT PREVIOUSLY RECEIVED AN EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME PROVIDED THE DELAY IS FOR REASONABLE CAUSE AS INDICATED IN SECTION 42-204, IDAHO CODE, AMENDED. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED.

EITHER THE BENEFICIAL USE POST CARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE MENTIONED DATE, OTHERWISE, THE PERMIT WILL LAPSE AND BE OF NO FURTHER FORCE OR EFFECT WITHIN 60 DAYS.

SINCERELY,

RITA FLECK
SR. SECRETARY

ENC: 1

MICROFILMED



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 373 W. Franklin Street, Boise, Idaho

JOHN V. EVANS
Governor

C. STEPHEN ALLRED
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 384-2215

June 19, 1979

Dear Wateruser:

The enclosed Order changes the measuring device condition of approval on your water right permit.

The changed condition is less restrictive and provides you the option to install an access port or have your system measured and certified by a professional engineer. Instructions for access port installation are also enclosed.

If you have questions regarding this matter, please contact the Regional Office nearest to you.

Sincerely,

DAVID R. TUTHILL, JR.
Supervisor, Water Allocations Section

DRT:lr

Enclosures

Northern Region Office
Rt. #5, Box 203 Government Way
Coeur d'Alene, Idaho 83814

Eastern Region Office
1515 Lincoln Street
Idaho Falls, Idaho 83401

Southern Region Office
1041 Blue Lake Blvd. North
Twin Falls, Idaho 83301

Western Region Office
92 S. Cole Road
Boise, Idaho 83705

MICROFILMED

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources within 30
days after the completion or abandonment of the well.

RECEIVED

APR 19 1977

Department of Water Resources
Southern District Office

1. WELL OWNER

Name Bruce Olson
Address Wendell Idaho
Owner's Permit No. 36-7640

7. WATER LEVEL

Static water level 75 feet below land surface
Flowing? ☐ Yes ☒ No G.P.M. flow _____
Temperature _____ ° F. Quality _____
Artesian closed-in pressure _____ p.s.i.
Controlled by ☐ Valve ☐ Cap ☐ Plug

2. NATURE OF WORK

☒ New well ☐ Deepened ☐ Replacement
☐ Abandoned (describe method of abandoning)

8. WELL TEST DATA

☐ Pump ☒ Bailor ☐ Other

Discharge G.P.M. Draw Down Hours Pumped

3. PROPOSED USE

☐ Domestic ☒ Irrigation ☐ Test ☐ Other (specify type)
☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection

4. METHOD DRILLED

☒ Cable ☐ Rotary ☐ Dug ☐ Other

5. WELL CONSTRUCTION

Diameter of hole 16 inches Total depth 95 feet
Casing schedule: ☒ Steel ☐ Concrete

Thickness	Diameter	From	To
<u>.025</u> inches	<u>16</u> inches	<u>0</u> feet	<u>20</u> feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet

Was casing drive shoe used? ☐ Yes ☒ No
Was a packer or seal used? ☐ Yes ☒ No
Perforated? ☐ Yes ☒ NoHow perforated? ☐ Factory ☐ Knife ☐ Torch

Size of perforation _____ inches by _____ inches

Number	From	To
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet

Well screen installed? ☐ Yes ☒ No

Manufacturer's name _____

Type _____ Model No. _____

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Diameter _____ Slot size _____ Set from _____ feet to _____ feet


Gravel packed? ☐ Yes ☒ No Size of gravel _____

Placed from _____ feet to _____ feet

Surface seal depth 18 ft Material used in seal ☒ Cement grout
☐ Puddling clay ☐ Well cuttingsSealing procedure used ☐ Shurry pit ☐ Temporary surface casing
☐ Overbore to seal depth

6. LOCATION OF WELL

Sketch map location must agree with written location.



Subdivision Name _____

Lot No. _____ Block No. _____

County GoodingSE 1/4 SW 1/4 Sec. 35, T. 7 N/S, R. 14 E/W

10.

Work started 11-20-76 finished 12-20-76

11. DRILLERS CERTIFICATION

Firm Name Kenneth McCrac W.D. Firm No. 243Address Rt #1 Wendell Idaho Date 3/28/77Signed by (Firm Official) Kenneth J. McCre

and

(Operator) Self

November 22, 1976

Re: Permit No. 36-7640

Bruce Olsen
Route #1
Wendell, ID 83355

Dear Mr. Olsen:

Enclosed is a copy of your approved Application for Permit No. 36-7640. We direct your attention to the conditions of approval as listed on the fourth page.

Be sure to note that a special condition requiring you to install and maintain a measuring device at your point of diversion has been placed upon your permit. We are enclosing a letter describing different types of measuring devices accepted by this office.

Sincerely,

BOBBY D. FLEENOR
Chief, Water Rights

Enclosure: Copy of permit

DEPARTMENT OF WATER RESOURCES
- STAFF ANALYSIS -

Item Initial Date

Application No. 36-7640 Bruce Olsen

☒ Source
☒ Point of Diversion
☒ County
☒ Quantity of Water and Period of Use
☒ Description of Diverting Works
☒ Time required for B/U of water
☒ Place of Use or Acres Irrigated
☒ Map
☒ Signature
Fee

- (1) RJN 8/24/76 In form to receipt
- (2) _____ Send Copies to:
_____ Idaho State Health Department
_____ Idaho Fish and Game Department
_____ Bureau of Land Management
- (3) _____ Request Special Use Permit from U.S.F.S.
_____ Request Easement from B.L.M.
_____ Request Information from Applicant
- (4) RJN 8-25-76 In form for advertising
- (5) _____ Platted on Map No. _____
- (6) _____ Located within Water District No. _____
- (7) mls 10-27-76 Critical groundwater area: yes _____ no ☒
- (8) mls 10-27-76 Groundwater levels:
_____ Declining, ☒ Stable, _____ Increasing
(comment) _____
- (9) _____ Other rights on the same place of use
- (10) _____ Comments: _____
- (11) LM 10-18-76 Affidavit of Publication received(date) 10-18-76
- (12) _____ Final date for protests October 25, 1976
Protests received: yes _____ no ☒
- (13) _____ All requested information received from agencies or applicant: yes _____ no _____
- (14) mls 10-27-76 Action recommended:
☒ Approve _____ Deny
_____ Proposed Priority
_____ Reason for Reduction
☒ Measuring device required
_____ See attached sheet for other conditions of approval
_____ No special conditions for approval
- (15) District Southern By Michael Steele Date 10-27-76

Copies sent to Boise 8-25-76 (D)

DATE

11-9-76

FROM

Gary Funderburg

TO

File

SUBJECT

Item 4 & 5 was changed over the phone by the Applicant
on 11-9-76, 10:00 a.m.

*I Assume THIS REFERS
TO 36-7640 BUT
ONE COULD NEVER BE
SURE. RKF*



SIGNATURE

All ready filed on.

NE SW 28 Acres - @ .0145 cfs. = .407 cfs.

NW SE 40 Acres - @ .0145 cfs = .580 cfs.

.987 cfs.

NE SW 28 Ac. @ .02 cfs = .56 cfs.

NW SE 40 Ac @ .02 cfs = .80 cfs.

1.36 cfs.

should file for:
diffi.

1.360

.987

.373

Not filed on -

NE SW 12 Acres. @ .02 cfs. .24 cfs.

SE SW 40 Ac. @ .02 .80

SW SE 40 Ac @ .02 .80

1.84 cfs.

.373

2.213

~~.373~~

~~.24~~

~~.613 cfs.~~

Bruce Olsen 36-7640

9-28-76 - Phoned the newspaper to track down our Affidavit of Publication. Said they have never received our original notice for publication.

9-29-76 - Made copies of our notice and cover letter to send to newspaper to be published on Oct. 7 and 14, 1976, with protest date to be up on Oct. 25.

August 24, 1976

Gooding County Leader
Box 56
Gooding, Idaho 83330

Re: Application for Permit No. 36-7640 - Bruce Olsen
Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

In order to receive payment, an affidavit of publication must be submitted to the Department along with the publication bill.

Sincerely,

Michael L. Steele
Southern Region Supervisor

MLS:pj

Enc.

Bill submitted: 10-19-76

RM

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Bruce Olsen

Route #1, Wendell, Idaho

has on 8-23-76 submitted Application No. 36-7640

for a permit to appropriate 3.2 cubic feet per second ~~XXXXXX~~

of water from groundwater

by means of well, motor, pump and sprinkler system

within the SW $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 35, Twp. 7S, Rge. 14E, B.M., Gooding County

to be used from March 15 to November 15

for irrigation

within the E $\frac{1}{2}$ SW $\frac{1}{4}$, W $\frac{1}{2}$ SE $\frac{1}{4}$, Sec. 35, Twp. 7S, Rge. 14E, B.M. (160 acres)

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 1041 Blue Lakes Blvd., North, Twin Falls, Idaho, 83301 on or before October 25, 1976.

R. KEITH HIGGINSON

Director

Published in the Gooding County Leader

on Oct. 7 and Oct. 14, 1976

**NOTICE OF APPLICATION
FOR WATER PERMIT**

Notice is hereby given that Bruce Olsen Route #1, Wendell, Idaho has on 8-23-76 submitted Application No. 36-7640 for a permit to appropriate 3.2 cubic feet per second of water from groundwater by means of well, motor, pump and sprinkler system within the SW $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 35, Twp. 7S, Rge. 14E, B.M., Gooding County to be used from March 15 to November 15 for irrigation within the E $\frac{1}{2}$ SW $\frac{1}{4}$, W $\frac{1}{2}$ SE $\frac{1}{4}$, Sec. 35, Twp. 7S, Rge. 14E, B.M. (160 acres).

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 1041 Blue Lakes Blvd., North, Twin Falls, Idaho, 83301 on or before October 25, 1976.

/S/ R. KEITH HIGGINSON
Director

Pub: 10-7, 14

OK 10-6-76

IDENT. NO. 36-7640

I D A H O D E P A R T M E N T O F W A T E R R E S O U R C E S

WATER RIGHT
DATA ENTRY LOG

Initials	Date	Item
		Original form entered
		Edit Report Correct
		Date Protested
		Date of Hearing
		Date Approved/Denied (Proof due date, stage and/or status, conditions of approval, water district)
		Record Verified
		Amendment Approved
		Extension Approved
		Partial Proof
		Proof Complete
		Field Exam Received
		Field Exam Accepted and changes entered
		License Signed
		Transfer Approved
		Key punched by State Office
		Assignment Entered