

RECEIVED

AUG 19 1976

Department of Water Resources
Southern District Office

The Minidoka County News

RUPERT, IDAHO

AFFIDAVIT OF PUBLICATION

County of Minidoka,)
) ss.
STATE OF IDAHO,)

Donald R. Frey, being first
duly sworn, deposes and says that he is the
editor of The Minidoka County
News, a weekly newspaper published at Rupert,
Idaho, in the county aforesaid, and that the paper
is of general circulation therein. Deponent further
states that the printed notice attached hereto was
duly published according to law in the regular
weekly editions of The Minidoka County News for
two consecutive weeks, commencing
with the issue dated Aug. 10, 1976, and
ending with the issue dated Aug. 17, 1976.

Donald R. Frey
Subscribed and sworn to before me this

17th day of Aug., 1976.
Doyle Landrum Notary Public

Cost of Publication _____
Notary Fee _____
Total Cost _____

NOTICE OF APPLICATION FOR WATER PERMIT

NOTICE is hereby given
that J. R. Simplot Co., Rt. #2,
Eastland Drive S, Twin Falls,
Idaho has on 7-27-76 sub-
mitted Application No.
36-7636 for a permit to
appropriate 1.21 cubic feet
per second of water from
groundwater by means of
pumps, sprinkler system
within the Lot 2, Sec. 6, Twp.
10S, Rge. 24E, B.M., Mini-
doka County to be used from
April 1 to Oct. 15 (irrigation),
Jan. 1 to Dec. 31 (industrial)
for industrial purposes and
irrigation within the Lot 2,
Sec. 6, Twp. 10S, Rge. 24E,
B.M.

If issued, this permit will be
subject to all prior water
rights. Protests against the
granting of the permit must
be filed with the Idaho
Department of Water Re-
sources, 1041 Blue Lakes
Blvd., North, Twin Falls,
Idaho, 83301 on or before
August 27, 1976.

R. Keith Higginson
Director

Published in the Minidoka
County News on August 10
and August 17, 1976.
#793-Aug. 10,17,1976



B 4.8
C 6.4
D 11.9

10.2

K 7.2

G 2.6

J 3.8

B615
(262B)

Twp 10S. Rge 24E

B 32.4

36 31
6D3
(3D)

A 5.4

B 13.1

C 15.6

B615
(2D)
G 3.4

B615
(1D)

A 18.5

D 4.2

E 5.1

F 12.4

I 26.6

B 13.3

D494
Office ED.
(4D)

D316
(5D)

D497
A 4.4

A 22.2

10.6

E 18.6

B49

(7D)
A 10.8

D6
(6D)

B 3.0

C 12.7

28.2

A 63.7

D8

(8D)

D450
(9D)

A 24.2

C 2.3

A 12.5

B 10.1

C 22.6

D 9.2

E 8.5

B 13.5

F 7.8

6 5
7 8

NOT TO SCALE

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 36-7636 Priority July 27, 1976 Amount 0.49 cfs

THIS IS TO CERTIFY, that J. R. Simplot Co.
of Twin Falls, Idaho, has complied with the terms and conditions of Permit
No. 36-7636 issued pursuant to Application for Permit dated July 27, 1976,
and has submitted proof to the Department of Water Resources on August 6, 1981,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of 0.49 cfs of water from a groundwater source,
tributary to _____, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
Industrial	from January 1 to December 31	at 0.49 cfs and	1.8 acre feet
	from _____ to _____ at _____ cfs and		
	from _____ to _____ at _____ cfs and		

(both dates inclusive)

Subject, however, to the condition that no more than 0.49 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
1.8 acre feet per year, said waters to be diverted within the Government Lot 2 (SW $\frac{1}{4}$ NW $\frac{1}{4}$),
Section 6, Twp. 10S, Rge. 24E in the County of Minidoka

Description and location of place of use:

Twp.	Range	Sec.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				Totals
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
10S	24E	6						GL2											
								X	X										

Total number of acres irrigated _____

Industrial use is a liquid fertilizer plant and office.

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use herein described, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 27th day of
February, 19 83.

Director

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF CHANGING THE MEASURING
DEVICE REQUIREMENT FOR PERMIT NO. 36-7636

ORDER

WHEREAS, the above numbered permit was approved with the condition that a measuring device of a type approved by the Department be permanently installed and maintained as part of the diverting works; and,

WHEREAS, on July 1, 1978, the Department adopted a new water measurement condition which states: "An access port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department"; and,


WHEREAS, the former condition required the permit holder to purchase and install a measuring device or hire a professional engineer to certify the rate of diversion; and,

WHEREAS, the measuring device condition effective July 1, 1978, requires less capital expenditure by the permit holder; and,

WHEREAS, to be equitable to holders of permits issued prior to July 1, 1978, the new condition should be retroactive;

NOW THEREFORE, it is hereby ordered that the condition of approval of this permit related to water measurement is hereby changed as follows: "The permit holder shall either install a measuring device or provide a certified measurement by a professional engineer or install an access port or other device as specified by the Department".

Dated this 18th day of August, 1978.


C. STEPHEN ALLRED
Director

RECEIVED
AUG 21 1978

RECEIVED

RECEIVED

JUL 27 1976

OCT 7 1978

Identification No. _____

Application No. 36-7636Department of Water Resources
Southern District OfficeDepartment of Water Resources
Southern District Office

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

1. Name of applicant J. R. Simplot Co. Phone: (208) 733-4504
post office address Route 2, Eastland Drive S. Twin Falls, Idaho 83301
2. Source of water supply ground water which is a tributary of _____
3. a. Location of point of diversion is Gant $\frac{1}{4}$ of Lot 2 $\frac{1}{4}$ of Section 6 Township 10 south
Range 24 East B.M. Minidoka County; additional points of diversion if any: _____

- b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____
4. Water will be used for the following purposes:
Amount 54 cfs for irrigation purpose from April 1 to Oct. 15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount 67 cfs for industrial purpose from Jan 1 to Dec. 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
a. 1.21 cfs cubic feet per second and/or
b. 130 acre feet per annum.
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. 40 hp turbine pump
1 hp sub. domestic pump sprinkler system

- b. Height of storage dam none feet, active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet, materials used in storage dam: _____
Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)
- c. Proposed 2 wells well diameters 6 & 8 inches; proposed depth of wells is 150 feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 5 years.
b. Estimated construction cost is \$ 7,000.00.
8. Description of proposed uses:
a. If water is not for irrigation: and SE $\frac{1}{4}$ NW $\frac{1}{4}$ **BDF See map**
(1) Give the place of use of water: _____ $\frac{1}{4}$ of Lot 2 $\frac{1}{4}$ of Section 6 Township 10 S
Range 24 E B.M. _____
(2) Amount of power to be generated: _____ hp under _____ feet of head.
(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water _____
(5) If water is to be used for other purposes describe: irrigation & domestic water sup-
ply for liquid fertilizer plant and surrounding area. Large pump
to be divertable for fire control or high volume emergency wash-
down in case of accident in plant.

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP.	RANGE	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
10 S	24 E	6							Lot 2 12.6	20.7	See map BDF								33.3

Total number of acres to be irrigated 33.3


c. Describe any other water rights used for the same purposes as described above.

9. a. Who owns the property at the point of diversion applicant

b. Who owns the land to be irrigated or place of use applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

10. Remarks



N89°45'E(G.L.O.) 4740.78(G.L.O.)
N89°53'01'E(Cal) 4753.34(Cal)

North(G.L.O.) 4745.81(G.L.O.)
4745.81(G.L.O.)

(0.72) 20.00 Acres
(0.72) 20.00 Acres
(0.72) 20.00 Acres

SECTION 6
LOCATED IN T.10S., R.24E., B.M.
MINIDOKA COUNTY, IDAHO

newton · schaefer · johnston
engineers p.c.
salmon · idaho · twin falls

LEGAL DESCRIPTION OF PROPERTY IN MINIDOKA COUNTY
BEING PURCHASED BY SIMPLOT SOILBUILDERS FROM RUSSELL BLAIR

Beginning at the N.W. corner of Lot 2 of Section 6 Township 10 South, Range 24 East, Boise Meridian, which point shall be known as the True Point of Beginning.

Thence East for 2097.98 feet to a point; thence 00° 07' West for 691.2 feet to a point; thence West for 2096.58 feet to a point on the West Boundary of Section 6; thence North along said West Boundary of Section 6 for 691.24 feet to the True Point of Beginning.

The real property zoned hereby as an IP-1 industrial park zone consists of approximately 33.3 acres.

[illegible]

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

By Ronald L. Gross
Its Secretary

Proposed Priority 7-27-76

Received by TGB Date 7-27-76 Time 9:30 a.m.

Preliminary check by RJN Fee \$ 35.00 #2160 & 2166

Receipted by pj Date 7-27-76

Publication prepared by pj Date 8-3-76

Published in Minidoka County News

Publication dates August 10 and 17, 1976

Publication approved pj Date 8-19-76

Priority reduced to _____ Reason _____

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for (approval) denial by nlj

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 36-7636, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before October 1, 1981.
- c. Other: A measuring device of a type approved by the Director shall be permanently installed and maintained as part of the diverting works.

2. Denial of said application is for the following reasons: _____

Witness my hand this 25 day of October, 1976.

R. Karl Hijo
Director

RECEIVED

AUG 12 1976

Department of Water Resources
Southern District Office

The Minidoka County News

RUPERT, IDAHO

AFFIDAVIT OF PUBLICATION

County of Minidoka,)
) ss.
STATE OF IDAHO,)

Donald R. Frey, being first
duly sworn, deposes and says that he is the
editor of The Minidoka County
News, a weekly newspaper published at Rupert,
Idaho, in the county aforesaid, and that the paper
is of general circulation therein. Deponent further
states that the printed notice attached hereto was
duly published according to law in the regular
weekly editions of The Minidoka County News for
two consecutive weeks, commencing
with the issue dated Aug. 10, 1976, and
ending with the issue dated Aug. 17, 1976.

Donald R. Frey
Subscribed and sworn to before me this

17th day of Aug., 1976.
Deyle Landman Notary Public

Cost of Publication _____
Notary Fee _____
Total Cost _____

RECEIVED AUG 18 1976

WATER PERMIT

NOTICE is hereby given
that J. R. Simplot Co., Rt. #2,
Eastland Drive S, Twin Falls,
Idaho has on 7-27-76 sub-
mitted Application No.
36-7636 for a permit to
appropriate 1.21 cubic feet
per second of water from
groundwater by means of
pumps, sprinkler system
within the Lot 2, Sec. 6, Twp.
10S, Rge. 24E, B.M., Mini-
doka County to be used from
April 1 to Oct. 15 (irrigation),
Jan. 1 to Dec. 31 (industrial)
for industrial purposes and
irrigation within the Lot 2,
Sec. 6, Twp. 10S, Rge. 24E,
B.M.

If issued, this permit will be
subject to all prior water
rights. Protests against the
granting of the permit must
be filed with the Idaho
Department of Water Re-
sources, 1041 Blue Lakes
Blvd., North, Twin Falls,
Idaho, 83301 on or before
August 27, 1976.

R. Keith Higginson
Director

Published in the Minidoka
County News on August 10
and August 17, 1976.
#793-Aug. 10, 17, 1976

March 29, 1983

RE: Permit No. 36-7636

J. R. Simplot Co.
Box 27
Boise, ID 83707

Gentlemen:

Enclosed herewith is a copy of the Water Right License issued on the above referenced Permit.

Sincerely,



JIM JOHNSON
Water Distribution Supervisor

JJ:kw
Enclosure

MICROFILMED



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

A. KENNETH DUNN

Director

Mailing address:

Statehouse

Boise, Idaho 83720

(208) 334-4440

28

January 11, 1983

RE: Permit No. 36-7636

J. R. Simplot Co.

Route-#2, Eastland Drive Box 27

Twin Falls, ID 83301- Boise, ID 83707

Gentlemen:

A representative of this Department has made an examination of the works covered by your Permit No. 36-7636, and has found the following:

Amount of water that can be recognized as beneficially used under Idaho law: 0.49 cfs Source: groundwater

The maximum quantity diverted shall not exceed 1.8 acre feet per year.

Point(s) of diversion: Gov. Lot 2(SW $\frac{1}{4}$ NW $\frac{1}{4}$), Sec. 6, Twp. 10S, Rge. 24E, Minidoka County

Beneficial use: Industrial use within Gov. Lot 2(SW $\frac{1}{4}$ NW $\frac{1}{4}$), SE $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 6, Twp. 10S, Rge. 24E for liquid fertilizer plant and office.

Priority date established: July 27, 1976

Conditions (if any):

If you do not concur with these findings please contact us within 10 days, otherwise a water license will be issued as set forth above.

Sincerely,


JIM JOHNSON

Water Distribution Supervisor

JJ:



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
500 N. Main
Twin Falls, Idaho 83720
0000



1/28/83
as per assessor's
office -
Box 27
Base 183707
1-13-83

MICROFILMED

J. R. Simplot Co.
Route #2, Eastland Drive
Twin Falls, ID 83301

RECEIVED
JAN 14 1983
Department of Water Resources



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

A. KENNETH DUNN

Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

January 11, 1983

RE: Permit No. 36-7636

J. R. Simplot Co.
Route #2, Eastland Drive
Twin Falls, ID 83301

Gentlemen:

A representative of this Department has made an examination of the works covered by your Permit No. 36-7636, and has found the following:

Amount of water that can be recognized as beneficially used under
Idaho law: 0.49 cfs Source: groundwater

The maximum quantity diverted shall not exceed 1.8 acre feet
per year.

Point(s) of diversion: Gov. Lot 2(SW $\frac{1}{4}$ NW $\frac{1}{4}$), Sec. 6, Twp. 10S, Rge. 24E,
Minidoka County

Beneficial use: Industrial use within Gov. Lot 2(SW $\frac{1}{4}$ NW $\frac{1}{4}$), SE $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 6,
Twp. 10S, Rge. 24E for liquid fertilizer plant and office.

Priority date established: July 27, 1976

Conditions (if any):

If you do not concur with these findings please contact us within 10 days, otherwise
a water license will be issued as set forth above.

Sincerely,

JIM JOHNSON
Water Distribution Supervisor

JJ:KW

State of Idaho
DEPARTMENT OF WATER RESOURCES
FIELD REPORT

DEC 8 1982

Department of Water Resources

86-7636

Permit No.

CONTACT WITH PERMIT HOLDER

	DATE	INITIALS	REMARKS
☐ Appointment letter mailed:			
☐ Telephone call made: (List Telephone No. used)			
☐ Appointment scheduled for: (Date, time, location)	8-5-82	go	

EXAMINATION

Date 8-5-82 Accompanied by Cher Larson Total Q measured 0.49 cfs
If source is surface water, estimate total flow of source _____
Methods of measurement timed discharge into tank Meets Permit requirements? ✓

Measurement calculations:

Measurement calculations:
 Measure $1000 \text{ gal} / 283.7 \text{ sec} = 211 \text{ gpm} / 448.8 \text{ gpm} / \text{fs} = 0.47 \text{ fs} + .02 = .49 \text{ capacity} \checkmark$
 allow $.02 \text{ fs}$ from domestic well.

allow .02 cfs from domestic well.

Domestic: $24 \text{ people} \times 50 \text{ gal/person} \times 300 \text{ days} = 1.1 \text{ AFA}$

Volume: Estimated at 600,000 gal/yr by Mr. Larson / 325,900 gal/AF = 1.8 AFA

WELL/DIVERSION* NO.	HP	MOTOR MAKE	MOTOR SERIAL NO.	PUMP MAKE	PUMP SERIAL NO.	MEASURING DEVICE TYPE	CONDITION OF MEAS. DEV.	REMARKS
1	40	FE	TGJ6873062	Lianma	-	1000-gal tank	Good	Main well
2	1	-	-	-	-	-	-	donatic pump (Caudernville)

System Description Two wells, pumps, motors, pipelines

*Code with map on reverse side. Disregard code if only one.

RECOMMENDED AMOUNTS

$$\text{Irrigation requirement} = \frac{\text{ET}_{\text{crop}} - \text{P}}{\text{AFA/Acre}}$$

USE	Q (cfs)	V (afa)	FROM	TO
<i>industrial</i>	<i>0.49 ✓</i>	<i>~~1.8~~ 1.8 ✓</i>	<i>1-1</i>	<i>12-31</i>
Total				

Remarks *No irrigation use; entire area is covered by plant facilitation.*

Measuring-device requirement should be waived, as flow is under the minimum amount requiring a measuring device.

Because port for 4" Annubar was in place, but 4" Annubar was not available during the field exam. So a 1000-gallon tank was filled & timed with a stop watch.


herbicide

Industrial include filling fertilizer trucks, washing equipment, fire protection, domestic use in office. Heaviest use lasts about 1 month in the spring when water is mixed with herbicides for truck application.

MAP (Attach Aerial Photo)

SCHEMATIC DIAGRAM OF SYSTEM

(Include distance from pump to measuring device, if applicable.)



Point(s) of diversion: Lot 5² (SW¹/₄ NW¹/₄) Sec. 6 T. 10S R. 24E

Place(s) of Use

TWP.	RGE.	SEC.	NE ¹ / ₄				NW ¹ / ₄				SW ¹ / ₄				SE ¹ / ₄				TOTALS
			NE ¹ / ₄	NW ¹ / ₄	SW ¹ / ₄	SE ¹ / ₄	NE ¹ / ₄	NW ¹ / ₄	SW ¹ / ₄	SE ¹ / ₄	NE ¹ / ₄	NW ¹ / ₄	SW ¹ / ₄	SE ¹ / ₄	NE ¹ / ₄	NW ¹ / ₄	SW ¹ / ₄	SE ¹ / ₄	
10S	24E	6							X	X									
									173										

Recommended Amendments:

- ☐ Change P.D. as reflected above
- ☐ Add P.D. as reflected above
- ☒ None
- ☐ Change P.U. as reflected above
- ☐ Add P.U. as reflected above
- ☐ Other

Examiner's Signature

Checked by

Approved by

Jerry A. Blau

J. Blau

J. Blau

Date

Date

Date

8-18-82

9-9-82

1-5-83

B 4.8 C 6.4 D 11.9

102

J 3.8

B615
(2628)

B 32.4

32

603
(30)

A 5.4

B615
(20)

B615

ASCC

D 4.2

E 5.1

B 13.3

D494

Office of
(40)

D316

(10)

D497 A

B 4.6

C 18.9

A 22.2

E 18.6

D6
(60)

A 63.7

D8

D450

(90)

A 24.2

NOT TO SCALE



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
SOUTHERN REGION

John V. Evans
Governor

C. Stephen Allred
Director

1041 Blue Lakes Blvd. North
Twin Falls, Idaho 83301
(208) 734-3578

November 25, 1981

J. R. Simplot Co.
Rt. 2 Eastland Drive
Twin Falls, Idaho 83301

Re: Permit No. 36-7636

Gentlemen:

We acknowledge receipt of the affidavit submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We cannot tell just when this examination will be made, but our examiner will try to contact you at the time he makes the examination so that you may show him the system.

Field examinations must be done while the system is in operation. For this reason we concentrate on irrigation permits during the summer months and do examinations on permits for other uses during the non-irrigating months.

If you have any questions regarding the field examination, please contact our office.

Sincerely,

Gary L. Funderburg
Senior Water Resource Agent

GLF:marya

MICROFILMED

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 56-7636.

Name(s) of Permit Holder: J.R. SIMPSON CO.

Post Office Address: RT #2 Festland dr.

THIN Falls, Idaho Tel. No. 733-4504

Source of Water: _____

Extent of Use:

☐ Domestic	_____	(number of households)
☐ Stockwater	_____	(number and type of stock)
☐ Irrigation	_____	(acres)
☒ Other	<u>industrial</u>	<u>(per telephone conversation with Paul Williams - Manager)</u>

Measuring Device: Required? ☐ Yes ☐ No Installed? ☐ Yes ☐ No 11-12-81

Access Port: Required? ☐ Yes ☒ No Installed? ☐ Yes ☒ No ly

The above information is a true statement of the extent to which the above numbered permit has been developed.

8-5-81
Date

Paul M. Williams
Signature of Permit Holder

1981

Simple Seal Builders
Box G.
Barley, Idaho



RECEIVED



MICROFILMED

AUG 6 1981

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE

Department of Water Resources
BOISE, IDAHO 83720

DATE 11-12-1981FILE 36-7636

NAME OF PARTY

Paul M. Williams

EMPLOYEE

Reta Fleck

RE:

Beneficial Use Postcard

Pursuant to telephone conversation with Paul Williams, the extent of use for this permit is for industrial use. They have no intention of developing the 33.3 acres at this time.

The office is located 225 South, 800 West of Rupert.

Also, since there is only the industrial use, the field examiner will need to determine whether a measuring device or access port is necessary.

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

J. R. SIMPLOT CO.
RT. 2 EASTLAND DR. S.
TWIN FALLS, ID 83301

138421

JULY 31, 1981

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 36-7636 WAS THAT EVIDENCE OF THE EXTENT OF DEVELOPMENT MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE OCTOBER 01, 1981. (SEE LAST PAGE OF YOUR APPROVED PERMIT). ENCLOSED IS A POST CARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF OF BENEFICIAL USE.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU HAVE NOT PREVIOUSLY RECEIVED AN EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME PROVIDED THE DELAY IS FOR REASONABLE CAUSE AS INDICATED IN SECTION 42-204, IDAHO CODE, AMENDED. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED. A REQUEST FOR EXTENSION OF TIME FORM IS ENCLOSED FOR YOUR CONVENIENCE. PLEASE NOTE THAT A FEE OF \$15.00 MUST BE SUBMITTED WITH THIS FORM.

EITHER THE BENEFICIAL USE POST CARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE MENTIONED DATE, OTHERWISE, THE PERMIT WILL LAPSE AND BE OF NO FURTHER FORCE OR EFFECT WITHIN 60 DAYS.

SINCERELY,

RITA FLECK
SR. SECRETARY

ENCLOSURES

RECEIVED
JUL 31 1981

IDENT. NO. 310-7636

IDAHO DEPARTMENT OF WATER RESOURCES

WATER RIGHT
DATA ENTRY LOG

[illegible]



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

C. STEPHEN ALLRED

Director

Mailing address:

Statehouse

Boise, Idaho 83720

(208) 334-4440

October 20, 1980

Dear Wateruser:

The enclosed Order changes the measuring device condition of approval on your water right permit.

The changed condition is less restrictive and provides you the option to install an access port or have your system measured and certified by a professional engineer. Instructions for access port installation are also enclosed.

If you have questions regarding this matter, please contact the Regional Office nearest to you.

Sincerely,

David R. Tuthill Jr.

DAVID R. TUTHILL JR., P.E.

Supervisor, Water Allocations Section

DRT:jg

Enclosures

Northern Region Office
Rt. #5 Box 203, Government Way
Coeur d'Alene, Idaho 83814

Eastern Region Office
1515 Lincoln Road
Idaho Falls, Idaho 83401

Southern Region Office
1041 Blue Lake Boulevard North
Twin Falls, Idaho 83301

Western Region Office
92 South Cole Road
Boise, Idaho 83705

October 25, 1976

Re: Permit No. 36-7636

J.R. Simplot Co.
Route 2, Eastland Drive S.
Twin Falls, ID 83301

Gentlemen:

Enclosed is a copy of your approved Application for Permit No. 36-7636. We direct your attention to the conditions of approval as listed on the fourth page.

Be sure to note that a special condition requiring you to install and maintain a measuring device at your point of diversion has been placed upon your permit. We are enclosing a letter describing different types of measuring devices accepted by this office.

Sincerely,

BOBBY D. FLEENOR
Chief, Water Rights

Enclosure: Copy of permit

September 7, 1976

Doug Hill
P. O. Box 111
Twin Falls, Idaho 83301

Dear Mr. Hill:

Pursuant to our telephone conversation on the above date, please find enclosed your Application for Permit No. 36-7636. Please forward the application for the necessary signature.

Sincerely,

Michael L. Steele
Southern Region Supervisor

MLS:pj

Enc.

MODIFIED

DEPARTMENT OF WATER RESOURCES
- STAFF ANALYSIS -

Item Initial Date

Application No. 36-7636 J. R. Simplot Co.

- ☒ Source
☒ Point of Diversion
☒ County
☒ Quantity of Water and Period of Use
☒ Description of Diverting Works
☒ Time required for B/U of water
☒ Place of Use or Acres Irrigated
☒ Map
☒ Signature
☒ Fee

- (1) RLN 8-3-76 In form to receipt
- (2) _____ Send Copies to:
_____ Idaho State Health Department
_____ Idaho Fish and Game Department
_____ Bureau of Land Management
- (3) _____ Request Special Use Permit from U.S.F.S.
_____ Request Easement from B.L.M.
_____ Request Information from Applicant
- (4) Adm 8-3-76 In form for advertising
- (5) _____ Platted on Map No. _____
- (6) _____ Located within Water District No. _____
- (7) mls 8-30-76 Critical groundwater area: yes _____ no ☒
- (8) mls 8-30-76 Groundwater levels:
_____ Declining, ☒ Stable, _____ Increasing
(comment) _____
- (9) _____ Other rights on the same place of use
- (10) _____ Comments: _____
- (11) DJ 8-19-76 Affidavit of Publication received (date) AUGUST 19, 1976
- (12) _____ Final date for protests AUGUST 27, 1976
Protests received: yes _____ no ☒
- (13) _____ All requested information received from agencies or applicant: yes _____ no _____
- (14) mls 8-30-76 Action recommended:
☒ Approve _____ Deny
_____ Proposed Priority
_____ Reason for Reduction
☒ Measuring device required
_____ See attached sheet for other conditions of approval
_____ No special conditions for approval
- (15) District Southern By Michael Stul Date 8-30-76

copy App. sent to Boise 8-4-76 RJ

August 3, 1976

Minidoka County News
625 Fremont Avenue
Rupert, Idaho 83350

Re: Application for Permit No. 36-7636 - J. R. Simplot Co.

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

In order to receive payment, an affidavit of publication must be submitted to the Department along with the publication bill.

Sincerely,

Michael L. Steele
Southern Region Supervisor

MS:pj

Enc.

Bill submitted: 8-19-76 PJ

MICROFILMED

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that J. R. Simplot Co.

Rt. #2, Eastland Drive 8, Twin Falls, Idaho

has on 7-27-76 submitted Application No. 36-7636

for a permit to appropriate 1.21 cubic feet per second ~~XXXXXX~~

of water from groundwater

by means of pumps, sprinkler system

within the Lot 2, Sec. 6, Twp. 10S, Rge. 24E, B.M., Minidoka County

to be used from April 1 to Oct. 15 (irrigation), Jan. 1 to Dec. 31 (industrial)

for industrial purposes and irrigation

within the Lot 2, Sec. 6, Twp. 10S, Rge. 24E, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 1041 Blue Lakes Blvd., North, Twin Falls, Idaho, 83301 on or before August 27, 1976.

R. KEITH HIGGINSON

Director

Published in the Minidoka County News

on August 10 and August 17, 1976

MICROFILMED