


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Marcella Parson
(Applicant)

AFFIDAVIT of PUBLICATION

State of Idaho, }
County of Jerome } SS.

GORDON O. GLASMANN, being first duly sworn, deposes and says that he is the printer (publisher) of the Jerome North Side News, a newspaper published every week in Jerome, County of Jerome, State of Idaho; that said newspaper has been continuously and uninterruptedly published for a period of seventy-eight consecutive weeks prior to the first publication of the annexed notice, and is a newspaper qualified to publish legal notices as provided by act of the 1919 session of the legislature of the State of Idaho, known as House Bill 145; that the annexed advertisement was published once

each week for 2 consecutive issues in said newspaper proper and not in a supplement; that the date of the first publication of said advertisement was on the 4th day of March, 1976, and the date of the last publication was on the 11th day of March, 1976.

Subscribed and sworn to before me this 12th day of March, 1976.
(SEAL)

Darla Bratt
NOTARY PUBLIC

NORTH SIDE NEWS

Jerome, Idaho

COST OF PUBLICATION

Number of Lines in Notice 37
Number of Insertions 2
Lines tabular at 315c
37 Lines straight at 21c 7.77
37 Subsequent lines at 15c 5.55
TOTAL COST \$13.32

COPY OF NOTICE

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Glenn & or Marcella Parson, Route No. 4, Jerome, Idaho 83338 has on 2-19-76 submitted Application No. 36-7609 for a permit to appropriate 6.0 cubic feet per second of water from Groundwater by means of well, pump, motor, and sprinkler system within the SE¹SE¹, Sec. 27, Twp. 8S, Rge. 19E, B.M. Jerome County; NE¹NE¹, Sec. 34, Twp. 8S, Rge. 19E, B.M. to be used from January 1 - December 31 (Stockwater); March 15 - November 15 for irrigation of 300 acres within the SE¹, Sec. 27 (160 acres); NE¹, Sec. 34 (140 acres), Twp. 8S, Rge. 19E, B.M. (irrigation); SE¹SE¹, Sec. 27; NE¹NE¹, Sec. 34, Twp. 8S, Rge. 19E, B.M. (stockwater).

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 1041 Blue Lakes Blvd., North, Twin Falls, Idaho, 83301 on or before March 22, 1976.

R. KEITH HIGGINSON
Director

3-4-21c-n

RECEIVED

MAR 15 1976

Department of Water Resources

Southern District Office

PUBLICATION RATES

(Idaho Code, Rev. Statutes 1971)

7 pt. per line, straight	21c
7 pt. per line, tabular	315c
7 pt. per line, successive insertions	15c

No.

2857


O.K. cc
3/15/76

MICROFILMED

Measured
on
K-12

27
34

Measured
on
K-12



27
34

"NOT TO SCALE"

IDWR SUPPLEMENTAL FIELD REPORT
FOR ANNUBAR MEASUREMENT

Measured by: T.G. Blau

Date: 9-10-81

Owner: Glen Parson

Permit #: 36-7609

Description of well &/or measuring site (give distance to restrictions upstream and downstream): Access port is 5.9' downstream from pump
Water discharges into a small pond approx 50' from pump
It is mixed with canal water and pumped into sprinkler system by 2 booster pumps 60hp and 20hp.

Measured inside diameter of pipe in inches 10.02"

Size of Annubar used in test 10.02"

State ID# of Meter used 191149

Size Eagle Eye Meter used 10-80

State ID# of Meter used 91474

Date of Last Calibration of Meter 3-5-81


Observed inches of H2O read on Meter 18"

Adjusted inches of H2O from Last Calibration 13.61"

CALCULATION:
$$\frac{(3.85) \times (A)^2 \times \sqrt{B}}{448.8} = \textcircled{3.18} \text{ cfs measured}$$

Where A and B are measured in inches
and 3.85 is a constant for the model
75 Annubar

SKETCH:



State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 36-7609 Priority February 19, 1976 Amount 3.18 cfs

THIS IS TO CERTIFY, that Glenn &/or Marcella Parson
of Jerome, Idaho, has complied with the terms and conditions of Permit
No. 36-7609 issued pursuant to Application for Permit dated February 19, 1976,
and has submitted proof to the Department of Water Resources on January 5, 1981,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of 3.18 cfs of water from a groundwater source,
tributary to _____, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
Irrigation	from <u>March 15</u> to <u>November 15</u>	at <u>3.18</u> cfs and	<u>1180.0</u> acre feet
Stockwater	from <u>January 1</u> to <u>December 31</u>	at <u>0.09</u> cfs and	<u>5.4</u> acre feet
	from _____ to _____	at _____ cfs and	_____
	(both dates inclusive)		

Subject, however, to the condition that no more than 3.18 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
1185.4 acre feet per year, said waters to be diverted within the SE $\frac{1}{4}$ SE $\frac{1}{4}$ Section 27,
Twp 8S, Rge 19E in the County of Jerome

Description and location of place of use:

Twp.	Range	Sec.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				Totals
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
8S	19E	27													39	40	30	29	138
		34	39	38	40	40													157

Total number of acres irrigated 295

This right when combined with all other rights shall provide no more than
.02 cfs per acre nor more than 4.0 afa per acre for the lands above.

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho
Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use
herein described, and is subject to all prior water rights, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 18TH day of

JANUARY, 19 84.

Acting for the Director

Norm C. Young

MICROFILMED

BEFORE THE DEPARTMENT OF WATER RESOURCES

OF THE

STATE OF IDAHO

IN THE MATTER OF CHANGING THE MEASURING
DEVICE REQUIREMENT FOR PERMIT NO. 36-7609

ORDER

WHEREAS, the above numbered permit was approved with the condition that a measuring device of a type approved by the Department be permanently installed and maintained as part of the diverting works; and,

WHEREAS, on July 1, 1978, the Department adopted a new water measurement condition which states: "An access port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department"; and,

WHEREAS, the former condition required the permit holder to purchase and install a measuring device or hire a professional engineer to certify the rate of diversion; and,

WHEREAS, the measuring device condition effective July 1, 1978, requires less capital expenditure by the permit holder; and,

WHEREAS, to be equitable to holders of permits issued prior to July 1, 1978, the new condition should be retroactive;

NOW THEREFORE, it is hereby ordered that the condition of approval of this permit related to water measurement is hereby changed as follows: "The permit holder shall either install a measuring device or provide a certified measurement by a professional engineer or install an access port or other device as specified by the Department".

Dated this 18th day of August, 1978.


C. STEPHEN ALLRED
Director

MICROFILMED

RECEIVED

FEB 19 1976

Department of Water Resources
Southern District Office

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPROVED

APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

Identification No. _____

Application No. 36-7609

1. Name of applicant Glenn &/or Marcella Parson Phone: 825-5631
post office address Route #4, Jerome, Idaho, 83338

2. Source of water supply Groundwater which is a tributary of _____

3. a. Location of point of diversion is SE $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 27 Township 8S.
Range 19E. B.M. Jerome County; additional points of diversion if any: _____
NE $\frac{1}{4}$ of Section 34, T.8S., R.19E., B.M., Jerome County

b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____

4. Water will be used for the following purposes:

Amount 6.0 for Irrigation purpose from March 15 to November 15 (both dates inclusive)
(cfs or acre-feet per annum)

Amount 0.09 for Stock purpose from January 1 to December 31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 6.0 cubic feet per second and/or

b. _____ acre feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. well, pump, motor, and sprinkler
system

b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet, materials used in storage dam: _____

Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)

c. Proposed well diameter is 20 inches; proposed depth of well is 300 feet.

7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 5 years.

b. Estimated construction cost is \$ 70,000

8. Description of proposed uses:

a. If water is **not** for irrigation:

(1) Give the place of use of water: SE $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 27 Township 8S.
Range 19E. B.M. _____

(2) Amount of power to be generated: _____ hp under _____ feet of head.

(3) List number of each kind of livestock to be watered 400 head of range cattle

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water _____

(5) If water is to be used for other purposes describe: _____

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

[illegible]

Total number of acres to be irrigated. 300

c. Describe any other water rights used for the same purposes as described above. _____

Presently 123 shares of Milner Gooding No. 2 water being used on above land.


9. a. Who owns the property at the point of diversion Applicant

b. Who owns the land to be irrigated or place of use Applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____

10. Remarks Only one (1) well will be drilled.

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Marcella Parson
(Applicant)

Proposed Priority 2-19-76

Received by ADU Date 2-19-76 Time 4:15
Preliminary check by AL Fee \$ #75.00 # 2023
Receipted by ADU Date 2-19-76
Publication prepared by CC Date 2-25-76
Published in Jerome North Side News
Publication dates 3-4 & 3-11-76
Publication approved CC Date 3-15-76
Priority reduced to _____ Reason _____

Protests filed by: _____

Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by DRX

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 36-7609, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.


b. Proof of construction of works and application of water to beneficial use shall be submitted on or before March 1, 1981.

c. Other: 1. A measuring device of a type approved by the Director shall be permanently installed and maintained as part of the diverting works.

2. No more water may be diverted under this permit, when combined with other rights appurtenant to the lands in question, than one miner's inch per acre of land served.

2. Denial of said application is for the following reasons: _____

Witness my hand this 25 day of March, 1976.


Director

AFFIDAVIT of PUBLICATION

State of Idaho, }
County of Jerome } SS.

GORDON O. GLASMANN, being first duly sworn, deposes and says that he is the printer (publisher) of the Jerome North Side News, a newspaper published every week in Jerome, County of Jerome, State of Idaho; that said newspaper has been continuously and uninterruptedly published for a period of seventy-eight consecutive weeks prior to the first publication of the annexed notice, and is a newspaper qualified to publish legal notices as provided by act of the 1919 session of the legislature of the State of Idaho, known as House Bill 145; that the annexed advertisement was published once

each week for 2 consecutive issues in said newspaper proper and not in a supplement; that the date of the first publication of said advertisement was on the 4th day of March, 1976, and the date of the last publication was on the 11th day of March, 1976.

Subscribed and sworn to before me this 12th day of March, 1976.
(SEAL)

Darla Bratt
NOTARY PUBLIC

NORTH SIDE NEWS
Jerome, Idaho

COST OF PUBLICATION

Number of Lines in Notice	<u>37</u>
Number of Insertions	<u>2</u>
Lines tabular at	315c
<u>37</u> Lines straight at	21c
<u>37</u> Subsequent lines at	15c
TOTAL COST	<u>\$13.32</u>

COPY OF NOTICE

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Glenn & or Marcella Parson, Route No. 4, Jerome, Idaho 83338 has on 2-19-76 submitted Application No. 36-7609 for a permit to appropriate 6.0 cubic feet per second of water from Groundwater by means of well, pump, motor, and sprinkler system within the SE¹, SE¹, Sec. 27, Twp. 8S, Rge. 19E, B.M. Jerome County; NE¹, NE¹, Sec. 34, Twp. 8S, Rge. 19E, B.M. to be used from January 1 - December 31 (Stockwater); March 15 - November 15 for irrigation of 300 acres within the SE¹, Sec. 27 (160 acres); NE¹, Sec. 34 (140 acres), Twp. 8S, Rge. 19E, B.M. (irrigation); SE¹, Sec. 27; NE¹, NE¹, Sec. 34, Twp. 8S, Rge. 19E, B.M. (stockwater).

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 1041 Blue Lakes Blvd., North, Twin Falls, Idaho, 83301 on or before March 22, 1976.

R. KEITH HIGGINSON
Director

3-4-2c-n

RECEIVED

MAR 15 1976

Department of Water Resources	
Southern District Office	
PUBLICATION RATES	
(Idaho Code, Rev. Statutes 1971)	
7 pt. per line, straight	21c
7 pt. per line, tabular	315c
7 pt. per line, successive insertions	15c

No 2857

O.K. cc
3/15/76

AFFIDAVIT of PUBLICATION

State of Idaho, }
County of Jerome } SS.

GORDON O. GLASMANN, being first duly sworn, deposes and says that he is the printer (publisher) of the Jerome North Side News, a newspaper published every week in Jerome, County of Jerome, State of Idaho; that said newspaper has been continuously and uninterruptedly published for a period of seventy-eight consecutive weeks prior to the first publication of the annexed notice, and is a newspaper qualified to publish legal notices as provided by act of the 1919 session of the legislature of the State of Idaho, known as House Bill 145; that the annexed advertisement was published once

each week for 2 consecutive issues in said newspaper proper and not in a supplement; that the date of the first publication of said advertisement was on the 4th day of March, 1976, and the date of the last publication was on the 11th day of March, 1976.

Subscribed and sworn to before me this 12th day of March, 1976.
(SEAL)

Darla Brett
NOTARY PUBLIC

NORTH SIDE NEWS

Jerome, Idaho

COST OF PUBLICATION

Number of Lines in Notice	<u>37</u>
Number of Insertions	<u>2</u>
Lines tabular at	315c
<u>37</u> Lines straight at	21c <u>7.77</u>
<u>37</u> Subsequent lines at	15c <u>5.55</u>
TOTAL COST	<u>\$13.32</u>

Statistio
Cash on H

NOIILINVS
JELVM TWIOF

Application FOR WATER

TITLE OF NOTICE

PERMIT-PARSON

PLAINTIFF ATTORNEY

DEFENDANT

PLAINTIFF

IDAHO DEPT. OF WATER

BILL TO

RESOURCES

RECEIVED

MAR 15 1976

Department of Water Resources	
Southern District Office	
PUBLICATION RATES	
(Idaho Code, Rev. Statutes 1971)	
7 pt. per line, straight	21c
7 pt. per line, tabular	315c
7 pt. per line, successive insertions	15c

No

2857

O.K. cc
3/15/76

January 23, 1984

RE: Permit No. 36-7609

Glenn &/or Marcella Parson
Rt. 4
Jerome, ID 83338

Dear Mr. and Mrs. Parson:

Enclosed herewith is a copy of the Water Right License issued on the above referenced Permit.

Sincerely,



JIM JOHNSON
Water Distribution Supervisor

JJ:kw
Enclosure





State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

September 22, 1983

RE: Permit No. 36-7609

Fred D. Decker
DECKER and HOLLIFIELD, P.A.
P.O. Box 66
Twin Falls, ID 83301

Dear Mr. Decker:

We are in receipt of your letter of July 8, 1983 in which you, on behalf of Mr. and Mrs. Glenn Parson, requested us to send you the measurements of the water quantities and the basis of the limitations proposed for licensing of Permit No. 36-7609.

Enclosed is a copy of the field exam report made during an examination of the water developed under Permit 36-7609. You will find that the measurement was made by an annubar (see page 3).

As to the limitations proposed on the license I assume you are referring to the difference in quantity between the amount requested on the permit, 6.0 cfs for irrigation and 0.09 cfs for stockwater and the amount recommended, 3.18 cfs on the license.

This quantity is the amount that was actually diverted at the time of the field exam and in accordance to the provisions of Section 42-217 and Section 42-219, Idaho Code, this is the amount that can be recognized on the license.

If you have any further questions on this matter please let us know on or before October 15, 1983.

Sincerely,

JIM JOHNSON
Water Distribution Supervisor

JJ:kw
Enclosure

cc: Mr. & Mrs. Glenn Parsons

MICROFILMED

REVISED

249-THIRD AVENUE EAST
P. O. BOX 66
TWIN FALLS, IDAHO 86301
TELEPHONE (208) 734-5610 • 734-2950

July 8, 1983

Dear Mr. Johnson:

Very truly yours,

Fred. Becker

FRED D. DECKER

cc: Mr. and Mrs. Glenn Parsons
Pastor Elliott





State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

June 30, 1983

Glenn &/or Marcella Parson
Rt. 4
Jerome, Idaho 83338

Dear Mr. and Mrs. Parson,

A representative of ³⁶⁻⁷⁶⁰⁹ this Department has made an examination of the works covered by your Permit No. , and has found the following:

Amount of water ^{3.18 cfs} that can be recognized as ^{groundwater} beneficially used under Idaho law: Source: **1185.4**

The maximum quantity diverted shall not exceed _____ acre feet per year.

SE $\frac{1}{4}$ SE $\frac{1}{4}$ Section 27, Twp 8S, Rge 19E

Point(s) of diversion:

Section 27, 138 Stockwater use and Irrigation of 157 acres within the SE $\frac{1}{4}$,
Beneficial use: acres within the NE $\frac{1}{4}$, Section 34, Twp 8S, Rge 19E

February 19, 1976

Priority date established:

This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.0 afa per acre for the lands above.

If you do not concur with these findings please contact us within 10 days, otherwise a water license will be issued as set forth above.

Sincerely,

JIM JOHNSON
Water Distribution Supervisor

JJ:kw

MICROFILMED

State of Idaho
DEPARTMENT OF WATER RESOURCES
FIELD REPORT

36-7609

Permit No.

CONTACT WITH PERMIT HOLDER

	DATE	INITIALS	REMARKS
☒ Appointment letter mailed:	1-27-81	GF	
☒ Telephone call made:	9-9-81	TB	1-825-5631
(List Telephone No. used)	9-10-81		
☒ Appointment scheduled for:	9:00 am	TB	3 1/2 mi from Hunt turnoff on
(Date, time, location)	9-10-81		Hwy 25 Turn left 1/2 mi
			Green Stucco House with Pink Brick on lower half

EXAMINATION

Date 9-10-81 Accompanied by Glen Pearson Total Q measured 3.18 cfs
If source is surface water, estimate total flow of source _____
Methods of measurement Annubar / Eagle Eye Meets Permit requirements? yes
Capacity

Measurement calculations: $Q = 3.18 \text{ cfs}$ (See Attached Sheet)

$$V = 4 \text{ AFA/Ann.} \times 295 \text{ Acres} = 1180 \text{ AFA/Ann.}$$

$$3.18 \times 1.9835 \times 245 = 1545.3 \text{ AF}$$

WELL/DIVERSION* NO.	HP	MOTOR MAKE	MOTOR SERIAL NO.	PUMP MAKE	PUMP SERIAL NO.	MEASURING DEVICE TYPE	CONDITION OF MEAS. DEV.	REMARKS
	100	U.S. Vertical	C9983-60-10	SINGEV	45778	ANNUBAR / Eagle Eye	Good	See Attached Sheet
			11-79 84-1025	WELL LINE				

System Description See Attached Sheet

*Code with map on reverse side. Disregard code if only one.

RECOMMENDED AMOUNTS

USE	Irrigation requirement =		AFA/Acre	
	Q (cfs)	V (afa)	FROM	TO
Irrigation	3.18 ✓	1180 ✓	March 15	Nov 15
Stock Water	.09 ✓	5.4 ✓	JAN 1	Dec 31
Total	3.18 ✓	1185.4 ✓		

Remarks

Permit identifies canal water
Recommend T16

[illegible]

(Include distance from pump to measuring device, if applicable.)

Point(s) of diversion: SE 1/4 SE 1/4 Sec 27 Twp. 8 S. Rge 19 E. B.M.

Place(s) of Use

[illegible]☐ Other

62783

MICROFILMED

Measured
on
K-12

27
4

Measured
on
K-12

F
210

G
186

K
10.8

25.5

C
7.5

B
36.6 220


16.6

A
3.8

F
18.5

20

11.9



NOT TO SCALE

IDWR SUPPLEMENTAL FIELD REPORT
FOR ANNUBAR MEASUREMENT

Measured by: T.G. Blau

Date: 9-10-81

Owner: Glen Parson

Permit #: 36-7609

Description of well &/or measuring site (give distance to restrictions upstream and downstream): Access port is 5.9' downstream from pump
Water discharges into a small pond approx 50' from pump
It is mixed with canal water and pumped into sprinkler
System by 2 booster pumps 60hp and 20hp.

Measured inside diameter of pipe in inches 10.02"

Size of Annubar used in test 10.02"

State ID# of Meter used 191149

Size Eagle Eye Meter used 10-80

State ID# of Meter used 91474

Date of Last Calibration of Meter 3-5-81

Observed inches of H2O read on Meter 18"

Adjusted inches of H2O from Last Calibration 13.61"

CALCULATION:


$$\frac{(3.85) \times (A)^2 \times \sqrt{(B)}}{448.8}$$

3.18

cfs measured

Where A and B are measured in inches
and 3.85 is a constant for the model
75 Annubar

SKETCH:



IDENT. NO. *56-7609*

IDAHO DEPARTMENT OF WATER RESOURCES

WATER RIGHT
DATA ENTRY LOG

[illegible]



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
SOUTHERN REGION

John V. Evans
Governor

C. Stephen Allred
Director

1041 Blue Lakes Blvd. North
Twin Falls, Idaho 83301
(208) 734-3578

January 27, 1981

Glenn &/or Marcella Parson
Route 4
Jerome, Idaho 83338

Re: Permit No. 36-7609

Dear Mr. & Mrs. Parson:

We acknowledge receipt of the affidavit submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We cannot tell just when this examination will be made, but our examiner will try to contact you at the time he makes the examination so that you may show him the system.

Field examinations must be done while the system is in operation. For this reason we concentrate on irrigation permits during the summer months and do examinations on permits for other uses during the non-irrigating months.

If you have any questions regarding the field examination, please contact our office.

Sincerely,

Gary L. Funderburg
Senior Water Resource Agent

GLF:marya

MICROFILMED

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 36-7609.

Name(s) of Permit Holder: Glenn +/or Marcelle Parsons

Post Office Address: Rt 4

Jerome, Idaho 83338 Tel. No. 208-825-8231

Source of Water: groundwater

Extent of Use:

☐ Domestic	(number of households)
☒ Stockwater <u>400-range stock</u>	(number and type of stock)
☒ Irrigation <u>300</u>	(acres)
☐ Other	

Measuring Device: Required? ☐ Yes ☐ No Installed? ☐ Yes ☐ No


Access Port: Required? ☒ Yes ☐ No Installed? ☒ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

Jan 3, 1981
Date

Glenn A. Parsons
Signature of Permit Holder

Glenn A. Payson
Rt 4
Jerome, Idaho 83338



IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

Idaho Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

PARSON, GLENN & MARCELLA
RT. 4
JEROME, ID 83338

158765

DECEMBER 31, 1980

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 36-7609 WAS THAT EVIDENCE OF THE EXTENT OF DEVELOPMENT MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE MARCH 01, 1981. (SEE LAST PAGE OF YOUR APPROVED PERMIT). ENCLOSED IS A POST CARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF OF BENEFICIAL USE.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU HAVE NOT PREVIOUSLY RECEIVED AN EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME PROVIDED THE DELAY IS FOR REASONABLE CAUSE AS INDICATED IN SECTION 42-204, IDAHO CODE, AMENDED. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED. A REQUEST FOR EXTENSION OF TIME FORM IS ENCLOSED FOR YOUR CONVENIENCE. PLEASE NOTE THAT A FEE OF \$15.00 MUST BE SUBMITTED WITH THIS FORM.

EITHER THE BENEFICIAL USE POST CARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE MENTIONED DATE, OTHERWISE, THE PERMIT WILL LAPSE AND BE OF NO FURTHER FORCE OR EFFECT WITHIN 60 DAYS.

SINCERELY,

RITA FLECK
SR. SECRETARY

ENCLOSURES

MICROFILMED

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources within 30
days after the completion or abandonment of the well.

1. WELL OWNER

Name Glen ParsonAddress RR 4, Jerome, IDOwner's Permit No. 36-7609

2. NATURE OF WORK

☒ New well ☐ Deepened ☐ Replacement☐ Abandoned (describe method of abandoning)

3. PROPOSED USE

☐ Domestic ☒ Irrigation ☐ Test ☐ Other (specify type)☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or
Injection

4. METHOD DRILLED

☒ Cable ☐ Rotary ☐ Dug ☐ Other

5. WELL CONSTRUCTION

Diameter of hole 16 inches Total depth 245 feetCasing schedule: ☒ Steel ☐ Concrete

Thickness	Diameter	From	To
<u>.250</u> inches	<u>20</u> inches	<u>+1</u> feet	<u>9</u> feet
<u>.250</u> inches	<u>16</u> inches	<u>+1</u> feet	<u>129</u> feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet

Was casing drive shoe used? ☐ Yes ☒ NoWas a packer or seal used? ☐ Yes ☒ NoPerforated? ☐ Yes ☒ NoHow perforated? ☐ Factory ☐ Knife ☐ Torch

Size of perforation _____ inches by _____ inches

Number	From	To
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet

Well screen installed? ☐ Yes ☒ No

Manufacturer's name _____

Type _____ Model No. _____

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Diameter _____ Slot size _____ Set from _____ feet to _____ feet


Gravel packed? ☐ Yes ☒ No Size of gravel _____

Placed from _____ feet to _____ feet

Surface seal depth 9' Material used in seal ☒ Cement grout☐ Puddling clay ☐ Well cuttingsSealing procedure used ☐ Sherry pit ☐ Temporary surface casing☐ Overbore to seal depth

6. LOCATION OF WELL

Sketch map location must agree with written location.



Subdivision Name _____

Lot No. _____ Block No. _____

County JeromeSE 1/4 SE 1/4 Sec. 27, T. 8, N/S, R. 19 E/W

7. WATER LEVEL

Static water level 150 feet below land surfaceFlowing? ☐ Yes ☒ No G.P.M. flow _____Temperature 52 ° F. Quality Good

Artesian closed-in pressure _____ p.s.i.

Controlled by ☐ Valve ☐ Cap ☐ Plug

8. WELL TEST DATA

No test

☐ Pump ☐ Bailor ☐ Other

Discharge G.P.M.

Draw Down

Hours Pumped

9. LITHOLOGIC LOG

Hole Diam.	Depth		Material	Water	
	From	To		Yes	No
20	0	1	Topsoil		
	1	3	Broken gray basalt		
	3	32	Firm gray basalt		
	32	36	Broken gray basalt		
	36	48	Firm gray basalt		
	48	62	Hard gray basalt		
	62	65	Broken gray basalt-cind	X	
	65	74	Broken gray basalt and brown clay		
	74	80	Brown clay		
	80	86	Broken basalt-clay seams		
	86	89	Firm gray basalt		
	89	120	Light brown clay		
	120	126	Broken gray basalt		
16	126	134	Firm gray basalt		
	134	143	Broken gray basalt & red cinders		
	143	147	Gray basalt boulders		
	147	160	Broken gray basalt and red cinders		X
	160	164	Broken gray basalt	X	
	164	168	Firm gray basalt		
	168	180	Broken gray basalt	X	
	180	198	Firm gray basalt		
	198	200	Broken gray basalt	X	
	200	228	Hard gray basalt		
	228	245	Broken gray basalt and red cinders		X
	245		Firm gray basalt		

10.

Work started 5/10/77 finished 7/8/77

11. DRILLERS CERTIFICATION

Firm Name Alexander Drilling Co. Firm No. 127Address 510-13 St., Rupert, ID Date 7/14/77Signed by (Firm Official) J. D. Alexander

and

(Operator) _____



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

C. STEPHEN ALLRED
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

June 30, 1980

Dear Wateruser:

The enclosed Order changes the measuring device condition of approval on your water right permit.

The changed condition is less restrictive and provides you the option to install an access port or have your system measured and certified by a professional engineer. Instructions for access port installation are also enclosed.

If you have questions regarding this matter, please contact the Regional Office nearest to you.

Sincerely,

David R. Tutthill Jr.

DAVID R. TUTTHILL JR., P.E.
Supervisor, Water Allocations Section

DRT:jg

Enclosures

Northern Region Office
Rt. #5 Box 203, Government Way
Coeur d'Alene, Idaho 83814

Eastern Region Office
1515 Lincoln Road
Idaho Falls, Idaho 83401

Southern Region Office
1041 Blue Lake Boulevard North
Twin Falls, Idaho 83301

Western Region Office
92 South Cole Road
Boise, Idaho 83705

RECEIVED

March 25, 1976

Re: Permit No. 36-7609

Glenn &/or Marcella Parson
Route #4
Jerome, ID 83338

Dear Mr. and Mrs. Parson:

Enclosed is a copy of your approved Application for Permit No. 36-7609 . We direct your attention to the conditions of approval as listed on the fourth page.

Be sure to note that a special condition requiring you to install and maintain a measuring device at your point of diversion has been placed upon your permit. We are enclosing a letter describing different types of measuring devices accepted by this office.

Sincerely,

BOBBY D. FLEENOR
Chief, Water Rights

Enclosure: Copy of permit

DEPARTMENT OF WATER RESOURCES
- STAFF ANALYSIS -

Shenior Marcella Pearson

Item Initial Date

Application No. 36-7609

- ☒ Source
- ☒ Point of Diversion
- ☒ County
- ☒ Quantity of Water and Period of Use
- ☒ Description of Diverting Works
- ☒ Time required for B/U of water
- ☒ Place of Use or Acres Irrigated
- ☒ Map
- ☒ Signature
- ☒ Fee

- (1) SA 2/25/76 In form to receipt
- (2) _____ Send Copies to:
_____ Idaho State Health Department
_____ Idaho Fish and Game Department
_____ Bureau of Land Management
- (3) _____ Request Special Use Permit from U.S.F.S.
_____ Request Easement from B.L.M.
_____ Request Information from Applicant
- (4) _____ In form for advertising
- (5) _____ Platted on Map No. _____
- (6) _____ Located within Water District No. _____
- (7) _____ Critical groundwater area: yes _____ no _____
- (8) _____ Groundwater levels:
_____ Declining, _____ Stable, _____ Increasing
(comment) _____
- (9) _____ Other rights on the same place of use
- (10) _____ Comments: _____
- (11) cc 3/15/76 Affidavit of Publication received(date) 3-15-76
- (12) _____ Final date for protests 3-22-76
Protests received: yes _____ no ☒
- (13) _____ All requested information received from agencies or applicant: yes _____ no _____
- (14) _____ Action recommended:

☒ Approve Deny

Proposed Priority

Reason for Reduction

☒ Measuring device required

See attached sheet for other conditions of approval

No special conditions for approval

Field Checked by mls

Date 3-22-76

Comments no field

check made

Supplementary

(15) District Southern By Michael Stubb Date 3-22-76

Copy of app sent to Baine 2/16/76

February 26, 1976

RE: Application For Permit No. 36-7609 - Glenn &/or Marcella Parson

North Side News
P. O. Box 468
Jerome, Idaho 83338

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

In order to receive payment, an affidavit of publication must be submitted to the Department along with the publication bill.

Sincerely,

MICHAEL L. STEELE
Southern Region Supervisor

MLS:cc

Bill submitted: _____

RECEIVED

MAR 1 1976

Department of Water Resources
Southern District Office

Copy
jeromelegal

NOTICE OF APPLICATION
FOR WATER PERMIT

Notice is hereby given that Glenn & or Marcella Parson, Route No. 4, Jerome, Idaho 83323 has on 2-19-76 submitted Application No. 36-7609 for a permit to appropriate 6.0 cubic feet per second of water from Groundwater by means of well, pump, motor, and sprinkler system within the SE $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 27, Twp. 8S, Rge. 19E, B.M. Jerome County; NE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 34, Twp. 8S, Rge. 19E, B.M. to be used from January 1 - December 31 (Stockwater); March 15 - November 15 for irrigation of 300 acres within the SE $\frac{1}{4}$, Sec. 27 (160 acres); NE $\frac{1}{4}$, Sec. 34 (140 acres), Twp. 8S, Rge. 19E, B.M. (irrigation); SE $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 27; NE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 34, Twp. 8S, Rge. 19E, B.M. (stockwater).

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 1041 Blue Lakes Blvd., North, Twin Falls, Idaho, 83301 on or before March 22, 1976.

R. KEITH HIGGINSON
Director

3-4-2tc-n

*O.K. cc
3/2/76*

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Glenn &/or Marcella Parson
Route #4, Jerome, Idaho 83338
has on 2-19-76 submitted Application No. 36-7609
for a permit to appropriate 6.0 cubic feet per second ~~XXXXXX FEET XXXX XXXX~~
of water from Groundwater
by means of well, pump, motor, and sprinkler system.
within the SE $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 27, Twp. 8S, Rge. 19E, B.M. Jerome County; NE $\frac{1}{4}$ NE $\frac{1}{4}$,
Sec. 34, Twp. 8S, Rge. 19E, B.M.
to be used from January 1 - December 31 (Stockwater); March 15 - November 15
for irrigation of 300 acres
within the SE $\frac{1}{4}$, Sec. 27 (160 acres); NE $\frac{1}{4}$, Sec. 34 (140 acres), Twp. 8S, Rge. 19E,
B.M. (irrigation); SE $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 27; NE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 34, Twp. 8S, Rge. 19E, B.M.
(stockwater).

If issued, this permit will be subject to all prior water rights. Protests
against the granting of the permit must be filed with the Idaho Department of
Water Resources, 1041 Blue Lakes Blvd., North, Twin Falls, Idaho, 83301 on or be-
fore March 22, 1976.

R. KEITH HIGGINSON

Director

Published in the North Side News
on 3-4 and 3-11-76