

R15E

7
7
5

32




BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

(Applicant)

A hand-drawn map on a grid. A vertical line with an arrowhead at the top is labeled 'N' at the bottom. A horizontal line is labeled 'R 15 E'. A dashed line is labeled '25 Ac.'. A well is labeled 'Well T' with a depth of '75'.

(Include distance from pump to measuring device, if applicable.)



Point(s) of diversion: SE 1/4 NE 1/4, Sec. 32 T7S R15E

Place(s) of Use

[illegible]

☐ Change P.D. as reflected above

☐ Change P.U. as reflected above

- ☐ Add P.D. as reflected above
- ☐ Add P.U. as reflected above

☒ None
☐ Other

Examiner's Signature

Checked by

Approved by _____

Date 7-22-1980

File 7-22-1980

Date 12/17/80

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 36-7541 Priority May 7, 1975 Amount 0.19 cfs

THIS IS TO CERTIFY, that E. E. PARR
of Wendell, Idaho, has complied with the terms and conditions of Permit
No. 36-7541 issued pursuant to Application for Permit dated May 2, 1975,
and has submitted proof to the Department of Water Resources on June 3, 1980,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of 0.19 cfs of water from a groundwater source,
tributary to _____, and that the permit holder has applied to a beneficial use an
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
<u>Irrigation</u>	<u>from March 15 to November 15</u>	<u>at 0.19 cfs</u>	<u>and 92.3 acre feet</u>
_____	_____ from _____ to _____	_____ at _____	_____ cfs and _____
_____	_____ from _____ to _____	_____ at _____	_____ cfs and _____

(both dates inclusive)

Subject, however, to the condition that no more than 0.19 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
92.3 acre feet per year, said waters to be diverted within the SE $\frac{1}{2}$ NE $\frac{1}{2}$, Sec. 32, Twp. 7S,
Rge. 15E, B.M. in the County of Gooding

Description and location of place of use:

Twp.	Range	Sec.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				Totals
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
7S	15E	32				25													25

Total number of acres irrigated 25

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho
code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use
herein described, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 24 day of
December, 19 80.

Director

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF REMOVAL OF THE MEASURING
DEVICE REQUIREMENT FOR PERMIT NO. 36-7541

ORDER

WHEREAS, it has been determined by the Department of Water Resources that a measuring device is not required at this time for a determination of the quantity of water appropriated under said permit;

IT IS, THEREFORE, HEREBY ORDERED that the condition of approval that a measuring device of a type approved by the Department be permanently installed and maintained as part of the diverting works, be and is, REMOVED from said permit.

Dated this 28th day of August, 1978.

L. Glen Saxton
L. GLEN SAXTON

Chief, Operations Bureau

MICROFILMED

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 36-7541)
IN THE NAME OF E. E. PARR)
_____)

ORDER

WHEREAS, on May 2, 1975, E. E. Parr filed with the Department of Water Resources an application for permit to appropriate 0.54 cubic feet per second of groundwater to be diverted from a point within the SE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 32, Twp. 7S, Rge. 15E, B.M., Gooding County, to be used for irrigation and domestic purposes; and,

WHEREAS, on June 9, 1975, the Department approved said application and issued Permit No. 36-7541 with the condition that proof of construction of works and application of water to beneficial use be submitted to the Department on or before July 1, 1976; and,

WHEREAS, on July 6, 1976, the permit holder submitted a request for an extension of time; and,

WHEREAS, it appears that under the circumstances, the permit holder has been proceeding with reasonable diligence and has given good cause for delay;

IT IS, THEREFORE, HEREBY ORDERED that the time within which to submit proof of beneficial use of water under Permit No. 36-7451 be extended to July 1, 1980. IT IS FURTHER ORDERED that the permit be REINSTATED and the priority advanced to May 7, 1975.

Dated this 16 day of July, 1976.


A. KENNETH DUNN
Administrator, Operations Division

Identification No. _____

Application No. 36-7541

**STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES**

APPLICATION FOR PERMIT

APPROVED

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

1. Name of applicant E. E. PARR Phone: 536-2442
post office address Rte. 1 Wendell, Idaho

2. Source of water supply Groundwater which is a tributary of _____

3. a. Location of point of diversion is SE $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 32 Township 7S
Range 15E B.M. Gooding County; additional points of diversion if any: _____

b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____

4. Water will be used for the following purposes:

Amount .50 cfs for Irrigation purpose from March 15 to Nov. 15 (both dates inclusive)
(cfs or acre-feet per annum)

Amount .04 cfs for Domestic purpose from Jan. 1 to Dec. 1 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. .54 cubic feet per second and/or

b. _____ acre feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. well, pump, motor & sprinkler system.

b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet, materials used in storage dam: _____

Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)

c. Proposed well diameter is 12 inches; proposed depth of well 200 feet.

7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 1 years.

b. Estimated construction cost is \$ 5,000.00.

8. Description of proposed uses:

a. If water is **not** for irrigation:

(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M. _____

(2) Amount of power to be generated: _____ hp under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water _____.

(5) If water is to be used for other purposes describe: _____

MICROFILMED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP.	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
7S	15E	32				25													25


Total number of acres to be irrigated 25

c. Describe any other water rights used for the same purposes as described above.
Transferring North Side Canal off.

9. a. Who owns the property at the point of diversion App.
b. Who owns the land to be irrigated or place of use App.
c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

10. Remarks

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

x CLP
(Applicant)

Received by CC Date 5-2-75 Time 1:30 P.M.

Preliminary check by gf Fee \$ 25.00

#14800

Received by CC Date 5-2-75

Publication prepared by CC Date 5-5-75

Published in Gooding County Leader

Publication dates 5-15 & 5-22-75

Publication approved CC Date 5-22-75

Priority reduced to _____ Reason _____

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by gf

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 36-7541, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before July 1, 19 76.
- c. Other: A measuring device of a type approved by this Department shall be permanently installed and maintained as part of the diverting works.

2. Denial of said application is for the following reasons: _____

Witness my hand this 9th day of June, 19 75.

P. Karl Higo
Director

AFFIDAVIT PUBLICATION

State of Idaho, }
County of Gooding } SS.

Robert Clumpton

being first duly sworn, deposes and says that he is the printer (publisher) of the Gooding County Leader, a newspaper published every week in Gooding, County of Gooding, State of Idaho, that said newspaper has been continuously and uninterruptedly published for a period of seventy-eight consecutive weeks prior to the first publication of the annexed notice, and is a newspaper qualified to publish legal notices as provided by act of the 1919 session of the legislature of the State of Idaho, known as House Bill 145; that the annexed advertisement was published once

each week for 2 consecutive issues in said newspaper proper and not in a supplement; that the date of the first publication

of said advertisement was on the 15 day of May,

19 75, and the date of the last publication was on the 22

day of May, 19 75

Robert Clumpton

Subscribed and sworn to before me this 22

day of May, 19 75
(SEAL)

G. Aaron Hahn
NOTARY PUBLIC

GOODING COUNTY LEADER

Gooding, Idaho

COST OF PUBLICATION

Number of Lines in Notice	<u>32</u>	<u>32</u>
Number of Insertions	<u>2</u>	<u>2</u>
Lines tabular at	<u>315c</u>	
<u>32</u> Lines straight at	<u>32</u> <u>21c</u>	<u>6.72</u>
<u>32</u> Subsequent lines at	<u>32</u> <u>15c</u>	<u>4.80</u>
TOTAL COST		<u>11.52</u>

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that E.E. Parr Route #1, Wendell, Idaho 83355 has on 5-2-75 submitted Application No. 36-7541 for a permit to appropriate .54 cubic feet per second of water from groundwater by means of well, pump, motor and sprinkler system within the SE $\frac{1}{4}$ NE $\frac{1}{4}$, Section 32, Township 7S, Range 15E, B.M. Gooding County to be used from January 1-December 1 (Domestic); March 15-November 15 for irrigation of 25 acres within the SE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 32, Twp. 7S, Rge. 15E, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 1041 Blue Lakes Blvd., North, Twin Falls, Idaho, 83301 on or before June 2, 1975.

R. KEITH HIGGINSON
Director

Pub: 5-15, 22.

W. K. Lee
5-22-75

RECEIVED

Department of Water Resources
Twin Falls, Idaho

PUBLICATION RATES

(Idaho Code, Rev. Statutes 1971)

7 pt. per line, straight	21c
7 pt. per line, tabular	315c
7 pt. per line, successive insertions	15c

6712

No 461

RECEIVED



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

April 3, 1995

Mrs. Lovelle Parr
2919 S 1900 E
Wendell, ID 83355

Re: Measurement waiver for water right number 36-07541

Dear Mrs Parr:

I have received your written request for waiver from the measurement requirement for water right number 36-07541. You have recently stated that the old pump used for irrigation and domestic purposes has been replaced with a smaller one, which is now used only for domestic purposes. Based on this information, you will not be required to measure water diversions under right number 36-07541 during 1995.

The water measurement statute requires measurement of all diversions except small domestic and stockwater uses below 13,000 gallons per day. During 1995, the Department is not requiring measurement of uses diverting 0.20 cfs or less or irrigation of 5 acres or less, but may require measurement of uses exceeding 13,000 gallons per day or irrigation uses exceeding one-half acre in the future. You may be required to measure the diversion in future years if it is used beyond the small domestic and stockwater limits.

Sincerely,

Scott King

cc: Water Right file

Dear Sirs

March 26, 1995
Wendell, Ida

The well you're referring to (I hope) is the well we use for our house water. When we first drilled the well we used it to water 21 acres of pasture as well as using the water in our house. After a few years our large pump burned out & we replaced it with a smaller pump that only supplies our house and yard with water. We went back to irrigating the pasture with water shares from the Northside Canal Company.

Sincerely

Mrs Lovelle Parr

2919 S 1900 E

Wendell, Idaho 83355

RECEIVED

MAR 31 1995

Department of Water Resources



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

February 8, 1995

RECEIVED

MAR 3 1 1995

Dear Wateruser:

Department of Water Resources

In December, 1994, the Department of Water Resources mailed you an order requiring you to measure your water diversions during 1995. The Department also enclosed with the order a measurement choice form which was to be completed and returned to the Department on or before January 20, 1995.

Our records show that you have not returned the measurement choice form. If we are mistaken, please contact us so we can correct our records.

If you have not returned the measurement option form, we encourage you to evaluate your system according to the information sent to you, and, on the form, either choose to install a measuring device or ask the Department to estimate your water withdrawals with power records. After marking your choice on the measurement option form, return it to the Department promptly.

If you do not prepare to measure your water withdrawals during 1995, you may be prevented from diverting water during a time of critical need until you have complied with the law. We want to avoid any enforcement action that might curtail a water right holder's ability to use his water right, however. Preparation now will avoid a possible conflict later in the year.

If I can assist you in determining the best method of measuring your water diversion, please contact me, or Burke Scholer, Scott King or Tim Luke of this office.

Sincerely,

Gary Spackman

*water right
to get permit*

36-07541

over



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

C. STEPHEN ALLRED
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

January 7, 1981

E. E. Parr
Rt. 1
Wendell, Idaho 83355

Dear Mr. Parr,

RE: License No. 36-7541

Enclosed is a copy of the Water Right License issued on the above referenced Permit.

Sincerely,

A handwritten signature in cursive script that reads "Jim Johnson".

JIM JOHNSON
Water Distribution Supervisor

JJ:mr

Enclosure



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

C. STEPHEN ALLRED

Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

December 17, 1980

E. E. Parr
Rt. 1
Wendell, Idaho 83355

Dear Mr. Parr,

A representative of this Department has made an examination of the works covered by your Permit No. 36-7541, and has found the following:

Amount of water that can be recognized as beneficially used under
Idaho law: 0.19 cfs Source: groundwater

The maximum quantity diverted shall not exceed 92.3 acre feet
per year.

Point(s) of diversion: SE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 32, Twp. 7S, Rge. 15E, B.M.

Beneficial use: Irrigation of 25 acres within the SE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 32, Twp. 7S,
Rge. 15E.

Priority date established: May 7, 1975

Conditions (if any):

If you do not concur with these findings please contact us within 10 days,
otherwise a water license will be issued as set forth above.

Sincerely,

JAN GROVER
Water Rights Supervisor

MICROFILMED

State of Idaho
DEPARTMENT OF WATER RESOURCES
FIELD REPORT

36-7541

Permit No. _____

CONTACT WITH PERMIT HOLDER

- | | DATE | INITIALS | REMARKS |
|---|-----------|----------|---------|
| ☐ Appointment letter mailed: | 6-17-1980 | G L F | |
| ☐ Telephone call made:
(List Telephone No. used) | | | |
| ☐ Appointment scheduled for:
(Date, time, location) | 7-2-1980 | G L F | |

EXAMINATION

Date 7-2-1980 Accompanied by MRS PARR Total Q measured 0.19 C.F.S.

If source is surface water, estimate total flow of source _____

Methods of measurement PRESSURE GAGE Meets Permit requirements? All But MEASURING

Measurement calculations: 15 Hds, 5/32 No 33 @ 15 = (5.73 gal/min/Hd) / (15 Hds) = 0.19 CFS. ✓
 30W3 RAIN Bird
 Volume = (0.19 CFS) (245 days) (17835 Ac Ft/Ac) = 92.33 Ac Ft./ANN. $\frac{85.95}{448.8} = .19$
 $V = 25 \text{ AC} \times 4.0 \text{ Req} = 100.0$

[illegible]

System Description WELL, MOTOR & (15) LINES, SPRINKLERS. PSI. 65

**Code with map on reverse side. Disregard code if only one.*

RECOMMENDED AMOUNTS

USE	Q (cfs)	V (afa)	FROM	TO
IRRIGATION	0.19 CFS.	92.17	MARCH 15	NOV 15

© 2006 Pearson Education, Inc. All rights reserved.



Figure 1: Schematic representation of the experimental design. The figure is divided into two main sections: 'Pretest' and 'Main Experiment'. The 'Pretest' section includes 'Pretest 1' (N=10) and 'Pretest 2' (N=10). The 'Main Experiment' section includes 'Main Experiment 1' (N=30) and 'Main Experiment 2' (N=30). Each section shows a sequence of steps: 'Introduction', 'Practice', 'Test', 'Debrief', and 'Feedback'. The 'Main Experiment' section also includes a 'Debrief' step. The 'Main Experiment 1' section includes a 'Debrief' step. The 'Main Experiment 2' section includes a 'Debrief' step. The 'Main Experiment' section also includes a 'Debrief' step.

Figure 1: Schematic representation of the experimental design. The figure shows a timeline of the experiment. It starts with a 'Pretest' phase, followed by a 'Main Experiment' phase. The Main Experiment is divided into two parts: 'Part 1' and 'Part 2'. Part 1 involves a 'Pretest' and a 'Main Experiment' with 'Condition 1' and 'Condition 2'. Part 2 involves a 'Pretest' and a 'Main Experiment' with 'Condition 1' and 'Condition 2'. The timeline ends with a 'Posttest' phase.

Total	<u>0.19 C.F.S.</u>	<u>92.33</u>	MARCH 15	NOV 15
-------	--------------------	--------------	----------	--------

Remarks MEASURING DEVICES SHOULD BE REMOVE SINCE
THE RATE OF DIVERSION IS LESS THAN 0.1 CES.



11


100

W

1


THE

MAP (Attach Aerial Photo)



SCHEMATIC DIAGRAM OF SYSTEM

(Include distance from pump to measuring device, if applicable.)



Point(s) of diversion: SE 1/4 NE 1/4, SEC. 32 T 7 S R 15 E

Place(s) of Use

TWP.	RGE.	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
7 S	15 E	32				25													25

Recommended Amendments:

- ☐ Change P.D. as reflected above
- ☐ Add P.D. as reflected above
- ☒ None
- ☐ Change P.U. as reflected above
- ☐ Add P.U. as reflected above
- ☐ Other

Examiner's Signature

Checked by

Approved by

Date

Date

Date

7-22-1980

7-22-1980

12/17/80

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder has completed development to the extent shown below of Permit No. 36-7541

Name of Permit Holder: C. E. Carr

Post Office Address: P.O. Wendell Idaho 83355

Tel. No. 536-2442

Source of Water: _____

Extent of Use:

- | | | |
|-------------------------------------|-----------|----------------------------|
| ☐ Domestic | _____ | (number of households) |
| ☐ Stockwater | _____ | (number and type of stock) |
| ☐ Irrigation | <u>15</u> | (acres) |
| ☐ Other | _____ | |

Measuring Device:

Required?

☐ Yes ☒ No

Installed?

☐ Yes ☒ No

Access Port:

Required?

☐ Yes ☒ No

Installed?

☐ Yes ☒ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

5/31/80

Date

C. E. Carr

Signature of Permit Holder

C. E. ...
Rt 1 Wendell, Idaho
83355



IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
SOUTHERN REGION

John V. Evans
Governor

C. Stephen Allred
Director

1041 Blue Lakes Blvd. North
Twin Falls, Idaho 83301
(208) 734-3578

June 17, 1980

34-7541

E. E. Parr
Route 1
Wendell, Idaho 83355

Dear Mr. Parr:

We acknowledge receipt of the affidavit submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We cannot tell just when this examination will be made, but our examiner will try to contact you at the time he makes the examination so that you may show him the system.

Field examinations must be done while the system is in operation. For this reason we concentrate on irrigation permits during the summer months and do examinations on permits for other uses during the non-irrigating months.

If you have any questions regarding the field examination, please contact our office.

Sincerely,

Gary L. Funderburg
Senior Water Resource Agent

GLF:marya

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

PARR, E. E.
RT. 1
WENDELL, ID 83355

000891

APRIL 30, 1980

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 36-7541 WAS THAT EVIDENCE OF THE EXTENT OF DEVELOPMENT MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE JULY 01, 1980. (SEE LAST PAGE OF YOUR APPROVED PERMIT). ENCLOSED IS A POST CARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF OF BENEFICIAL USE.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU HAVE NOT PREVIOUSLY RECEIVED AN EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME PROVIDED THE DELAY IS FOR REASONABLE CAUSE AS INDICATED IN SECTION 42-204, IDAHO CODE, AMENDED. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED.

EITHER THE BENEFICIAL USE POST CARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE MENTIONED DATE, OTHERWISE, THE PERMIT WILL LAPSE AND BE OF NO FURTHER FORCE OR EFFECT WITHIN 60 DAYS.

SINCERELY,

ITA FLECK
R. SECRETARY

ENC: 1

MICROFILM



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 373 W. Franklin Street, Boise, Idaho

JOHN V. EVANS
Governor

C. STEPHEN ALLRED
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 384-2215

September 28, 1979

Dear Wateruser:

The enclosed Order removes the measuring device requirement as a condition of approval from your permit.

If you have installed the measuring device, the field examination can be more quickly conducted by the Department's field examiner. You will also derive benefit from water management information which may be obtained from the installed meter.

If you have questions regarding this matter, please contact this office or our regional offices.

Sincerely,

DAVID R. TUTHILL, JR.
Supervisor, Water Allocations Section

DRT:lr

Enclosure

MICROFILMED

July 21, 1976

Re: Permit No. 36-7541

E. E. Parr
Route 1
Wendell, Idaho 83355

Dear Mr. Parr:

Enclosed is an Order which reinstates the above referenced permit.
Please note that the priority has been advanced to May 7, 1975.

The Order also extends the time within which to submit proof of
beneficial use to July 1, 1980.

Sincerely,

D. DARLENE REICH
Water Rights Supervisor

DDR:JFR

Enclosure

Extension

State of Idaho Department of Water
Resources

RECEIVED

JUL 6 1976

Department of Water Resources

Keith Higginson - Director
Dear Sir;


I am writing in reference of a water
Permit 36-7541 for and extension of time
because of shortage of power source for
this season, so have had to use an
alternate to get through this season.

would like to get together with your
Twin Falls office and set up a change
in application.

Sincerely yours

E. E. Lee

C. C. Perri
Wendell Idaho



State of Idaho
Dept of Water Resources
Statehouse
Boise Idaho 83720

- **SENDER:** Complete items 1, 2, and 3.
Add your address in the "RETURN TO" space on reverse.

1. The following service is requested (check one).

- ☐ Show to whom and date delivered..... 15¢
☐ Show to whom, date, & address of delivery.. 35¢
☐ RESTRICTED DELIVERY.
 Show to whom and date delivered..... 65¢
☐ RESTRICTED DELIVERY.
 Show to whom, date, and address of delivery 85¢

2. ARTICLE ADDRESSED TO:

RETURN TO SENDER

3. ARTICLE DESCRIPTION:

REGISTERED NO.

CERTIFIED NO.

INSURED NO.

138546

(Always obtain signature of addressee or agent)

I have received the article described above.

SIGNATURE

☒ Addressee☐ Authorized agent

E E Parr

4.

DATE OF DELIVERY

5/1/76

POSTMARK

5. ADDRESS (Complete only if requested)

6. UNABLE TO DELIVER BECAUSE:

CLERK'S INITIALS

[Signature]

UNITED STATES POSTAL SERVICE

OFFICIAL BUSINESS

SENDER INSTRUCTIONS

Print your name, address, and ZIP Code in the space below.

- Complete items 1, 2, and 3 on reverse side.
- Moisten gummed ends and attach to back of article.

**RETURN
TO**



**PENALTY FOR PRIVATE
USE TO AVOID PAYMENT
OF POSTAGE, \$300**



April 30, 1976

CERTIFIED MAIL #138546

Re: Permit No. 36-7541

E. E. Parr
Route # 1
Wendell, Idaho 83355

Dear Mr. Parr:

One of the conditions of approval of your water Permit No. 36-7541 (see last page of your approved permit) was that evidence of the extent of development be submitted as proof of application of water to beneficial use to this office on or before JULY 1, 1976. Enclosed is an affidavit form which must be used to submit the required proof of beneficial use.

If you have not fully completed your project, and you have not previously received an extension of time, you may request an extension of time provided the delay is for reasonable cause as indicated in Section 42-204, Idaho Code, amended. If you have been prevented from proceeding by a governmental agency or by litigation, more than one extension of time can be granted.

Either the beneficial use affidavit or a request for an extension of time must be received by this Department on or before the above mentioned date, otherwise the permit will lapse and be of no further force or effect.

R. Keith Higginson

R. KEITH HIGGINSON
Director

RKH:jg
Enc: Proof affidavit

RECEIVED
JUL 1 1976
IDAHO DEPT. OF AGRICULTURE

WELL DRILLER'S REPORT

RECEIVED

State law requires that this report be filed with the Director, Department of Water Administration within 30
days after the completion or abandonment of the well.

AUG 4 1975

1. WELL OWNER

Name ELMER Parr
Address Wendell, Idaho
Owner's Permit No. 36-7541

7. WATER LEVEL

Static water level 152 feet below land surface
Flowing? ☐ Yes ☒ No G.P.M. flow _____
Temperature _____ ° F. Quality _____
Artesian closed-in pressure _____ p.s.i.
Controlled by ☐ Valve ☐ Cap ☐ Plug

2. NATURE OF WORK

☒ New well ☐ Deepened ☐ Replacement
☐ Abandoned (describe method of abandoning)

8. WELL TEST DATA

☐ Pump ☐ Bailor ☐ Other

Discharge G.P.M. Draw Down Hours Pumped

3. PROPOSED USE

☐ Domestic ☒ Irrigation ☐ Test ☐ Other (specify type)
☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection

4. METHOD DRILLED

☒ Cable ☐ Rotary ☐ Dug ☐ Other

5. WELL CONSTRUCTION

Diameter of hole 12 inches Total depth 205 feet
Casing schedule: ☒ Steel ☐ Concrete

Thickness	Diameter	From	To
<u>3/5</u> inches	<u>12</u> inches	<u>1</u> feet	<u>188</u> feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet

Was a packer or seal used? ☐ Yes ☐ No
Perforated? ☐ Yes ☐ No
How perforated? ☐ Factory ☐ Knife ☐ Torch
Size of perforation _____ inches by _____ inches

Number	From	To
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet

Well screen installed? ☐ Yes ☐ No

Manufacturer's name _____

Type _____ Model No. _____


Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Gravel packed? ☐ Yes ☐ No Size of gravel _____
Placed from _____ feet to _____ feetSurface seal depth 20' Material used in seal ☒ Cement grout ☐ Pudding claySealing procedure used ☐ Sherry pit ☐ Temporary surface casing☒ Overbore to seal depth

6. LOCATION OF WELL

Sketch map location must agree with written location.



Subdivision Name _____

Lot No. _____ Block No. _____

County Gooding

SE 1/4 NE 1/4 Sec. 32, T. 7 N. R. 15 E. W.

10.

Work started 6/15/75 finished 6/30/75

11. DRILLERS CERTIFICATION

Firm Name Eking Well Drilling Firm No. _____Address Twin Falls, Idaho Date 7/35/75Signed by (Firm Official) Ray L. Masonand
(Operator) Ray L. Mason

June 9, 1975

Re: Permit No. 36-7541

E. E. Parr
Route 1
Wendell, ID 83355

Dear Mr. Parr:

Enclosed is a copy of your approved Application for Permit No. 36-7541. We direct your attention to the conditions of approval as listed on the fourth page.

Be sure to note that a special condition requiring you to install and maintain a measuring device at your point of diversion has been placed upon your permit. We are enclosing a letter describing different types of measuring devices accepted by this office.

Sincerely,

BOBBY D. FLEENOR
Chief, Water Rights

BDF:jfr

Enclosures

MICROFILMED

DEPARTMENT OF WATER RESOURCES
- STAFF ANALYSIS -

Item Initial Date

Application No. 367541 EE Parr

☒ Source
☒ Point of Diversion
☒ County
☒ Quantity of Water and Period of Use
☒ Description of Diverting Works
☒ Time required for B/U of water
☒ Place of Use or Acres Irrigated
☒ Map
☐ Signature
☐ Fee

- (1) 6 In form to receipt
- (2) Send Copies to:
Idaho State Health Department
Idaho Fish and Game Department
Bureau of Land Management
- (3) Request Special Use Permit from U.S.F.S.
Request Easement from B.L.M.
Request Information from Applicant
- (4) In form for advertising
- (5) Platted on Map No. _____
- (6) Located within Water District No. _____
- (7) Critical groundwater area: yes _____ no ☒
- (8) Groundwater levels:
_____ Declining, ☒ Stable, _____ Increasing
(comment) _____
- (9) Other rights on the same place of use None 748
- (10) Comments: _____
- (11) EC 5/22/75 Affidavit of Publication received(date) 5-22-75
- (12) Final date for protests 6-2-75
Protests received: yes _____ no ☒
- (13) All requested information received from agencies or applicant: yes ☒ no _____
- (14) Action recommended:
☒ Approve _____ Deny _____
Proposed Priority 5-2-75
Reason for Reduction _____
☒ Measuring device required
See attached sheet for other conditions of approval
No special conditions for approval
- (15) District Southern By Bob Haynes Date 6-5-75

MICROFILMED

May 5, 1975

RE: E. E. Parr - Application For Permit No. 36-7541

Gooding County Leader
Box 56
Gooding, Idaho 83330

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

In order to receive payment, an affidavit of publication must be submitted to the Department along with the publication bill.

Sincerely,

Bob Haynes
Southern District Engineer

BH:cc

Bill submitted: 5-22-75 cc

MICROFILMED

RECEIVED

**NOTICE OF APPLICATION
FOR WATER PERMIT**

Notice is hereby given that E.E. Parr Route #1, Wendell, Idaho 83355 has on 5-2-75 submitted Application No. 36-7541 for a permit to appropriate .54 cubic feet per second of water from groundwater by means of well, pump, motor and sprinkler system within the SE $\frac{1}{4}$ NE $\frac{1}{4}$, Section 32, Township 7S, Range 15E, B.M. Gooding County to be used from January 1-December 1 (Domestic); March 15-November 15 for irrigation of 25 acres within the SE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 32, Twp. 7S, Rge. 15E, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 1041 Blue Lakes Blvd., North, Twin Falls, Idaho, 83301 on or before June 2, 1975.

R. KEITH HIGGINSON
Director

Pub: 5-15, 22.

O.K. cc
5-14-75

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that E. E. PARR

Route #1, Wendell, Idaho 83355

has on 5-2-75 submitted Application No. 36-7541

for a permit to appropriate .54 cubic feet per ~~second~~ ~~XXXXXX~~ ~~XXXXXX~~ ~~XXXXXX~~

of water from Groundwater

by means of well, pump, motor & sprinkler system.

within the SE $\frac{1}{4}$ NE $\frac{1}{4}$, Section 32, Township 7S, Range 15E, B.M. Gooding County

to be used from January 1 - December 1 (Domestic); March 15 - November 15

for Irrigation of 25 acres

within the SE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 32, Twp. 7S, Rge. 15E, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 1041 Blue Lakes Blvd., North, Twin Falls, Idaho, 83301 on or before June 2, 1975.

R. KEITH HIGGINSON

Director

Published in the Gooding County Leader

on 5-15 and 5-22-75

MICROFILMED