


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

NE $\frac{1}{4}$ NE $\frac{1}{4}$ Section 3 Township 9S Range 17EBM



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

BANNOCK PAVING COMPANY INC.

By: Don Wood
(Applicant) Vice President

36 7470





Diagram of System



RECEIVED
JUL 22 1912

For mailing *o/s*
JEROME LEGAL
(WATER)

NOTICE OF APPLICATION
FOR WATER PERMIT

Notice is hereby given that Bannock Paving Company, Box 4202, Pocatello, Idaho, has on 4-26-74 submitted Application No. 36-7470 for a permit to appropriate 1.0 cubic feet per second of water from groundwater by means of deep well, pump and surge tank within the NE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 3, T 9S, R 17E, B.M., Jerome Co. (2 points) to be used from Jan. 1 to Dec. 31 for industrial use within the NE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 3, T 9S, R 17E, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Administration, 1041 Blue Lakes Blvd. North, Twin Falls, Idaho, 83301 on or before May 27, 1974.

R. KEITH HIGGIN-
SON
Director

5-9-2tc-n

ok LT
5-6-74

36 7470

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 36-7470 Priority April 26, 1974 Amount 0.33 cfs

THIS IS TO CERTIFY, that BANNOCK PAVING COMPANY
of Pocatello, Idaho, has complied with the terms and conditions of Permit
No. 36-7470 issued pursuant to Application for Permit dated April 26, 1974,
and has submitted proof to the Department of Water Resources on July 1, 1975,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of 0.33 cfs of water from a ground water source,
tributary to _____, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
Industrial	from Jan. 1 to Dec. 31	at 0.33 cfs and -	
	from _____ to _____	at _____ cfs and _____	
	from _____ to _____	at _____ cfs and _____	

(both dates inclusive)

Subject, however, to the condition that no more than 0.33 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
- acre feet per year, said waters to be diverted within the NE $\frac{1}{4}$ NE $\frac{1}{4}$ of Sec. 3,
Twp. 9 S, Rge. 17 E, B. M. in the County of Jerome

Description and location of place of use:

Twp.	Range	Sec.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				Totals
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
9 S	17 E	3	X																

Total number of acres irrigated _____

A measuring device of a type approved by the Department shall be permanently
maintained as part of the diverting works.

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho
Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use
herein described, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 19 day of
November, 19 75.

Director

Identification No. _____

Application No. 36-7470

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION

APPLICATION FOR PERMIT

LICENSE ISSUED FOR 33 SEC. 11

LICENSE PAGE NO. _____

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

APPROVED

1. Name of applicant BANNOCK PAVING COMPANY
post office address Box 4202 Pocatello, Idaho
2. Source of water supply ground water which is a tributary of _____
(2 points)
3. a. Location of point of diversion is NE $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 3 Township 9S
Range 17 E B.M. JEROME County; additional points of diversion if any: _____

b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____
4. Water will be used for the following purposes:
Amount 1.00 for Industrial purpose from Jan 1 to Dec. 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
a. 1.00 cubic feet per second and/or
b. _____ acre feet per annum.
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. deep well, pump and surge tank

b. Height of storage dam None feet, active reservoir capacity None acre feet; total reservoir
capacity None acre feet, materials used in storage dam: None
Period of year during which storage will occur XXX to XXX inclusive.
(Mo. Day) (Mo. Day)
c. Proposed well diameter is 8 inches; proposed depth of well is 320 feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 1 years.
b. Estimated construction cost is \$ 11,918.75.
8. Description of proposed uses:
a. If water is **not** for irrigation:
(1) Give the place of use of water: NE $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 3 Township 9S
Range 17 E B.M.
(2) Amount of power to be generated: None hp under None feet of head.
(3) List number of each kind of livestock to be watered None

(4) Name of municipality to be served None, or number of families to be
supplied with domestic water _____
(5) If water is to be used for other purposes describe: To serve Asphalt Plant

36 7470

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP.	RANGE	SEC.	NE1/4				NW1/4				SW1/4				SE1/4				TOTALS
			NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	

Total number of acres to be irrigated _____

c. Describe any other water rights used for the same purposes as described above. none

9. a. Who owns the property at the point of diversion applicant


b. Who owns the land to be irrigated or place of use applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____

10. Remarks _____

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

NE $\frac{1}{4}$ NE $\frac{1}{4}$ Section 3 Township 9S Range 17E BM



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

BANNOCK PAVING COMPANY INC.

By: Mark Wood
(Applicant) Vice President

36 7470

Received by WOF Date 4-26-74 Time 1:40 PM
Preliminary check by mls Fee \$ 25.00 (13886)
Receipted by LT Date 4-26-74
Publication prepared by LT Date 4-29-74
Published in North Side News
Publication dates 5-9 & 5-16-74
Publication approved LT Date 5-24-74
Priority reduced to _____ Reason _____

Protests filed by: _____

Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by WDF

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER ADMINISTRATION

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 36-7470, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before July 1, 1975.
- c. Other: A measuring device of a type approved by this Department shall be permanently installed and maintained as part of the diverting works.

2. Denial of said application is for the following reasons: _____

Witness my hand this 4 day of June 19 74.

P. Fred Higin
Director

BEFORE THE DEPARTMENT OF WATER RESOURCES

OF THE

STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 36-7470
in the name of BANNOCK PAVING COMPANY

ORDER OF REINSTATEMENT

WHEREAS, on April 26, 1974, Bannock Paving Company filed with the Department of Water Resources (formerly the Department of Water Administration) an application for permit to appropriate 1.00 cubic feet per second of water from a groundwater source to be diverted within the NE $\frac{1}{4}$ NE $\frac{1}{4}$ (2 points), Sec. 3, Twp. 9S, Rge. 17E, Jerome County, to be used for industrial purposes; and,

WHEREAS, on June 4, 1974, the Department approved said application and issued Permit No. 36-7470 with the condition that proof of construction of works and application of water to beneficial use be submitted to the Department on or before July 1, 1975; and,

WHEREAS, on May 1, 1975, the Department notified the permit holder by certified mail that proof of beneficial use was due and instructed the permit holder as to the steps to be taken to make said proof; and,

WHEREAS, on July 1, 1975, the Department's Southern District Office, in Twin Falls, received the required proof of beneficial use of water; and,


WHEREAS, on July 3, 1975, the State Office in Boise inadvertently lapsed the said permit; and,

WHEREAS, Section 42-218a of the Idaho Code provides that a permit may be reinstated upon a showing of reasonable cause within 60 days from the date of the notice of lapsing; and,

WHEREAS, a reasonable cause has been provided as to why said permit should be reinstated;

IT IS, THEREFORE, HEREBY ORDERED that Permit No. 36-7470 be REINSTATED without a loss of priority.

Dated this 21st day of July, 1975.


A. KENNETH DUNN
Administrator, Operations Division

RECEIVED

DEPARTMENT OF WATER ADMINISTRATION
- STAFF ANALYSIS -

Item	Initial	Date	
(1)	<u>mls</u>	<u>4-29-74</u>	Application No. <u>Bannock Pumping Co. 36-7470</u>
(2)			☒ Source ☒ Point of Diversion ☒ County ☒ Quantity of Water and Period of Use ☒ Description of Diverting Works ☒ Time required for B/U of water ☒ Place of Use or Acres Irrigated ☒ Map ☒ Signature ☒ Fee
(3)	<u>mls</u>	<u>4-29-74</u>	In form to receipt Send Copies to: ☐ Idaho State Health Department ☐ Idaho Fish and Game Department ☐ Bureau of Land Management
(4)			☐ Request Special Use Permit from U.S.F.S. ☐ Request Easement from B.L.M. ☐ Request Information from Applicant
(5)	<u>mls</u>	<u>4-29-74</u>	In form for advertising
(6)			Located within Water District No. _____
(7)			Critical groundwater area: yes _____ no ☒
(8)			Groundwater levels: ____ Decline (comment) _____ ☒ Stable (comment) _____ ____ Increasing (comment) _____
(9)			Comments: _____
(10)	<u>AT</u>	<u>5-24-74</u>	Affidavit of Publication received (date) <u>5-24-74</u>
(11)			Final date for protests <u>5-27-74</u> Protests received: yes _____ no ☒
(12)			Date and Place of hearing _____ Decision reached at hearing _____
(13)			All requested information received from agencies or applicant yes _____ no _____
(14)			Action recommended: ☒ Approve ____ Deny Reason for Reduction _____ ☒ Measuring device required ____ See attached sheet for additional conditions of approval ____ No additional conditions for approval
(15)	District <u>Southern</u>	By <u>Bob Haynes</u>	Priority <u>4-267K</u> RECEIVED MAY 30 1974 Department of Water Administration

36 7470

AFFIDAVIT of PUBLICATION

COPY OF NOTICE

(Paste Here)

Permit 36-7470
TITLE OF NOTICE

State of Idaho, }
County of Jerome } SS.

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Bannock Paving Company, Box 4202, Pocatello, Idaho, has on 4-26-74 submitted Application No. 36-7470 for a permit to appropriate 1.0 cubic feet per second of water from groundwater by means of deep well, pump and surge tank within the NE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 3, T 9S, R 17E, B.M., Jerome Co. (2 points) to be used from Jan. 1 to Dec. 31 for industrial use within the NE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 3, T 9S, R 17E, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Administration, 1041 Blue Lakes Blvd. North, Twin Falls, Idaho, 83301 on or before May 27, 1974.

R. KEITH HIGGINSON
Director

5-9-2tc-n

being first duly sworn, deposes and says that he is the printer (publisher) of the Jerome North Side News, a newspaper published every week in Jerome, County of Jerome, State of Idaho; that said newspaper has been continuously and uninterruptedly published for a period of seventy-eight consecutive weeks prior to the first publication of the annexed notice, and is a newspaper qualified to publish legal notices as provided by act of the 1919 session of the legislature of the State of Idaho, known as House Bill 145; that the annexed advertisement was published once each week for two consecutive issues in said newspaper proper and not in a supplement; that the date of the first publication of said advertisement was on the 9th day of May, 1974, and the date of the last publication was on the 16th day of May, 1974.

Subscribed and sworn to before me this 23rd day of May, 1974.
(SEAL)

Darla Bratt
NOTARY PUBLIC

NORTH SIDE NEWS

Jerome, Idaho

COST OF PUBLICATION

Number of Lines in Notice 36
Number of Insertions 2
Lines tabular at 315c
36 Lines straight at 21c 7.56
36 Subsequent lines at 15c 5.40
TOTAL COST 12.96

PUBLICATION RATES

(Idaho Code, Rev. Statutes 1971)

7 pt. per line, straight	21c
7 pt. per line, tabular	315c
7 pt. per line, successive insertions	15c

No. 3037

36 7470

MEMORANDUM

Date: October 31, 2003
To: Water Right File 36-7470
From: Shelley Keen *SK*
Re: Status Change

On May 31, 2002, the status for this water right record was changed to Not Claimed. This right was established prior to 11/19/1987, it was not claimed in the Snake River Basin Adjudication, and it was not a deferrable domestic or stockwater right.

On October 22, 2002, this right was claimed in the SRBA. The status of the license was changed back to Active. In one year this license should be revisited to determine if the claim has been decreed and to make sure the data is in order.

November 19, 1975

Re: Permit No. 36-7470

Bannock Paving Co.
P. O. Box 4202
Pocatello, ID 83201

Gentlemen:

Enclosed herewith is a copy of the water license issued on the above referenced permit.

Sincerely,

D. DARLENE REICH
Water Rights Supervisor

DDR:rb

Enc.

UNRECORDED

November 3, 1975

Bannock Paving Company
P.O. Box 4202
Pocatello, Idaho 83201

Gentlemen:

A representative of this Department has made an examination of the works covered by your Permit No. 36-7470 and has found the following:

Quantity of water diverted: 0.33 cfs Source: ground water
Amount of water that can be recognized as beneficially used under
Idaho law: 0.33 cfs
Point of diversion: NE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 3, Twp. 9 S, Rge. 17 E, B.M.,
Jerome County
Beneficial use: Industrial purposes within the NE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 3,
Twp. 9 S, Rge. 17 E, B.M.
Priority established: April 26, 1974

If you do not concur with these findings please contact us within the next ten days, otherwise a water license will be issued as set forth above.

Sincerely,

BOBBY D. FLEENOR
Chief, Water Rights

BDF:DR

RECEIVED

RECEIVED

TOTAL ACREAGE

Bob -

Let's use

137 acre feet

(7 months $\times .33$)

or

Let's leave blank

RECORDED

INTER-DEPARTMENT MEMO → 1

DATE 10-23-15

FROM GARY Funderburg
TO D. Reich

RECEIVED

OCT 28 1915

SUBJECT open Request.

Department of Water Resources

- ① Hot Plant use.
- ② spraying for dust Control
5. ③ water for Compaction - They haul the water to location where the gravel is being rolled.

9 months year use.

7:00 am to 6:00 p.m.

mouth ~~are not~~ is used very little.

SIGNATURE

DATE OF EXAM 8-4-75

ACREAGE
Found ✓
Recommended ✓

Irrigation Requirement ✓ Ac Ft/Ac

USE
Irrigation Q= c.f.s. V= AF/Ann. from to
Domestic Q= c.f.s. V= AF/Ann. from to
Livestock Q= c.f.s. V= AF/Ann. from to
Industrial Q = .33 c.f.s. V = 238.5 AF/ANN from Jan 1 to Dec 31

Is water co-mingled? yes no ✓

Name source:
twp. N/S, Rge E/W, B.M., Sec. , Sub. $\frac{1}{4}$ $\frac{1}{4}$
County

Exchange? yes no ✓

Name source exchanged with:
twp. N/S, Rge E/W, B.M., Sec. , Sub. $\frac{1}{4}$ $\frac{1}{4}$
County

Point of injection:
twp. N/S, Rge E/W, B.M., Sec. , Sub. $\frac{1}{4}$ $\frac{1}{4}$
County

Point of exchange:
twp. N/S, Rge E/W, B.M., Sec. , Sub. $\frac{1}{4}$ $\frac{1}{4}$
County

Total Q measured 150 gal/min = .33 c.f.s. Method of measurement 1/11 MVT

Total Q recommended .33 c.f.s. Meter No. Type 2 1/2 Condition new

Total V recommended 238.5 Ac Ft/ANN

Recommended Amendments:

P.D.
Place of Use
Other
None

MEASUREMENT CALCULATION:
Q = .33 c.f.s. (150 gal/min) ÷ (448.8 gal/min = 1 c.f.s.)
V = 238.5 Ac Ft/ANN (1.98 Ac Ft) (365 days) (.33 c.f.s.)

SYSTEM DESCRIPTION:
2.5 Hp. MOTOR # 5PB6-DK589 Red Jacket Submersible
301 Pressure TANK 150 gal TANK

REMARKS:
Domestic is being used also.
Bob Tarbet was along on Exam.

Examiner's Signature Gay J. Lundberg Date 8-5-75
Checked by Date
Approved by Date

July 23, 1975

Re: Permit No. 36-7470

Bannock Paving Company
Box 4202
Pocatello, Idaho 83201

Gentlemen:

We acknowledge receipt of the affidavit submitted as proof of beneficial use for the above referenced permit. Enclosed is an Order of Reinstatement; please note that the priority has remained the same.

Before a license can be issued, a field examination must be made by a representative of this Department. We cannot tell just when this examination will be made, but our examiner will try to contact you at the time he makes the examination so that you may show him the system.

If you have any questions regarding the field examination, please contact our District Office in Twin Falls.

Sincerely,

D. Darlene Reich
Water Rights Supervisor

DDR:JFR

Encl: Order

Identification No. _____

Permit No. 36-7470

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

PROOF OF APPLICATION OF WATER TO BENEFICIAL USE

RECEIVED

JUL 1 1975 *ok jr*

Department of Water Resources
Southern District Office

1. a) Name of Permit Holder BANNOCK PAVING COMPANY

b) Post Office Address P. O. Box 4202, Pocatello, Idaho

2. Permit Number 36-7470

3. Date of Priority that you are prepared to establish 4-26-74

4. a) Source from which water was appropriated Well

b) Location of the point of diversion: NE 1/4 NE 1/4, Section 3

Township 9S, Range 16EBM Boise Meridian, Other points of diversion: _____

5. a) The amount of water and use to which the water has been applied:

Amount 1.00 cfs for Irrigation purposes from Jan. 1 to Dec. 31 incl.
(cfs and/or acre-feet per annum) (Month-Day) (Month-Day)

Amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre-feet per annum) (Month-Day) (Month-Day)

Amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre-feet per annum) (Month-Day) (Month-Day)

b) Total amount appropriated 1.00 cfs cfs and/or acre-feet per annum

c) Describe how and by whom measurement of rate of flow or amount of storage was made and the qualifications of the person making the measurement: _____

6. If the means of diversion and conveyance are owned by someone other than the Permit Holder:

a) Give the name or description of the canal, ditch or other works by which the water is conducted to the place of use: _____

b) Describe the agreement or understanding by which you take water from the works: deep well, pump and surge tank

7. a) Briefly describe the works for diverting and conveying the water to the place of use, (if from a subterranean source, give the pump size, motor size, size of well casing, depth of well; if from surface water, give brief description of diversion structure and/or canal or ditch) 8" well casing, 320' 25 H. P. pump

b) Describe the type and size of measuring device which you have installed at your point of diversion: 2" Flow Meter (Mueller)

c) Give well driller's name and address and the date the well was completed: Smith Drilling & Pump, Jerome, Ida.

8. If for other than irrigation, describe the beneficial use to which you have applied the water and the place of use: _____

Industrial 4 East & 3 South of Jerome

Exam typed 7-23-75 by By

MICROFILMED

9. Irrigation uses: describe the lands irrigated by giving the acreages irrigated within each 40 acre subdivision: _____

T	R	SEC.	NE¼				NW¼				SW¼				SE¼				TOTAL
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	

Total number of acres irrigated _____

10. Remarks: _____

The above information is a true statement of the extent to which the above numbered permit has been developed.

6/30/95
(Date)

Robert H. Taubert
(Signature)
Manager-Jerome Plant

State of Idaho)
County of Jerome) ss.

On this 30th day of June, 19 95, personally appeared before me the signer(s) of the above instrument, who duly acknowledged to me that he (she) (they) executed the same.

Debra J. Smith
Notary Public residing at Jerome

My commission expires 5/14/98



STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

STATE HOUSE BOISE, IDAHO 83720


July 3, 1975

Bannock Paving Company
Box 4202
Pocatello, Idaho 83201

Gentlemen:

You are hereby notified that under the provisions of Section 42-218a of the Idaho Code, Permit No. 36-7470 has lapsed.

You are further advised that the Department cannot reinstate the permit except upon a showing of reasonable cause within 60 days from the date of this notice of lapsing.


R. KEITH HIGGINSON
Director

RECEIVED
JUL 10 1975
DEPT. OF WATER RESOURCES

- **SENDER:** Complete items 1 and 2.
Add your address in the "RETURN TO" space on reverse.

1. The following service is requested (check one).

- ☐ Show to whom and date delivered..... 15¢
☐ Show to whom, date, & address of delivery.. 35¢
☐ **DELIVER ONLY TO ADDRESSEE** and show to whom and date delivered..... 65¢
☐ **DELIVER ONLY TO ADDRESSEE** and show to whom, date, and address of delivery..... 85¢

2. ARTICLE ADDRESSED TO:

MICROFILMED

3. ARTICLE DESCRIPTION:

REGISTERED NO. CERTIFIED NO. INSURED NO.

26259

(Always obtain signature of addressee or agent)

I have received the article described above.

SIGNATURE

*Barnock Paving
Doyle Street*

4.

DATE OF DELIVERY

MAY - 2 1975

POSTMARK

5. ADDRESS (Complete, if requested)

6. UNABLE TO DELIVER BECAUSE:

CLERK'S
INITIALS

UNITED STATES POSTAL SERVICE


OFFICIAL BUSINESS

SENDER INSTRUCTIONS

Print your name, address, and ZIP Code in the space below.

- Complete items 1 and 2 on reverse side.
- Moisten gummed ends and attach to back of article.

PENALTY FOR PRIVATE
USE TO AVOID PAYMENT
OF POSTAGE, \$300



**RETURN
TO**



DEPARTMENT OF WATER RESOURCES

STATEHOUSE

BOISE, IDAHO 83720



May 1, 1975

CERTIFIED MAIL

#26759

Re: Permit No. 36-7470

Bannock Paving Company
Box 4202
Pocatello, ID 83201

Gentlemen:

One of the conditions of approval of your water Permit No. 36-7470 (see last page of your approved permit) was that evidence of the extent of development be submitted as proof of application of water to beneficial use to this office on or before July 1, 1975. Enclosed is an affidavit form which must be used to submit the required proof of beneficial use.

If you have not fully completed your project, and you have not previously received an extension of time, you may request an extension of time provided the delay is for reasonable cause as indicated in Section 42-204, Idaho Code, amended. If you have been prevented from proceeding by a governmental agency or by litigation, more than one extension of time can be granted.

Either the beneficial use affidavit or a request for an extension of time must be received by this Department on or before the above mentioned date, otherwise the permit will lapse and be of no further force or effect.



R. KEITH HIGGINSON
Director

RKH:jg
Enc: Proof affidavit

June 5, 1974

Re: Permit No. 36-7470

Bannock Paving Company
Box 4202
Pocatello, Idaho 83201

Gentlemen:

Enclosed is a copy of your approved Application for Permit No. 36-7470. We direct your attention to the conditions of approval as listed on the fourth page.

Be sure to note that a special condition requiring you to install and maintain a measuring device at your point of diversion has been placed upon your permit. We are enclosing a letter describing different types of measuring devices accepted by this office.

Sincerely,

BOBBY D. FLEENOR
Assistant Director

BDF/bjg

Enclosures

36 7470

April 29, 1974

RE: Application No. 36-7470 - Bannock Paving Company

North Side News
P.O. Box 468
Jerome, Idaho 83338

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

In order to receive payment, an affidavit of publication must be submitted to the Department along with the publication bill.

Sincerely,

Bob Haynes
Southern District Engineer

enc.

Bill submitted 5-24-74 LT

36 7470

For [unclear] OK

JEROME LEGAL
(WATER)

NOTICE OF APPLICATION
FOR WATER PERMIT

Notice is hereby given that Bannock Paying Company, Box 4202, Pocatello, Idaho, has on 4-26-74 submitted Application No. 36-7470 for a permit to appropriate 1.0 cubic feet per second of water from groundwater by means of deep well pump and surge tank within the NE 1/4 NE 1/4, Sec. 3, T 9S, R 17E, B.M. Jerome Co. (2 points) to be used from Jan. 1 to Dec. 31 for industrial use within the NE 1/4 NE 1/4, Sec. 3, T 9S, R 17E, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Administration, 1041 Blue Lakes Blvd. North, Twin Falls, Idaho, 83301 on or before May 27, 1974.

R. KEITH HIGGINSON
SON
Director

5-9-74

OK LT
5-6-74

36 7470

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Bannock Paving Company

Box 4202, Pocatello, Id.

has on 4-26-74 submitted Application No. 36-7470

for a permit to appropriate 1.0 cubic feet per second ~~and one foot per annum~~

of water from groundwater

by means of deep well, pump and surge tank

within the NE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 3, T 9S, R 17E, B.M., Jerome Co. (2 points)

to be used from Jan. 1 to Dec. 31

for industrial use

within the NE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 3, T 9S, R 17E, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Administration, 1041 Blue Lakes Blvd. North, Twin Falls, Idaho, 83301 on or before May 27, 1974.

R. KEITH HIGGINSON

Director

Published in the North Side News

on 5-9 and 5-16-74

36 7470