


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

R18E



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Jerry Callen
(Applicant)

36

36

AFFIDAVIT of PUBLICATION

State of Idaho, }
County of Jerome } SS.

RECEIVED

OCT 22 1973

Department of Water Administration

[Signature], being first duly sworn, deposes and says that he is the printer (publisher) of the Jerome North Side News, a newspaper published every week in Jerome, County of Jerome, State of Idaho; that said newspaper has been continuously and uninterruptedly published for a period of seventy-eight consecutive weeks prior to the first publication of the annexed notice, and is a newspaper qualified to publish legal notices as provided by act of the 1919 session of the legislature of the State of Idaho, known as House Bill 145; that the annexed advertisement was published once

each week for 2 consecutive issues in said newspaper proper and not in a supplement; that the date of the first publication of said advertisement was on the 11th day of Oct., 1973, and the date of the last publication was on the 18th day of Oct., 1973.

Subscribed and sworn to before me this 18th day of October, 1973.
(SEAL)

[Signature]

NOTARY PUBLIC

NORTH SIDE NEWS
Jerome, Idaho

COST OF PUBLICATION

Number of Lines in Notice 31
Number of Insertions 2
Lines tabular at 315c
31 Lines straight at 21c \$6.51
31 Subsequent lines at 15c 4.65
TOTAL COST \$11.16

COPY OF NOTICE

(Paste Here)

Application for permit
TITLE OF NOTICE 36-7384

PLAINTIFF ATTORNEY

DEFENDANT

PLAINTIFF

Dept. of Water Administration
BILL TO

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Jerry Callen, Route 2, Jerome, Id., has on October 4, 1973 submitted Application No. 36-7384 for a permit to appropriate 3.2 cubic feet per second of water from groundwater by means of well, pump and sprinkler within the NW $\frac{1}{4}$ N-W $\frac{1}{4}$, Sec. 2, T. 9S, 18E, B.M., Jerome County to be used from Mar. 15 to Nov. 15 for irrigation of 160 acres within the NW $\frac{1}{4}$, Sec. 2, T. 9S, R. 18E, B.M. If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Administration, 1041 Blue Lakes Boulevard North, Twin Falls, Idaho, 83301 on or before October 29, 1973.

R. KEITH HIGGINSON
Director
10-11-2tc

PUBLICATION RATES

(Idaho Code, Rev. Statutes 1971)

7 pt. per line, straight	21c
7 pt. per line, tabular	315c
7 pt. per line, successive insertions	15c

No. 2228

36 7384





Diagram of System



(10 tower Electrogenerator Pivot)
Designed for 1000gpm

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 36-7384 Priority October 4, 1973 Amount 2.26 cfs

THIS IS TO CERTIFY, that JERRY CALLEN

of Jerome, Idaho, has complied with the terms and conditions of Permit No. 36-7384 issued pursuant to Application for Permit dated October 4, 1973, and has submitted proof to the Department of Water Resources on September 5, 1978, that he has applied water to a beneficial use; an examination by the Department indicates that the works have a capacity for the diversion of 2.26 cfs of water from a groundwater source, tributary to _____, and that the permit holder has applied to a beneficial use and established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
Irrigation	from <u>March 15</u> to <u>November 15</u>	at <u>2.26 cfs</u>	and <u>520 acre feet</u>
	from _____ to _____	at _____ cfs	and _____
	from _____ to _____	at _____ cfs	and _____

(both dates inclusive)

Subject, however, to the condition that no more than 2.26 cfs of water be diverted at any one time, and that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed 520 acre feet per year, said waters to be diverted within the Lot 4, Sec. 2, Twp. 9S,
Rge. 18E, B.M. in the County of Jerome

Description and location of place of use:

Twp.	Range	Sec.	NE¼				NW¼				SW¼				SE¼				Totals
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
9S	18E	2					Lt3 33	Lt4 39	25	33									130


Total number of acres irrigated 130

This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.0 afa per acre for the lands above.

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use herein described, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 17 day of March, 19 81.


Director

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF CHANGING THE MEASURING
DEVICE REQUIREMENT FOR PERMIT NO. 36-7384

ORDER

WHEREAS, the above numbered permit was approved with the condition that a measuring device of a type approved by the Department be permanently installed and maintained as part of the diverting works; and,

WHEREAS, on July 1, 1978, the Department adopted a new water measurement condition which states: "An access port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department"; and,


WHEREAS, the former condition required the permit holder to purchase and install a measuring device or hire a professional engineer to certify the rate of diversion; and,

WHEREAS, the measuring device condition effective July 1, 1978, requires less capital expenditure by the permit holder; and,

WHEREAS, to be equitable to holders of permits issued prior to July 1, 1978, the new condition should be retroactive;

NOW THEREFORE, it is hereby ordered that the condition of approval of this permit related to water measurement is hereby changed as follows: "The permit holder shall either install a measuring device or provide a certified measurement by a professional engineer or install an access port or other device as specified by the Department".

Dated this 18th day of August, 1978.


C. STEPHEN ALLRED
Director

MICROFILMED

Identification No. _____

Application No. 36-7384

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION

APPLICATION FOR PERMIT

APPROVED

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

1. Name of applicant Jerry Callen
post office address Route 2, Jerome, Idaho 83338
2. Source of water supply Groundwater which is a tributary of _____
3. a. Location of point of diversion is NW Lot 4 1/4 of NW 1/4 of Section 2 Township 9S
Range 18E B.M. Jerome County; additional points of diversion if any: _____

- b. If water is not consumed, it will be discharged into _____ at a point in _____ 1/4
of _____ 1/4 of Section _____ Township _____ Range _____ B.M. _____
4. Water will be used for the following purposes:
Amount 3.2 cfs for Irrigation purpose from Mar. 15 to Nov. 15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
a. 3.2 cubic feet per second and/or
b. _____ acre feet per annum.
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. Well, pump, and sprinkler

- b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir capacity _____ acre feet, materials used in storage dam: _____
Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)
- c. Proposed well diameter is 20 inches; proposed depth of well is 350 feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years.
b. Estimated construction cost is \$ 40,000.00.
8. Description of proposed uses:
a. If water is **not** for irrigation:
(1) Give the place of use of water: _____ 1/4 of _____ 1/4 of Section _____ Township _____
Range _____ B.M. _____
(2) Amount of power to be generated: _____ hp under _____ feet of head.
(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water _____.
(5) If water is to be used for other purposes describe: _____

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP.	RANGE	SEC.	NE1/4				NW1/4				SW1/4				SE1/4				TOTALS
			NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	
9S	18E	2					40	40	40	40									160


Total number of acres to be irrigated 160

c. Describe any other water rights used for the same purposes as described above.
158.8 shares of canal water

9. a. Who owns the property at the point of diversion Applicant
b. Who owns the land to be irrigated or place of use Applicant
c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

10. Remarks Canal water will be transferred to another farm.

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Jerry Callen
(Applicant)

Proposed Priority 10-4-1973

Received by KOF Date 10-4-73 Time 4:00 PM

Preliminary check by QW Fee \$ 55.00

Receipted by jmm Date 10-4-73 # 11663

QW Publication prepared by jmm Date 10-5-73

Published in North Side News

Publication dates 10-11 & 10-18-73

Publication approved jmm Date 10-23-73

Priority reduced to _____ Reason _____

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by KOF

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER ADMINISTRATION

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 36-7384, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before November 1, 19 78.

c. Other: A measuring device of a type approved by this department shall be permanently installed and maintained as part of the diverting works.

2. Denial of said application is for the following reasons: _____

Witness my hand this 1st day of November 19 73.

A. Kenneth Dunn
Director

AFFIDAVIT of PUBLICATION

State of Idaho, }
County of Jerome } SS.

[Signature] being first duly sworn, deposes and says that he is the printer (publisher) of the Jerome North Side News, a newspaper published every week in Jerome, County of Jerome, State of Idaho; that said newspaper has been continuously and uninterruptedly published for a period of seventy-eight consecutive weeks prior to the first publication of the annexed notice, and is a newspaper qualified to publish legal notices as provided by act of the 1919 session of the legislature of the State of Idaho, known as House Bill 145; that the annexed advertisement was published once

each week for 2 consecutive issues in said newspaper proper and not in a supplement; that the date of the first publication of said advertisement was on the 11th day of Oct. 19 73, and the date of the last publication was on the 18th day of Oct., 19 73.

Subscribed and sworn to before me this 18th day of October, 19 73.
(SEAL)

[Signature]
NOTARY PUBLIC

NORTH SIDE NEWS
Jerome, Idaho

COST OF PUBLICATION

Number of Lines in Notice 31
Number of Insertions 2
Lines tabular at 315c
31 Lines straight at 21c
31 Subsequent lines at 15c
TOTAL COST \$11.16

COPY OF NOTICE

(Paste Here)

Application for permit
TITLE OF NOTICE 36-7384

PLAINTIFF ATTORNEY

DEFENDANT

PLAINTIFF

Department of Administration

Notice is hereby given that [Redacted] has on October 4, 1973, submitted Application No. 36-7384 for a permit to appropriate 2 cubic feet per second of water from groundwater by means of well, pump and 2 inches within the NW 1/4, Sec. 2, T. 9S, R. 18E, B.M., 2 acres within the NW 1/4, T. 9S, R. 18E, B.M. 2 to Nov. 15 for irrigation 2 acres within the NW 1/4, T. 9S, R. 18E, B.M. 2 issued, this permit will be 2 to all prior water rights. 2 against the granting of 2 permit must be filed with 2 Idaho Department of Water 2 Administration, 1041 Blue 2 Boulevard North, Twin 2 Idaho, 83301 on or before 2 29, 1973.

R. KEITH HIGGINSON
Director
10-11-21c

PUBLICATION RATES

(Idaho Code, Rev. Statutes 1971)

7 pt. per line, straight	21c
7 pt. per line, tabular	315c
7 pt. per line, successive insertions	15c

No. 2228

36 7384



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

C. STEPHEN ALLRED

Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

March 20, 1981

Jerry Callen
Rt. 2
Jerome, Idaho 83338

Dear Mr. Callen,

RE: License No. 36-7384

Enclosed is a copy of the Water Right License issued on the above referenced Permit.

Please be advised that one of the conditions of your permit was that a measuring device be installed as part of your diversion works. That requirement has been waived with issuance of the enclosed license. However, in the event that water supply shortages become a problem installation of measuring devices may be required.

Sincerely,

JIM JOHNSON
Water Distribution Supervisor

JJ:mr
Enclosure

MICROFILMED



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

C. STEPHEN ALLRED

Director

Mailing address:

Statehouse

Boise, Idaho 83720

(208) 334-4440

February 19, 1981

Jerry Callen
Rt. 2
Jerome, Idaho 83338

Dear Mr. Callen,

A representative of this Department has made an examination of the works covered by your Permit No. 36-7384, and has found the following:

Amount of water that can be recognized as beneficially used under
Idaho law: 2.26 cfs Source: groundwater

The maximum quantity diverted shall not exceed 520 acre feet per year.

Point(s) of diversion: Lot 4, Sec. 2, Twp. 9S, Rge. 18E, B.M.

Beneficial use: Irrigation of 130 acres within the NW $\frac{1}{4}$, Sec. 2, Twp. 9S,
Rge. 18E.

Priority date established: October 4, 1973

Conditions (if any): This right when combined with all other rights shall provide
no more than .02 cfs per acre nor more than 4.0 afa per acre
for the lands above.

If you do not concur with these findings please contact us within 10 days, otherwise
a water license will be issued as set forth above.

Sincerely,

JIM JOHNSON
Water Distribution Supervisor

MICROFILM

DEPARTMENT OF WATER RESOURCES
FIELD REPORT

RECEIVED

1. Name of permit holder Jerry Callen
Post office address Rt 2, Jerome, Id Phone NOV 2 1978
Person to contact _____ Department of Water Resources
Southern District Office

2. Source of water supply: Groundwater ☒ Surface water ☐
(name spring, stream, etc.)
Tributary to _____

3. Water will be used for the following purposes:

Amount 3.20 c.f.s. for irrigation
AF/Annum (nature of use)

Period of Use: from 3-15 to 11-15
(mo.-day) inclusive (mo.-day)

Amount _____ c.f.s. for _____
AF/Annum (nature of use)

Period of Use: from _____ to _____
(mo.-day) inclusive (mo.-day)

Amount _____ c.f.s. for _____
AF/Annum (nature of use)

Period of Use: from _____ to _____
(mo.-day) inclusive (mo.-day)

Other uses: _____

Permit No. 36-73841
Examination for 6/12

4. Total amount to be appropriated:

Max Rate of Diversion 3.2 cubic feet per second and annual volume _____ AF/Annum.

5. Location of Point(s) of Diversion:

Township 9S N/S, Range 18E E/W, B.M., Section 2, Subdivision (NW 1/4 NW 1/4) Jerome County
Township _____ N/S, Range _____ E/W, B.M., Section _____, Subdivision _____ 1/4 _____ 1/4 _____ County
Township _____ N/S, Range _____ E/W, B.M., Section _____, Subdivision _____ 1/4 _____ 1/4 _____ County

Other Points of Diversions: _____

Description of diverting works: 16" well, 150 Hp electric pump, center pivot irrigation system

Measuring device required: yes ☒ no ☐

6. Lands to be irrigated or place of use.


TWP.	RANGE	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
9S	18E	2					40	40	40	40									160

MICROFILMED

TOTAL ACREAGE 160

34/35

35/36



DATE OF EXAM June 15, 1979

ACREAGE
Found 130 ✓
Recommended 130 ✓

Irrigation Requirement 4.0 Ac Ft/Ac

USE
Irrigation Q = 2.26 c.f.s. V = 520 AF/Ann. from Mar. 15 to Nov. 15
Domestic Q = _____ c.f.s. V = _____ AF/Ann. from _____ to _____
Livestock Q = _____ c.f.s. V = _____ AF/Ann. from _____ to _____

Is water co-mingled? yes _____ no ✓

Name source: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Exchange? yes _____ no ✓

Name source exchanged with: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Point of injection:
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Point of exchange:
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Total Q measured 2.26 cfs Method of measurement Annubar

Total Q recommended 2.26 cfs Meter No. 191140 Type Annubar Condition Good

Total V recommended 520 A.F./Ann.

Recommended Amendments:

P.D. _____
Place of Use _____
Other _____
None ✓

MEASUREMENT CALCULATION:

$Q_{meas.} = (17 \text{ psi with } 7.981" \text{ annubar}) \Rightarrow \frac{1011 \text{ gpm}}{448.8} \text{ or } \text{CAPACITY } \textcircled{2.26 \text{ cfs}}$
 $Q_{rec.} = Q_{meas.} = 2.26 \text{ cfs}$
 $V_{rec.} = 520 \text{ A.F./Ann.} = (130 \text{ Acres} \times 4.0 \text{ A.F./Acres/Ann.})$
 $2.26 \times 1.9835 \times 245 = 1098.3$

SYSTEM DESCRIPTION:

A 150 H.P. U.S. Motors, serial C2684-01-498 85-10060, delivers to a ten tower Electrazor pivot with 3" solid set sprinklers with Weather Tec sprinkler heads w/ 1/8" nozzles covering the NW corner of the acreage.

REMARKS:

Mr. Callen was present during the exam. Mr. Callen stated that the amount measured was maximum for when valves are opened further the pump sucks it and surges

Examiner's Signature John D. Merritt Date 6/18/79

Checked by J E Stanton Date 6-19-79

Approved by Rpbyrn Date 2/13/81

No overlapping Rights



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 373 W. Franklin Street, Boise, Idaho

JOHN V. EVANS
Governor

C. STEPHEN ALLRED
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 384-2215

October 31, 1978

Jerry Callen
Route 2
Jerome, ID 83338

Dear Mr. Callen:

Re: Permit No. 36-7384

We acknowledge receipt of the affidavit submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We cannot tell just when this examination will be made, but our examiner will try to contact you at the time he makes the examination so that you may show him the system.

If you have any questions regarding the field examination, please contact our regional office in Twin Falls.

Sincerely,

RITA FLECK
Water Rights

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

RECEIVED

PROOF OF APPLICATION
OF WATER TO BENEFICIAL USE

SEP 5 1978

Department of Water Resources
Southern District Office

1. a) Name of permit holder Jerry Callen

b) Post office address Route 2, Jerome, Idaho 83338

2. Permit number 36-7384

3. Date of priority that you are prepared to establish 10-4-73

4. a) Source from which water was appropriated Groundwater

(Lot 4)

b) Location of the point of diversion: NW $\frac{1}{4}$ NW $\frac{1}{4}$, Section 2

Township 9S, Range 18E Boise Meridian. Other points of diversion: _____

5. a) The amount of water and use to which the water has been applied:

Amount 3.20 for irrigation purposes from Mar. 15 to Nov. 15 incl.
(cfs &/or acre-feet per annum) (month-day) (month-day)

Amount _____ for _____ purposes from _____ to _____ incl.
(cfs &/or acre-feet per annum) (month-day) (month-day)

Amount _____ for _____ purposes from _____ to _____ incl.
(cfs &/or acre-feet per annum) (month-day) (month-day)

b) Total amount appropriated 3.20 ~~20~~ and/or acre-feet per annum.

c) Describe how and by whom measurement of rate of flow or amount of storage was made and the qualifications of the person making the measurement:

Not measured

6. If the means of diversion and conveyance are owned by someone other than the permit holder:

a) Give the name or description of the canal, ditch or other works by which the water is conducted to the place of use:

b) Describe the agreement of understanding by which you take water from the works: _____

7. a) Briefly describe the works for diverting and conveying the water to the place of use, (if from a subterranean source, give the pump size, motor size, size of well casing, depth of well; if from surface water, give brief description of diversion structure and/or canal or ditch):

16 inch well, 150 HP electric pump and center pivot irrigation system

b) Describe the provision for making a measurement which you have at your point of diversion: (i.e., installed measuring device, access port, other)

An access port meeting department specifications will be installed

Exam typed

10/25/78

by

c) Give well driller's name and address and the date the well was completed: _____

Smith Drilling and Pump, Jerome, Idaho wi

Well was completed June 1, 1974

8. If for other than irrigation, describe the beneficial use to which you have applied the water and the place of use:

9. Irrigation uses: describe the lands irrigated by giving the acreages irrigated within each 40 acre subdivision:

T	R	SEC.	NE¼				NW¼				SW¼				SE¼				TOTAL
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
9S	18E	2					40	40	40	40									160

Total number of acres irrigated 160

10. Remarks: _____

The above information is a true statement of the extent to which the above numbered permit has been developed.

6 Sept 1978
(Date)

Jerry Palmer
(Signature)

State of _____)
County of Twin Falls) ss.

On this 6 day of September, 1978, personally appeared before me the
signer(s) of the above instrument, who duly acknowledged to me that he (she) (they) executed the same.

Loren O Halmer
Notary Public
Residing at Twin Falls, Id

My commission expires Mar. 26, 1979



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 373 W. Franklin Street, Boise, Idaho

JOHN V. EVANS

Governor

C. STEPHEN ALLRED

Director

Mailing address:

Statehouse

Boise, Idaho 83720

(208) 384-2215

CERTIFIED MAIL

100099

August 31, 1978

Re: Permit No.

36-7384 & 36-7385

Jerry Callen
Route 2
Jerome, ID 83338

Dear Mr. Callen:

One of the conditions of approval of your water Permit No. 36-7384 (see last page of your approved permit) was that evidence of the extent of development be submitted as proof of application of water to beneficial use to this office on or before November 1, 1978. Enclosed is an affidavit form which must be used to submit the required proof of beneficial use.

If you have not fully completed your project, and you have not previously received an extension of time, you may request an extension of time provided the delay is for reasonable cause as indicated in Section 42-204, Idaho Code, amended. If you have been prevented from proceeding by a governmental agency or by litigation, more than one extension of time can be granted.

Either the beneficial use affidavit or a request for an extension of time must be received by this Department on or before the above mentioned date, otherwise, the permit will lapse and be of no further force or effect.

RITA FLECK

Water Rights

Encl: Proof affidavit
Orders

MICROFILMED

DEPARTMENT OF WATER ADMINISTRATION
- STAFF ANALYSIS -

Item	Initial	Date	
(1)	jmm	10-5-73	Application No. <u>36-7384</u> <i>Jerry Callen</i>
(2)	<i>QW</i>	<i>10-4-73</i>	☒ Source ☒ Point of Diversion ☒ County ☒ Quantity of Water and Period of Use ☒ Description of Diverting Works ☒ Time required for B/U of water ☒ Place of Use or Acres Irrigated ☒ Map ☒ Signature ☒ Fee
(3)	<i>QW</i>	<i>10-4-73</i>	In form to receipt Send Copies to: ☐ Idaho State Health Department ☐ Idaho Fish and Game Department ☐ Bureau of Land Management
(4)			☐ Request Special Use Permit from U. S. F. S. ☐ Request Easement from B. L. M. ☐ Request Information from Applicant
(5)	<i>QW</i>	<i>10-4-73</i>	In form for advertising
(6)	<i>KDF</i>	<i>10-29-73</i>	Located within Water District No. <u>36</u>
(7)	<i>KDF</i>	<i>10-29-73</i>	Critical groundwater area: yes ☐ no ☒
(8)	<i>KDF</i>	<i>10-29-73</i>	Groundwater levels: ☐ Decline (comment) _____ ☒ Stable (comment) _____ ☐ Increasing (comment) _____
(9)			Comments: _____
(10)	jmm	10-23	Affidavit of Publication received (date) _____
(11)	<i>KDF</i>	<i>10-29-73</i>	Final date for protests <u>October 29, 1973</u> Protests received: yes ☐ no ☒
(12)			Date and Place of hearing _____ Decision reached at hearing _____
(13)	<i>N.A.</i>		All requested information received from agencies or applicant yes ☐ no ☐
(14)	<i>KDF</i>	<i>10-29-73</i>	Action recommended: ☒ Approve Priority _____ ☐ Deny Reason for Reduction _____ ☒ Measuring device required ☐ See attached sheet for additional conditions of approval ☐ No additional conditions for approval
(15)	District	<u>Southern</u>	By <u>KDF</u> Date <u>10-29-73</u>

WELL DRILLER'S REPORT

RECEIVED

State law requires that this report be filed with the Director, Department of Water Resources, within 30
days after the completion or abandonment of the well.

JUN 18 1975

1. WELL OWNER

Name Jerry CallenAddress Route 2, JeromeOwner's Permit No. 36-73 84

7. WATER LEVEL

Department of Water Resources

Southern District Office

Static water level 210 feet below land surfaceFlowing? ☐ Yes ☐ No G.P.M. flow _____

Temperature _____ ° F. Quality _____

Artesian closed-in pressure _____ p.s.i.

Controlled by ☐ Valve ☐ Cap ☐ Plug

2. NATURE OF WORK

☐ New well ☒ Deepened ☐ Replacement☐ Abandoned (describe method of abandoning)

8. WELL TEST DATA

NONE

☐ Pump ☐ Bailer ☐ Other

Discharge G.P.M.

Draw Down

Hours Pumped

3. PROPOSED USE

☐ Domestic ☒ Irrigation ☐ Test ☐ Other (specify type)☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection

4. METHOD DRILLED

☐ Cable ☒ Rotary ☐ Dug ☐ Other

5. WELL CONSTRUCTION

Diameter of hole 14 inches Total depth 492 feetCasing schedule: ☒ Steel ☐ Concrete

Thickness	Diameter	From	To
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet

Was casing drive shoe used? ☐ Yes ☒ NoWas a packer or seal used? ☐ Yes ☒ NoPerforated? ☐ Yes ☒ NoHow perforated? ☐ Factory ☐ Knife ☐ Torch

Size of perforation _____ inches by _____ inches

Number	From	To
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet

Well screen installed? ☐ Yes ☒ No

Manufacturer's name _____

Type _____ Model No. _____

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Diameter _____ Slot size _____ Set from _____ feet to _____ feet


Gravel packed? ☐ Yes ☒ No Size of gravel _____

Placed from _____ feet to _____ feet

Surface seal depth _____ Material used in seal ☐ Cement grout☐ Pudding clay ☐ Well cuttingsSealing procedure used ☐ Slurry pit ☐ Temporary surface casing☐ Overbore to seal depth

6. LOCATION OF WELL

Sketch map location must agree with written location.



Subdivision Name _____

Lot No. _____ Block No. _____

County Jerome

NW 1/4 NW 1/4 Sec. 2 T. 9S N/S, R. 18E BM E/W

10.

Work started 6/10/75 finished 6/11/75

11. DRILLERS CERTIFICATION

SMITH DRILLING & PUMP CO., INC.

Firm Name _____ Firm No. 11

Address 328 West Avenue A, Jerome Date 6/13/75Signed by (Firm Official) [Signature]

and

(Operator) [Signature]

USE TYPEWRITER OR
BALL POINT PEN

RECEIVED

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

JUN 5 1975

1. WELL OWNER

Name Jerry Callen

Address Route 2, Jerome

Owner's Permit No. 36-73 84

7. WATER LEVEL

Department of Water Resources
Southern District Office

Static water level 210 feet below land surface

Flowing? ☐ Yes ☒ No G.P.M. flow _____

Temperature _____ ° F. Quality _____

Artesian closed-in pressure _____ p.s.i.

Controlled by ☐ Valve ☐ Cap ☐ Plug

2. NATURE OF WORK

☒ New well ☐ Deepened ☐ Replacement

☐ Abandoned (describe method of abandoning)

8. WELL TEST DATA NONE

☐ Pump ☐ Bailor ☐ Other

Discharge G.P.M.	Draw Down	Hours Pumped

3. PROPOSED USE

☐ Domestic ☒ Irrigation ☐ Test ☐ Other (specify type)

☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection

9. LITHOLOGIC LOG

Hole Diam.	Depth		Material	Water	
	From	To		Yes	No
20	0	7 1/2	Top Soil & Clay		X
	7 1/2	10 1/2	Blue-Gray Soft Broken Lava		
	10 1/2	16 1/2	Gray Med Hard Lava		
20/16	16 1/2	24	Gray Soft Broken Lava		
16	24	32	Blue-gray Med Soft Lava		
	32	36	Lava (lost cuttings)		
	36	49	Reddish Brown Med. H. Lava		
	49	50	Lava (lost cuttings)		
	50	56	Gray Med Hard Lava		
	56	60	Gray Lava (Lost cuttings)		
	60	80	Red Med H. Lava		
	80	86	Gray Med H. Lava		
	86	88	Broken Med Hard Lava		
	88	97	Red-Black-Gray Lava Cinders		
	97	113 1/2	Hard Gray Broken Lava		
	113 1/2	115	Soft Lava Cinders		
	115	122	Med Hard Broken Gray Lava		
	122	147	Med Hard Pink-Gray Lava		
	147	149	Loose Hard Rock (lost cuttings)		
	149	163	Cinders & Loose Hard Rock		
	163	168	Red Sand		
16/14	168	177 1/2	Soft Sand & Small Gravel		
14	177 1/2	188	Gray-Red Large Soft Lava Cinders		
	188	194	Gray Med Hard Lava		
	194	215	Red Sand w/brown sticky clay		X
	215	261	Loose Rock w/clay med hard	X	
	261	307	Lava & Clay Streaks	X	
	307	315	Med Hard Gray Lava		X
	315	328	Very Hard Gray Lava		
	328	336	Soft Brown Lava		
	336	339	Soft Red Sand		
	339	365	Soft Lava w/hard streaks		
	365	369	Broken Lava		X

4. METHOD DRILLED

☒ Cable ☐ Rotary ☐ Dug ☐ Other

5. WELL CONSTRUCTION

Diameter of hole 14 inches Total depth 369 feet

Casing schedule: ☒ Steel ☐ Concrete

Thickness	Diameter	From	To
.250 inches	16 inches	+ 1 feet	-20 feet
.250 inches	14 inches	+ 1 feet	- 176 feet

Was casing drive shoe used? ☐ Yes ☒ No

Was a packer or seal used? ☐ Yes ☒ No

Perforated? ☐ Yes ☒ No

How perforated? ☐ Factory ☐ Knife ☐ Torch

Size of perforation _____ inches by _____ inches

Number	From	To

Well screen installed? ☐ Yes ☒ No

Manufacturer's name _____

Type _____ Model No. _____

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Gravel packed? ☐ Yes ☒ No Size of gravel _____

Placed from _____ feet to _____ feet

Surface seal depth 18 Material used in seal ☒ Cement grout

☐ Pudding clay ☐ Well cuttings

Sealing procedure used ☐ Sherry pit ☐ Temporary surface casing

☒ Overbore to seal depth

6. LOCATION OF WELL

Sketch map location must agree with written location.

36

N		
W	X	
		E
S		

Subdivision Name _____

Lot No. _____ Block No. _____

County Jerome

NW 1/4 NW 1/4 Sec. 2, T. 9S N/S, R. 18E BM E/W

10. Work started 2/3/75 finished 5/10/75

11. DRILLERS CERTIFICATION

SMITH DRILLING & PUMP CO., INC. Firm No. 11

Address 328 West Avenue A, Jerome Date 5/12/75

Signed by (Firm Official) [Signature]

and

(Operator) [Signature]

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION



Cecil D. Andrus
Governor
R. Keith Higginson
Director

614 State Street
Statehouse — Annex 2
Boise, Idaho 83720
(208) 384-2190

Water Rights Administration
Water Resource Investigations
Dam and Reservoir Safety
Water Well Drilling
Waste Disposal Wells
Stream Channel Protection

November 5, 1973

Re: Permit Nos. 36-7384
36-7385

Jerry Callen
Route 2
Jerome, Idaho 83338

Dear Mr. Callen:

Enclosed are copies of your approved Application for Permit Nos. 36-7384 and 36-7385. We direct your attention to the conditions of approval as listed on the fourth page of each permit.

Be sure to note that a special condition requiring you to install and maintain a measuring device at your points of diversion has been placed upon your permits. We are enclosing a letter describing different types of measuring devices accepted by this office.

Sincerely,

BOBBY D. FLEENOR
Assistant Director

BDF/bjg

Enclosures

36 7384

October 5, 1973

RE: Application Nos. 36-7384 - Jerry Callen
36-7385 - Jerry Callen

North Side News
P.O. Box 468
Jerome, ID 83338

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. In order to receive payment, the following certification must appear on the bill:

"I hereby certify that the foregoing account is just and correct, that the amount claimed is legally due, after allowing all just credits, and that no part of the same has been paid."

(signature of claimant)

Very truly yours,

Bob Haynes
District Engineer
Southern District

Bill submitted _____ by _____

NH:jmm

36 7384

Enc.: Legal Notices (2)

OK given 10 10 73

NOTICE OF APPLICATION
FOR WATER PERMIT

Notice is hereby given that Jerry Callen, Route 2, Jerome, Id., has on October 4, 1973 submitted Application No. 36-7384 for a permit to appropriate 3.2 cubic feet per second of water from groundwater by means of well, pump and sprinkler within the NW $\frac{1}{4}$ N $\frac{1}{4}$ W $\frac{1}{4}$, Sec. 2, T. 9S, 18E, B.M., Jerome County to be used from Mar. 15 to Nov. 15 for irrigation of 160 acres within the NW $\frac{1}{4}$, Sec. 2, T. 9S, R. 18E, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Administration, 1041 Blue Lakes Boulevard North, Twin Falls, Idaho, 83301 on or before October 29, 1973.

R. Keith Higginson
Director
10-11-2tc

36
7384

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Jerry Callen
Route 2, Jerome, ID

has on October 4, 1973 submitted Application No. 36-7384
for a permit to appropriate 3.2 cubic feet per second XXXXXXXXXXXXXXXXXXXXX
of water from groundwater
by means of well, pump, and sprinkler
within the NW $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 2, T. 9S, R. 18E, B.M., Jerome County

to be used from Mar. 15 to Nov. 15
for irrigation of 160 acres
within the NW $\frac{1}{4}$, Sec. 2, T. 9S, R. 18E, B.M.

If issued, this permit will be subject to all prior water rights. Protests
against the granting of the permit must be filed with the Idaho Department of
Water Administration, 1041 Blue Lakes Boulevard North, Twin Falls, Idaho, 83301
on or before October 29, 1973.

R. KEITH HIGGINSON
Director

Published in the North Side News
October 11 and October 18, 1973
on _____

36 7384