


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

William F. Gulley
(Applicant)
by Judy A. Gulley
36 7293

AFFIDAVIT of PUBLICATION

State of Idaho,
County of Jerome

SS.

RECEIVED
FEB 22 1973
Department of Water Administration
Southern District Office

William F. Gulley, being first duly sworn, deposes and says that he is the printer (publisher) of the Jerome North Side News, a newspaper published every week in Jerome, County of Jerome, State of Idaho; that said newspaper has been continuously and uninterruptedly published for a period of seventy-eight consecutive weeks prior to the first publication of the annexed notice, and is a newspaper qualified to publish legal notices as provided by act of the 1919 session of the legislature of the State of Idaho, known as House Bill 145; that the annexed advertisement was published once

each week for two consecutive issues in said newspaper proper and not in a supplement; that the date of the first publication

of said advertisement was on the 1st day of Feb.,

1973, and the date of the last publication was on the 8th

day of Feb., 1973.

Subscribed and sworn to before me this 16th

day of February, 1973.
(SEAL)

Darla Bratt
NOTARY PUBLIC

NORTH SIDE NEWS

Jerome, Idaho

COST OF PUBLICATION

Number of Lines in Notice 32

Number of Insertions 2

32 lines @ 21c

Lines at 15c

Lines at 10c

TOTAL COST 11.52

COPY OF NOTICE

(Paste Here)

Notice of Application
TITLE OF NOTICE Gulley

PLAINTIFF ATTORNEY

DEFENDANT

PLAINTIFF

BILL TO
Dept of Water Adm.

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that William F. Gulley and-or Judy L. Gulley, Route 1, Jerome, ID has on Jan. 24, 1973 submitted Application No. 36-7293 for a permit to appropriate 1.8 cubic feet per second of water from a groundwater source by means of well and pump within the SE $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 28, T. 7S R. 16E, B.M., Jerome County to be used from March 15 to Nov. 15 for the irrigation of 90 acres within the SE $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 28; E $\frac{1}{2}$ NW $\frac{1}{4}$, Sec. 33, T. 7S, R. 16E, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Administration, 1041 Blue Lakes Boulevard North, Twin Falls, Idaho, 83301 on or before Feb. 19, 1973.

R. Keith Higginson
Director

2-1-2tc

(Idaho Code, (Rev. Statutes) 1956	
7 pt. per line, straight	14c
7 pt. per line, tabular	20c
7 pt. per line, successive	
insertions	10c
6 pt. per line, straight	15c
6 pt. per line, tabular	20c
6 pt. per line, successive	
insertions	10c

Nº 1505

36 7293

T
7
S




Diagram of System

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 36-7293 Priority Jan. 24, 1973 Amount 1.80cfs

THIS IS TO CERTIFY, that William F. &/or Judy L. Gulley
of Jerome, Idaho, has complied with the terms and conditions of Permit
No. 36-7293 issued pursuant to Application for Permit dated Jan. 24, 1973,
and has submitted proof to the Department of Water Resources on Jan. 30, 1976,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of 2.23 cfs of water from a groundwater source,
tributary to _____, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
Irrig.	from <u>Mar. 15</u> to <u>Nov. 15</u>	at <u>1.80</u> cfs and	<u>360</u> acre feet
	from _____ to _____	at _____ cfs and	_____
	from _____ to _____	at _____ cfs and	_____

(both dates inclusive)

Subject, however, to the condition that no more than 1.80 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
360 acre feet per year, said waters to be diverted within the SE $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 28,
Twp. 7S, Rge. 16E, B.M. in the County of Jerome

Description and location of place of use:

Twp.	Range	Sec.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				Totals
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
7S	16E	28												40					40
		33				40			10										50

Total number of acres irrigated 90

A measuring device of a type approved by this Department shall be maintained
as part of the diverting works.

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho
Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use
herein described, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 2 day of

August

, 19 78.

Stephen Allred
Director

MICROFILMED

Identification No. _____

Application No. 36-7293

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION
APPLICATION FOR PERMIT

APPROVED

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

1. Name of applicant William F. Gulley and/or Judy L. Gulley
post office address Route 1, Jerome, ID 83338
2. Source of water supply Groundwater which is a tributary of 28 by phone call 1-26-73
3. a. Location of point of diversion is SE $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 28 Township 7S
Range 16E B.M. Jerome County; additional points of diversion if any: _____

- b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____
4. Water will be used for the following purposes:
Amount 1.8 for Irrigation purpose from March 15 to Nov. 15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
a. 1.8 cubic feet per second and/or
b. _____ acre feet per annum.
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. 100 hp deep turbine pump @ 230'


- b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet, materials used in storage dam: _____
Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)
- c. Proposed well diameter is 16 inches; proposed depth of well is 250 feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 5 years.
b. Estimated construction cost is \$ 10,000.00.
8. Description of proposed uses:
a. If water is **not** for irrigation:
(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M. _____
(2) Amount of power to be generated: _____ hp under _____ feet of head.
(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water _____.
(5) If water is to be used for other purposes describe: _____

36 7293

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

16 E.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

William F. Lulley
(Applicant)
by Judy A. Lulley
36 7253

Received by MPD Date 1-24-73 Time 2:25
Preliminary check by MPD Fee \$ 35.00
Receipted by alw Date 1-24-73 # 9534
Publication prepared by alw Date 1-26-73
Published in North Side News, Jerome, ID
Publication dates 2-1 & 2-8-73
Publication approved alw Date 2-22-73
Priority ~~reduced~~ to 1-24-73 Reason _____

Protests filed by: _____

Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by D

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER ADMINISTRATION


This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 36-7293, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before March 1, 19 78.
- c. Other: A measuring device of a type approved by this Department shall be permanently installed and maintained as part of the diverting works.

2. Denial of said application is for the following reasons: _____

Witness my hand this 2nd day of March, 19 73.


Deputy Director

DEPARTMENT OF WATER ADMINISTRATION
- STAFF ANALYSIS -

Item	Initial	Date	
(1)			Application No. <u>36-7293</u> Name <u>William F. Gulley &/or Judy L.</u>
(2)			Check: ☒ Signature ☒ Point of Diversion ☒ Quantity of Water and Period of Use ☒ Description of Diverting Works ☒ Time required for C/W and application of water to B/U ☒ Place of Use ☒ Map ☒ Fee
(3)			Send copies to: ☐ Idaho State Health Department ☐ Idaho Fish and Game Department ☐ Bureau of Land Management
(4)			☐ Request Special Use Permit from U.S.F.S. ☐ Request Easement from B.L.M.
(5)			In form for advertising _____
(6)	<u>aw</u>	<u>2-22-73</u>	Affidavit of Publication received _____
(7)			Final date for protests <u>Feb 19, 1973</u> Protests received: yes _____ no <u>✓</u>
(8)			Date and Place of hearing _____ Decision reached at hearing _____
(9)			Located within Water District No. _____
(10)			Critical groundwater area: yes _____ no _____
(11)			Groundwater levels: ☐ Decline (comment) _____ ☒ Stable (comment) <u>GW Levels</u> ☐ Increasing (comment) _____
(12)			Comments: _____
(13)			Action recommended: ☒ Approve Priority <u>1-24-73</u> ☐ Deny Reason for Reduction _____ See attached sheet for conditions of approval No conditions for approval
(14)			District <u>Southern</u> By <u>Bob Hays</u> Date <u>2-23-73</u> Title <u>DW Eng</u> Department of Water Administration

RECEIVED

36 7293

RECOMMENDED

CONDITIONS OF APPROVAL

① ☒ A measuring device of a type approved by this Department shall be permanently installed and maintained as part of the diverting works.

☐ Measuring devices of a type approved by this Department shall be permanently installed and maintained at the point of diversion and the point of effluent discharge.

☐ Use of water under this permit is supplemental to all existing water rights with the same purpose and place of use.

☐ Maximum rate of diversion shall not exceed _____ c.f.s.

☐ Settling ponds shall be installed which are capable of reducing the silt load in the return water to such a level that the quality of the waters of _____ Creek will not be impaired for other beneficial uses.

☐ Return water shall be treated to insure that the effluent meets (interstate) (intrastate) stream water quality standards.

☐ Use of water under this permit is subject to control by the watermaster of State Water District No. _____, _____ River.

☐ The proposed well shall not be drilled within _____ feet of another well.

☐ The issuance of this permit in no way grants any right-of-way or easement across the land of another person.

☐ The permit shall not be assigned or sold without first securing the written approval of the Department of Water Administration.

☐ This permit cannot be assigned, mortgaged, or conveyed without complying with Section 42-208, Idaho Code.

☐ Other: _____

AFFIDAVIT of PUBLICATION

RECEIVED

FEB 22 1973

Department of Water Administration
Southern District Office

State of Idaho,
County of Jerome

SS.

[Signature], being first duly sworn, deposes and says that he is the printer (publisher) of the Jerome North Side News, a newspaper published every week in Jerome, County of Jerome, State of Idaho; that said newspaper has been continuously and uninterruptedly published for a period of seventy-eight consecutive weeks prior to the first publication of the annexed notice, and is a newspaper qualified to publish legal notices as provided by act of the 1919 session of the legislature of the State of Idaho, known as House Bill 145; that the annexed advertisement was published once

each week for two consecutive issues in said newspaper proper and not in a supplement; that the date of the first publication of said advertisement was on the 1st day of Feb. 1973, and the date of the last publication was on the 8th day of Feb. 1973

Subscribed and sworn to before me this 16th

day of February, 1973
(SEAL)

[Signature]
NOTARY PUBLIC

NORTH SIDE NEWS

Jerome, Idaho

COST OF PUBLICATION

Number of Lines in Notice 32

Number of Insertions 2

32 lines @ 21c 6.72
32 lines at 15c 4.80

Lines at 10c

TOTAL COST 11.52

COPY OF NOTICE

(Paste Here)

Notice of Application
TITLE OF NOTICE Bulley

PLAINTIFF ATTORNEY

DEFENDANT

PLAINTIFF

Dep't of Water Adm.
BILL TO

(Idaho Code, (Rev. Statutes) 1956)

7 pt. per line, straight	14c
7 pt. per line, tabular	20c
7 pt. per line, successive insertions	10c
6 pt. per line, straight	15c
6 pt. per line, tabular	20c
6 pt. per line, successive insertions	10c

Nº 1505
36 7293

State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 373 W. Franklin Street, Boise, Idaho

JOHN V. EVANS

Governor

C. STEPHEN ALLRED

Director

Mailing address:

Statehouse

Boise, Idaho 83720

(208) 384-2215

August 3, 1978

Re: Permit No. 36-7293

William F. & Judy Gulley
Route #1
Jerome, ID 83338

Dear Mr. and Mrs. Gulley:

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JAN GROVER
Water Rights Supervisor

JG/kw
Enclosure

D



STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

John V. Evans
Governor

C. Stephen Allred
Director

Statehouse
Boise, Idaho 83720
(208) 384-2215

June 22, 1978

Re: Permit No. 36-7293

William F. & Judy Gulley
Route #1
Jerome, ID 83338

Dear Mr. and Mrs. Gulley:

A representative of this Department made an examination of the works covered by your Permit No. 36-7293 on July 15, 1976, and has found the following:

Amount of water that can be recognized as beneficially used under
Idaho law: 1.80 cfs Source: groundwater

The maximum quantity diverted shall not exceed 360 acre feet per year.

Point of diversion: SE $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 28, Twp. 7S, Rge. 16E, B. M.

Beneficial use: Irrigation of 90 acres within the SE $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 28, E $\frac{1}{2}$ NW $\frac{1}{4}$, Sec. 33, Twp. 7S, Rge. 16E, B. M.

Priority date established: January 24, 1973

If you do not concur with these findings please contact us within 10 days, otherwise a water license will be issued as set forth above.

Sincerely,

JAN GROVER
Water Rights Supervisor

JG/kw

MICROFILMED

RECEIVED

FIELD REPORT

FEB 5 1973

2. Source of water supply: Groundwater ☒ Surface water ☐ _____
(name spring, stream, etc.)
Tributary to _____

- Other uses: _____

- Permit No. 36-7293
Examination for b/u

- Max Rate of Diversion 1.80 cubic feet per second and annual volume _____ AF/Annum.

- Other Points of Diversions: _____

Description of diverting works: water standing at 2.0' lift 230' 16" well with 8" collum
and shaft, 150 hp pump into 1/4 mile mainline with center pivot.

Measuring device required: yes ☒ no ☐

6. Lands to be irrigated or place of use.

[illegible]

TOTAL ACREAGE _____ **90**

MICROFILMED

Rge. 16E

T
7
S

28

*

12
33

33

Diagram of System

DATE OF EXAM 5-27-76

ACREAGE
Found 90
Recommended 90

Irrigation Requirement 4.0 Ac Ft/Ac

245 days

USE
Irrigation Q = 1.8 c.f.s. V = 360 AF/Ann. from MARCH 15 to Nov. 15
Domestic Q = _____ c.f.s. V = _____ AF/Ann. from _____ to _____
Livestock Q = _____ c.f.s. V = _____ AF/Ann. from _____ to _____

Is water co-mingled? yes _____ no ☒

Name source: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Exchange? yes _____ no ☒

Name source exchanged with: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Point of injection:
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Point of exchange:
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Total Q measured 2.23 C.F.S. Method of measurement Badger Meter

Total Q recommended 1.8 C.F.S. Meter No. M088448 Type 8" Condition New.

Total V recommended 360 AcFt./Ann.

Recommended Amendments:

P.D. ☒
Place of Use ☒
Other _____
None _____

MEASUREMENT CALCULATION:

2.23 C.F.S. = (1000 gal/min) ÷ (448.8 gal/min/c.f.s.)

1.8 C.F.S. = Amount Applied for

360 AcFt./Ann = (Irr. Req. 4.0) (90 Acres)

SYSTEM DESCRIPTION:

G.E. Motor 150 Hp. Serial # AKJ109149
Layne & Bowler Pump.

Sprinkler System is a Pivot w/ some Handlines.

REMARKS:

36-7485 as referenced on permit is same
P.D. but different land. 40 acres SWNW, Sec. 83.

6/20/78

Examiner's Signature Larry Lundberg Date 7-15-76

Checked by Leid J. Henry Date 7-20-76

Approved by Michael L. Stuck Date 8-26-76

February 3, 1976

Re: Permit No. 36-7293

William F. & Judy Gulley
Route 1
Jerome, Idaho 83338

Dear Mr. & Mrs. Gulley:

We acknowledge receipt of the affidavit submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We cannot tell during which part of the irrigation season this examination will be made, however, our examiner will try to contact you at the time he makes the exam so that you may show him the system.

If you have any questions concerning the field exam, please contact our District Office in Twin Falls.

Sincerely,

D. Darlene Reich
Water Rights Supervisor

DDR:JG

RECEIVED

JAN 30 1976

Department of Water Resources

Identification No. _____

Permit No. 36-7293

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

PROOF OF APPLICATION OF WATER TO BENEFICIAL USE

1. a) Name of Permit Holder William F and or Judy Lynn Selley
b) Post Office Address Route #1, Jerome Idaho 83338
2. Permit Number 36-7293
3. Date of Priority that you are prepared to establish 1-26-73
4. a) Source from which water was appropriated Groundwater
b) Location of the point of diversion: SE 1/4 SW 1/4, Section 28
Township 75, Range 16E Boise Meridian, Other points of diversion: _____

5. a) The amount of water and use to which the water has been applied:
Amount 1.8 for Irr purposes from MARCH 15 to NOV 15 incl.
(cfs and/or acre-feet per annum) (Month-Day) (Month-Day)
Amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre-feet per annum) (Month-Day) (Month-Day)
Amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre-feet per annum) (Month-Day) (Month-Day)
b) Total amount appropriated 1.8 cfs and/or acre-feet per annum
c) Describe how and by whom measurement of rate of flow or amount of storage was made and the qualifications of the person making the measurement: _____

6. If the means of diversion and conveyance are owned by someone other than the Permit Holder:
a) Give the name or description of the canal, ditch or other works by which the water is conducted to the place of use: _____
b) Describe the agreement or understanding by which you take water from the works: _____

7. a) Briefly describe the works for diverting and conveying the water to the place of use, (if from a subterranean source, give the pump size, motor size, size of well casing, depth of well; if from surface water, give brief description of diversion structure and/or canal or ditch) Water standing at 210' Lift 230'
16" well with 8" column + shaft 150 hp. Pump P into
1/2 mile mainline with center Pivot

- b) Describe the type and size of measuring device which you have installed at your point of diversion:
1 8" Badger Centrifical water meter

- c) Give well driller's name and address and the date the well was completed: Ken McRae
Route #1 Wendell, Idaho OCT 1973

8. If for other than irrigation, describe the beneficial use to which you have applied the water and the place of use: _____

9. Irrigation uses: describe the lands irrigated by giving the acreages irrigated within each 40 acre subdivision: Sec 33 T7S R16E, NE NW, SE SW, 10
Acres in SE NW

T	R	SEC.	NE¼				NW¼				SW¼				SE¼				TOTAL
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
7S	16E	33					40			10				40					90

Total number of acres irrigated 90

10. Remarks: _____

The above information is a true statement of the extent to which the above numbered permit has been developed.

January 29, 1976
(Date)
William F. Seely
Gudy Lynn Seely
(Signature)

State of IDAHO)
County of Jerome) ss.

On this 29th day of January, 19 76, personally appeared before me the signer(s) of the above instrument, who duly acknowledged to me that he (she) (they) executed the same.

Richard H. Seely
Notary Public residing at Jerome, Idaho

My commission expires 12/17/78

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Administration within 90 days after the completion or abandonment of the well.

RECEIVED
NOV 8 1973

1. WELL OWNER		7. WATER LEVEL	
Name <u>William F. Culley</u>		Static water level <u>195</u> feet below land surface	
Address <u>Jerome, Idaho 83338</u>		Flowing? ☐ Yes ☒ No G.P.M. flow _____	
Owner's Permit No. <u>36-7293</u>		Temperature ____ °F. Quality _____	
		Artesian closed-in pressure _____ p.s.i.	
		Controlled by ☐ Valve ☐ Cap ☐ Plug	
2. NATURE OF WORK		8. WELL TEST DATA	
☒ New well ☐ Deepened ☐ Replacement		☐ Pump ☒ Bailor ☐ Other	
☐ Abandoned (describe method of abandoning) _____			
3. PROPOSED USE		9. LITHOLOGIC LOG	
☐ Domestic ☒ Irrigation ☐ Test			
☐ Municipal ☐ Industrial ☐ Stock			
4. METHOD DRILLED			
☒ Cable ☐ Rotary ☐ Dug ☐ Other			
5. WELL CONSTRUCTION			
Diameter of hole <u>16</u> inches Total depth <u>270</u> feet			
Casing schedule: ☒ Steel ☐ Concrete			
Thickness <u>.025</u> inches	Diameter <u>16</u> inches + <u>0</u> feet <u>10</u> feet		
_____ inches	_____ inches _____ feet _____ feet		
_____ inches	_____ inches _____ feet _____ feet		
_____ inches	_____ inches _____ feet _____ feet		
_____ inches	_____ inches _____ feet _____ feet		
_____ inches	_____ inches _____ feet _____ feet		
Was a packer or seal used? ☒ Yes ☐ No			
Perforated? ☐ Yes ☒ No			
How perforated? ☐ Factory ☐ Knife ☐ Torch			
Size of perforation _____ inches by _____ inches			
Number	From To		
_____ perforations _____ feet _____ feet			
_____ perforations _____ feet _____ feet			
_____ perforations _____ feet _____ feet			
Well screen installed? ☐ Yes ☒ No			
Manufacturer's name _____			
Type _____ Model No. _____			
Diameter _____ Slot size _____ Set from _____ feet to _____ feet			
Diameter _____ Slot size _____ Set from _____ feet to _____ feet			
Gravel packed? ☐ Yes ☐ No Size of gravel _____			
Placed from _____ feet to _____ feet			
Surface seal? ☒ Yes ☐ No To what depth <u>10</u> feet			
Material used in seal ☒ Cement grout ☐ Puddling clay			
6. LOCATION OF WELL		10.	
Sketch map location must agree with written location.		Work started <u>Sept. 29</u> finished <u>Oct. 22, '73</u>	
County <u>Gooding</u> <u>SW</u> ¼ Sec. <u>28</u>, T. <u>7</u> N/S, R. <u>16</u> E/W		11. DRILLER'S CERTIFICATION	
		This well was drilled under my supervision and this report is true to the best of my knowledge.	
		Kenneth F. McCrae 243	
		Driller's or Firm's Name Number	
		<u>Box 553, Wendell, Idaho</u>	
		Address	
		<u>Kenneth F. McCrae</u> <u>11-5-73</u>	
		Signed By Date	

March 2, 1973

Re. Permit No.: 36-7293

William F. Gulley and/or Judy L. Gulley
Route 1
Jerome, Idaho 83338

Dear Mr. and Mrs. Gulley:

Enclosed is a copy of your approved Application for Permit No. 36-7293 . We direct your attention to the conditions of approval as listed on the fourth page.

Be sure to note that a special condition requiring you to install and maintain a measuring device at your point of diversion has been placed upon your permit. We are enclosing a letter describing different types of measuring devices accepted by this office.

Very truly yours,

BOBBY D. FLEENOR
Assistant Director

BDF: cd

Enclosures

36 7293

February 20, 1973

RE: Application Nos. 36-7288 - Luther E. and/or Warren Myers
36-7293 - William F. Gulley and/or Judy L. Gulley

North Side News
Box 89
Jerome, ID 83338

Gentlemen:

Would you please submit affidavits of publication and certified bills in connection with the above referenced items. The legal notices were to have been published in your paper on Feb. 1 and Feb. 8, 1973.

Your cooperation in this matter is greatly appreciated.

Very truly yours,

Bob Haynes
District Engineer
Southern District

BH:alw

36 7293

January 26, 1973

Re: Application Nos. 36-7288 - Luther E. and/or Warren Myers
36-7293 - William F. Gulley and/or Judy L. Gulley

North Side News
Box 89
Jerome, ID 83338

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. In order to receive payment, the following certification must appear on the bill:

" I hereby certify that the foregoing account is just and correct,
that the amount claimed is legally due, after allowing all just
credits, and that no part of the same has been paid. "

(signature of claimant)

Very truly yours,

Bob Haynes
District Engineer
Southern District

Bill submitted 2-22-73 by elw

BH:alw

Enc: Legal Notices (2)

36 7288

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that William F. Gulley and/or Judy L. Gulley
Route 1, Jerome, ID

has on Jan. 24, 1973 submitted Application No. 36-7293
for a permit to appropriate 1.8 cubic feet per second ~~across~~ ~~from~~ ~~the~~ ~~water~~
of water from a groundwater source
by means of well and pump
within the SE $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 29, T. 7S, R. 16E, B.M., Jerome County

*Changed to
Sec 28
1-29-73 alw*

to be used from March 15 to Nov. 15
for the irrigation of 90 acres

within the SE $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 29; E $\frac{1}{2}$ NW $\frac{1}{4}$, Sec. 33, T. 7S, R. 16E, B.M.

*Changed to
Sec 28
1-29-73 alw*

If issued, this permit will be subject to all prior water rights. Protests
against the granting of the permit must be filed with the Idaho Department of
Water Administration, 1041 Blue Lakes Boulevard North, Twin Falls, Idaho, 83301
on or before Feb. 19, 1973.

R. KEITH HIGGINSON

Director

Published in the North Side News, Jerome, ID

on Feb. 1 and Feb. 8, 1973

36 7293