


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

~~S 7 S~~ R 22 E



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Max Andrew Sers
(Applicant)

AFFIDAVIT of PUBLICATION

RECEIVED

COPY OF NOTICE

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Max Andrew Serr, Route 1, Paul, ID has on Feb. 7, 1973 submitted Application No. 36-7299 for a permit to appropriate 4.8 cubic feet per second of water from a groundwater source by means of well, pump, and sprinkler system within the NE $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 21, T. 7S, R. 21E, B. M., Lincoln County to be used from May 1 to Oct. 10 for the irrigation of 240 acres within the SW $\frac{1}{4}$, N $\frac{1}{2}$ SE $\frac{1}{4}$, Sec. 21, T. 7S, R. 21E, B. M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Administration, 1041 Blue Lakes Boulevard North, Twin Falls, Idaho, 83301 on or before March 5, 1973.

R. Keith Higginson

Director

Published in the Lincoln County Journal, Shoshone, ID 83352 on Feb. 15 and Feb. 22, 1973.

2-15-22c

State of Idaho, }
County of Lincoln } SS.

Department of Water Administration
Southern District Office

Darlene Daskill, being first duly sworn, deposes and says that he is the printer (publisher) of the Lincoln County Journal, a newspaper published every week in Shoshone, Lincoln County, State of Idaho; that said newspaper has been continuously and uninterruptedly published for a period of seventy-eight consecutive weeks prior to the first publication of the annexed notice, and is a newspaper qualified to publish legal notices as provided by act of the 1919 session of the legislature of the State of Idaho, known as House Bill 145; that the annexed advertisement was published once

each week for two consecutive issues in said newspaper proper and not in a supplement; that the date of the first publication of said advertisement was on the 15th day of February, 1973, and the date of the last publication was on the 22nd day of February, 1973.

Darlene Daskill

Subscribed and sworn to before me this 1st

day of March, 1973.
(SEAL)

Zella Mae Larson
NOTARY PUBLIC

LINCOLN COUNTY JOURNAL

Shoshone, Idaho

COST OF PUBLICATION

Number of Lines in Notice 36
Number of Insertions two
Lines tabular at 315c
36 Lines straight at 21c 1.56
36 Subsequent lines at 15c 5.40
TOTAL COST \$12.96


PUBLICATION RATES

(Idaho Code, Rev. Statutes 1971)

7 pt. per line, straight	21c
7 pt. per line, tabular	315c
7 pt. per line, successive insertions	15c

N^o 1004

36 7299



SCHEMATIC DIAGRAM OF SYSTEM

(Include distance from pump to measuring device, if applicable.)



Point(s) of diversion: NE 1/4 SW 1/4 Sec 21 T. 7S R. 21E

Place(s) of Use

TWP.	RGE.	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
7S	21E	21									40	40	12	40	39	40			211

Recommended Amendments:

- ☐ Change P.D. as reflected above
- ☐ Add P.D. as reflected above
- ☒ None
- ☐ Change P.U. as reflected above
- ☐ Add P.U. as reflected above
- ☐ Other

Examiner's Signature J. F. Stanton

Checked by Larry J. Anderson

Approved by [Signature]

Date 9-21-82

Date 12-17-1982

Date 1-12-83

RECEIVED

September 29, 1982

Max Serr
Route 1, Box 1072
Paul, ID 83347

Dear Mr. Serr:

Re: Permit No. 36-7299

This office acknowledges receipt of the postcard as the statement of beneficial use.

It is the Department's understanding that a field exam has been conducted by one of our regional representatives. Based on his recommendations, a water right license will be issued.

If you have further questions concerning your permit, please feel free to contact me.

Sincerely,

RITA I. FLECK
Sr. Secretary

cc: region

RECEIVED

OK alw
2-12-73

SHONI LEGAL

**NOTICE OF APPLICATION
FOR WATER PERMIT**

Notice is hereby given that Max Andrew Serr, Route 1, Paul, ID has on Feb. 7, 1973 submitted Application No. 36-7299 for a permit to appropriate 4.8 cubic feet per second of water from a groundwater source by means of well, pump, and sprinkler system within the NE $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 21, T. 7S, R. 21E, B. M., Lincoln County to be used from May 1 to Oct. 10 for the irrigation of 240 acres within the SW $\frac{1}{4}$, N $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 21, T. 7S, R. 21E, B. M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Administration, 1041 Blue Lakes Boulevard North, Twin Falls, Idaho, 83301 on or before March 5, 1973.

R. Keith Higginson

Director

Published in the Lincoln County Journal, Shoshone, ID 83352 on Feb. 15 and Feb. 22, 1973.

2-15-22c

6622 98

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 36-7299 Priority February 7, 1973 Amount 4.22 cfs

THIS IS TO CERTIFY, that Max Andrew Serr
of Paul, Idaho, has complied with the terms and conditions of Permit
No. 36-7299 issued pursuant to Application for Permit dated February 7, 1973,
and has submitted proof to the Department of Water Resources on September 1, 1982,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of 5.16 cfs of water from a groundwater source,
tributary to _____, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
Irrigation	from <u>May 1</u> to <u>October 10</u>	at <u>4.22</u> cfs and	<u>844.0</u> acre feet
	from _____ to _____	at _____ cfs and	_____
	from _____ to _____	at _____ cfs and	_____

(both dates inclusive)

Subject, however, to the condition that no more than 4.22 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
844.0 acre feet per year, said waters to be diverted within the NE $\frac{1}{4}$ SW $\frac{1}{4}$, Section 21, Twp.
7S, Rge. 21E in the County of Lincoln

Description and location of place of use:

Twp.	Range	Sec.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				Totals
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
7S	21E	21									40	40	12	40	39	40			211

Total number of acres irrigated 211

This right when combined with Right No. 36-7965 shall not exceed 5.16 cfs.

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use herein described, and is subject to all prior water rights, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 9th day of February, 19 83.

Acting for the

Director

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR EXTENSION OF TIME

State of Idaho)
County of Lincoln)

Permit No. 36-7299

Max Serr of Rt 1 Box 43-C P241
(name) (address)

State of Idaho, being first duly sworn, upon his oath deposes and says:

That he is the holder, or the duly authorized agent of the holder *, of Permit to Appropriate the Public Waters of the State of Idaho No. 36-7299.

That under the terms and conditions of said permit, work thereunder was required to be completed on or before March 1, 19 78.

That he has heretofore performed the following work described under said permit:

The farm consists of 240 Acres. I have cleared the sage brush
and developed a sprinkler irrigation system on 200 acres

Costing \$ 120,000

That he is unable to complete the remainder of the work within the required time for the following reasons, to-wit: The remaining forty acres requires
more time to remove some rock & brush and
install two more wheel lines

Wherefore, he asks that the Department of Water Resources extend the time for the completion of obligations under said permit to March 1, 19 83.

Max Serr
(signature) *

Subscribed and sworn before me this 16th day of January, 19 78.

seal

Blake
Notary Public residing at

Rupert, Idaho

My commission expires October 16, 1980

ACTION OF THE DIRECTOR OF THE DEPARTMENT OF WATER RESOURCES

IT IS HEREBY ORDERED that the above application for extension of time be APPROVED and the time within which to submit proof of beneficial use of water is extended to March 1, 1983.

Witness my hand this 24 day of January, 19 78.

Betty D. Hansen
Chief, Operations Bureau

* IF OTHER THAN HOLDER, Power of Attorney must be supplied. Forms are available through the Department of Water Resources, Statehouse, Boise, Idaho 83720.

MICROFILMED

Identification No. _____

Application No. 36-7299

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION
APPLICATION FOR PERMIT

APPROVED

To Appropriate the Public Waters of the State of Idaho
 (TYPE OR PRINT IN INK)

1. Name of applicant MAX Andrew Serr
 post office address Route #1 Paul Idaho 83347
2. Source of water supply Ground water which is a tributary of _____
3. a. Location of point of diversion is NE $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 21 Township 7S
 Range 21E B.M. Lincoln County; additional points of diversion if any: _____

- b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
 of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____
4. Water will be used for the following purposes:
 Amount 4.8 for irrigation purpose from 5-1 to 10-10 (both dates inclusive)
(cfs or acre-feet per annum)
 Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
 Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
 a. 4.8 cubic feet per second and/or
 b. _____ acre feet per annum.
6. Proposed diverting works:
 a. Description of ditches, flumes, pumps, headgates, etc. Well, pump & sprinkler system

- b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir capacity _____ acre feet, materials used in storage dam: _____
 Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)
- c. Proposed well diameter is 30 inches; proposed depth of well is 300 feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years.
 b. Estimated construction cost is \$ 27,000.
8. Description of proposed uses:
 a. If water is **not** for irrigation:
 (1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
 Range _____ B.M. _____
 (2) Amount of power to be generated: _____ hp under _____ feet of head.
 (3) List number of each kind of livestock to be watered _____

 (4) Name of municipality to be served _____, or number of families to be supplied with domestic water _____.
 (5) If water is to be used for other purposes describe: _____

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP.	RANGE	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
7S	21E	21	~~40~~	~~40~~	~~40~~	~~40~~					40	40	40	40	40	40			240

Total number of acres to be irrigated 240

c. Describe any other water rights used for the same purposes as described above.

9. a. Who owns the property at the point of diversion Max Andrew Serr

b. Who owns the land to be irrigated or place of use Max Andrew Serr


c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

10. Remarks

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

~~T 7 S~~ R 22 E

T
7
S



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

May Andrew Sers
(Applicant)

Proposed Priority 2-7-1973

Received by CLF Date 2-7-73 Time 11:58 AM

Preliminary check by AM Fee \$ 65.00

Receipted by alp Date 2-7-73 # 9553

awb Publication prepared by alw Date 2-8-73

Published in Lincoln County Journal, Shoshone, ID

Publication dates 2-15 & 2-22-73

Publication approved alw Date 3-2-73

Priority ~~reduced~~ to 2-7-73 Reason _____

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by D

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER ADMINISTRATION

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 36-7299, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before March 1, 1978.
- c. Other: A measuring device of a type approved by this Department shall be permanently installed and maintained as part of the diverting works.

2. Denial of said application is for the following reasons: _____

Witness my hand this 12th day of March 19 73.

P. Keith Hiji
Director

DEPARTMENT OF WATER ADMINISTRATION
- STAFF ANALYSIS -

Item	Initial	Date	
(1)			Application No. _____ Name <u>Max Andrew Serr</u>
(2)	<u>RAH</u>	<u>2-7-73</u>	Check: ☒ Signature ☒ Point of Diversion ☒ Quantity of Water and Period of Use ☒ Description of Diverting Works ☒ Time required for C/W and application of water to B/U ☒ Place of Use ☒ Map ☒ Fee
(3)			Send copies to: ☐ Idaho State Health Department ☐ Idaho Fish and Game Department ☐ Bureau of Land Management
(4)			☐ Request Special Use Permit from U.S.F.S. ☐ Request Easement from B.L.M.
(5)	<u>RAH</u>	<u>2-7-73</u>	In form for advertising _____
(6)	<u>ah</u>	<u>3-2-73</u>	Affidavit of Publication received _____
(7)			Final date for protests <u>3-5-73</u> Protests received: yes _____ no ☒
(8)			Date and Place of hearing _____ Decision reached at hearing _____
(9)			Located within Water District No. _____
(10)			Critical groundwater area: yes _____ no ☒
(11)			Groundwater levels: ☐ Decline (comment) _____ ☒ Stable (comment) <u>G W levels 1972</u> ☐ Increasing (comment) _____
(12)			Comments: _____
(13)			Action recommended: ☒ Approve Priority <u>2-7-73</u> ☐ Deny Reason for Reduction _____ ☒ See attached sheet for conditions of approval No conditions for approval
(14)			District <u>Southern</u> By <u>Bob Haynes</u> Date <u>3-5-73</u> Title <u>Ant</u>

RECEIVED

MAR 8 1973

Department of Water Administration

RECOMMENDED

CONDITIONS OF APPROVAL

① ☒ A measuring device of a type approved by this Department shall be permanently installed and maintained as part of the diverting works.

☐ Measuring devices of a type approved by this Department shall be permanently installed and maintained at the point of diversion and the point of effluent discharge.

☐ Use of water under this permit is supplemental to all existing water rights with the same purpose and place of use.

☐ Maximum rate of diversion shall not exceed _____ c.f.s.

☐ Settling ponds shall be installed which are capable of reducing the silt load in the return water to such a level that the quality of the waters of _____ Creek will not be impaired for other beneficial uses.

☐ Return water shall be treated to insure that the effluent meets (interstate) (intrastate) stream water quality standards.

☐ Use of water under this permit is subject to control by the watermaster of State Water District No. _____, _____ River.

☐ The proposed well shall not be drilled within _____ feet of another well.

☐ The issuance of this permit in no way grants any right-of-way or easement across the land of another person.

☐ The permit shall not be assigned or sold without first securing the written approval of the Department of Water Administration.

☐ This permit cannot be assigned, mortgaged, or conveyed without complying with Section 42-208, Idaho Code.

☐ Other: _____

AFFIDAVIT of PUBLICATION

COPY OF NOTICE

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Max Andrew Serr, Route 1, Paul, ID has on Feb. 7, 1973 submitted Application No. 36-7299 for a permit to appropriate 4.8 cubic feet per second of water from a groundwater source by means of well, pump, and sprinkler system within the NE $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 21, T. 7S, R. 21E, B. M., Lincoln County to be used from May 1 to Oct. 10 for the irrigation of 240 acres within the SW $\frac{1}{4}$, N $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 21, T. 7S, R. 21E, B. M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Administration, 1041 Blue Lakes Boulevard North, Twin Falls, Idaho, 83301 on or before March 5, 1973.

R. Keith Hugginson

Director

Published in the Lincoln County Journal, Shoshone, ID 83352 on Feb. 15 and Feb. 22, 1973.

2-15-22c

State of Idaho, }
County of Lincoln } SS.

Darlene Daskiel, being first duly sworn, deposes and says that he is the printer (publisher) of the Lincoln County Journal, a newspaper published every week in Shoshone, Lincoln County, State of Idaho; that said newspaper has been continuously and uninterruptedly published for a period of seventy-eight consecutive weeks prior to the first publication of the annexed notice, and is a newspaper qualified to publish legal notices as provided by act of the 1919 session of the legislature of the State of Idaho, known as House Bill 145; that the annexed advertisement was published once

each week for two consecutive issues in said newspaper proper and not in a supplement; that the date of the first publication of said advertisement was on the 15th day of February, 1973, and the date of the last publication was on the 22nd day of February, 1973.

Darlene Daskiel

Subscribed and sworn to before me this 1st

day of March, 1973.
(SEAL)

Zella Mae Larson
NOTARY PUBLIC

LINCOLN COUNTY JOURNAL

Shoshone, Idaho

COST OF PUBLICATION

Number of Lines in Notice 36
Number of Insertions two
Lines tabular at 315c
36 Lines straight at 21c 1.56
36 Subsequent lines at 15c 5.40
TOTAL COST \$12.96

PUBLICATION RATES

(Idaho Code, Rev. Statutes 1971)

7 pt. per line, straight	21c
7 pt. per line, tabular	315c
7 pt. per line, successive insertions	15c

N^o 1004

36 72299

AFFIDAVIT of PUBLICATION

RECEIVED

he
um
the
curtains and Franklin st
included 1 car garage. Ho
sits on 3 lots with attract
(Paste Here)

State of Idaho, }
County of Lincoln } SS.

MAR 2 1973

Department of Water Administration
Southern District Office

Not. of App. Water Per.
TITLE OF NOTICE

Darlene Daskiel, being first duly sworn,
deposes and says that he is the printer (publisher) of the Lincoln
County Journal, a newspaper published every week in Shoshone, Lin-
coln County, State of Idaho; that said newspaper has been continuous-
ly and uninterruptedly published for a period of seventy-eight consecu-
tive weeks prior to the first publication of the annexed notice, and is
a newspaper qualified to publish legal notices as provided by act of
the 1919 session of the legislature of the State of Idaho, known as
House Bill 145; that the annexed advertisement was published once

each week for two consecutive issues in said newspaper
proper and not in a supplement; that the date of the first publication
of said advertisement was on the 15th day of January,
1973, and the date of the last publication was on the 22nd
day of January, 1973.

Darlene Daskiel

Subscribed and sworn to before me this 1st
day of March, 1973.
(SEAL)

Zella Mae Larson
NOTARY PUBLIC

LINCOLN COUNTY JOURNAL Shoshone, Idaho COST OF PUBLICATION

Number of Lines in Notice 36
Number of Insertions two
Lines tabular at 315c
36 Lines straight at 21c 1.56
36 Subsequent lines at 15c 5.40
TOTAL COST \$12.96

PUBLICATION RATES	
(Idaho Code, Rev. Statutes 1971)	
7 pt. per line, straight	21c
7 pt. per line, tabular	315c
7 pt. per line, successive insertions	15c

Nº 1004
68 72299

February 10, 1983

RE: Permit No. 36-7299

Max Andrew Serr
Route #1, Box 1072
Paul, ID 83347

Dear Mr. Serr:

Enclosed herewith is a copy of the Water Right License issued on the above referenced Permit.

Sincerely,

A handwritten signature in cursive script, appearing to read "Jim Johnson".

JIM JOHNSON
Water Distribution Supervisor

JJ:kw
Enclosure



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

January 14, 1983

RE: Permit No. 36-7299

Max Andrew Serr
Route #1, Box 1872
Paul, ID 83347

Dear Mr. Serr:

A representative of this Department has made an examination of the works covered by your Permit No. 36-7299, and has found the following:

Amount of water that can be recognized as beneficially used under
Idaho law: 4.22 cfs Source: groundwater

The maximum quantity diverted shall not exceed 844.0 acre feet
per year.

Point(s) of diversion: NE $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 21, Twp. 7S, Rge. 21E, Lincoln County

Beneficial use: Irrigation of 211 acres within the SW $\frac{1}{4}$, NE $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 21, Twp. 7S, Rge. 21E

Priority date established: February 7, 1973

Conditions (if any): This right when combined with Right No. 36-7965 shall
not exceed 5.16 cfs.

If you do not concur with these findings please contact us within 10 days, otherwise
a water license will be issued as set forth above.


Sincerely,

JIM JOHNSON
Water Distribution Supervisor

JJ:kw


June 14-83

MAP (Attach Aerial Photo)



SCHEMATIC DIAGRAM OF SYSTEM

(Include distance from pump to measuring device, if applicable.)



Point(s) of diversion: NE 1/4 SW 1/4 Sec 21 T. 25 R. 21E

Place(s) of Use

TWP.	RGE.	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
25	21E	21									40	40	12	40	39	40			211

Recommended Amendments:

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

Examiner's Signature

Checked by

Approved by

Date

Date

Date

9-21-82

12-17-1982

1-12-83

Overlap Review for 36-7299

Permit 36-7965
(Field exam complete)

gw

7/D NESW Sec 21 TTS R21E
(same well)

$$\frac{1.6 \text{ cfs}}{80 \text{ Ac}} = .02 \text{ cfs/Ac}$$

7/10 TTS R21E Sec 28 NENW (40)
NWNW (40)
(different land)

Both rights are for the same P/O but different P/U. Recommend licensing at .02 c/s/ac & limiting both right when combined to well's capacity (5.16 c/s)

This right P 36-7965 1.6
36-7299 +4.22
5.82 greater than capacity

RC 1/12/83



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

November 17, 1982

Dear Wateruser:

The enclosed Order changes the measuring device condition of approval on your water right permit.

The changed condition is less restrictive and provides you the option to install an access port or have your system measured and certified by a professional engineer. Instructions for access port installation are also enclosed.

If you have questions regarding this matter, please contact the regional office nearest to you.

Sincerely,

DAVID R. TUTHILL JR., P. E.
Supervisor, Water Allocations Section

DRT:jg

Enclosures

NORTHERN REGION OFFICE
Route #5, Box 203, Government Way
Coeur d'Alene, Idaho 83814
Telephone 667-6484

SOUTHERN REGION OFFICE
1041 Blue Lake Boulevard North
Twin Falls, Idaho 83301
Telephone 734-3578

EASTERN REGION OFFICE
150 Shoup Avenue
Idaho Falls, Idaho 83401
Telephone 525-7161

WESTERN REGION OFFICE
92 South Cole Road
Boise, Idaho 83709
Telephone 334-2190

BEFORE THE DEPARTMENT OF WATER RESOURCES

OF THE

STATE OF IDAHO

IN THE MATTER OF CHANGING THE MEASURING
DEVICE REQUIREMENT FOR PERMIT NO. 36-7299

ORDER

WHEREAS, the above numbered permit was approved with the condition that a measuring device of a type approved by the Department be permanently installed and maintained as part of the diverting works; and,

WHEREAS, on July 1, 1978, the Department adopted a new water measurement condition which states: "An access port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department"; and,

WHEREAS, the former condition required the permit holder to purchase and install a measuring device or hire a professional engineer to certify the rate of diversion; and,

WHEREAS, the measuring device condition effective July 1, 1978, requires less capital expenditure by the permit holder; and,

WHEREAS, to be equitable to holders of permits issued prior to July 1, 1978, the new condition should be retroactive;

NOW THEREFORE, it is hereby ordered that the condition of approval of this permit related to water measurement is hereby changed as follows:

"The permit holder shall either install a measuring device or provide a certified measurement by a professional engineer or install an access port or other device as specified by the Department".

Dated this 1st day of June 1981.

Glen Saxton

GLEN SAXTON
Chief, Operations Bureau

September 29, 1982

Max Serr
Route 1, Box 1072
Paul, ID 83347

Dear Mr. Serr:

Re: Permit No. 36-7299

This office acknowledges receipt of the postcard as the statement of beneficial use.

It is the Department's understanding that a field exam has been conducted by one of our regional representatives. Based on his recommendations, a water right license will be issued.

If you have further questions concerning your permit, please feel free to contact me.

Sincerely,

RITA I. FLECK
Sr. Secretary

cc: region

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 36-7299.

Name(s) of Permit Holder: Max Serr

Post Office Address: RT1 Box 1072

Paul Idaho Tel. No. 438-5232

Source of Water: Deep Well

Extent of Use:

☐ Domestic	(number of households)
☐ Stockwater	(number and type of stock)
☒ Irrigation <u>211</u>	(acres)
☐ Other	

Measuring Device: Required? ☐ Yes ☐ No Installed? ☐ Yes ☐ No

Access Port: Required? ☒ Yes ☐ No Installed? ☒ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

8-30-82
Date

Max Serr
Signature of Permit Holder



VT



577 1 1982

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

IDENT. NO. 36-7249

IDENT. NO. 36-7249

IDAHO DEPARTMENT OF WATER RESOURCES

WATER RIGHT
DATA ENTRY LOG[illegible]

January 25, 1978

Re: Permit No. 36-7299

Max Andrew Serr
Route 1, Box 43C
Paul, Idaho 83347

Dear Mr. Serr:

Enclosed is a copy of the approved application for extension of time in connection with the above referenced permit.

The time within which to submit proof of beneficial use of water has been extended to March 1, 1983.

Sincerely,

Jan Grover
Water Rights Supervisor

RECEIVED
JAN 27 1978

December 30, 1977

CERTIFIED MAIL

138240

Re: Permit No. 36-7299

Max Andrew Serr
Route 1
Paul, Idaho 83347

Dear Mr. Serr:

One of the conditions of approval of your water Permit No. 36-7299 (see last page of your approved permit) was that evidence of the extent of development be submitted as proof of application of water to beneficial use to this office on or before . Enclosed is an affidavit form which must be used to submit the required proof of beneficial use.

If you have not fully completed your project, and you have not previously received an extension of time, you may request an extension of time provided the delay is for reasonable cause as indicated in Section 42-204, Idaho Code, amended. If you have been prevented from proceeding by a governmental agency or by litigation, more than one extension of time can be granted.

Either the beneficial use affidavit or a request for an extension of time must be received by this Department on or before the above mentioned date, otherwise the permit will lapse and be of no further force or effect.



STEPHEN ALLRED

Director

SA:jfr

cc: Proof affidavit

MICROFILMED

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Administration within 30 days after the completion or abandonment of the well.

RECEIVED
12 1973

1. WELL OWNER

Name Max SerrAddress 800 W. Baseline-Paul, IdahoOwner's Permit No. 36-7299

2. NATURE OF WORK

☒ New well ☐ Deepened ☐ Replacement☐ Abandoned (describe method of abandoning)

3. PROPOSED USE

☐ Domestic ☒ Irrigation ☐ Test☐ Municipal ☐ Industrial ☐ Stock

4. METHOD DRILLED

☒ Cable ☐ Rotary ☐ Dug ☐ Other

5. WELL CONSTRUCTION

Diameter of hole 20 inches Total depth 378 feetCasing schedule: ☒ Steel ☐ Concrete

Thickness	Diameter	From	To
<u>.250</u> inches	<u>20</u> inches	<u>+ 1</u> feet	<u>15</u> feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet

Was a packer or seal used? ☐ Yes ☒ NoPerforated? ☐ Yes ☒ NoHow perforated? ☐ Factory ☐ Knife ☐ Torch

Size of perforation _____ inches by _____ inches

Number	From	To
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet

Well screen installed? ☐ Yes ☒ No

Manufacturer's name _____

Type _____ Model No. _____

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Diameter _____ Slot size _____ Set from _____ feet to _____ feet


Gravel packed? ☐ Yes ☒ No Size of gravel _____

Placed from _____ feet to _____ feet

Surface seal? ☒ Yes ☐ No To what depth 15 feetMaterial used in seal ☒ Cement grout ☐ Puddling clay

6. LOCATION OF WELL

Sketch map location must agree with written location.

County LincolnSW 1/4 SE 1/4 Sec. 21, T. 7 N/S, R. 21 E/W

7. WATER LEVEL

Static water level 318 feet below land surfaceFlowing? ☐ Yes ☒ No G.P.M. flow _____Temperature 58 ° F. Quality Good

Artesian closed-in pressure _____ p.s.i.

Controlled by ☐ Valve ☐ Cap ☐ Plug

8. WELL TEST DATA

No test

☐ Pump ☐ Bailer ☐ Other

Discharge G.P.M.

Draw Down

Hours Pumped

9. LITHOLOGIC LOG

Hole Diam.	Depth		Material	Water	
	From	To		Yes	No
22	0	2	Top soil		
22	2	5	Hard light clay		
20	5	39	Broken gray basalt		
	39	46	Firm gray basalt		
	46	78	Hard gray basalt		
	78	86	Brown clay-caving		
	86	97	Broken gray basalt-red cinders		
			clay seams		
	97	104	Broken gray basalt		
	104	124	Firm gray basalt		
	124	132	Broken gray basalt		
	132	142	Firm gray basalt		
	142	153	Broken gray basalt-cinders		
	153	158	Firm gray basalt		
	158	166	Broken gray basalt		
	166	178	Firm gray basalt		
	178	188	Broken gray basalt		
	188	196	Firm gray basalt		
	196	205	Broken gray basalt-lost cuts		
	205	209	Firm gray basalt		
	209	219	Broken gray basalt		
	219	225	Firm gray basalt		
	225	244	Broken gray basalt-lost cuts		
	244	259	Firm gray basalt		
	259	270	Broken gray basalt-cinders		
	270	273	Firm gray basalt		
	273	290	Hard gray basalt		
	290	295	Broken gray basalt-cinders-lost cuts		
	295	302	Firm gray basalt		
	302	309	Red basalt cinders-lost cuts		
	309	313	Firm gray basalt		
	313	328	Hard gray basalt		
	328	335	Broken gray basalt	X	
	335	343	Firm gray basalt		
	343	352	Hard gray basalt		
	352	378	Red-gray basalt cinders	X	

lost all cuttings

10.

Work started Oct. 5, 1973 finished Dec. 22, 1973

11. DRILLER'S CERTIFICATION

This well was drilled under my supervision and this report is true to the best of my knowledge.

Alexander Drilling Co.

127

Driller's or Firm's Name

Number

510-13th St., Rupert, Idaho

83350

Address

Signed By J. D. AlexanderDate 12/22/73

March 12, 1973

Re. Permit No.: 36-7299

Max Andrew Serr
Route 1,
Paul, Idaho 83347

Dear Mr. Serr:

Enclosed is a copy of your approved Application for Permit No. 36-7299. We direct your attention to the conditions of approval as listed on the fourth page.

Be sure to note that a special condition requiring you to install and maintain a measuring device at your point of diversion has been placed upon your permit. We are enclosing a letter describing different types of measuring devices accepted by this office.

Very truly yours,

BOBBY D. FLEENOR
Assistant Director

BDF: cd

Enclosures

36 7299

February 8, 1973

Re: Application No. 36-7299 - Max Andrew Serr

Lincoln County Journal
119 West A
Shoshone, ID 83352

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. In order to receive payment, the following certification must appear on the bill:

"I hereby certify that the foregoing account is just and correct, that the amount claimed is legally due, after allowing all just credits, and that no part of the same has been paid."

(signature of claimant)

Very truly yours,

Bob Haynes
District Engineer
Southern District

BH:alw

Enc: Legal Notice

Bill submitted 3-5-73 by chw

36 7299

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Max Andrew Serr,
Route 1, Paul, ID
has on Feb. 7, 1973 submitted Application No. 36-7299
for a permit to appropriate 4.8 cubic feet per second ~~XXXX XXXX XXX XXXXX~~
of water from a groundwater source
by means of well, pump, and sprinkler system
within the NE $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 21, T. 7S, R. 21E, B.M., Lincoln County

to be used from May 1 to Oct. 10 for the irrigation of 240 acres
~~XXXX~~

within the SW $\frac{1}{4}$, NE $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 21, T. 7S, R. 21E, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Administration, 1041 Blue Lakes Boulevard North, Twin Falls, Idaho, 83301 on or before March 5, 1973.

R. KEITH HIGGINSON

Director

Published in the Lincoln County Journal, Shoshone, ID 83352
on Feb. 15 and Feb. 22, 1973

OK also
1-1-73
SHONI LEGAL

**NOTICE OF APPLICATION
FOR WATER PERMIT**

Notice is hereby given that Max Andrew Serr, Route 1, Paul, ID has on Feb. 7, 1973 submitted Application No. 36-7299 for a permit to appropriate 4.8 cubic feet per second of water from a groundwater source by means of well, pump, and sprinkler system within the NE $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 21, T. 7S, R. 21E, B. M., Lincoln County to be used from May 1 to Oct. 10 for the irrigation of 240 acres within the SW $\frac{1}{4}$, N $\frac{1}{2}$ SE $\frac{1}{4}$, Sec. 21, T. 7S, R. 21E, B. M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Administration, 1041 Blue Lakes Boulevard North, Twin Falls, Idaho, 83301 on or before March 5, 1973.

R. Keith Higginson

Director

Published in the Lincoln County Journal, Shoshone, ID 83352 on Feb. 15 and Feb. 22, 1973.

2-15-22c

85724 96