


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Ralph E. Beasly
(Applicant) Margaret E. Beasly

36-7206

The Minidoka County News

RUPERT, IDAHO

AFFIDAVIT OF PUBLICATION

County of Minidoka,)
) ss.
STATE OF IDAHO,)

Ruth DeThomas, being first
duly sworn, deposes and says that he is the
Editor of The Minidoka County
News, a weekly newspaper published at Rupert,
Idaho, in the county aforesaid, and that the paper
is of general circulation therein. Deponent further
states that the printed notice attached hereto was
duly published according to law in the regular
weekly editions of The Minidoka County News for

2 consecutive weeks, commencing
with the issue dated Sept 21, 19 71, and
ending with the issue dated Sept 28, 19 71.

Ruth DeThomas
Subscribed and sworn to before me this
28th day of Sept., 19 71.

Don Hunter Notary Public

Cost of Publication _____

Notary Fee _____

Total Cost _____

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that
Ralph C. and Margaret E. Be-
sel, 521 W. 18th St., Burley,
Idaho, have on August 9, 1971
submitted Application No. 36-
7206 for a permit to appro-
priate 2.0 cubic feet per second
of water from a ground water
source by means of well and
pump within the NE1/4NW1/4,
Sec. 32, T. 9S, R. 23E, B.M.,
Minidoka County to be used
from Jan. 1 to Dec. 31 for do-
mestic purposes for 100 fami-
lies within the NE1/4NW1/4,
Sec. 32, T. 9S, 23E, B.M.,
Meadow Brook Subdivision.

If issued, this permit will be
subject to all prior water rights,
Protests against the granting of
the permit must be filed with
the Idaho Department of Water
Administration, Statehouse,
Boise, Idaho, 83707, on or be-
fore October 8, 1971.

R. KEITH HIGGINSON
Director

Published in the Minidoka
County News, Rupert, Idaho,
on Sept. 21 and Sept. 28, 1971.
No. 282 - Sept. 21, 28, 1971

36-7206




Diagram of System

SD-0611-2 Basin: 36 Starting Water Right: 07206

S	Water	Name	O	Priority	STG/	Use	S
E	Right No.	Last, First	W	Date	STS	Desc	Y
L			N				S
-	36-07206	CITY OF PAUL	C	08/09/1971	L/	GROUNDWATER	DOMEST WR
-	X36-07206	CITY OF PAUL	C	08/09/1971	L/	GROUNDWATER	MUNI WR
-	36-07206	CITY OF PAUL	C	08/09/1971	D/	GROUNDWATER	P DECR AJ
-	A36-07206	CITY OF PAUL	C	08/09/1971	L/	GROUNDWATER	DOMEST AJ

* Decreed copied to Water Right Database (GOLD7=This Query)
(Enter=Continue) (GOLD6=Print Profile Rpt) (GOLD8=Cancel) (Menu _____)

MICROFILMED

OCT 26 1998

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

TRANSFER OF WATER RIGHT

TRANSFER NO. 5201
WATER RIGHT NO(S). 36-04083/36-07206/36-07899

This is to certify that: **CITY OF PAUL**
PO BOX 13
PAUL ID 83347

has requested a change to the above captioned water right(s). This change in water right(s) is authorized pursuant to the provisions of Section 42-222, Idaho Code, provided the conditions listed below are met.

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>DIVERSION RATE</u>	<u>ANNUAL VOLUME</u>
Right No. 36-04083 : MUNICIPAL Priority: 04/27/1920	01/01 to 12/31	0.67 CFS	
Right No. 36-07206 : MUNICIPAL Priority: 08/09/1971	01/01 to 12/31	1.06 CFS	58.0 AF
Right No. 36-07899 : MUNICIPAL Priority: 02/27/1980	01/01 to 12/31	0.78 CFS	
TOTAL:		* 2.51 CFS	* 1107.8 AF

SOURCE

GROUNDWATER

LOCATION OF POINT(S) OF DIVERSION:

SESW , Sec. 28, Township 09S, Range 23E
NENW , Sec. 32, Township 09S, Range 23E
MINIDOKA County

PLACE OF USE: See Remarks

CONDITIONS OF APPROVAL AND REMARKS

1. The right holder shall measure and annually report diversions of water and/or other pertinent hydrologic and system information as required by Section 42-701, Idaho Code.
2. The right holder shall accomplish the change authorized by this transfer within one (1) year of the date of this approval.

MICROFILMED
80-120-108

TRANSFER NO. 5201
WATER RIGHT NO(S). 36-04083/36-07206/36-07899

CONDITIONS OF APPROVAL AND REMARKS

3. Failure of the right holder to comply with the conditions of this transfer is cause for the Director to rescind approval of the transfer.
4. Approval of Transfer 5201 does not confirm Claimed Right 36-04083.
- * 5. Rights 36-04083, 36-07206, and 36-07899 when combined shall not exceed a total diversion rate of 2.51 cfs, nor a total annual diversion volume of 1107.8 af.
6. Approval of Transfer 5201 does not grant any right-of-way or easement for use of a delivery system owned by person(s) other than the right owner.
7. Place of use is within the City of Paul and surrounding service area.

Dated this 16th day of October, 1998.


Chief, Water Allocation Bureau

MICROFILMED

OCT 26 1998

RECEIVED
OCT 6 1980

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 36-7206 Priority August 9, 1971 Amount 1.06 cfs

THIS IS TO CERTIFY, that CITY OF PAUL

of Paul, Idaho, has complied with the terms and conditions of Permit No. 36-7206 issued pursuant to Application for Permit dated August 9, 1971, and has submitted proof to the Department of Water Resources on November 28, 1980, that he has applied water to a beneficial use; an examination by the Department indicates that the works have a capacity for the diversion of 1.06 cfs of water from a groundwater source, tributary to _____, and that the permit holder has applied to a beneficial use an established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
<u>Domestic</u> <u>(50 units)</u>	from <u>January 1</u> to <u>December 31</u>	at <u>1.06</u> cfs and	<u>60 acre feet</u>
	from _____ to _____	at _____ cfs and	_____
	from _____ to _____	at _____ cfs and	_____

(both dates inclusive)

Subject, however, to the condition that no more than 1.06 cfs of water be diverted at any one time, and that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed 60 acre feet per year, said waters to be diverted within the NE $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 32, Twp. 9S, Rge. 23E, B.M. in the County of Minidoka

Description and location of place of use:

Twp.	Range	Sec.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				Totals
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
9S	23E	32					X												

Total number of acres irrigated _____

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use herein described, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 30 day of September, 19 80

Director

36-7206

RECEIVED

MAY 21 1980

State of Idaho
Department of Water Resources

RECEIVED

MAY 19 1980

Department of Water Resources

Department of Water Resources
Southern District Office

I, Ralph C. & Margaret E. Besel, hereby assign to City of Paul

of Paul, Idaho

Address

CHECK ONE



All my right, title, and interest in and to Permit No. 36-7206
to appropriate the public waters of the State of Idaho.



The following described portion of my right, title, and interest in and to Permit
No. _____ to appropriate the public waters of the State of Idaho.

(Describe that portion of the permit being assigned by listing the acreage within
each 40 acre subdivision, the point of diversion and the amount of water in cubic
feet per second for direct diversion, or acre feet for storage)

Made this 14th day of May, 19 80.

Ralph C. Besel
Permit Holder

Margaret E. Besel
Spouse of Permit Holder

State of Idaho)
County of Cassia) ss.

On this 14th day of May, 19 80, personally
appeared before me the signer(s) of the above instrument, who duly acknowledged to me
that he (she) (they) executed the same.

seal

Len R. Strub
Notary Public residing at Notary Public, Residing at Burley, Idaho
My Commission Expires July 15, 1982

My commission expires:

MICROFILMED

ok June 5/22/80

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION

APPLICATION FOR EXTENSION OF TIME

State of Idaho)
County of Minidoka)

Permit No. 36-7206

Ralph E and Margaret E Besel of 1827 Yale Burley, Idaho 83318
(name) (address)

State of Idaho, being first duly sworn, upon his oath deposes and says:

That he is the holder, or the duly authorized agent of the holder *, of Permit to Appropriate the Public Waters of the State of Idaho No. 36-7206.

That under the terms and conditions of said permit, work thereunder was required to be completed on or before December 1, 19 74.

That he has heretofore performed the following work described under said permit:

Well complete, pump in place and operating and only
part of the distribution lines are in.

Costing \$ 12,000⁰⁰

That he is unable to complete the remainder of the work within the required time for the following reasons, to-wit: Building cost and interest money has slowed
progress also City of Paul has been slowed down
on Sewer System of which this area will be connected
into when complete.

Wherefore, he asks that the Department of Water Administration extend the time for the completion of obligations under said permit to December, 19 79.

Ralph E Besel

Margaret E Besel
(signature) *

Subscribed and sworn before me this 27th day of November, 19 74.

seal

Butler Vlahos
(notary public)

My commission expires 2-26-75

ACTION OF THE DEPARTMENT OF WATER ADMINISTRATION
Operations Division

I, A. KENNETH DUNN, Admin., ~~Director~~ of the Idaho Department of Water Administration, State of Idaho, hereby approve the above application for extension of time for Permit No. 36-7206 to December 1, 1979.

Witness my hand this 16th day of December, 19 74.

A. Kenneth Dunn
Administrator, ~~Director~~ Operations Division

* IF OTHER THAN HOLDER, Power of Attorney must be supplied. Forms are available through the Department of Water Administration, Statehouse - Annex 2, Boise, Idaho, 83707.

MICROFILMED

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF CHANGING THE MEASURING
DEVICE REQUIREMENT FOR PERMIT NO. 36-7206

ORDER

WHEREAS, the above numbered permit was approved with the condition that a measuring device of a type approved by the Department be permanently installed and maintained as part of the diverting works; and,

WHEREAS, on July 1, 1978, the Department adopted a new water measurement condition which states: "An access port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department"; and,

WHEREAS, the former condition required the permit holder to purchase and install a measuring device or hire a professional engineer to certify the rate of diversion; and,

WHEREAS, the measuring device condition effective July 1, 1978, requires less capital expenditure by the permit holder; and,

WHEREAS, to be equitable to holders of permits issued prior to July 1, 1978, the new condition should be retroactive;

NOW THEREFORE, it is hereby ordered that the condition of approval of this permit related to water measurement is hereby changed as follows: "The permit holder shall either install a measuring device or provide a certified measurement by a professional engineer or install an access port or other device as specified by the Department".

Dated this 18th day of August, 1978.


C. STEPHEN ALLRED
Director

MICROFILMED

ASSIGNED TO:
City of Paul
Paul, Idaho 83347
May 19, 1980

Identification No. 36-7206
Application No. _____

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION

APPLICATION FOR PERMIT **APPROVED**

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

1. Name of applicant Ralph C. and Margaret E. Besel
post office address 521 W. 18th St. Butley Idaho 83318-678-7612
2. Source of water supply ground water which is a tributary of _____
3. a. Location of point of diversion is NE 1/4 of NW 1/4 of Section 32 Township 9 South
Range 23 E B.M. Minidoka County; additional points of diversion if any: _____
See Legal Description Attached
- b. If water is not consumed, it will be discharged into water will be pumped as needed
for domestic use at a point in _____ 1/4
of _____ 1/4 of Section _____ Township _____ Range _____ B.M. _____
4. Water will be used for the following purposes:
Amount 2.0 for domestic purpose from January 1 to December 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
a. 2.0 cubic feet per second and/or
b. _____ acre feet per annum.
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. Water will be pumped from
a well at approx. the 200ft level into high pressure (60 psi)
water line 4" min 6" max to houses in subdivision. A
submersible pump rated at 90 gallons per minute at 130ft of head
will be used.
b. Height of storage dam none feet, active reservoir capacity none acre feet; total reservoir
capacity none acre feet, materials used in storage dam: _____
Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)
c. Proposed well diameter is 12 1/8" inches; proposed depth of well is 400 feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 3 years. work complete in 30 days after start of drilling.
b. Estimated construction cost is \$ 6000.00.
8. Description of proposed uses:
a. If water is not for irrigation:
(1) Give the place of use of water: NE 1/4 of NW 1/4 of Section 32 Township 9 South
Range 23 E B.M.
(2) Amount of power to be generated: none hp under none feet of head.
(3) List number of each kind of livestock to be watered none.
(4) Name of municipality to be served Meadow Brook Subdivision or number of families to be
supplied with domestic water 100.
(5) If water is to be used for other purposes describe: domestic use only

36-7206

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP.	RANGE	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	


Total number of acres to be irrigated _____

c. Describe any other water rights used for the same purposes as described above. _____

9. a. Who owns the property at the point of diversion Ralph C and Margaret E. Besel
 b. Who owns the land to be irrigated or place of use Ralph C. and Margaret E. Besel
 c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____

10. Remarks well to be drilled approximately 700 feet deep with 8" casing at bottom. Pressure system to be set up with distribution pipe min of 1 1/2" in size to serve housing subdivision.
The irrigation water that is with the land about 30" or 1" per acre from Minidoka Irrigation District will be pumped into low pressure lines for lawn purpose
See enclosed plat of subdivision showing domestic well and distribution lines also sump and lines for low pressure water.
Rex Weech, well drilling contractor in Burley is working with us on this project.
Sewerage will be temporarily handled with septic tanks until the City of Paul completes new treatment plant SW of Paul. They will then treat sewerage. Line are being installed in street for future use.

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Ralph E. Beaul.
(Applicant) Margaret E. Beaul

36-7206

36-7206

Received by 4 Date 8-9-71 Time 8:45
Preliminary check by DE Fee \$ 35.00
Receipted by 4 Date 9-13-71
Publication prepared by CR Date 9-15-71
Published in Minidoka County News
Publication dates 9-21 & 9-28-71
Publication approved CR Date 10-6-71
Priority reduced to _____ Reason _____

Protests filed by: _____

Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by DE BDF

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER ADMINISTRATION

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 36-7206, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before December 1, 1974.
- c. Other: The permit holders shall permanently install and maintain as part of the diverting works a measuring device at the point of diversion of a type approved by this Department.

2. Denial of said application is for the following reasons: _____

Witness my hand this 29th day of October, 1971.

R. Keith H. [Signature]
Director

36-7200

LEGAL DESCRIPTION

Part of the E 1/2 NW 1/4 of Section 32, Township 9 South, Range 23 East, Boise Meridian, Minidoka County, Idaho, more particularly described as follows:

Beginning at a point on the Section line, 289 feet East of the Northwest corner of the NE 1/4 NW 1/4 of said Section 32, which point shall be known as the True Point of Beginning; thence East along said Section line 614.0 feet; thence South 1480 feet; thence West 903 feet to a point on the 1/16 Section line; thence North along said 1/16 Section line 1270 feet, more or less, to a point in the center of a drain ditch; thence North 54°0' East along center of said drain ditch 357.24 feet, more or less, to the True Point of Beginning.

Subject to a 50 foot drain ditch right of way, which meanders across said parcel, also Subject to a 40 foot drain ditch right of way across the Northwest corner of described parcel, also Subject to a 40 foot state highway right of way along the North end thereof.

DEPARTMENT OF WATER ADMINISTRATION

STAFF ANALYSIS

Application No. 36-7206 Name Ralph C. and Margaret E. Besel

Source Ground water

Point of Diversion NE¹/₄NW¹/₄, Sec. 23, T. 9S, R. 23E, B.M.

Quantity 2.0 Use Domestic Period Jan. 1 to Dec. 31

Quantity Use Period

Quantity Use Period

Well Size Diameter 12" to 8" Proposed Depth approx. 400 Feet

Use 100 families

Date Forwarded 9-17-71 Date Returned 9-22-71 Received by S.S.

COMMENTS: Static w/p is 50-70 feet. Water levels show some
minor fluctuations. Shallow aquifer is gravel; deeper
aquifer is basalt. Well development is moderately light;
aquifer is capable of supporting additional development.

RECOMMENDED:

Applied: Qty. Use Period AF/A AF

Qty. Use Period AF/A AF

Qty. Use Period AF/A AF

Maximum: Qty. Use Period AF/A AF

Qty. Use Period AF/A AF

Qty. Use Period AF/A AF

ACTION: Approved ☒ Denied ☐

Conditions of approval or reason for denial:

INVESTIGATION By Paul M. Casteln Title W.R.I. - I

Date Sept. 22, 1971

36-7206

The Minidoka County News

RUPERT, IDAHO

AFFIDAVIT OF PUBLICATION

County of Minidoka,)
) ss.
STATE OF IDAHO,)

Ruth DeThomas, being first
duly sworn, deposes and says that he is the
Editor of The Minidoka County
News, a weekly newspaper published at Rupert,
Idaho, in the county aforesaid, and that the paper
is of general circulation therein. Deponent further
states that the printed notice attached hereto was
duly published according to law in the regular
weekly editions of The Minidoka County News for
2 consecutive weeks, commencing
with the issue dated Sept 21, 19 71, and
ending with the issue dated Sept 28, 19 71.

Ruth DeThomas
Subscribed and sworn to before me this

28th day of Sept., 1971.
Denn Hunter Notary Public

Cost of Publication

Notary Fee

Total Cost

36-7204

MEMORANDUM

TO: Files 36-04083, 36-07206 & 36-07899

FROM: Pam Skaggs/State Office

SUBJECT: Transfer 5201

DATE: October 15, 1998

Transfer 5201 adds a point of diversion under Rights 36-04083, 36-07206 and 36-07899, and changes the place, nature, and season of use under Right 36-07206.

Rights 36-04083 and 36-07899 were developed at different times from the same well for municipal use in the City of Paul. Right 36-07206 was developed from a different well for domestic and irrigation use in Meadow Brook Subdivision and assigned to the city prior to licensing. The SRBA recommendations include domestic use under Right 36-04083 to include use at Minico Jr. H.S. The transfer proposes to clarify the use of these wells by the city within their service area, identifying both wells and municipal use on all three rights.

In order to avoid enlargement through this transfer, Right 36-07206 is limited to the volume developed under the original domestic and irrigation uses. Season of use was modified to year round use and place of use identified as within the city and service area per current standards.

Recommended conditions include non-confirmation of claim, combined right limits, right-of-way, measuring & annual reporting and standard transfer conditions.

Change in Nature of Use Evaluation

	<u>Use</u>	<u>Rate</u>	<u>Div. Vol./C.U. Vol.</u>
Before: 36-07206	IRR 7 acres	0.14 cfs	28.0 af/21.0 af
	DOM	<u>1.06 cfs</u>	<u>30.0 af/ 0.0 af</u>
		1.06 cfs	58.0 af/21.0 af
After: 36-07206	MUNICIPAL	1.06 cfs	58.0 af

MICROFILMED
OCT 26 1998

Responding to Preliminary Orders Issued by the Idaho Department of Water Resources

The Idaho Department of Water Resources (Department) issues water right permits, licenses, and transfers as preliminary orders pursuant to section 67-5243, Idaho Code. A preliminary order can and will become a final order without further action of the department unless a party petitions for reconsideration or files an exception and/or brief as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of the order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from a preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, a preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to a preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

ORAL ARGUMENT

If the Department grants a petition to review a preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

MICROFILMED

OCT 26 1998

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with a preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

MICROFILMED

OCT 26 1998

MEMORANDUM

TO: FILE 36-07206

FROM: PAM SKAGGS

RE: TRANSFER # 5201

DATE: 2-16-98

Original Transfer Application, Form and correspondence
regarding the above referenced Transfer is located within
file # 36-04083.

MICROFILMED

OCT 26 1998

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

~~HEBEL, RALPH C. & MARGARET E.~~
PAUL, ID 83347

City of Paul

SEPTEMBER 24, 1979⁸⁰

RE: 36-7206

DEAR WATER USER:

ENCLOSED IS A COPY OF THE WATER RIGHT LICENSE ISSUED ON THE
ABOVE REFERENCED PERMIT.

SINCERELY,

JIM JOHNSON
WATER DISTRIBUTION SUPERVISOR

ENCLOSURE

MICROFILMED



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

C. STEPHEN ALLRED

Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

September 22, 1980

City of Paul
Paul,
Idaho 83347

Dear Sirs,

A representative of this Department has made an examination of the works covered by your Permit No. 36-7206, and has found the following:

Amount of water that can be recognized as beneficially used under
Idaho law: 1.06 cfs Source: groundwater

The maximum quantity diverted shall not exceed 60 acre feet
per year.

Point(s) of diversion: NE $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 32, Twp. 9S, Rge. 23E, B.M.

Beneficial use: Domestic use for 50 homes within the NE $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 32,
Twp. 9S, Rge. 23E.

Priority date established: August 9, 1971

Conditions (if any):

If you do not concur with these findings please contact us within 10 days,
otherwise a water license will be issued as set forth above.

Sincerely,

JAN GROVER
JOHN JOHNSON
Water Rights Supervisor

MICROFILMED

DEPARTMENT OF WATER RESOURCES
FIELD REPORT

1. Name of permit holder Bessel, Ralph C. & Margaret B. c/o City of Paul
Post office address PAUL, IDAHO Phone _____
Person to contact Elmer Knopp Phone _____

2. Source of water supply: Groundwater ☒ Surface water ☐ _____
(name spring, stream, etc.)
Tributary to _____

3. Water will be used for the following purposes:

Amount 2.0 c.f.s. for DOMESTIC
 _____ AF/Annum (nature of use)

Period of Use: from 01-01 to 12-31
(mo.-day) inclusive (mo.-day)

Amount _____ c.f.s. for _____
 _____ AF/Annum _____ (nature of use)

Period of Use: from _____ to _____
(mo.-day) inclusive (mo.-day)

Amount _____ c.f.s. for _____
 _____ AF/Annum (nature of use)

Period of Use: from _____ to _____
(mo.-day) inclusive (mo.-day)

Other uses: _____

4. Total amount to be appropriated:

Max Rate of Diversion 20 cubic feet per second and annual volume _____ AF/Annum.

- 5. Location of Point(s) of Diversion:**

Township 9S N/S, Range 23 E ~~E~~, B.M., Section 32, Subdivision NE $\frac{1}{4}$ NW $\frac{1}{4}$, MINIDOKA County

Township _____ N/S, Range _____ E/W, B.M., Section _____, Subdivision _____ 1/4 _____ 1/4, _____

Township _____ N/S, Range _____ E/W, B.M., Section _____, Subdivision _____ 1/4 _____ 1/4, _____

Other Points of Diversions: _____

Description of diverting works: WELL, MOTOR & Pump.

Measuring device required: yes ☒ no ☐

6. Lands to be irrigated or place of use.

[illegible]**TOTAL ACREAGE**




Diagram of System

DATE OF EXAM 2/21/1980 2:00 P.M.

ACREAGE

Found ✓
Recommended ✓

Irrigation Requirement ✓ Ac Ft/Ac

USE

Irrigation Q= c.f.s. V= AF/Ann. from to
Domestic Q= 106 c.f.s. V= 60.0 AF/Ann. from Jan 01 to Dec 31
Livestock Q= c.f.s. V= AF/Ann. from to

Is water co-mingled? yes no ✓

Name source:
twp. N/S, Rge E/W, B.M., Sec. , Sub. 1/4 1/4
County

Exchange? yes no ✓

Name source exchanged with:
twp. N/S, Rge E/W, B.M., Sec. , Sub. 1/4 1/4
County

Point of injection:
twp. N/S, Rge E/W, B.M., Sec. , Sub. 1/4 1/4
County

Point of exchange:
twp. N/S, Rge E/W, B.M., Sec. , Sub. 1/4 1/4
County

Total Q measured 475 gal/min = 105 CFS, Method of measurement BADGER METER.

Total Q recommended 105 CFS, Meter No. M0337255 Type 10" Condition NEW
60.0

Total V recommended Ac.Ft./ANN.

Recommended Amendments:

P.D.
Place of Use
Other
None ✓

MEASUREMENT CALCULATION:

475 gal/min = 106 CFS. (1.98 Ac.Ft.) (106 CFS) (365 days) = 766.06
(50 Houses @ 1.2 Ac.Ft./ANN) = 60 Ac.Ft./ANN

SYSTEM DESCRIPTION:

G.E. MOTOR 60 HP. SERIAL # 5K6257XH12A Verti-Line Pump.
50 Houses. 40,000 gal STORAGE TANK. FOR THE
CITY USE ONLY
THIS Well ALSO Connects To THE CITY System.

REMARKS:

ELMER Knopp SUPERINTENDENT OF THE CITY OF
PAUL WAS PRESENT DURING THE EXAM.

Examiner's Signature Louie Sundberg Date 2/22/80

Checked by John D. Merritt Date 2/25/80

Approved by Date



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

C. STEPHEN ALLRED
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

May 28, 1980

City Of Paul
Paul, Idaho 83347
Permit # 36-7206

Dear Wateruser:

This office acknowledges receipt of the assignment conveying the above referenced permit to you.

This assignment has been entered into the Departments records. Enclosed for your records is a copy of the permit.

Sincerely,

Jan Grover
JAN GROVER
Supervisor, Water Rights

JG:jg

Enclosures

MICROFILMED



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
SOUTHERN REGION

John V. Evans
Governor

C. Stephen Allred
Director

1041 Blue Lakes Blvd. North
Twin Falls, Idaho 83301
(208) 734-3578

Ralph C. Besel
1827 Yale
Burley, Idaho
83318

December 27, 1979

RE: Water Permit 36-7206

Dear Sir;

We acknowledge receipt of the affidavit submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We cannot tell just when this examination will be made, but our examiner will try to contact you at the time he makes the examination so that you may show him the system.

Field examinations must be done while the system is in operation. For this reason we concentrate on irrigation permits during the summer months and do examinations on permits for other uses during the non-irrigating months.

If you have any questions regarding the field examination, please contact our office.

Sincerely,

Gary L. Funderburg
Senior Water Resource Agent

MICROFILMED

November 23, 1979

State of Idaho
Department of Water Resources.

Department of Water Resources

Permit No 36-7206

Dear Sir:

On May 24th 1976 the City of Paul took over the operation and maintenance of this well located on Meadow Brook Subdivision, Blaine Co. Paul, Idaho. On May 24th 1980 they will own the well. At the time of this agreement their attorney was to make the necessary changes, permits etc.

Enclosed find copies of letters from the Idaho State Department of Health & Welfare, Division of Environment. Showing inspection of facilities also approval.

The City of Paul is using this well in their system and has agreed to furnish water to the Subdivision.

If you have any other questions or requirements please contact the City of Paul.

Yours Truly,
Ralph A. Beaul.

Suggested field
examiner recommend
an assignment after
May 24 '80

MICROFILM

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 36-7206.

Name(s) of Permit Holder: Ralph C + Margaret E Beaul

Post Office Address: Burley Idaho 1827 Yale

Tel. No. _____

Source of Water: Well

Extent of Use: ☒ Domestic City of Paul System (number of households)
☐ Stockwater _____ (number and type of stock)
☐ Irrigation _____ (acres)
☐ Other _____

Measuring Device: Required? ☐ Yes ☐ No Installed? ☒ Yes ☐ No

Access Port: Required? ☒ Yes ☐ No Installed? ☐ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

11-23-79
Date

R. Beaul
Signature of Permit Holder

Owner Ralph Besel

Date 12/5/75

Name of Well Meadow Brook

1. Type of well: ☒ drilled, ☐ dug, ☐ driven
2. Depth 450 ft, Water level 200 ft, Casing depth 386 ft, Size 10.75
3. If well log is available, attach a copy.
4. Is well an acceptable distance from sources of contamination (drainfields, septic tanks, sewers, ditches, surface water, others)? ☒ yes ☐ no
Show distance.
5. Is the site subject to flooding? ☐ yes ☒ no
6. Acceptable grouting? ☐ yes ☐ no
☒ unable to determine
7. Sanitary well seal? ☒ yes ☐ no
8. ~~Acceptable pitless adapter?~~ ☐ yes ☐ no
9. Air vent provided? ☒ yes ☐ no
10. Air vent extended 12" above casing, elbowed down and screened? ☒ yes ☐ no
11. Casing extended 12" above well house floor and 18" above grade? ☒ yes ☐ no
12. Acceptable well house floor and drain? ☒ yes ☐ no
13. Flow meter? ☒ yes ☐ no
14. Pressure gauge? ☐ yes ☐ no
15. Check valve? ☒ yes ☐ no
16. Submit bacteriological and chemical history of well on back of sheet.
17. Is sampling tap available in pump house? ☒ yes ☐ no

18. Comments:

Chlorination Facilities: a) inadequate ventilation
b) gas in pump room

Pump: Layne & Bowler 60HP 475 GPM, Vertical turbine
No bacterial or chemical record.

MICROFILMED

hw
STATE OF IDAHO

department of health and welfare

DIVISION OF ENVIRONMENT
Twin Falls, Idaho 83301
May 5, 1976

Mr. Ralph C. Besel
Besel Associates
834 Addison Avenue
Twin Falls, Idaho 83301

re: Meadowbrook Well
Paul, Idaho

Dear Mr. Besel:

Mr. Carl Ellsworth, formerly with our department, inspected the well and pump at the Meadowbrook Subdivision on April 6, 1976. The deficiencies noted in our letter of December 15, 1975, to Mayor Robert Larsen had been corrected and the well and pump appeared to be operating properly. Samples were taken and the bacterial quality of the water on that date was acceptable.

Therefore, the well and pump located at the Meadowbrook Subdivision is approved. This approval is contingent on the bacterial quality of the water continuing to meet acceptable standards.

Also, we are informing the city of Paul (by copy of this letter) that, upon the city's purchase of the well, they will be required to submit monthly samples as stated in the Idaho Drinking Water Standards.

Very truly yours,

DEPARTMENT OF HEALTH AND WELFARE



Alex Schaefer
Sr. Water Quality Specialist

AS/jm

cc: Jerry L. Yoder, IDHW
The Honorable Robert Larsen, Mayor of Paul

MICROFILMED

R Beal.
1827 yale
Burley Idaho 83318



Idaho Department of Water Resources
State house
Boise Idaho. 83720

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 384-2215

BESEL, RALPH C. & MARGARET E.
1827 YALE
BURLEY, ID 83318

101364

SEPTEMBER 30, 1979

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 36-7206 WAS THAT EVIDENCE OF THE EXTENT OF DEVELOPMENT MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE DECEMBER 01, 1979. (SEE LAST PAGE OF YOUR APPROVED PERMIT). ENCLOSED IS A POST CARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF OF BENEFICIAL USE.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU HAVE NOT PREVIOUSLY RECEIVED AN EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME PROVIDED THE DELAY IS FOR REASONABLE CAUSE AS INDICATED IN SECTION 42-204, IDAHO CODE, AMENDED. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED.

EITHER THE BENEFICIAL USE POST CARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE MENTIONED DATE, OTHERWISE, THE PERMIT WILL LAPSE AND BE OF NO FURTHER FORCE OR EFFECT WITHIN 60 DAYS.

SINCERELY,

RITA FLECK
SR. SECRETARY

ENC: 1

101364



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 373 W. Franklin Street, Boise, Idaho

JOHN V. EVANS
Governor

C. STEPHEN ALLRED
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 384-2215

June 19, 1979

Dear Wateruser:

The enclosed Order changes the measuring device condition of approval on your water right permit.

The changed condition is less restrictive and provides you the option to install an access port or have your system measured and certified by a professional engineer. Instructions for access port installation are also enclosed.

If you have questions regarding this matter, please contact the Regional Office nearest to you.

Sincerely,

DAVID R. TUTHILL, JR.
Supervisor, Water Allocations Section

DRT:lr

Enclosures

Northern Region Office
Rt. #5, Box 203 Government Way
Coeur d'Alene, Idaho 83814

Eastern Region Office
1515 Lincoln Street
Idaho Falls, Idaho 83401

Southern Region Office
1041 Blue Lake Blvd. North
Twin Falls, Idaho 83301

Western Region Office
92 S. Cole Road
Boise, Idaho 83705

RECEIVED
JUN 20 1979
WATER RESOURCES

December 17, 1974

Re: Permit No. 36-7206

Ralph C. & Margaret E. Besel
1827 Yale
Burley, ID 83318

Dear Mr. & Mrs. Besel:

Enclosed is a copy of the approved application for extension of time submitted in connection with the above referenced permit.

The time within which to submit proof of beneficial use has been extended to December 1, 1979.

Sincerely,

D. Darlene Reich
Water Rights Supervisor

DDR:JG
Enclosure

MICROFILMED

PS Form 3811, Nov 1973

RETURN RECEIPT, REGISTERED, INSURED AND CERTIFIED MAIL

- SENDER: Complete items 1 and 2.
Add your address in the "RETURN TO" space on reverse.

1. The following service is requested (check one).

- ☐ Show to whom and date delivered..... 15¢
☐ Show to whom, date, & address of delivery.. 35¢
☐ DELIVER ONLY TO ADDRESSEE and
show to whom and date delivered..... 65¢
☐ DELIVER ONLY TO ADDRESSEE and
show to whom, date, and address of
delivery 85¢

2. ARTICLE ADDRESSED TO:

Ralph C & Margaret E. Basel

3. ARTICLE DESCRIPTION:

REGISTERED NO. | CERTIFIED NO. | INSURED NO.

26071

(Always obtain signature of addressee or agent)

I have received the article described above.

SIGNATURE

Margaret E. Basel

DATE OF DELIVERY

10/11/74

POSTMARK

5. ADDRESS (Complete only if requested)

6. UNABLE TO DELIVER BECAUSE:

CLERK'S
INITIALS

UNITED STATES POSTAL SERVICE

OFFICIAL BUSINESS

SENDER INSTRUCTIONS

Print your name, address, and ZIP Code in the space below.

- Complete items 1 and 2 on reverse side.
- Moisten gummed ends and attach to back of article.

PENALTY FOR PRIVATE
USE TO AVOID PAYMENT
OF POSTAGE, \$300



RETURN
TO



NOT RECORDED



DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

September 30, 1974

CERTIFIED MAIL

26071

Re: Permit No. 36-7206

Ralph C. & Margaret E. Besel
521 W. 18th St.
Burley, ID 83318

Dear Mr. & Mrs. Besel:

One of the conditions of approval of your water Permit No. 36-7206 (see last page of your approved permit) was that evidence of the extent of development be submitted as proof of application of water to beneficial use to this office on or before December 1, 1974. Enclosed is an affidavit form which must be used to submit the required proof of beneficial use.

If you have not fully completed your project, and you have not previously received an extension of time, you may request an extension of time provided the delay is for reasonable cause as indicated in Section 42-204, Idaho Code, amended. If you have been prevented from proceeding by a governmental agency or by litigation, more than one extension of time can be granted.

Either the beneficial use affidavit or a request for an extension of time must be received by this Department on or before the above mentioned date, otherwise the permit will lapse and be of no further force or effect.

R. Keith Higginson

R. KEITH HIGGINSON
Director

RKH:jg
Enc: Proof affidavit

MICROFILMED

USE TYPEWRITER OR
BALL POINT PEN

State of Idaho
Department of Water Administration

WELL DRILLER'S REPORT

State law requires that this report be filed with the State Reclamation Engineer within 30 days after completion or abandonment of the well.

1. WELL OWNER

Name RALPH C. BESEL
Address 1827 YALE
BURLEY, IDAHO
Owner's Permit No. 36-7206

2. NATURE OF WORK

☒ New well ☐ Deepened ☐ Replacement
☐ Abandoned (describe method of abandoning)

3. PROPOSED USE

☒ Domestic ☐ Irrigation ☐ Test
☒ Municipal ☐ Industrial ☐ Stock

4. METHOD DRILLED

☒ Cable ☐ Rotary ☐ Dug ☐ Other

5. WELL CONSTRUCTION

Diameter of hole 10 inches Total depth 475 feet
Casing schedule: ☒ Steel ☐ Concrete

Thickness	Diameter	From	To
<u>3/8</u> inches	<u>10</u> inches	<u>72 1/2</u> feet	<u>203</u> feet
<u>1/2</u> inches	<u>10</u> inches	<u>72 1/2</u> feet	<u>386</u> feet
<u>1/2</u> inches	<u>10</u> inches	<u>72 1/2</u> feet	<u>386</u> feet
<u>1/2</u> inches	<u>10</u> inches	<u>72 1/2</u> feet	<u>386</u> feet
<u>1/2</u> inches	<u>10</u> inches	<u>72 1/2</u> feet	<u>386</u> feet

Was a packer or seal used? ☐ Yes ☒ No
Perforated? ☐ Yes ☒ No
How perforated? ☐ Factory ☐ Knife ☐ Torch
Size of perforation _____ inches by _____ inches
Number _____ From _____ To _____
_____ perforations _____ feet _____ feet
_____ perforations _____ feet _____ feet
_____ perforations _____ feet _____ feet


Well screen installed? ☐ Yes ☒ No
Manufacturer's name _____
Type _____ Model No. _____
Diameter _____ Slot size _____ Set from _____ feet to _____ feet
Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Gravel packed? ☐ Yes ☒ No Size of gravel _____
Placed from _____ feet to _____ feet

Surface seal? ☒ Yes ☐ No To what depth 28 feet
Material used in seal ☒ Cement grout ☐ Puddling clay

6. LOCATION OF WELL

Sketch map location must agree with written location.



County MINIDOKA
NE 1/4 NE 1/4 Sec. 32 T. 9S N/S. R. 23E E/W

7. WATER LEVEL

Static water level 199 feet below land surface
Flowing? ☐ Yes ☒ No G.P.M. flow _____
Temperature _____ ° F. Quality _____
Artesian closed-in pressure _____ p.s.i.
Controlled by ☐ Valve ☐ Cap ☐ Plug

8. WELL TEST DATA

☐ Pump ☐ Bailer ☐ Other

Discharge G.P.M.	Draw Down	Hours Pumped

9. LITHOLOGIC LOG

Hole Diam.	Depth		Material	Water	
	From	To		as	No
16	0	5	TAN CLAY	✓	
	5	10	SAND & CLAY	✓	
	10	28	COARSE SAND, SOME GRAVEL	✓	
	28	65	BLUE-GRAY CLAY	✓	
	65	68	SAND	✓	
	68	90	FIRM BLUE-GRAY CLAY	✓	
	90	107	GRAY CLAY	✓	
	107	120	HARD, GRAY, SANDY CLAY	✓	
	120	144	GRAY CLAY	✓	
	144	158	HARD, GRAY, SANDY CLAY	✓	
12	158	235	TAN-GRAY CLAY - FIRM	✓	
	235	255	FIRM, STICKY, BLUE CLAY	✓	
	255	280	GRAY SANDSTONE	✓	
	280	320	FIRM, GRAY CLAY, STICKY	✓	
10	320	327	GRAY SANDSTONE	✓	
	327	334	GRAY CLAY	✓	
	334	358	GRAY SANDSTONE	✓	
	358	370	GRAY CLAY	✓	
	370	377	GRAY-BLACK SAND, SOME CLAY	✓	
	377	382	GRAY CLAY	✓	
	382	405	BLACK BASALT	✓	
	405	430	GRAY-BLACK BASALT	✓	
	430	438	BROWN-BLACK BASALT	✓	
			BRACKEN CLAY FILLED	✓	
	438	445	BROWN BASALT-BRACKEN	✓	
	445	475	GRAY-BLACK BASALT	✓	
			MAIN AQUIFER 458-475		

10.

Work started 1/12/72 finished 3/13/72

11. DRILLER'S CERTIFICATION

This well was drilled under my supervision and this report is true to the best of my knowledge.

WEERCH WELL DRILLING 210
Driller's or Firm's Name _____ Num. or _____
632 E 4th BURLEY, IDAHO 83318
Address _____
Rosa Weerch 3/13/72
Signed by _____ Date _____

USE ADDITIONAL SHEETS IF NECESSARY

FORWARD THE WHITE, BLUE, AND PINK COPIES TO THE DEPARTMENT

RECEIVED

NOV 12 1971

Department of Water Administration



STATEHOUSE, BOISE, IDAHO 83707

November 11, 1971

Donald W. McEldowney
Appropriations Supervisor
Dept. of Water Administration
Statehouse, Annex II
Boise, Idaho 83707

RE: Application for permit nos.

36-7206	37-7112
65-7232	65-7233
92-7009	95-7155

Dear Mr. McEldowney:

This is a somewhat belated answer to your request for comments on the above permit applications. Permit application numbers 92-7009 and 95-7155 have been forwarded to the regional engineer in the northern part of the state for his comments and permit numbers 65-7233 and 65-7232 have been sent to the district health departments since the population to be served is less than 100 and, therefore, would come under their jurisdiction. In regard to application number 36-7206, Ralph C. and Margaret E. Besel, we have received some plans regarding their proposed water and sewer systems, however, they failed to submit sufficient information and we have requested that further material be submitted prior to our approval of the proposed systems.

I could not find any plans that have been approved for the Examiner Realty, Inc., permit number 37-7112.

Sincerely,

Jerry L. Yoder
(sg)

Jerry L. Yoder
Sr. Public Health Engineer
Environmental Improvement Division

slg

36-7206

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION

Statehouse - Annex 2
Boise, Idaho 83707
(208) 384-2215



R. Keith Higginson
Director

Water Rights Administration
Water Resource Investigations
Dam and Reservoir Safety
Water Well Drilling
Flood Plain Management
Irrigation and
Flood Control Districts

November 5, 1971

Re: Permit No. 36-7206 - Ralph C. & Margaret E. Basel

Ralph C. Basel
521 W. 18th Street
Burley, Idaho 83318

Dear Mr. Basel:

Enclosed is a copy of your approved Application for Permit No. 36-7206. We direct your attention to the conditions of approval as listed on the fourth page.

Be sure to note that a special condition requiring you to install and maintain a measuring device at your point of diversion has been placed upon your permit. We are enclosing a letter describing different types of measuring devices accepted by this office.

Very truly yours,

BOBBY D. FLEENOR
Assistant Director

BDF:cr

Enclosures

36-7206

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION

Statehouse - Annex 2
Boise, Idaho 83707
(208) 384-2215



R. Keith Higginson
Director

Water Rights Administration
Water Resource Investigations
Dam and Reservoir Safety
Water Well Drilling
Flood Plain Management
Irrigation and
Flood Control Districts

September 17, 1971

Re: Application for Permit Nos. 36-7206 65-7233
37-7112 92-7009
65-7232 95-7155

Mr. Vaughn Anderson
Dept. of Health
Boise, Idaho

Dear Mr. Anderson:

Please find enclosed copies of the above referenced applications for permit. Before final action is taken, we would appreciate receiving your comments in connection with these applications.

Your assistance in this matter is greatly appreciated.

Very truly yours,

Donald W. McEldowney
Appropriation Supervisor

DWM:cr

Enc: copies

September 15, 1971

Re: Application No. 36-7206 - Ralph C. and Margaret E. Basel

Minidoka County News
625 Fremont Ave.
Rupert, Idaho 83350

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for our review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted assuming the notice is correct. If we have any corrections, we will notify you before the first publication date. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. In order to receive payment, the following certification must appear on the bill:

"I hereby certify that the foregoing account is just and correct, that the amount claimed is legally due, after allowing all just credits, and that no part of the same has been paid."

(signature of claimant)

Very truly yours,

Donald W. McEldowney
Appropriation Supervisor

Bill submitted 10-6-71 By CR

DWM:CR

Enc: Legal Notice

36-7206

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Ralph C. and Margaret E. Besel,
521 W. 18th St., Burley, Idaho
have ~~was~~ on August 9, 1971 submitted Application No. 36-7206
for a permit to appropriate 2.0 cubic feet per second ~~2000 feet per annum~~
of water from a ground water source
by means of well and pump
within the NE $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 32, T. 9S, R. 23E, B.M., Minidoka County

to be used from Jan. 1 to Dec. 31
for domestic purposes for 100 families

within the NE $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 32, T. 9S, R. 23E, B.M., Meadow Brook Subdivision

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Administration, Statehouse, Boise, Idaho, 83707, on or before October 8, 1971.

R. KEITH HIGGINSON

Director

Published in the Minidoka County News, Rupert, Idaho
on Sept. 21 and Sept. 28.

36-7206

September 13, 1971

Ralph C. Besel
521 W. 18th Street
Burley, Idaho 83318

Dear Mr. Besel:

Attached herewith is your receipt No. 8247 in the amount of \$ 35.00
for your application for permit
which was received in this office.

Very truly yours,

M. RUSSELL BOSCH
Administrative Assistant

MRB:ejw

Enclosure

36-7204

September 2, 1971

Ralph C. Besel
521 West 18th St.
Burley, Idaho 83318

Dear Mr. Besel:

We are returning your application for permit and personal check in the amount of \$35.00.

We find in reviewing this application that there are several questions that need clarification before we can process it. Please note that the point of diversion as described under item 3a and the place of use under item 8a(1) do not correspond with your map on page 3. Please correct this item and re-submit the application so that we may continue with its processing.

Very truly yours,

Dorian Clay
Appropriation Examiner

DC/bb

Enc: Application for Permit
Check for \$35.00

36-72046