


11. Map of proposed project:

Twp. 8 So. Rge. 15 E. B4

well site



red line represents 1/2 mile of 8" and 10" main line. Both 3" and 4" lateral sprinkler lines will extend both directions from the main line.

Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Bethie Peterson
(Applicant)

RECL. ENGR.	
DEPUTY	
WATER RIGHTS	✓
APPROP.	
DIST.	
ADJ.	
INVESTIGATION	
WELLS	
DAMS	
ACCOUNTING	
FILE	
RETURN TO	
DISCARD	

RECEIVED

FEB 26 1969

Department of Reclamation

County of Gooding }
STATE OF IDAHO } ss

I, Myrtle Schrank, being
duly sworn, say that I am the
Editor of THE WENDELL
IRRIGATIONIST, a weekly news-
paper of general circulation pub-
lished at Wendell, in the County
of Gooding, State of Idaho; that
the attached printed copy hereto
annexed was published in THE
WENDELL IRRIGATIONIST, in
the regular edition thereof and not
in a supplement, for 2 con-
secutive weeks, commencing on
the 23 day of January,
and ending on the 30
day of January, 1969

Myrtle Schrank Editor
(Title)

Subscribed and sworn to before
me this 25 day of

February, 1969
Charles Schman

Notary Public in and for
the County of Gooding,
State of Idaho

My commission expires
9-10, 1971

PUBLIC NOTICES

NOTICE OF APPLICATION FOR WATER

Notice is hereby given that
Ervin H. and/or Bettie Peter-
son, Route No. 2, Wendell,
Idaho has on January 10, 1969
applied for permit under ap-
plication No. 36-7049 to divert
2.45 cubic feet per second of
water from a ground water
source. Water will be diverted
by a well, and sprinkler
system within the SW $\frac{1}{4}$ SW $\frac{1}{4}$,
SE $\frac{1}{4}$ SE $\frac{1}{4}$, sec. 34, T. 8 S., R.
15 E., B.M., Gooding County and
is to be used from April 1 to
October 15 for irrigation and
from January 1 to December
31 for stock water and indus-
trial purposes in the NE $\frac{1}{4}$,
SW $\frac{1}{4}$, S $\frac{1}{2}$ SW $\frac{1}{4}$, SE $\frac{1}{4}$, Sec. 34,
T. 8 S., R. 15 E., B.M.

Any protest against this ap-
plication must be filed with
the Department of Reclama-
tion within ten days from the
last date of publication of this
notice.

R. KEITH HIGGINSON,
State Reclamation
Engineer.

copy for each

DON SAMUELSON
GOVERNOR



R. KEITH HIGGINSON
State Reclamation Engineer

STATE OF IDAHO

DEPARTMENT OF RECLAMATION
STATEHOUSE - ANNEX 2
BOISE, IDAHO 83707

February 26, 1969

RECEIVED

Department of Reclamation

Re: Claim No. 36-4001 - C. R. Pilkinton
Claim No. 36-4002 - Ervin and/or Bettie Peterson
Application No. 36-7049 - "

Wendell Irrigationist
Wendell,
Idaho

Gentlemen:

Enclosed are the bills of publication for the above referenced claims and application for permit. Please sign the certification and return the bills to this department for payment.

Very truly yours,

Donald W. McEldowney
Appropriation Examiner

DWM:KS

enclosure: Bills (3)

Sorry I have been so slow with these things this file didn't seem to realize that I couldn't any help here. Thank you for your patience. Myrtle Schrank.

36 7049

State of Idaho
Department of Water Administration
LICENSE OF WATER RIGHT

License of Water Right No. 36-7049 Priority Jan. 10, 1969 Amount 2.41 cfs

THIS IS TO CERTIFY, that REINKE FARMS
of Wendell, Idaho, has complied with the terms and conditions of Permit
No. 36-7049 issued pursuant to Application for Permit dated January 10, 1969,
and has submitted proof to the Department of Water Administration on February 26, 1973,
that he has applied water to a beneficial use; an examination by the Department indicates that the
works have a capacity of 2.63 cfs, and that the water has in fact been applied to a
beneficial use; a right to the use of water from a ground water source
tributary of _____ is hereby confirmed in the following amounts:
Amount 2.41 cfs for Irrigation from April 1 to Oct. 15 (both dates inclusive)
Amount _____ for _____ from _____ to _____ (both dates inclusive)
Amount _____ for _____ from _____ to _____ (both dates inclusive)
Subject, however, to the condition that no more than 2.41 cfs of water be diverted at
any one time, said waters to be diverted within the _____

SW $\frac{1}{4}$ SW $\frac{1}{4}$ Sec. 34, Twp. 8 S, Rge. 15 E, B.M.

in the county of Gooding, and that the amount of water so diverted and to which such
right is entitled and confirmed is for the purposes aforesaid and is limited to the amount which can
actually be beneficially used and shall not exceed 520 acre feet per year or _____
4.0 acre feet per acre.

Description and location of place of use:


TWP.	RANGE	SEC.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				TOTALS
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
8 S	15 E	34									40		40	40		5	5		130

Total number of acres irrigated 130

A measuring device of a type approved by this Department shall be permanently
maintained as part of the diverting works.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands
or place of use herein described, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 29 day of
November, 19 73.


Director

36 7049

State of Idaho

Department of Water Administration

ASSIGNMENT OF PERMIT

RECEIVED

Jul 26 1973

Department of Water Administration

I, Ervin H Peterson, hereby assign to Reinke Farms
of Rt 2 Wendell Idaho
Address



All my right, title, and interest, in and to Permit No. 36-7049
to appropriate the public waters of the State of Idaho.



The following described portion of my right, title, and interest in and
to Permit No. _____ to appropriate the public waters of the State
of Idaho. (Describe that portion of the permit being assigned by list-
ing the acreage within each 40-acre subdivision, the point of diversion
and the amount of water in cubic feet per second for direct diversion,
or acre feet for storage.)

Made this _____ day of _____, 19 _____.

Ervin H Peterson
Permit Holder

Bethie V. Peterson
Spouse of Permit Holder

State of Idaho)
County of Lincoln) ss.

On this 26 day of Feb, 19 73, personally
appeared before me the signer(s) of the above instrument, who duly acknowledged
to me that he (she) (they) executed the same.



Ed [Signature]
Notary Public residing at
Barney

My commission expires: 2-22-77

Identification No. 36-7049
Application No. _____

Assigned to:
Reinke Farms
Route 2
Wendell, Idaho

STATE OF IDAHO
DEPARTMENT OF RECLAMATION
APPLICATION FOR PERMIT

APPROVED

LICENSE ISSUED FOR 241/560 To Appropriate the Public Waters of the State of Idaho
LICENSE PAGE NO. _____ (TYPE OR PRINT IN INK)

1. Name of applicant Ervin H. andor Bettie Peterson
post office address Rt. 2 Wendell, Idaho
2. Source of water supply Subterranean which is a tributary of _____
3. a. Location of point of diversion is SW $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 34 Township 8S
Range 15E B.M. Gooding County; additional points of diversion if any: _____
SE 4 SE 4 Sec. 34 Twp. 8S. Rge. 15E BM
- b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____
4. Water will be used for the following purposes:
2.41 cfs Amount 1080 G.P.M. for Irrigation purpose from April 1 to Oct. 15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount .02 for Stockwater purpose from Jan 1 to Dec 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount .02 for Industrial purpose from Jan 1 to Dec 31 (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
a. 1080 or 2.45 ^{Gallons per minute} cubic feet per second and/or
b. _____ acre feet per annum.
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc. entire quantity of water to be applied to the land through a hand move sprinkle System
 - b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir capacity _____ acre feet, materials used in storage dam: _____
Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)
 - c. Proposed well diameter is 16 inches; proposed depth of well is 160 feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years.
b. Estimated construction cost is \$ 6,000⁰⁰.
8. Description of proposed uses:
 - a. If water is **not** for irrigation: NE 4 SW 4
 - (1) Give the place of use of water: S 1/2 of SW $\frac{1}{4}$ of Section 34 Township 8S
Range 15E B.M. SE 4 Section 34 Twp. 8S. Rge. 15E BM
 - (2) Amount of power to be generated: _____ hp under _____ feet of head.
 - (3) List number of each kind of livestock to be watered Beef 100 Dairy 100
 - (4) Name of municipality to be served _____, or number of families to be supplied with domestic water _____.
 - (5) If water is to be used for other purposes describe: Industrial - for dairy use + washing down dairy barn.

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP.	RANGE	SEC.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				TOTALS
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
85	15E	34									40		40	40		5	5		130


Total number of acres to be irrigated 130

c. Describe any other water rights used for the same purposes We are pumping 1,000 G.P.M. from a similar well located on the SE $\frac{1}{4}$ of Sec. 34, Twp. 8 which irrigates 145 acres

9. a. Who owns the property at the point of diversion Ervin H. and Bettie Petersen
b. Who owns the land to be irrigated or place of use Ervin H. and Bettie Petersen
c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____

10. Remarks At the present time we own 120 shares of North Side Canal Co. water stock which is attached to the land that we are applying for water for under this application. At least 110 shares of this water will be sold before we begin pumping the water here in applied for.

11. Map of proposed project:



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Bettie Peterson
(Applicant)

Received by OK Date 1-10-69 Time 11:30 AM
Preliminary check by OK Fee \$ 30.00 Rec'd # 2508 given
Receipted by ef Date 1-10-69
Publication prepared by W Date 1-14-69
Published in Shendell Dr.
Publication dates 1-23 & 30-69
Publication approved W Date NO
Priority reduced to _____ Reason _____

Protests filed by none 2-26-69

Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by W CH R.H. not for

ACTION OF STATE RECLAMATION ENGINEER

APPROVED

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 36-7049, and said application is hereby APPROVED

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before March 1, 19 74.
- c. Other: The applicant shall permanently install and maintain a measuring device of a type approved by the department as part of the diverting works. This permit is supplemental to all prior rights.

2. Denial of said application is for the following reasons: _____

Witness my hand this 27 day of March 19 69.


P. Keith Higgins
State Reclamation Engineer

✓	COLL ENGR.	
	ADJUTANT	
	ALBOP	
	DIST	
	ADD	
	INVESTIGATION	
	WILLS	
	MS	
	ACCOUNTING	
	FILE	
	RETURN TO	
	REWARD	

RECEIVED

FEB 26 1969

Department of Reclamation



County of Gooding }
STATE OF IDAHO } ss

I, Myrtle Schrock, being
duly sworn, say that I am the
Editor of THE WENDELL
IRRIGATIONIST, a weekly news-
paper of general circulation pub-
lished at Wendell, in the County
of Gooding, State of Idaho; that
the attached printed copy hereto
annexed was published in THE
WENDELL IRRIGATIONIST, in
the regular edition thereof and not
in a supplement, for 3 con-
secutive weeks, commencing on
the 23 day of January,
and ending on the 30
day of January, 1969.

Myrtle Schrock Editor
(Title)

Subscribed and sworn to before
me this 25 day of

February, 1969
Charles E. Spurr
Notary Public in and for
the County of Gooding,
State of Idaho
My commission expires
9-10, 1971

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION



Cecil D. Andrus
Governor
R. Keith Higginson
Director

614 State Street
Statehouse — Annex 2
Boise, Idaho 83720
(208) 384-2190

Water Rights Administration
Water Resource Investigations
Dam and Reservoir Safety
Water Well Drilling
Waste Disposal Wells
Stream Channel Protection

November 30, 1973

Re: Permit No. 36-7049

Reinke Farms
Route 2
Wendell, Idaho 83355

Gentlemen:

Enclosed herewith is a copy of the Water License issued on the above referenced permit.

Sincerely,

BOBBY D. FLEENOR
Assistant Director

jfr

Enclosure

36 7049

November 15, 1973

Re: Permit No. 36-7049

Reinke Farms
Route 2
Wendell, Idaho 83355

Gentlemen:

A representative of this Department has made an examination of the works covered by your Permit No. 36-7049 and has found the following:

Quantity of water diverted: 2.63 cfs

Amount of water that can be recognized as beneficially used under Idaho law: 2.41 cfs

The maximum quantity diverted shall not exceed 520 acre feet per year.

Beneficial use: irrigation of 130 acres within the NE 1/4, SW 1/4, W 1/2, Sec. 34, Twp. 8 S, Rge. 15 E

Point of diversion: SW 1/4, Sec. 34, Twp. 8 S, Rge. 15 E, B.M.

Priority date established: January 10, 1969

If you do not concur with these findings, please advise us within 10 days; otherwise, a license will be issued as set forth in this letter.

Sincerely,

BOBBY D. FLEENOR
Assistant Director

jfr

36 7049

1942年12月

Phone

Phone

- 130

DATE OF EXAM 5-24-73

ACREAGE

Found 130 Acreages
Recommended 130 Acreages

Irrigation Requirement 4.0 Ac Ft/Ac

USE

Irrigation Q = 2.41 c.f.s. V = 50 520.0 AF/Ann. from April-1 to Oct-15
Domestic Q = _____ c.f.s. V = _____ AF/Ann. from _____ to _____
Livestock Q = _____ c.f.s. V = _____ AF/Ann. from _____ to _____

Is water co-mingled? yes _____ no ☒

Name source: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Exchange? yes _____ no ☒

Name source exchanged with: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Point of injection: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Point of exchange: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Total Q measured 2.63 c.f.s. Method of measurement Badger Meter

Total Q recommended 2.41 c.f.s. Meter No. Mo 538783 Type Badger Condition Good
Meter

Total V recommended 520 AF/ANN.

Recommended Amendments:

P.D. NONE
Place of Use NONE
Other _____
None _____

MEASUREMENT CALCULATION:

$(1180 \text{ gal/MIN.}) \div (448.8 \text{ gal/min} = 1 \text{ c.f.s.}) = 2.63 \text{ C.F.S.}$
 $(130 \text{ Acres}) \times (4.0 \text{ Irr Req.}) = 520 \text{ AF/ANN.}$

SYSTEM DESCRIPTION:

Hollowshaft G.E. Motor & Pump #5K6268XH1A 125hp.
Electrator PIVOT SYSTEM with two hand lines.

REMARKS:

There is only one point of diversion on SW1/4, Sec 34
T.B.S. R. 15 E. There is only one use, IRRIGATION.

Examiner's Signature Sam L. Lundersburg Date 5-25-73

Checked by Michael Steele Date 6-22-73

Approved by _____ Date _____

March 5, 1973

Re: Permit No. 36-7049

**Reinke Farms
Route # 2
Wendell, Idaho 83355**

Gentlemen:

We acknowledge receipt of the affidavit submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We cannot tell just when this examination will be made, but our examiner will try to contact you at the time he makes the examination so that you may show him the system.

If you have any questions regarding the field exam, please contact our Southern District Office at 1041 Blue Lakes Blvd. North, Twin Falls, Idaho.

Very truly yours,

**BOBBY D. FLEENOR
Assistant Director**

BDF:DR

36 7049

Identification No. _____

Permit No. 36-7049

STATE OF IDAHO
DEPARTMENT OF RECLAMATION

PROOF OF APPLICATION OF WATER TO BENEFICIAL USE

RECEIVED
FEB 24 1973
Department of Water Reclamation

1. a) Name of Permit Holder Reinke Farms Co. c/o S. S. Reinke
b) Post Office Address Route 2, Wendell, ID 83355
2. Permit Number 36-7049
3. Date of Priority that you are prepared to establish 1-10-69
4. a) Source from which water was appropriated Groundwater
b) Location of the point of diversion: SW 1/4 SW 1/4, Section 34,
Township 8S, Range 15E, Boise Meridian, Other points of diversion:

5. a) The amount of water and use to which the water has been applied:
amount ~~2.40~~ 2.41 for Irrigation purposes from April 1 to Oct. 15 incl.
(cfs and/or acre feet per annum) (Month-Day) (Month-Day)
amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre feet per annum) (Month-Day) (Month-Day)
amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre feet per annum) (Month-Day) (Month-Day)
b) Total amount appropriated ~~2.40~~ 2.41 cfs and/or acre feet per annum
c) Describe how and by whom measurement of rate of flow or amount of storage was made and the qualifications of the person making the measurement: _____

6. If the means of diversion and conveyance are owned by someone other than the Permit Holder:
a) Give the name or description of the canal, ditch or other works by which the water is conducted to the place of use: _____
b) Describe the agreement or understanding by which you take water from the works: _____
7. a) Briefly describe the works for diverting and conveying the water to the place of use, (If from a subterranean source, give the pump size, motor size, size of well casing, depth of well; if from surface water, give brief description of diversion structure and/or canal or ditch) 40 hp turbine pump, 12" diameter, 135 ft. deep
b) Describe the type and size of measuring device which you have installed at your point of diversion: Badger meter
c) Give well drillers name and address and date the well was completed C. B. Eaton and Sons

Exam typed 3-5-73 by lu

36 7049

8. If for other than irrigation, describe the beneficial use to which you have applied the water and the place of use _____

9. Irrigation uses: Describe the lands irrigated by giving the acreages irrigated within each 40 acre subdivision: _____

TWP.	RANGE	SEC.	NE1/4				NW1/4				SW1/4				SE1/4				TOTALS
			NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	
8S	15E	34									40		40	40		5	5		~~120~~ 130

Total number of acres irrigated ~~120~~ 130


10. Remarks: _____

The above information is a true statement of the extent to which the above numbered permit has been developed.

 (Date) L. S. Reinbe Pres.
 (Signature)

State of Idaho)
 County of Latah) ss.

On this 26th day of February, 19 73, personally appeared before me the
 signer(s) of the above instrument, who duly acknowledged to me that he (she) (they) executed the same.



Amelia L. Wampler
 Notary Public residing at Latah Falls

My commission expires Aug. 2, 1976

February 27, 1973

Re: Permit No. 37-7049

Reinke Farms
Route 2
Wendell, Idaho 83355

Gentlemen:

Please be advised that we have received and recorded an assignment from Ervin H. and/or Bettie Peterson, Wendell, Idaho, concerning the above reference permit naming you as the beneficiary.

We are enclosing a copy of the permit which we request that you take special note of the conditions and limitations of approval found on page four. We would also like to advise you that the assignment was not dated. You will, therefore, use as an effective date for the assignment the date of first receipt from our office which was February 1, 1973.

If you have any questions, please contact us.

Very truly yours,

Donald W. McEldowney
Water Rights Administrator

DWM:kss

Enclosures

36 7049

REPORT OF WELL DRILLER
State of Idaho

State law requires that this report shall be filed with the State Reclamation Engineer within 30 days after completion or abandonment of the well.

WELL OWNER:

Name Crown Peterson
Address Rt 2 Wendell Ida

Owner's Permit No. 36-7049

NATURE OF WORK (check): Replacement well ☐
New well ☒ Deepened ☐ Abandoned ☐

Water is to be used for: Farming

METHOD OF CONSTRUCTION: Rotary ☐ Cable ☒
Dug ☐ Other ☐ (explain)

CASING SCHEDULE: Threaded ☐ Welded ☐
1 1/2 "Diam. from 0 ft. to 140 ft.

"Diam. from 0 ft. to 140 ft.

"Diam. from 0 ft. to 140 ft.

"Diam. from 0 ft. to 140 ft.

Thickness of casing: 5/16 Material:

Steel ☒ concrete ☐ wood ☐ other ☐

(explain)
PERFORATED? Yes ☒ No ☐ Type of perforator used:

Size of perforations: " by "
perforations from 0 ft. to 140 ft.
perforations from 0 ft. to 140 ft.
perforations from 0 ft. to 140 ft.
perforations from 0 ft. to 140 ft.

WAS SCREEN INSTALLED? Yes ☐ No ☐

Manufacturer's name

Type Model No.

Diam. Slot size Set from 0 ft. to 140 ft.

Diam. Slot size Set from 0 ft. to 140 ft.

CONSTRUCTION: Well gravel packed? Yes ☐

No. ☒ size of gravel 1/4 Gravel

placed from 0 ft. to 140 ft. Surface seal

provided? Yes ☒ No ☐ To what depth?

18 ft. Material used in seal: CONCRETE

Did any strata contain unusable water? Yes ☐

No. ☒ Type of water:


Depth of strata 0 ft. Method of sealing

strata off:

Surface casing used? Yes ☒ No ☐

Cemented in place? Yes ☒ No ☐

Locate well in section



LOCATION OF WELL: County Groveland

SW 1/4 SW 1/4 Sec. 34 T. 8 N/S R. 15 E/20

Size of drilled hole: 16 Total
depth of well: 140 Standing water
level below ground: 140 Temp.
Fahr. 1400 Test delivery: 1400 gpm
or 0 cfs Pump? ☐ Bail ☐

Size of pump and motor used to make test:

75 hp 21.3 MOTOR 12" TURBINE

Length of time of test: 0 Hrs. 0 Min.

Drawdown: 0 ft. Artesian pressure: ft.

above land surface 0 Give flow 0 cfs

or 0 gpm. Shutoff pressure:

Controlled by: Valve ☐ Cap ☐ Plug ☐

No control ☐ Does well leak around casing?

Yes ☐ No ☒

DEPTH MATERIAL WATER

FROM TO FEET FEET YES OR NO

0 7 Top

7 53 Gray Lamin

53 89 Hard Gray Lamin

89 140 Gray Lamin Water

Work started: about 15 Feb - 1969
Work finished: about 1 March 1969
Well Driller's Statement: This well was drilled under my supervision and this report is true to the best of my knowledge.

Name: James E. Eason

Address: Box 547

Signed by: James E. Eason

License No. 1516 Date: April 28, 1969

Use other side for additional remarks

36 7049

USGS

March 31, 1969

Re: Permit No. 36-7049

**Ervin H. and/or Bettie Peterson
Route 2
Wendell, Idaho 83355**

Dear Mr. Peterson:

We enclose a copy of your approved application for permit 36-7049
in which we direct your attention to the limitations and conditions as given
on the fourth page under approval of the State Reclamation Engineer.

Very truly yours,

C. Stephen Allred, Assistant
State Reclamation Engineer

CSA:kh

**Enclosures: Copy of application
2 informational letters**

36 7049

copy for each

DON SAMUELSON
GOVERNOR



R. KEITH HIGGINSON
State Reclamation Engineer

STATE OF IDAHO

DEPARTMENT OF RECLAMATION
STATEHOUSE - ANNEX 2
BOISE, IDAHO 83707

February 26, 1969

RECEIVED

Department of Reclamation

Re: Claim No. 36-4001 - C. R. Pilkinton
Claim No. 36-4002 - Ervin and/or Bettie Peterson
Application No. 36-7049 "

Wendell Irrigationist
Wendell,
Idaho

Gentlemen:

Enclosed are the bills of publication for the above referenced claims and application for permit. Please sign the certification and return the bill s to this department for payment.

Very truly yours,

A handwritten signature in cursive script, reading "Donald W. McEldowney".

Donald W. McEldowney
Appropriation Examiner

DWM:KS

enclosure: Bills (3)

*Sorry I have been so slow with these
things. I've been so busy to realize
that I haven't been helping you. I thank
you for your patience.
Myrtle Schrock.*

36 7049

DON SAMUELSON
GOVERNOR



R. KEITH HIGGINSON
State Reclamation Engineer

STATE OF IDAHO

DEPARTMENT OF RECLAMATION
STATEHOUSE - ANNEX 2
BOISE, IDAHO 83707

February 26, 1969

Re: Claim No. 36-4001 - C. R. Pilkinton
Claim No. 36-4002 - Ervin and/or Bettie Peterson
Application No. 36-7049 - "

Wendell Irrigationist
Wendell,
Idaho

Gentlemen:

Enclosed are the bills of publication for the above referenced claims and application for permit. Please sign the certification and return the bills to this department for payment.

Very truly yours,

Donald W. McEldowney
Appropriation Examiner

DWM:KS

enclosure: Bills (3)

36 7049

February 10, 1969

Re: Claim No. 36-4001 - C. R. Pilkinton
Claim No. 36-4002 - Ervin and/or Bettie Peterson
Application No. 36-7049 Ervin H. and/or Bettie Peterson

Wendell Irrigationist
Wendell,
Idaho

Gentlemen:

As of this date we have not received the affidavit or the signed certified bills of publication for the above referenced application and claims.

Your assistance in this matter is appreciated.

Very truly yours,

Donald W. McEldwoney
Appropriation Examiner

DWM:ks

enclosure: none

36 7049

January 14, 1969

Re: Application NO. 36-7049 - Ervin H. and/or Bettie Peterson
Claim No. 36-4002 - Ervin and/or Bettie Peterson
Claim No. 36-4001 - C. R. Pilkinton

Wendell Irrigationist
Wendell,
Idaho

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted assuming the notice is correct. If we have any corrections, we will notify you before the first publication date. If you cannot publish the notice on the proposed dates please contact us immediately.

An affidavit of publication must be submitted to the Department of Reclamation, along with the publication bill. In order to receive payment, the following certification must appear on the bill:

I hereby certify that the foregoing account is just and correct, that the amount claimed is legally due, after allowing all just credits, and that no part of same has been paid.

Signature of claimant

Very truly yours,

Donald W. McEldowney
Appropriation Examiner

DWM:ks
enclosure: legal notice (3)

36 7049

NOTICE OF APPLICATION FOR WATER

Notice is hereby given that Ervin H. and/or Bettie Peterson, Route #2,
Wendell, Idaho has on January 10, 1969
applied for permit under application No. 36-7049 to divert ~~store~~
2.45 cubic feet per second ~~store~~ feet of water from a ground
water source. Water will be diverted by a well,
and sprinkler system within the SW $\frac{1}{4}$ SW $\frac{1}{4}$, SE $\frac{1}{4}$ SE $\frac{1}{4}$,
sec. 34, T. 8 S, R. 15 E, B.M. Gooding County
and is to be used from April 1 to October 15 for irrigation
and from January 1 to December 31 for stock water and industrial purposes
in the NE $\frac{1}{4}$ SW $\frac{1}{4}$, S $\frac{1}{2}$ SW $\frac{1}{4}$, SE $\frac{1}{4}$, sec. 34, T. 8 S, R. 15 E, B.M.

Any protest against this application must be filed with the Department of Reclamation within ten days from the last date of publication of this notice.

R. KEITH HIGGINSON
State Reclamation Engineer

Published in the Wendell Irrigationist, Wendell, Idaho
on January 23 and January 30, 1969.