


11. Map of proposed project:

N
N



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Steve Simpson
(Applicant)

36-2020

The Minidoka County News

RUPERT, IDAHO

AFFIDAVIT OF PUBLICATION

County of Minidoka,)
STATE OF IDAHO,) ss.

Ruth DeThomas

, being first
duly sworn, deposes and says that S/he is the

Editor of The Minidoka County
News, a weekly newspaper published at Rupert,
Idaho, in the county aforesaid, and that the paper
is of general circulation therein. Deponent further
states that the printed notice attached hereto was
duly published according to law in the regular
weekly editions of The Minidoka County News

for 2 (two) consecutive weeks, commencing
with the issue dated April 25, 1968, and
ending with the issue dated May 2, 1968.

Ruth DeThomas

Subscribed and sworn to before me this

4th day of May, 1968

Jerry Hunter Notary Public

Cost of Publication _____

Notary Fee _____

Total Cost _____

RECEIVED

MAY 6 1968

Department of Reclamation

NOTICE OF APPLICATION FOR WATER

Notice is hereby given that
Glen Stimpson, Route No. 1,
Box 78, Paul, Idaho has on
April 1, 1968 applied for per-
mit to divert 1.8 cubic feet per
second of water from a sub-
terranean source under appli-
cation No. 36-7020. Water will
be diverted by well, pump,
and ditches within the SE $\frac{1}{4}$
SW $\frac{1}{4}$, sec. 12, T. 9 S, R. 22 E.
B.M., Minidoka County and is
to be used from April 15, to
October 15 for irrigation pur-
poses in the SE $\frac{1}{4}$ SW $\frac{1}{4}$, sec.
12, NE $\frac{1}{4}$ NW $\frac{1}{4}$, sec. 13, T. 9 S,
R. 22 E, B. M.

Any protest against this
application must be filed with
the Department of Reclama-
tion within ten days from the
last date of publication of this
notice.

R. KEITH HIGGINSON
State Reclamation Engi-
neer

No. 280 April 25-May 2

bill submitted 5-6-68

36-7020

Rge. 22E

T
9
S

1 2

30
*
20

1 3

Diagram of System

R 22 E

C
7.2

H 206
(9H)

D
24.0

E
46.5

A
6.3

B
12.8

H 188
(56H)

A
8.8

B
9.3

C
8.6

F
7.5

H
11.2

G
22.1

K
5.8

I
6.5

J
8.7

C 366
(25C)

F
17.1

D
2.9

C
7.8

B
332
(230C)

11.0

E
4.2

G
1.6

H
2.9

F
9.6

I

(212C)

K
9.1

L
14.5

J
9.7

15.3

C 366
(229C)

A

35.1

A
8.9

C 69
(2010)

B
25.3

M 36 7020

State of Idaho
Department of Water Administration

LICENSE OF WATER RIGHT

License of Water Right No. 36-7020 Priority April 5, 1968 Amount 1.0 cfs
(late proof)

THIS IS TO CERTIFY, that GLEN STIMPSON
of Paul, Idaho, has complied with the terms and conditions of Permit
No. 36-7020 issued pursuant to Application for Permit dated April 1, 1968,
and has submitted proof to the Department of Water Administration on July 5, 1973,
that he has applied water to a beneficial use; an examination by the Department indicates that the
works have a capacity of 1.45 cfs, and that the water has in fact been applied to a
beneficial use; a right to the use of water from a ground water source
tributary of _____, is hereby confirmed in the following amounts:

Amount 1.0 cfs for Irrigation from April 15 to Oct. 15 (both dates inclusive)

Amount _____ for _____ from _____ to _____ (both dates inclusive)

Amount _____ for _____ from _____ to _____ (both dates inclusive)

Subject, however, to the condition that no more than 1.0 cfs of water be diverted at
any one time, said waters to be diverted within the _____

SE $\frac{1}{4}$ SW $\frac{1}{4}$ Sec. 12, Twp. 9 S, Rge. 22 E, B. M.

in the county of Minidoka; and that the amount of water so diverted and to which such
right is entitled and confirmed is for the purposes aforesaid and is limited to the amount which can
actually be beneficially used and shall not exceed 200 acre feet per year or _____
4.0 acre feet per acre.

Description and location of place of use:


TWP.	RANGE	SEC.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				TOTALS
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
9 S	22 E	12												30					30
		13					20												20

Total number of acres irrigated 50

A measuring device of a type approved by this Department shall be permanently
maintained as part of the diverting works.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands
or place of use herein described, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 29 day of
November, 19 73.


Director

36 7020

Identification No. 36-7020
Application No. 42403

STATE OF IDAHO
DEPARTMENT OF RECLAMATION
LICENSE ISSUED FOR 1.0 SEC. FT.
LICENSE PAGE NO. APPLICATION FOR PERMIT

APPROVED

To Appropriate the Public Waters of the State of Idaho

1. Name of applicant Glen Stimpson
post office address Rt. #1, Box 78, Paul, Idaho
2. Source of water supply subterranean - underground is a tributary of
3. a. Location of point of diversion is SE $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 12 Township 9 South
Range 22 E.B.M. Minidoka County; additional points of diversion if any:
- b. If water is not consumed, it will be discharged into ditches at a point in SE $\frac{1}{4}$
of SW $\frac{1}{4}$ of Section 12 Township 9S Range 22 E.B.M.
4. Quantity to be appropriated:
a. -1.3 (allow 1.06/c.f.s.) cubic feet per second and/or
b. acre feet per annum will be stored.
5. Water will be used for the following purposes:
irrigation purpose from Apr. 15 to Oct. 15 (both dates inclusive)
 purpose from to (both dates inclusive)
 purpose from to (both dates inclusive)
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc.
Head ditch to carry water from pump and well to land to be
irrigated
- b. Height of storage dam N/A feet; active reservoir capacity acre feet; total reservoir
capacity acre feet; materials used in storage dam:
- c. Proposed well diameter is 12 inches; proposed depth of well is 300 feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 5 years.
b. Estimated construction cost is \$ 6,000.
8. Description of proposed uses:
a. If water is **not** for irrigation:
(1) Give the place of use of water: $\frac{1}{4}$ of $\frac{1}{4}$ of Section Township
Range B.M.
(2) Amount of power to be generated: hp under feet of head.
(3) List number of each kind of livestock to be watered

(4) Name of municipality to be served , or number of families to be
supplied with domestic water .
(5) If water is to be used for other purposes describe:

36-7020

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP.	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
9 S	22	12												33					33
9 S	22	13					20												20

Total number of acres to be irrigated 53

c. Describe any other water rights used for the same purposes None


9. a. Who owns the property at the point of diversion Applicant - Glen Stimpson

b. Who owns the land to be irrigated or place of use Applicant - Glen Stimpson

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____

10. Remarks _____

11. Map of proposed project:



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Elmer Simpson
(Applicant)

36-7020

Received by ef Date 4-1-68 Time 8:00 am
Preliminary check by None Fee \$ 25.00
Received by ef Date 4-1-68
Publication prepared by TS Date 4-17-68
Published in Minidoka City News
Publication dates 4-25 & 5-2-68
Publication approved TS Date 7-2-68
Priority reduced to _____ Reason _____

Protests filed by: None

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for ☒ approval ☐ denial by MA

APPROVED

ACTION OF STATE RECLAMATION ENGINEER

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 36-7020, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before July 1, 19 73.
- c. Other: The applicant shall permanently install a measuring device of a type approved by the department as part of the diverting works. Maximum rate of diversion shall not exceed 1.06 c.f.s.

2. Denial of said application is for the following reasons: _____

Witness my hand this 8 day of July, 19 68.

R. Keith Higgins
State Reclamation Engineer

BEFORE THE DEPARTMENT OF WATER ADMINISTRATION
OF THE
STATE OF IDAHO

IN THE MATTER OF Permit No. 36-7020)
in the name of GLEN STIMPSON)
_____)

ORDER OF REINSTATEMENT

WHEREAS, on April 1, 1968, Glen Stimpson filed with the Department of Water Administration (formerly the Department of Reclamation) an application for permit to appropriate 1.06 cubic feet per second of water from a ground water source within the SE $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 12, Twp. 9S, Rge. 22E, B.M., Minidoka County, to be used for irrigation purposes; and,

WHEREAS, on July 8, 1968, the Department approved said application and issued Permit No. 36-7020 with the condition that proof of construction of works and application of water to beneficial use be submitted to the Department on or before July 1, 1973; and,

WHEREAS, on May 1, 1973, the Department notified the permit holder by certified mail that proof of beneficial use was due and instructed the permit holder as to the steps to be taken to make said proof; and,

WHEREAS, on July 2, 1973, the Department notified the permit holder that Permit No. 36-7020 had lapsed for failure to submit proof of beneficial use of water; and,


WHEREAS, on July 5, 1973, the Department received the required proof of beneficial use of water; and,

WHEREAS, Section 42-218a of the Idaho Code provides that a permit may be reinstated upon a showing of reasonable cause within 60 days from the date of the notice of lapsing; and,

WHEREAS, the permit holder has provided a reasonable showing as to why said permit should be reinstated;

IT IS, THEREFORE, HEREBY ORDERED that Permit No. 36-7020 be REINSTATED and the priority advanced to April 5, 1968.

Dated this 11 day of July, 1973.


A. KENNETH DUNN
Deputy Director

The Minidoka County News

RUPERT, IDAHO

AFFIDAVIT OF PUBLICATION

County of Minidoka,)
STATE OF IDAHO,) ss.

Ruth DeThomas, being first

duly sworn, deposes and says that she is the

Editor of The Minidoka County News, a weekly newspaper published at Rupert, Idaho, in the county aforesaid, and that the paper is of general circulation therein. Deponent further states that the printed notice attached hereto was duly published according to law in the regular weekly editions of The Minidoka County News

for 2 (two) consecutive weeks, commencing

with the issue dated April 25, 1968, and

ending with the issue dated May 2, 1968.

Ruth DeThomas

Subscribed and sworn to before me this

17th day of May, 1968

Jerry Hunter Notary Public

Cost of Publication _____

Notary Fee _____

Total Cost _____

Notice is hereby given that Glen Stimpson, Reams No. 1, Box 28, Paul, Idaho has on April 1, 1968 applied for permit to divert 1.6 cubic feet per second of water from a subterranean source under application No. 38-2020. Water will be diverted by well, pump, and ditches within the SE 1/4 SW 1/4, sec. 12, T. 9 S, R. 22 E, B.M. Minidoka County and is to be used from April 15 to October 15 for irrigation purposes in the SE 1/4 SW 1/4, sec. 12, NE 1/4 NW 1/4, sec. 13, T. 9 S, R. 22 E, B. M.

Any protest against this application must be filed with the Department of Reclamation within ten days from the last date of publication of this notice.

R. KEITH HIGGINSON
State Reclamation Engineer

bill submitted 5-6-68

36-7020

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION

Cecil D. Andrus
Governor

R. Keith Higginson
Director

614 State Street
Statehouse — Annex 2
Boise, Idaho 83720
(208) 384-2190



Water Rights Administration
Water Resource Investigations
Dam and Reservoir Safety
Water Well Drilling
Waste Disposal Wells
Stream Channel Protection

December 3, 1973

Re: Permit No. 36-7020

Glen Stimpson
Route 1, Box 78
Paul, ID 83321

Dear Mr. Stimpson:

Enclosed herewith is a copy of the Water License issued on the above referenced permit.

Sincerely,

BOBBY D. FLEENOR
Assistant Director

jfr

Enclosure

36 7020

November 15, 1973

Re: Permit No. 36-7020

Glen Stimpson
Route 1, Box 78
Paul, Idaho 83321

Dear Mr. Stimpson:

A representative of this Department has made an examination of the works covered by your Permit No. 36-7020 and has found the following:

Quantity of water diverted: 1.45 cfs

Amount of water that can be recognized as beneficially used under Idaho law: 1.0 cfs

The maximum quantity diverted shall not exceed 200 acre feet per year.

Beneficial use: ~~irrigation of 50 acres within the SE 1/4 Sec. 12, NE 1/4 Sec. 13, Twp. 9 S, Rge. 22 E~~

Point of diversion: SE 1/4 Sec. 12, Twp. 9 S, Rge. 22 E, R.M.

Priority date established: April 5, 1968 (late proof)

If you do not concur with these findings, please advise us within 10 days; otherwise, a license will be issued as set forth in this letter.

Sincerely,

BOBBY D. FLEENOR
Assistant Director

jfr

36 7020

RECEIVED

1. Name of permit holder Glen Stimpson 438-5901
 Postoffice address Route #1, Box 78, Paul, Idaho, 83321 Phone
 Person to contact 200 N - 820 W Red Bank Phone

3. Water will be used for the following purposes:

Other uses: _____

Permit No. 36-7020
Examination for b/u

4. Total amount to be appropriated:

Max Rate of Diversion 1.06 cubic feet per second and annual volume _____ AF/Annum.

5. Location of Point(s) of Diversion:

Township 9S N/S, Range 22E E/W, B.M., Section 12, Subdivision SE $\frac{1}{4}$ SW $\frac{1}{4}$, Minidoka
County

Township _____ N/S, Range _____ E/W, B.M., Section _____, Subdivision _____ $\frac{1}{4}$ _____ $\frac{1}{4}$, _____
County

Township _____ N/S, Range _____ E/W, B.M., Section _____, Subdivision _____ $\frac{1}{4}$ _____ $\frac{1}{4}$, _____
County

Other Points of Diversions: _____

Description of diverting works: Five stage 10" - 'RL' Bowl assembly with 40 hp 3-phase, 1800 rpm electric motor in 200' well with a static level of 129'. Pump is set at 150' level plus bowls and suction pipe.

Measuring device required: yes ☒ no ☐

6. Lands to be irrigated or place of use.

[illegible]

36 7020

TOTAL ACREAGE _____ **53**

Rge. 22E

T
9
S




Diagram of System

R 22 E

C
7.2

H 206
(9H)

D
24.0

E
46.5

F
7.5

H
11.2

G
22.1

J
8.7

A
6.3

B
12.8

H 188
(56H)

B
9.3

C 366
(25C)

D
2.9

C
7.8

B
C 332
(230C)

A
11.0

E
4.2

H
2.9

F
9.6

I
15.3

J
9.7

K
9.1

L
14.5

M 36 70

35.1

DATE OF EXAM 7-18-73

ACREAGE
Found 50
Recommended 50

Irrigation Requirement 4.0 Ac Ft/Ac

USE
Irrigation Q= 1.00 c.f.s. V= 200 AF/Ann. from 4-15 to 10-15
Domestic Q= _____ c.f.s. V= _____ AF/Ann. from _____ to _____
Livestock Q= _____ c.f.s. V= _____ AF/Ann. from _____ to _____

Is water co-mingled? yes _____ no ☒

Name source: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Exchange? yes _____ no ☒

Name source exchanged with: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Point of injection: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Point of exchange: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Total Q measured 1.45 c.f.s. Method of measurement Badger Meter

Total Q recommended 1.00 c.f.s. Meter No. M0541590 Type Badger meter Condition NEW

Total V recommended 200 AcFt/Ann

Recommended Amendments:

P.D. NONE
Place of Use NONE
Other NONE
None NONE

MEASUREMENT CALCULATION:

$Q = 650 \text{ gal/MIN.} = 1.45 \text{ c.f.s. } (650 \text{ gal/MIN} \div 448.8 \text{ gal}) = 1.45 \text{ c.f.s.}$
 $V = (\text{Irr Reg } 4.0) \times (50 \text{ Acres}) = 200 \text{ AcFt/Ann}$

SYSTEM DESCRIPTION:

GE Motor #SK6247XH4A 40Hp 3 phase
LAYNE Bowler Pump #44547
Pump deliver the water to steel pipe which conveys the water to the lands Irrigated.

REMARKS:

Examiner's Signature Gary Tumberburg Date 7-19-73

Checked by KD Plowden Date 7-27-73

Approved by _____ Date _____

July 11, 1973

Re: Permit No. 36-7020

Glen Stimpson
Route #1, Box 78
Paul, Idaho 83347

Dear Mr. Stimpson:

We acknowledge receipt of the affidavit submitted as proof of beneficial use for the above referenced/permit. Enclosed you will find an Order of Reinstatement; please note that the priority has been advanced to April 5, 1968.

Before a water license can be issued, a field examination must be made by a representative of this Department. We cannot tell just when this examination will be made, but our examiner will try to contact you at the time he makes the exam so that you may show him the system.

If you have any questions regarding the field exam, please contact our Southern District Office at 1041 Blue Lakes Blvd. North, Twin Falls, Idaho.

Sincerely,

D. Darlene Reich
Water Rights Supervisor

DDR:jc
Enclosure

36-7020

Identification No. _____

Permit No. 36-7020

**STATE OF IDAHO
DEPARTMENT OF RECLAMATION**

PROOF OF APPLICATION OF WATER TO BENEFICIAL USE

1. a) Name of Permit Holder Glen Stimpson
 b) Post Office Address Route #1, Box 78, Paul, Idaho 83347
2. Permit Number 36-7020
3. Date of Priority that you are prepared to establish April 1, 1968
4. a) Source from which water was appropriated Subterranean-underground
 b) Location of the point of diversion: SE 1/4 SW 1/4, Section 12
Township 9 South, Range 22 East Boise Meridian, Other points of diversion: _____
5. a) The amount of water and use to which the water has been applied:
 amount 1.06 cfs for irrigation purposes from April 15 to Oct. 15 incl.
 (cfs and/or acre feet per annum) (Month-Day) (Month-Day)
 amount _____ for _____ purposes from _____ to _____ incl.
 (cfs and/or acre feet per annum) (Month-Day) (Month-Day)
 amount _____ for _____ purposes from _____ to _____ incl.
 (cfs and/or acre feet per annum) (Month-Day) (Month-Day)
 b) Total amount appropriated 1.06 cfs and/or acre feet per annum
 c) Describe how and by whom measurement of rate of flow or amount of storage was made and the qualifications of the person making the measurement: Measurement was done by the permit holder by using a flow meter and pump capacity.
6. If the means of diversion and conveyance are owned by someone other than the Permit Holder:
 a) Give the name or description of the canal, ditch or other works by which the water is conducted to the place of use: _____

 b) Describe the agreement or understanding by which you take water from the works: _____

7. a) Briefly describe the works for diverting and conveying the water to the place of use, (If from a subterranean source, give the pump size, motor size, size of well casing, depth of well; if from surface water, give brief description of diversion structure and/or canal or ditch) Five stage 10 inch--'RL' Bowl assembly with 40 h.p. three phase, 1800 rpm electric motor in 200 foot well with a static level of 129 feet. Pump is set at 150 foot level plus bowls and suction pipe.
 b) Describe the type and size of measuring device which you have installed at your point of diversion: Badger flow meter on 8 inch discharge pipe.
 c) Give well drillers name and address and date the well was completed Hayden Well Drilling, 102 14th and D Street, Rupert, Idaho. Well completed May 14, 1968.

Exam typed 7/11/73 by js

36 7020

8. If for other than irrigation, describe the beneficial use to which you have applied the water and the place of use _____

9. Irrigation uses: Describe the lands irrigated by giving the acreages irrigated within each 40 acre subdivision: _____


TWP.	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
9 S	22 E	12												33					33
9 S	22 E	13					20												20

Total number of acres irrigated 53

10. Remarks: _____

The above information is a true statement of the extent to which the above numbered permit has been developed.

6/29/73
(Date)


(Signature)

State of IDAHO)
County of Minidoka) ss.

On this 29th day of June, 1973, personally appeared before me the signer(s) of the above instrument, who duly acknowledged to me that he (she) (they) executed the same.


Notary Public residing at Rupert, Idaho

My commission expires 10/30/76

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION

Cecil D. Andrus
Governor

R. Keith Higginson
Director

Statehouse - Annex 2
Boise, Idaho 83707
(208) 384-2215



Water Rights Administration
Water Resource Investigations
Dam and Reservoir Safety
Water Well Drilling
Waste Disposal Wells
Stream Channel Protection

July 2, 1973


Re: Permit No. 36-7020

Glen Stimpson
Route #1, Box 78
Paul, Idaho 83347

Dear Mr. Stimpson:

You are hereby notified that under the provisions of Section 42-218a of the Idaho Code, Permit 36-7020 has lapsed.

You are further advised that the Department cannot reinstate the permit except upon a showing of reasonable cause within sixty days from the date of this notice of lapsing.


R. KEITH HIGGINSON
Director

36-7020

SENDER: *Be sure to follow instructions on other side*

PLEASE FURNISH SERVICE(S) INDICATED BY CHECKED BLOCK(S)

(Additional charges required for these services)

☐ Show to whom, date and address
where delivered

☐ Deliver ONLY
to addressee

RECEIPT

Received the numbered article described below

REGISTERED NO.

24-463

CERTIFIED NO.

24-463

INSURED NO.

DATE DELIVERED

5-2-73

SIGNATURE OR NAME OF ADDRESSEE *(Must always be filled)*

Don Simpson

SIGNATURE OF ADDRESSEE'S AGENT, IF ANY

Lourence Simpson

SHOW WHERE DELIVERED *(Only if required, and include ZIP Code)*

3

U.S. POSTAL SERVICE
OFFICIAL BUSINESS



PENALTY FOR PRIVATE
USE TO AVOID PAYMENT
OF POSTAGE, \$300



Postmark of Delivering Office

SENDER INSTRUCTIONS

Print in the space below your name, address, including ZIP Code.

- If special services are desired, check block(s) on other side.
- Moisten gummed ends and attach to back of article.

**RETURN
TO**

DEPARTMENT OF WATER ADMINISTRATION
STATEHOUSE - ANNEX #2
BOISE, IDAHO 83707

PS Form 3811 Nov. 1970 c55-16-81277-1

36 7020

May 1, 1973 CERTIFIED MAIL

24463

Re: Permit No. 36-7020

Glen Stimpson
Route 1, Box 78
Paul, Idaho 83347

Dear Mr. Stimpson:

One of the conditions of approval of your water Permit No. 36-7020 (see last page of your approved permit) was that evidence of the extent of development be submitted as proof of application of water to beneficial use to this office on or before July 1, 1973. Enclosed is an affidavit form which must be used to submit the required proof of beneficial use.

If you have not fully completed your project, and you have not previously received an extension of time, you may request an extension of time provided the delay is for reasonable cause as indicated in Section 42-204, Idaho Code, amended. If you have been prevented from proceeding by a governmental agency or by litigation, more than one extension of time can be granted.

Either the beneficial use affidavit or a request for an extension of time must be received by this Department on or before the above mentioned date, otherwise the permit will lapse and be of no further force or effect.



R. KEITH HIGGINSON
Director

Enc: Proof affidavit
cc: Mr. Roger D. Ling
Attorney at Law
P.O. Box 623
Rupert, Idaho 83350
36 7020

RECEIVED

REPORT OF WELL DRILLER
State of Idaho

JUN 21 1968

State law requires that this report shall be filed with the State Reclamation Engineer within 30 days after completion or abandonment of the well.

WELL OWNER:

Name Glenn Stimpson
Address 810 W 2nd N

Owner's Permit No. 36-7020

NATURE OF WORK (check): Replacement well ☐
New well ☒ Deepened ☐ Abandoned ☐

Water is to be used for: irrigation

METHOD OF CONSTRUCTION: Rotary ☐ Cable ☒
Dug ☐ Other ☐

(explain)
CASING SCHEDULE: Threaded ☐ Welded ☒

12" Diam. from 0 ft. to 44 1/2 ft.

"Diam. from ft. to ft.

"Diam. from ft. to ft.

"Diam. from ft. to ft.

Thickness of casing: 1/4 Material:

Steel ☒ concrete ☐ wood ☐ other ☐

(explain)
PERFORATED? Yes ☐ No ☐ Type of
perforator used:

Size of perforations: " by "
perforations from ft. to ft.
perforations from ft. to ft.
perforations from ft. to ft.
perforations from ft. to ft.

WAS SCREEN INSTALLED? Yes ☐ No ☐

Manufacturer's name
Type Model No.
Diam. Slot size Set from ft. to ft.
Diam. Slot size Set from ft. to ft.

CONSTRUCTION: Well gravel packed? Yes ☐
No. ☐ size of gravel Gravel
placed from ft. to ft. Surface seal
provided? Yes ☐ No ☐ To what depth?
 ft. Material used in seal:

Did any strata contain unusable water? Yes ☐
No. ☐ Type of water:
Depth of strata ft. Method of sealing
strata off:

Surface casing used? Yes ☐ No. ☐
Cemented in place? Yes ☐ No ☐

Locate well in section

LOCATION OF WELL: County Minidoka
SE 1/4 SW 1/4 Sec. 12 T. 9 N/S R. 22 E/W

Use other side for additional remarks

Size of drilled hole: 12" Total
depth of well: 100 ft Standing water
level below ground: 129 Temp.
Fahr. ° Test delivery: gpm
or cfs Pump? ☐ Bail ☐
Size of pump and motor used to make test:

Length of time of test: Hrs. Min.
Drawdown: ft. Artesian pressure: ft.
above land surface Give flow cfs
or gpm. Shutoff pressure:
Controlled by: Valve ☐ Cap ☐ Plug ☐
No control ☐ Does well leak around casing?
Yes ☐ No ☒

DEPTH		MATERIAL	WATER YES OR NO
FROM	TO		
FEET	FEET		
0	39	soil	
39	49	loose creamy lava	
49	72	gray solid lava	
72	77	hard lava soft	
77	84	red lava hard	
84	110	gray hard lava	
110	130	dark gray lava soft	
130	137	black clinker	yes
137	145	brown clay	
145	152	black broken loose lava	
152	165	gray hard lava	
165	170	black cinders lot of cutting up	yes
170	175	gray lava lot of cutting up	yes
175	198	gray hard lava	
198	200	black gray lava lot of cutting up	yes

Work started: 5/7/68
Work finished: 5/14/68
Well Driller's Statement: This well was
drilled under my supervision and this report
is true to the best of my knowledge.
Name: Harold Hayden
Address: 202 14th St D St Rupert Idaho
Signed by: Harold Hayden
License No. 36 Date: 5/15/68

36-7020 file in folder

July 10, 1968

Re: Permit No. 36-7020

**Glen Stimpson
Rt. # 1, Box 78
Paul, Idaho 83347**

Dear Mr. Stimpson:

We enclose a copy of your approved application for permit 36-7020 in which we direct your attention to the limitations and conditions as given on the fourth page under approval of the State Reclamation Engineer.

Very truly yours,

**C. Stephen Allred, Assistant
State Reclamation Engineer**

CSA:kh

**Enclosure: Copy of Application
Receipt No. 720 for \$25.00**

36-7020

Form 4

DON SAMUELSON
GOVERNOR



R. KEITH HIGGINSON
State Reclamation Engineer

STATE OF IDAHO

DEPARTMENT OF RECLAMATION
STATEHOUSE - ANNEX 2
BOISE, IDAHO 83707

June 5, 1968

Re: Application for Permit No. ³⁶~~68~~-7020

Glen Stimpson
Route #1, Box 78
Paul, Idaho

Dear Mr. Stimpson:

The Department of Reclamation has completed processing your application for permit; however, before final action is taken you should be advised that under the existing Idaho Statutes, the maximum rate of diversion that the department can allow for irrigation is 1.06 cubic feet per second for your 53 acres of ground.

The statutes dictate a maximum rate of diversion of 1/50 of a cubic foot per second per irrigated acre. The only exception to this rule would be in cases where the soils require excessive amounts of water or where there is a particular problem in the method of irrigation. If either of these cases exists, please supply by return mail a description including capacities and etc. of your irrigation system and/or a soils report by a qualified source showing that your soils require an excessive amount of water.

If the department does not have a response within 10 days of the date of this letter we will proceed with the processing of the application for 1.06 cubic feet per second for the irrigation of 53 acres.

Thank you for your assistance in this matter.

Very truly yours,

Donald W. McEldowney
Appropriation Examiner

DWM:ks

*10 day
Process fee
less
amount!*

36-7020

June 5, 1968

Re: Application for Permit No. ³⁶36-7020

Glen Stimpson
Route #1, Box 78
Paul, Idaho

Dear Mr. Stimpson:

The Department of Reclamation has completed processing your application for permit; however, before final action is taken you should be advised that under the existing Idaho Statutes, the maximum rate of diversion that the department can allow for irrigation is 1.06 cubic feet per second for your 53 acres of ground.

The statutes dictate a maximum rate of diversion of 1/50 of a cubic foot per second per irrigated acre. The only exception to this rule would be in cases where the soils require excessive amounts of water or where there is a particular problem in the method of irrigation. If either of these cases exists, please supply by return mail a description including capacities and etc. of your irrigation system and/or a soils report by a qualified source showing that your soils require an excessive amount of water.

If the department does not have a response within 10 days of the date of this letter we will proceed with the processing of the application for 1.06 cubic feet per second for the irrigation of 53 acres.

Thank you for your assistance in this matter.

Very truly yours,

Donald W. McEldowney
Appropriation Examiner

DWM:ks

36-7020

April 17, 1968

Re: Application No. 36-7020
Glen Stimpson

Minidoka County News
Rupert,
Idaho 83350

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted assuming the notice is correct. If we have any corrections, we will notify you before the first publication date. If you can not publish the notice on the proposed dates please contact us immediately.

An affidavit of publication must be submitted to the Department of Reclamation, along with the publication bill. In order to receive payment, the following certification must appear on the bill:

I hereby certify that the foregoing account is just and correct, that the amount claimed is legally due, after allowing all just credits, and that no part of same has been paid.

(Do not sign letter)

Signature of claimant

Very truly yours,

Donald W. McEldowney
Appropriation Examiner

DWM:ks

Enclosure: legal notice

NOTICE OF APPLICATION FOR WATER

Notice is hereby given that Glen Stimpson, Route #1, Box 78, Paul,
Idaho has on April 1, 1968
applied for permit to divert ~~acre/~~ 1.3 cubic feet per second ~~acre/~~
of water from a subterranean source
under application No. 36-7020. Water will be diverted by well, pump,
and ditches within the SE $\frac{1}{4}$ SW $\frac{1}{4}$, sec. 12, T. 9 S,
R. 22 E, B.M., Minidoka County
and is to be used from April 15, to October 15 for irrigation purposes.
in the SE $\frac{1}{4}$ SW $\frac{1}{4}$, sec. 12, NE $\frac{1}{4}$ NW $\frac{1}{4}$, sec. 13, T. 9 S, R. 22 E, B.M.

Any protest against this application must be filed with the Department of
Reclamation within ten days from the last date of publication of this notice.

R. KEITH HIGGINSON
State Reclamation Engineer

Published in the Minidoka County News, Rupert, Idaho
on April 25 and May 2.

36-7020

Phone: 436-4717

Roger D. Ling
Attorney-at-Law
Toebling Building
Scott Avenue & G Street
Rupert, Idaho 83350

March 29, 1968

P. O. Box 623

RECEIVED
APR 1 1968
Department of Reclamation

Department of Reclamation
107 State House
Boise, Idaho 83701

Re: Glen Stimpson - Application for Permit

Gentlemen:

Enclosed please find Mr. Glen Stimpson's Application for Permit to Appropriate the Public Waters of the State of Idaho. Also enclosed is his check in the sum of \$25.00 to cover the filing fee of the permit.

Very truly yours,

Roger D. Ling
Roger D. Ling

kb

36-7020