

Sec - 28
BLK - 16
LOT - 12

city
well

MICROFILMED
OCT 16 1990

CITY MAP
MOORE
BUTTE COUNTY
IDAHO

SCALE
0 200 400 600 FEET
1970 POP 156

T.5 N. R.26 E. BM



LEGEND

- STREETS FORMING URBAN EXTENSIONS OF
FEDERAL-AID, PRIMARY STATE AND U.S. ROUTES
- UNIMPROVED GRADED AND DRAINED GRAVEL OR STONE
 - BITUMINOUS SURFACED-LOW TYPE PAVED STREET
 - OTHER CITY STREETS PAVED OR SURFACE TREATED SURFACED (than dustless)
 - UNIMPROVED DEDICATED (not open) FEDERAL-AID PRIMARY SYSTEM FEDERAL-AID SECONDARY SYSTEM
 - FAP FAS
 - US NUMBERED ROUTES
 - STATE NUMBERED ROUTES
 - CITY CENTER
 - RAILROAD STATION
 - CENTRAL BUSINESS DISTRICT
 - CORPORATE BOUNDARY LINE
 - END OF MARKED ROUTE
 - END OF FEDERAL-AID SYSTEM

20 X 20 BUILDING

2" ↓

N ↑



34-7543

34-7543
↑ EAST

SEP 21 1994
PUMP
90' DEPTH
52 PSI SYSTEM
3" DISCHARGE AT
PUMP TO 4" OUT OF WELL
WILL GO TO 60 PSI
BY END OF 8/93

#3
15' 90°
4" WELL
5 HP Pump
Open Discharge To Tank

* THIS WELL NOT INCLUDED
IN THIS BENEFICIAL USE EXAM.

20

21

22

CITY OF MOORE

R26E

Well
5485

5475

Well
5472

5465

5490

Well
5485

Moore
(BM 5473)

Sew Disposal
Ponds

5468

5470

POINTS OF DIVERSION

28

29

MOORE

Well 5501

BLAINE

5585

CANAL

CANAL

32

B I G

UNION

5462

LOST

Well
5448

27

ISLAND

5460

5457

5450

Spring

33

L O S T

5454

Well
5448

34

PACIFIC

34-7543

SEP 21 1994

BM
5435

Well
5446

5436

5438

Well
5444

RIVER

5430

5430

L E Y

(EAST)
RIGHT SIDE VIEW OF PUMP BUILDING 34-7543



34-7543

INDEXED
SEP 21 1994

CITY OF MOORE, IDAHO 34-07543



LOOKING EAST



SEP 21 1994 P6 143

WEST SIDE OF PKMP BUILDING

34-7543



CENTER VIEW OF PKMP BUILDING



SEP 21 1993 PL 213

AFFIDAVIT OF PUBLICATION

I, Colleen Babcock
of the Arco Advertiser, a weekly newspaper of
general circulation, published weekly at Arco, Idaho,
since March, 1909, do solemnly swear that a copy of
this notice, per clipping attached, was published
weekly in the regular and entire issue of said
newspaper, and not in any supplement thereof,

for 2 consecutive weeks, commencing with
the issue dated Aug. 16, 1990
and ending with the issue dated

Aug. 23, 1990
Colleen Babcock

STATE OF IDAHO }

COUNTY OF BUTTE }

On this 27 day of August
in the year of 1990, before me, a Notary Public,
personally appeared

Colleen Babcock

known or identified to me to be the person whose
name subscribed to the within instrument, and being
by me first duly sworn, declared that the statements
therein are true, and acknowledged to me that he
executed the same.

Thomas D. Cannon
Notary Public for Idaho

Residing at Arco, Id.

My commission expires: 12-17-91

**NOTICE OF APPLICATION
FOR WATER RIGHT**

The following application has been filed
to appropriate the public waters of the
State of Idaho:

34-07543

MOORE WATER AND SEWER ASSOC.
P.O. BOX 638
MOORE, ID 83255
Source: GROUNDWATER
Diversion Pt: SESENW Sec 28 T 05N R
26E

Use: MUNICIPAL (.440 CFS)

Total Diversion: (.440 CFS)

Date Filed: 1/31/1990

The permit will be subject to all prior
water rights. Protests may be submitted
based on the criteria of Sec. 42-203A,
Idaho Code and/or the new public inter-
est criteria of Sec. 42-203C, Idaho Code.
Protests must be filed with the Director,
Dept. of Water Resources, 150 Shoup
Ave., Suite 15, Idaho Falls, Idaho 83402
on or before SEPTEMBER 3, 1990.

R. KEITH HIGGINSON
Director

Published 8/16/1990 & 8/23/1990

RECEIVED

AUG 26 1990

Department of Water Resources
Eastern District Office

MICROFILMED

OCT 16 1990

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE
WATER RIGHT NO. 34-07543

Priority: January 31, 1990

Maximum Diversion Rate:

0.36 CFS

This is to certify, that MOORE WATER & SEWER ASSN

PO BOX 638

MOORE ID 83255

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated January 31, 1990; and has submitted Proof of Beneficial Use on August 30, 1991. An examination indicates that the works have a diversion capacity of .360 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
MUNICIPAL	01/01 to 12/31	0.36 CFS	

LOCATION OF POINT(S) OF DIVERSION:

SENW , Sec. 28, Township 05N, Range 26E
BUTTE County

PLACE OF USE: See Remarks

CONDITIONS/REMARKS:

1. This water right is appurtenant to the described place of use.
2. This right is subject to all prior water rights and may be forfeited by five years of non-use.
3. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
4. Two points of diversion are located within SENW, S28, T05N, R26E.
5. Place of use is located within the city limits of Moore.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 6TH
day of SEPTEMBER, 1994.

Acting  R. Keith Higginson, Director

SEP 21 1994

RECEIVED
AUG 3 0 1991

STATE OF IDAHO

For Office Use Only

Amt. of Fee \$

Date

Receipt No

Received by

DEPARTMENT OF WATER RESOURCES

Department of Water Resources

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department

- 1 Permit No. ~~34-70E-879~~ 34-7543 Telephone No. 554-3412
- 2 Name(s) of Permit Holder(s): Moore Water & Sewer Association
- 3 Post Office Address: P.O. Box 638 Moore Idaho 83255
- 4 Source of Water: Underground well
- a If ground water, well driller's name: Guthrie Well Drilling Date drilled: 3-28-91
- b Pump horsepower: 10 Pressure (psi): 60 pounds Dynamic pumping level (ft.): 62 feet
- 5 Extent of Use:

Domestic 100 (No. of households)Irrigation — (No. of acres)Stockwater — (No. and type of stock)Other —

6 Total rate and/or volume for which proof is submitted 160 ^{gpm} acre/feet

7 Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? Yes XNo Installed? Yes No

OR

Flow Measurement Port: Required? Yes XNo Installed? Yes No

8 Fee Enclosed: \$ — (See License Examination Fee Schedule) ?

9 Person to contact to accompany the Department representative during the field examination:

Lin Pearson
Name

554-2111
Telephone No

Address

10 The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho

8-24-91
Date

Arlene Pearson Sec/Tree
Signature (and title if on behalf of a company or organization)

NOV 15 1991

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 34-07543

Proposed Priority: January 31, 1990 Maximum Diversion Rate: 0.44 CFS
This is to certify, that **MOORE WATER & SEWER ASSOC.**

P.O. BOX 638
MOORE, ID 83255

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
-----------------------	----------------------	--------------------------

MUNICIPAL	01/01 to 12/31	0.44 CFS
-----------	----------------	----------

LOCATION OF POINT(S) OF DIVERSION: SESENW Sec. 28, Township 05N, Range 26E
BUTTE County


PLACE OF USE: See Remarks

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before October 1, 1991.
2. Subject to all prior water rights.
3. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
4. Place of use within city limits of Moore.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

27th day of September, 19 90


R. Keith Higginson, Director

MICROFILMED

OCT 16 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

- 1 Name of applicant Moore Water and Sewer Assoc. Phone 554-3412
Post office address P.O. Box 638 Moore Idaho 83255
- 2 Source of water supply ground water which is a tributary of N/A
- 3 Location of point of diversion is SE $\frac{1}{4}$ of SE $\frac{1}{4}$ of NW $\frac{1}{4}$, Govt. Lot _____
Sec. 28 Township 5N Range R 26 E B.M. Butte County; additional
points of diversion if any: _____
- 4 Water will be used for the following purposes:
Amount .44 for MUNICIPAL DOMESTIC purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
- 5 Total quantity to be appropriated is (a) .44 and/or (b) _____
cubic feet per second acre feet per annum
- 6 Proposed diverting works
a Description of ditches, flumes, pumps, headgates, etc. 2 WELLS

b Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet, period of year when water will be diverted to storage
_____ to _____ inclusive.
c Proposed well diameter is 12 inches; proposed depth of well is 160 feet.
d Is ground water with a temperature of greater than 90°F being sought? N
- 7 Time required for the completion of the works and application of the water to the proposed beneficial use is
1 years (minimum 1 year).

MICROFILMED

OCT 18 1990

8. Description of proposed uses (if irrigation only, go to item 9):

- a. Hydropower; show total feet of head and proposed capacity in KW. _____
- b. Stockwatering; list number and kind of livestock. _____
- c. Municipal, show name of municipality. Moore, Idaho
- d. Domestic; show number of households. 100
- e. Other, describe fully. _____

9. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
						CITY				OF				MOORE					

Total number of acres to be irrigated _____

10. Describe any other water rights used for the same purposes as described above. _____

11. a. Who owns the property at the point of diversion? CITY OF MOORE
- b. Who owns the land to be irrigated or place of use? PROPERTY OWNERS
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: _____

MICROFILMED

OCT 16 1969

QUART 561 COM

Sec - 28
BLK - 16
LOT - 12

city well

REPROFILMED

OCT 16 1990

T 5N R 26E BM

LEGEND

STREETS FORMING URBAN EXTENSIONS OF
FEDERAL-AID, PRIMARY STATE AND U.S. ROUTES

- UNIMPROVED GRADED AND DRAINED
- GRAVEL ON STONE
- BITUMINOUS SURFACED-LOW TYPE
- PAVED STREET

OTHER

- CITY STREETS
- ROAD ON SURFACE TREATED
- SURFACED (non-surfaced)
- UNIMPROVED
- DEDICATED (not open)
- FEDERAL-AID PRIMARY SYSTEM
- FEDERAL-AID SECONDARY SYSTEM

FAP
FAS

933
67

- U.S. NUMBERED ROUTES
- STATE NUMBERED ROUTES
- CITY CENTER
- RAILROAD STATION
- CENTRAL BUSINESS DISTRICT
- CORPORATE BOUNDARY LINE
- END OF MARKED ROUTE
- END OF FEDERAL-AID SYSTEM

CITY MAP

MOORE

BUTTE COUNTY

IDAHO

SCALE 100 200 300 FEET

1990 PDR 156

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

MICROFILMED
OCT 16 1990

3 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Arlene Pearson
(Applicant)
Sec/Treas.

Received by TO Date 1/31/90 Time 3:17 PM Preliminary check by _____
Fee \$ 45.00 Received by _____ # E011913 Date 1/31/90
Publication prepared by RB Date 8-16-23-90 Published in Arco Advertiser
Publication approved CW Date 9-11-90

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 _____.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other _____

MICROFILMED

OCT 16 1990



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

September 7, 1994

MOORE WATER & SEWER ASSN
PO BOX 638
MOORE ID 83255

RE: WATER RIGHT NO. 34-07543

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit. If you have any questions, please contact me within 10 days of receipt of this license.

Sincerely,

JIM JOHNSON, Manager
Water Right Permits Section

JJ:dc

Enclosure

MAILED 10/10/94

SEP 21 1994

LICENS REVIEW CHECKLIST

PERMIT NO. 34-7543 DATE 7-25-94



NAME	Yes ☐ No ☒	Or Address Change? ☐
PRIORITY DATE	☐ ☒	Advance? ☐ Advanced to: ☐ Order to reinstate needed? ☐ Incorrect fee for rate recommended? <u>NO</u>
SOURCE	☐ ☒	Changes or just clarification of originally intended source? ☐ Notice of Intent to Void necessary? ☐
POINT OF DIV	☐ ☒	Amendment needed? ☐ Overlaps? ☐
PLACE OF USE	<u>- NA -</u> ☐ ☐	Amendment needed? ☐ Overlaps? ☐
DIV RATE	☐ ☒	Measurement Q = ☐ Theoretical Q = <u>.36</u> <i>BOTH Wells</i> <u>WELL #2 = .217 CFS</u> <u>WELL #3 = .145 CFS</u> } <u>.36 CFS</u> Capacity: <u>.36</u> Combined rates exceed capacity ☐ Permit/fee limits: <u>.44</u> Allowable: <u>.36</u>
ANNUAL VOLUME	<u>- NA -</u> ☐ ☐	Season of use: <u>1-1 to 12-31</u> Calculations: ☐ Flow limit: ☐ cfs x ☐ x 1.9835 = ☐ Combined volumes exceed capacity/allowable ☐
USES	☐ ☒	Change in Nature of Use or additional uses? ☐ Amendment necessary? ☐
REMARKS	<u>W32</u> ☐ ☒	Multiple p/d(s) in %? <u>SESE NW/528/5N/26E</u> Other ☐
CONDITIONS	☐ ☒	Measuring/Locking Devices ☐ Watermaster control - District ☐ Irrigation Overlap ☐ Water Quality ☐ Other ☐
COMMENTS:	<u>REDUCE rate to capacity.</u>	

RECOMMENDED

CFS

VOLUME

LICENSE ☒

Municipal

.36

1ST AMENDMENT LETTER ☐

FINAL AMENDMENT LETTER ☐

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
APR 28 1994
Department of Water Resources

A. GENERAL INFORMATION

Permit No. 34-07543

1. Owner: MOORE WATER AND SEWER ASSOC. Phone No. 554-3412

Current Address: P. O. BOX 638, MOORE, IDAHO, 83255

2. Accompanied by: MRS LYNN PEARSON EXAM DATE: 8/9/93

Address: SAME AS ABOVE Phone No. 554-3412

Relationship to Permit Holder: ASSOCIATION CLERK (RECORDS)

3. Source: GROUND WATER tributary to N/A

B. OVERLAP REVIEW

1. Other water rights with the same place of use: _____

2. Other water rights with the same point of diversion: _____

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
#2		SE	SE	NW	28	5N	26E	BUTTE	ASCS ORTHO QUAD PHOTO
#3		SE	SE	NW	28	5N	26E	BUTTE	ASCS " " "

2. Place(s) of Use: City of Moore Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
5N	26E	28								M									
5N	26E	28								M									

SEP 21 1994

size/ditch size/pipe l.d. as applicable.

SEE ATTACHED DETAIL & PHOTOGRAPHS

SEE ATTACHED DRAWINGS & PHOTOGRAPHS

Sonnet 1st =

Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required)

Aerial Photo Attached
(required for irrigation of 10+ acres)

Photo of Diversion and System Attached

D. FLOW MEASUREMENTS

•

***BOTH PUMPS**

2. Measurements: SYSTEM PRESSURE SS PSI

STATIC WATER - SS' PUMP DEPTH 90'

~~SEP 21 1994~~

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
PRESSURE GAGE	FLUID	5MCL0FT			0-100	

E. NARRATIVE/REMARKS/COMMENTS

MOORE CITY MAYOR (LYNN PEARSON) STATED THAT BOTH WELLS SUPPLY WATER TO THE ASSOCIATION VIA OPEN DISCHARGES INTO A STORAGE TANK. WATER IS THEN PUMPED INTO THE CITY SYSTEM VIA A 20 HP BOOSTER PUMP.

BOTH WELLS HAVE STATIC WATER AT 55'± AND PUMPS PLACED AT 90'±, WITH 3" OUT PNT PIPES. NO PRESSURE GAUGES, GATE VALVES ~~OR CHECK VALVES~~ EXIST BETWEEN THE TWO PUMPS (SUBMERSIBLE) AND THE OPEN DISCHARGE INTO THE STORAGE TANK.

THE CITY SYSTEM CURRENTLY OPERATES ON A 53 PSI PRESSURE BUT WILL BE BOOSTED TO 60 PSI, ACCORDING TO MR. PEARSON, BY THE END OF AUGUST.

ELECTRICAL PANEL FLOW METER (ROCKWELL) GIVES A READING ON THE OUT PNT OF THE BOOSTER PUMP (PUMPS OFF STORAGE TANK).

262.0 = GPM

305065 X 100 = GAL. USED.

Have conditions of permit approval been met? ☒ yes ☐ no

SEP 21 1994

CITY OF MOORE

34-7543

PERMIT 0.44 ON 2 WELLS
CFS

THEORETICAL

WA #2 $Q = \frac{7.5 (8.814) (.70)}{90 + (53 \times 2.308)} = \frac{46.2735}{212.324} = 0.217938 \text{ CFS} \times 448.8 = 97.81 \text{ GPM}$

WA #3 $Q = \frac{5.0 (8.814) (.70)}{90 + (53 \times 2.308)} = \frac{30.849}{212.324} = 0.1452921 \text{ CFS} \times 448.8 = 65.207 \text{ GPM}$

163.01 GPM

Total = 0.3632 CFS

* INFORMATION BASED ON STATEMENTS FROM HAYDK PEARSON
WHO IS ALSO ON THE BOARD OF DIRECTORS OF THE
MOORE WATER COMPANY.

34-7543

RECEIVED

SEP 21 1994

2"↓

← z

HA, N LIOE ←

34-7543

SEP 21 1994

Well
15 HP

2

1. The first step is to identify the problem or question that needs to be answered. This involves understanding the context and the specific requirements of the task.

772


136

00

THIS WELL NOT INCLUDED
IN THIS BENEFICIAL USE EXAM.

Open Discharge To Zuck

34-7543
↑ EAST



20

21

Well
5485

22

CITY OF MOORE
R26E

BLAINE

29

Well 5501

POINT OF DIVERSION

28

Moore
(BM 5473)

Sew Disposal
Ponds

BIG

ISLAND

T5N

27

BIG

UNION

CANAL

CANAL

32

33

34

LOST

34-7543

SEP 21 1994

BM
5435

LEY

Well
5446

Well
5444

5436

RIVER


5430

LOST

PACIFIC

Spring

5430



(EAST)
RIGHT SIDE VIEW OF PUMP BUILDING 34-7543




34-7543


RECEIVED
SEP 21 1994

P, 313

CITY OF MOORE, IDAHO 34-07543



LOOKING
EAST




SEP 21 1994

P6 143

WEST SIDE OF PMMP BUILDING

34-7543



CENTER VIEW OF PMMP BUILDING



NEW
WELL

SEP 21 1964 PK 213

October 29, 1991

MOORE WATER & SEWER ASSOC.
P.O. BOX 638
MOORE ID 83255

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 34-07543

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the EASTERN Regional Office in Idaho Falls at (208)525-7161.

Sincerely,

Nina Shields
Secretary/Records Manager

c: IDWR - Region

NOV 15 1991

Drilling Permit No. _____
Water Right Permit No. _____
Injection Permit No. _____

34-90E-074
34-7543

RECEIVED

State of Idaho
Department of Water Resources

NOV 28 1990

APPLICATION FOR DRILLING PERMIT

Department of Water Resources
Eastern District Office

1. Applicant (please print) Moore Water and Sewer Association

2. Mailing Address Box 638

Moore Idaho 83255 Telephone 554-3412

() Well Owner (X) Well Operator () Other, specify _____

3. Proposed well location SE 1/4 NW 1/4, or Gov't Lot No. Sec. 28

Sec. 28, Twp. 05N, Rge. 26E, County Butte

Street Address of Well Site 320 1st St.

Lot, block and subdivision Lot 2 - Block 16

4. Proposed use of well:

- () Domestic: The use of water for homes, organization camps, public campgrounds, livestock and for any other purpose in connection therewith, including irrigation of up to 1/2 acre of land, if the total use is not in excess of 13,000 gpd; or any other uses, if the total use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.

Domestic does not include water for multiple ownership subdivisions, mobile home parks, commercial or business establishments, unless the use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.

(X) Non-Domestic: Any beneficial use not included within the definition of domestic.

() Injection

() Monitoring - A well bore schematic and map is required for each well.
No. of proposed wells: _____

5. Well construction information:

A. (X) New well () Deepen () Replace - See Condition 9

B. Proposed Surface Diameter 8" Proposed Maximum Depth 150 FT

C. Anticipated bottom hole temperature:

- (X) 85°F or less (Cold water well)
() 85°F to 212°F (Low temp. geothermal well)
() 212° or more (Geothermal well)

3. Construction Start Date ~~1-5-90~~ 1-27-90

7. Anticipated Well Driller Guthrie Well Drilling

NOTE: The actual well driller must be identified prior to drilling.

3. Applicant's signature [Signature] Date 11-27-90

Title DIRECTOR - OPERATOR - MOORE WATER AND SEWER ASSOCIATION
(Owner, Firm Representative, Other)

RECEIVED
NOV 15 1990

ACTION OF THE DEPARTMENT OF WATER RESOURCES

This Permit is Approved

Date 30 Nov 1990

If approved, this permit authorizes the construction or modification of a well subject to the following conditions. READ CAREFULLY

GENERAL CONDITIONS:

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation, injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from the above approval date for the start of construction and is valid for one (1) year from the approval date for completion of the well unless an extension has been granted.
3. This permit does not constitute an approval of the District Health Department or the Idaho Department of Health and Welfare which may be required before construction of this well.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Approval of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.
7. This drilling permit does not represent a right to divert and use the water of the State of Idaho.
8. If a bottom hole temperature of 85° or greater is encountered, well construction shall cease and the well driller and the well owner shall contact the Department immediately.
9. If this permit is for a replacement well, the well being replaced must be abandoned in accordance with Department Rules and Regulations.

SPECIFIC CONDITIONS:

Dennis Dunn
Signature of Authorized Department Representative

Sr. Water Resource Agent
Title

Receipt No. E015507 Received by LK Fee 200.00 Date 12/5/90

NOV 15 1991

EXTENSION OF DRILLING PERMIT

Extension approved by _____ Approval Date _____

This extension is good for 60 days beyond the above extension approval date.

the law requires that this report be filed with the State Re within 30 days after completion or abandonment of

Ion Engineer
well, No

Department of Reclamation

USE ADDITIONAL SHEETS IF NECESSARY



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

October 10, 1991

MOORE WATER & SEWER ASSOC.
C/O ARLENE PEARSON
P.O. BOX 638
MOORE, ID 83255

RE: PERMIT NO. 34-07543

Dear Ms. Pearson:

The department has received the proof of beneficial use form which you submitted on August 31, 1991. In order for the proof to be acceptable you also need to submit the required license examination fee in the amount of one hundred dollars (\$100). This fee is a different fee than the forty-five dollars (\$45) which you submitted with the application on January 31, 1990.

Please feel free to contact the department if you have questions.

Sincerely,



L. GLEN SAXTON, Chief
Water Allocation Bureau

c: IDWR - E. Region

RECORDED

NOV 15 1991

138898

July 31, 1991

MOORE WATER & SEWER ASSOC.
P.O. BOX 638
MOORE, ID 83255

PROOF DUE NOTICE

RE: PERMIT NO. 34-07543

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before October 1, 1991. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

NOV 15 1991

S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

Statehouse
Boise, Idaho 83720
(208) 327-7900
September 28, 1990

MOORE WATER & SEWER ASSOC.
P.O. BOX 638
MOORE, ID 83255

P E R M I T A P P R O V A L N O T I C E

RE: PERMIT NO. 34-07543

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of

MICROFILMED

OCT 16 1990

Beneficial Use" that must be submitted to the Department when your project is completed. If development is complete, you may submit proof of beneficial use immediately.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ: SC
Enclosures

MICROFILMED

OCT 16 1990

09-Aug-1990

MOORE WATER & SEWER ASSOC.
P.O. BOX 638
MOORE, ID 83255

RE: Application for Permit No. 34-7543

Dear Water Right Applicant:

The Department of Water Resources acknowledges receipt of your water right permit. This office is currently in the process of advertising the application in the Arco Advertiser on AUGUST 16 & 23, 1990. The advertisement will be published for two consecutive weeks, and a period of ten days following the second publication will be allowed for the submittal of protests.

If the application is protested, you will be sent a copy of the protest. The protest must be resolved before the application is approved or denied. If the protest is not resolved voluntarily, this Department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to our state office in about five weeks. State office personnel will conduct a complete review prior to final processing of the application and will notify you of the outcome of this review. When a permit is issued, you will be sent a copy. A typical processing time for an unprotested application is about eight weeks.

Please feel free to contact this office if you have any questions regarding this procedure.

Sincerely,

HAROLD W. JONES
Water Rights Supervisor

HWJ/rb

MICROFILMED

OCT 16 1990

AFFIDAVIT OF PUBLICATION

I, Colleen Babcock
of the Arco Advertiser, a weekly newspaper of
general circulation, published weekly at Arco, Idaho,
since March, 1909, do solemnly swear that a copy of
this notice, per clipping attached, was published
weekly in the regular and entire issue of said
newspaper, and not in any supplement thereof,

for 2 consecutive weeks, commencing with
the issue dated Aug. 16, 1990
and ending with the issue dated

Aug. 23, 1990
Colleen Babcock

STATE OF IDAHO }

COUNTY OF BUTTE }

On this 27 day of August
in the year of 1990, before me, a Notary Public,
personally appeared

Colleen Babcock
known or identified to me to be the person whose
name subscribed to the within instrument, and being
by me first duly sworn, declared that the statements
therein are true, and acknowledged to me that he
executed the same

Thomas D. Cannon
Notary Public for Idaho

Residing at Arco, Id.

My commission expires 12-17-91

RECEIVED

AUG 20 1990

**Department of Water Resources
Eastern District Office**

MICROFILMED

OCT 16 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Eastern Region
150 Shoup Ave., Suite 15

Idaho Falls, Idaho 83402
(208) 525-7161

AUGUST 6, 1990

THE ARCO ADVERTISER
P.O. DRAWER C
ARCO, ID 83213

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before SEPTEMBER 3, 1990.

Yours truly,

Rita Bodell
Secretary

Encl.

RECORDED

OCT 16 1990

34-07543

MOORE WATER AND SEWER ASSOC.
P.O. BOX 638
MOORE, ID 83255

Source: GROUNDWATER

Diversion Pt: SESENW Sec 28 T 05N R 26E

Use: MUNICIPAL (.440 CFS)
Total Diversion: (.440 CFS)

Date Filed: 1/31/ 1990

In:

MICROFILMED

OCT 1 6 1990

The permit(s) will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, 150 Shoup Ave., Suite 15, Idaho Falls, Idaho 83402 on or before SEPTEMBER 3, 1990.

R. Keith Higginson, Director

Published 8/16/1990 & 8/23/1990

RECEIVED

OCT 16 1990