


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

R 23 E

R 24 E



Scale: 2 inches equal 1 mile.


BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Scott McAffee
(Applicant)

34 SW	34 SWNE	34 SWNW	34 SWW
34 SW	34 SWNE	34 SWNW	34 SWW
34 SW	34 SWNE	34 SWNW	34 SWW
34 SW	34 SWNE	34 SWNW	34 SWW

15 1992

[illegible]



T
7
N

34-07227

* Map drawn
from field info gathered
9/19/90

MICROFILMED
JAN 15 1992

34-7227

A-79
R.M. NI
520A

A-189
S.L. McAFFEE
189A


~~Wrong~~
R.M. NI
523A

Map from
License File

R23E

R24E

T 7N



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

— SEE REMARKS BEFORE LICENSING —

A. GENERAL INFORMATION

Permit No. 34-7227

1. Owner: Scott McAfee Phone No. 588-3319

Current Address: Mackay, ID 83251

2. Accompanied by: Scott McAfee EXAM. DATE: 7/20/87

Address: Mackay, ID Phone No. 588-3319

Relationship to Permit Holder: owner

3. Source: groundwater tributary to N/A

B. OVERLAP REVIEW

1. Other water rights with same place of use: none surface Rts.


See ☐ Copies Attached

2. Other water rights with same point of diversion: no surface Rts.

☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = No Scale

JAN 15 1992


2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☒ Photo of Diversion and System Attached

(required for all but single household domestic groundwater, and stockwater.


☒ Aerial Photo Attached
(required for irrigation of 10 acres or more).

34 - 7227



MIAMI FILMED

JAN 15 1992



34-7227

23E 24E

T8N
T7N
6800

BM 6118

Boat Ramp

BM 6118

Mackay Dam

SPILLWAY 6061

Gaging Station

Gaging Station

BM 5987

JAN 15 1992

Gaging Sta

34-72270

Radio Facility

VALLEY

59

34-7227

A-189
S.L. McAFFEE
189A

12

A-79
R.M. NIELSEN
523A

A-79

R.M. NI
520A

R23E

R24E

T7N

P.O.U

A-393
R. HARP
393A

L-3

a 10.3

b 2.8

a 31.2

8.6

PU 7.1

9.3

13.3

L-4

PD

b 5.8

MICROFILMED

JAN 15 1992

~~12.7~~
13.18

A-83
G. C. KIMBALL
83A

A-361
F. W. DOYLE
361A

e 5.3

d 5.6

f 5.6

g 9.9

j 7.6

h 10.7

7N24E 34-7227


Sec. 6.

Sec. 5.


Unutilized cultivated

Sec. 7.

Sec. 8.




OBSERVATION WELL 2N 29E Sec 17 CBC-1



MICROFILMED

OBSERVATION WELL 3N 29E Sec 32 BBC-1



State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 34-07227

Priority: May 3, 1979

Maximum Diversion Rate: 0.71 CFS
Maximum Diversion Volume: 117.0 AF

This is to certify, that SCOTT MC AFFEE

P.O. BOX 282

MACKAY ID 83251

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated May 3, 1979; and has submitted Proof of Beneficial Use on April 18, 1984. An examination indicates that the works have a diversion capacity of .710 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 to 11/01	0.71 CFS	117.0 AF

LOCATION OF POINT(S) OF DIVERSION: LOT 4(SWSW), Sec. 7, Township 07N, Range 24E
CUSTER County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
07N	23E	12	NESE 19	SESE 4		23
	24E	7	LOT 3(NWSW) 11	LOT 4(SWSW) 5		16

Total number of acres irrigated: 39

CONDITIONS/REMARKS:

1. The maximum diversion volume listed within this right is defined as the maximum allowable volume of water that may be diverted annually from the source identified under this right, or limited to the amount that can actually be beneficially used on the above described place of use. This right is further limited to a maximum diversion of water onto the above described place of use of 0.02 cfs per acre or 3.0 acre feet per acre per year when combined with all other appurtenant water rights.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Use of water under this water right will be regulated by the watermaster of State Water District No. 34.

JAN 15 1992


State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 34-07227

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 30TH
day of NOVEMBER, 1991.

Acting for


R. Keith Higginson, Director

JAN 1 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant Scott McAFFEE Phone 588 3319
Post office address MACKAY 83251
2. Source of water supply GROUNDWATER which is a tributary of _____
3. Location of point of diversion is SW $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 7 Township T7N
Range 24E B.M. CUSTER County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 1.6 for IRR purposes from Apr 1 to Nov 1 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

- a. 1.6 cfs cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

- a. Description of ditches, flumes, pumps, headgates, etc. WELL, PUMP (25hp)
wheel lines

- b. Height of storage dam N/A feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

- c. Proposed well diameter is 16 inches; proposed depth of well is 50 feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years (minimum 1 year – maximum 5 years).

8. Description of proposed uses:

- a. If water is not for irrigation:

(1) Give the place of use of water: N/A $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water _____.

(5) If water is to be used for other purposes describe: _____

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SE¼	SW¼	
7N	24E	7											40						40
7N	23E	12															40		40

Total number of acres to be irrigated 80

c. Describe any other water rights used for the same purposes as described above. NONE

9. a. Who owns the property at the point of diversion Applicant

b. Who owns the land to be irrigated or place of use Applicant


c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing N/A

10. Remarks

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

R 23 E

R 24 E



Scale 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Scott Maffee
(Applicant)

Proposed Priority 5-3-79

Received by CP Date 5-23-79 Time 11:20 A.

Preliminary check by CP Fee \$ 45.00

Receipted by dh Date 5-3-79 #11852

Publication prepared by dh Date 5-4-79

Published in Custer Publishing Co.

Publication dates May 10 & 17, 1979

Publication approved Q7 Date 5/22/79

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by Ernest Carlson, Jr.

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 34-7227, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before June 1, 19 84.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other: (1) Unperforated well casing shall be used to a minimum depth as identified on the permit and shall be extended into the next confining layer. (2) An access port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.

Witness my hand this 27th day of June, 19 79.

A. Glen Saxton
Chief, Operations Bureau

AFFIDAVIT OF PUBLICATION

State of Idaho, County of Custer, ss:

I, MARGARET PARKS

Publisher of the Challis Messenger,
a weekly newspaper, published at
Challis, Idaho, do solemnly swear
that the notice hereto attached and
made a part hereof, was published
in the regular and entire issue of
the Challis Messenger for 2
consecutive weeks, commencing with
the issue dated MAY 10 . . . ,
19 79 and ending with the issue
dated MAY 17 , 19 79.

Margaret Parks.....

Subscribed and sworn to before
me this 18 day of May . . . ,
19 79.

Charles M. Jensen.....
Notary Public, residing at Challis,
Idaho. My commission expires on

April 30, 1983.....

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the
following application has been
submitted for permit to appropriate
the public waters of the State of
Idaho:

34-7227

McAFFEE, SCOTT

MACKAY, ID 83251

Source: GROUNDWATER

Date Filed: 05/03/1979

Amount: 1.60 CFS

Diversion Point: SWSW SEC 07 T 07N
R 24E, CUSTER Co.

Use. IRRIGATION (1.60 CFS) from
04/01 to 11/01

Place of Use: SWSW Sec 07 T 07N R
24E SESE Sec 12 T 07N R 23E FOR 80
ACRES

Diversion Means: WELL, PUMP,
DELIVERY SYSTEM

If issued, the permit will be subject
to all prior water rights. Protests
against the granting of any permit
must be filed with the Director of the
Idaho Department of Water
Resources, 1515 Lincoln Rd., Idaho
Falls, Idaho 83401 on or before MAY
29, 1979.

C. STEPHEN ALLRED

Director

Published 5/10 & 5/17/79

□□□

84-11111-1000

MAY 23 1979

Idaho Department of Water Resources
Engineering Office



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

January 9, 1992

SCOTT MC AFFEE
P.O. BOX 282
MACKAY ID 83251

RE: WATER RIGHT NO. 34-07227

Dear Water Right Holder(s):

Enclosed is a copy of your water right license.

This right is included in the Snake River Basin Adjudication and you will be receiving further information regarding this in the near future.

If you have any questions, please let me know.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:blm

Enclosure

RECEIVED

JAN 15 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

Permit No. 34-07227

1. Owner: Scott McAfee Phone No. 588-3319

Current Address: Box 282 Mackay ID 83251

2. Accompanied by: Scott McAfee EXAM. DATE: 9-19-90

Address: (above) Phone No. _____

Relationship to Permit Holder: Permitee

3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: NONE

☐ Copies Attached


2. Other water rights with same point of diversion: NONE

☐ Copies Attached

☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached Same ☒ Aerial Photo Attached
Showing location(s) of point(s) of diversion and place(s) of use (required). (required for irrigation of 10 acres or more).
- ☐ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

See previous exam

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
<i>See previous exam</i>					

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
	4				SWSW	7N	24E	CUSTER	Plot and ORTHOPHOTO QUAD

6. Place(s) of Use:

Indicate Method of Determination

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
7N	24E	7										11	5						16
7N	23E	12													19		4		23
																			39

Do not use this space

JAN 15 1992

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

see previous exam

2. Measurements:

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

see previous exam

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 39 \times 3.0 = 117 \text{ AF}$

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = (0.712) (215) (1.9835) = 302.78$

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 117 \text{ AF/ANNUUM}$

2. Volume Calculations for Other Uses:

N/A

RECORDED
JAN 15 1992

H. REMARKS AND OVERLAP REVIEW ANALYSIS

See attached memo. and maps.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use

Period of Use
From **To**

**Rate of Diversion
Q (cfs)**

Annual Volume
V (afa)

Self portrait poem

Totals:

2. Recommended Amendments

☐ Change P.D. as reflected above☐ Add P.D. as reflected above☐ None

☒ Change P.U. as reflected above

☐ Add P.U. as reflected above☐ Other

J. AUTHENTICATION

Field Examiner's Name

Signature

Certification Date

Field Report Preparation Date

CONSULTANT SEAL

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

MICROFILMED
JAN 15 1992

MEMO

DATE: June 27, 1991

TO: Dave Shaw

FROM: Anna Baumhoff

RE: licensing exam for 34-07227

Why the original field exam designated a different distribution of acres:

The Agent drew in the range line on an ASCS map (which was not to scale) beginning at an incorrectly designated section corner (1-12-6-7) to locate the southern section corner. The true corner between sections 12-7-18-13 would be approx. 3/4 inch south of where it has been drawn.

Plats: 7N, 24E
partial survey 1890
resurvey of boundaries and remaining areas 1912
platted in 1913

7N, 23E
partial survey 1890
resurvey of boundaries and remaining areas 1926
platted in 1928

A partial survey of T7N ranges 23 and 24 East was ^{done} in 1890, indicated lots along the western boundary of Range 24E, with the lots having less than 40 acres.

In 1912 a resurvey of the N, S and W boundaries of range 24E was done. The 1913 Plat indicated that the sections along the western boundary contained more than 640 acres and had irregular shapes. This is in contrast to the earlier 1890 survey.

I called the BLM and U.S.G.S and they insisted that the only survey of Section 7 T7N, R24E was the one done in 1890.

I do believe that the later surveys corrected the older one, however the number of acres in the lots of section 7 was not resurveyed or corrected.

All maps of the area utilize the lines determined by the later 1912 and 1926 survey to draw the section lines for T7N, R24E. Both I and the computer (for digitizing) have utilized the same surveys in determining the correct location of Section 7, and the shape of the lots along the western boundary. The only map not utilizing the later surveys is the map drawn for the original field exam.

Incompatible maps:

The 1913 and 1928 surveys reference the longitude for the meridian between 23E and 24E as: 113 38' 30" W longitude.


Our orthophotoquad maps indicate the same meridian at:
113 39' 40" W longitude.

I was unable to determine why this discrepancy existed.

RECEIVED
JAN 15 1992

06 T02	06 T03	06 T04	06 T05	06 T06	06 T07	06 T08	06 T09	06 T10	06 T11	06 T12	06 T13	06 T14	06 T15	06 T16	06 T17	06 T18	06 T19	06 T20	06 T21	06 T22	06 T23	06 T24	06 T25	06 T26	06 T27	06 T28	06 T29	06 T30	06 T31	06 T32	06 T33	06 T34	06 T35	06 T36	06 T37	06 T38	06 T39	06 T40	06 T41	06 T42	06 T43	06 T44	06 T45	06 T46	06 T47	06 T48	06 T49	06 T50	06 T51	06 T52	06 T53	06 T54	06 T55	06 T56	06 T57	06 T58	06 T59	06 T60	06 T61	06 T62	06 T63	06 T64	06 T65	06 T66	06 T67	06 T68	06 T69	06 T70	06 T71	06 T72	06 T73	06 T74	06 T75	06 T76	06 T77	06 T78	06 T79	06 T80	06 T81	06 T82	06 T83	06 T84	06 T85	06 T86	06 T87	06 T88	06 T89	06 T90	06 T91	06 T92	06 T93	06 T94	06 T95	06 T96	06 T97	06 T98	06 T99	06 T100	06 T101	06 T102	06 T103	06 T104	06 T105	06 T106	06 T107	06 T108	06 T109	06 T110	06 T111	06 T112	06 T113	06 T114	06 T115	06 T116	06 T117	06 T118	06 T119	06 T120	06 T121	06 T122	06 T123	06 T124	06 T125	06 T126	06 T127	06 T128	06 T129	06 T130	06 T131	06 T132	06 T133	06 T134	06 T135	06 T136	06 T137	06 T138	06 T139	06 T140	06 T141	06 T142	06 T143	06 T144	06 T145	06 T146	06 T147	06 T148	06 T149	06 T150	06 T151	06 T152	06 T153	06 T154	06 T155	06 T156	06 T157	06 T158	06 T159	06 T160	06 T161	06 T162	06 T163	06 T164	06 T165	06 T166	06 T167	06 T168	06 T169	06 T170	06 T171	06 T172	06 T173	06 T174	06 T175	06 T176	06 T177	06 T178	06 T179	06 T180	06 T181	06 T182	06 T183	06 T184	06 T185	06 T186	06 T187	06 T188	06 T189	06 T190	06 T191	06 T192	06 T193	06 T194	06 T195	06 T196	06 T197	06 T198	06 T199	06 T200	06 T201	06 T202	06 T203	06 T204	06 T205	06 T206	06 T207	06 T208	06 T209	06 T210	06 T211	06 T212	06 T213	06 T214	06 T215	06 T216	06 T217	06 T218	06 T219	06 T220	06 T221	06 T222	06 T223	06 T224	06 T225	06 T226	06 T227	06 T228	06 T229	06 T230	06 T231	06 T232	06 T233	06 T234	06 T235	06 T236	06 T237	06 T238	06 T239	06 T240	06 T241	06 T242	06 T243	06 T244	06 T245	06 T246	06 T247	06 T248	06 T249	06 T250	06 T251	06 T252	06 T253	06 T254	06 T255	06 T256	06 T257	06 T258	06 T259	06 T260	06 T261	06 T262	06 T263	06 T264	06 T265	06 T266	06 T267	06 T268	06 T269	06 T270	06 T271	06 T272	06 T273	06 T274	06 T275	06 T276	06 T277	06 T278	06 T279	06 T280	06 T281	06 T282	06 T283	06 T284	06 T285	06 T286	06 T287	06 T288	06 T289	06 T290	06 T291	06 T292	06 T293	06 T294	06 T295	06 T296	06 T297	06 T298	06 T299	06 T300	06 T301	06 T302	06 T303	06 T304	06 T305	06 T306	06 T307	06 T308	06 T309	06 T310	06 T311	06 T312	06 T313	06 T314	06 T315	06 T316	06 T317	06 T318	06 T319	06 T320	06 T321	06 T322	06 T323	06 T324	06 T325	06 T326	06 T327	06 T328	06 T329	06 T330	06 T331	06 T332	06 T333	06 T334	06 T335	06 T336	06 T337	06 T338	06 T339	06 T340	06 T341	06 T342	06 T343	06 T344	06 T345	06 T346	06 T347	06 T348	06 T349	06 T350	06 T351	06 T352	06 T353	06 T354	06 T355	06 T356	06 T357	06 T358	06 T359	06 T360	06 T361	06 T362	06 T363	06 T364	06 T365	06 T366	06 T367	06 T368	06 T369	06 T370	06 T371	06 T372	06 T373	06 T374	06 T375	06 T376	06 T377	06 T378	06 T379	06 T380	06 T381	06 T382	06 T383	06 T384	06 T385	06 T386	06 T387	06 T388	06 T389	06 T390	06 T391	06 T392	06 T393	06 T394	06 T395	06 T396	06 T397	06 T398	06 T399	06 T400	06 T401	06 T402	06 T403	06 T404	06 T405	06 T406	06 T407	06 T408	06 T409	06 T410	06 T411	06 T412	06 T413	06 T414	06 T415	06 T416	06 T417	06 T418	06 T419	06 T420	06 T421	06 T422	06 T423	06 T424	06 T425	06 T426	06 T427	06 T428	06 T429	06 T430	06 T431	06 T432	06 T433	06 T434	06 T435	06 T436	06 T437	06 T438	06 T439	06 T440	06 T441	06 T442	06 T443	06 T444	06 T445	06 T446	06 T447	06 T448	06 T449	06 T450	06 T451	06 T452	06 T453	06 T454	06 T455	06 T456	06 T457	06 T458	06 T459	06 T460	06 T461	06 T462	06 T463	06 T464	06 T465	06 T466	06 T467	06 T468	06 T469	06 T470	06 T471	06 T472	06 T473	06 T474	06 T475	06 T476	06 T477	06 T478	06 T479	06 T480	06 T481	06 T482	06 T483	06 T484	06 T485	06 T486	06 T487	06 T488	06 T489	06 T490	06 T491	06 T492	06 T493	06 T494	06 T495	06 T496	06 T497	06 T498	06 T499	06 T500	06 T501	06 T502	06 T503	06 T504	06 T505	06 T506	06 T507	06 T508	06 T509	06 T510	06 T511	06 T512	06 T513	06 T514	06 T515	06 T516	06 T517	06 T518	06 T519	06 T520	06 T521	06 T522	06 T523	06 T524	06 T525	06 T526	06 T527	06 T528	06 T529	06 T530	06 T531	06 T532	06 T533	06 T534	06 T535	06 T536	06 T537	06 T538	06 T539	06 T540	06 T541	06 T542	06 T543	06 T544	06 T545	06 T546	06 T547	06 T548	06 T549	06 T550	06 T551	06 T552	06 T553	06 T554	06 T555	06 T556	06 T557	06 T558	06 T559	06 T560	06 T561	06 T562	06 T563	06 T564	06 T565	06 T566	06 T567	06 T568	06 T569	06 T570	06 T571	06 T572	06 T573	06 T574	06 T575	06 T576	06 T577	06 T578	06 T579	06 T580	06 T581	06 T582	06 T583	06 T584	06 T585	06 T586	06 T587	06 T588	06 T589	06 T590	06 T591	06 T592	06 T593	06 T594	06 T595	06 T596	06 T597	06 T598	06 T599	06 T600	06 T601	06 T602	06 T603	06 T604	06 T605	06 T606	06 T607	06 T608	06 T609	06 T610	06 T611	06 T612	06 T613	06 T614	06 T615	06 T616	06 T617	06 T618	06 T619	06 T620	06 T621	06 T622	06 T623	06 T624	06 T625	06 T626	06 T627	06 T628	06 T629	06 T630	06 T631	06 T632	06 T633	06 T634	06 T635	06 T636	06 T637	06 T638	06 T639	06 T640	06 T641	06 T642	06 T643	06 T644	06 T645	06 T646	06 T647	06 T648	06 T649	06 T650	06 T651	06 T652	06 T653	06 T654	06 T655	06 T656	06 T657	06 T658	06 T659	06 T660	06 T661	06 T662	06 T663	06 T664	06 T665	06 T666	06 T667	06 T668	06 T669	06 T670	06 T671	06 T672	06 T673	06 T674	06 T675	06 T676	06 T677	06 T678	06 T679	06 T680	06 T681	06 T682	06 T683	06 T684	06 T685	06 T686	06 T687	06 T688	06 T689	06 T690	06 T691	06 T692	06 T693	06 T694	06 T695	06 T696	06 T697	06 T698	06 T699	06 T700	06 T701	06 T702	06 T703	06 T704	06 T705	06 T706	06 T707	06 T708	06 T709	06 T710	06 T711	06 T712	06 T713	06 T714	06 T715	06 T716	06 T717	06 T718	06 T719	06 T720	06 T721	06 T722	06 T723	06 T724	06 T725	06 T726	06 T727	06 T728	06 T729	06 T730	06 T731	06 T732	06 T733	06 T734	06 T735	06 T736	06 T737	06 T738	06 T739	06 T740	06 T741	06 T742	06 T743	06 T744	06 T745	06 T746	06 T747	06 T748	06 T749	06 T750	06 T751	06 T752	06 T753	06 T754	06 T755	06 T756	06 T757	06 T758	06 T759	06 T760	06 T761	06 T762	06 T763	06 T764	06 T765	06 T766	06 T767	06 T768	06 T769	06 T770	06 T771	06 T772	06 T773	06 T774	06 T775	06 T776	06 T777	06 T778	06 T779	06 T780	06 T781	06 T782	06 T783	06 T784	06 T785	06 T786	06 T787	06 T788	06 T789	06 T790	06 T791	06 T792	06 T793	06 T794	06 T795	06 T796	06 T797	06 T798	06 T799	06 T800	06 T801	06 T802	06 T803	06 T804	06 T805	06 T806	06 T807	06 T808	06 T809	06 T810	06 T811	06 T812	06 T813	06 T814	06 T815	06 T816	06 T817	06 T818	06 T819	06 T820	06 T821	06 T822	06 T823	06 T824	06 T825	06 T826	06 T827	06 T828	06 T829	06 T830	06 T831	06 T832	06 T833	06 T834	06 T835	06 T836	06 T837	06 T838	06 T839	06 T840	06 T841	06 T842	06 T843	06 T844	06 T845	06 T846	06 T847	06 T848	06 T849	06 T850	06 T851	06 T852	06 T853	06 T854	06 T855	06 T856	06 T857	06 T858	06 T859	06 T860	06 T861	06 T862	06 T863	06 T864	06 T865	06 T866	06 T867	06 T868	06 T869	06 T870	06 T871	06 T872	06 T873	06 T874	06 T875	06 T876	06 T877	06 T878	06 T879	06 T880	06 T881	06 T882	06 T883	06 T884	06 T885	06 T886	06 T887	06 T888	06 T889	06 T890	06 T891	06 T892	06 T893	06 T894	06 T895	06 T896	06 T897	06 T898	06 T899	06 T900	06 T901	06 T902	06 T903	06 T904	06 T905	06 T906	06 T907	06 T908	06 T909	06 T910	06 T911	06 T912	06 T913	06 T914	06 T915	06 T916	06 T917	06 T918	06 T919	06 T920	06 T921	06 T922	06 T923	06 T924	06 T925	06 T926	06 T927	06 T928	06 T929	06 T930	06 T931	06 T932	06 T933	06 T934	06 T935	06 T936	06 T937	06 T938	06 T939	06 T940	06 T941	06 T942	06 T943	06 T944	06 T945	06 T946	06 T947	06 T948	06 T949	06 T950	06 T951	06 T952	06 T953	06 T954	06 T955	06 T956	06 T957	06 T958	06 T959	06 T960	06 T961	06 T962	06 T963	06 T964	06 T965	06 T966	06 T967	06 T968	06 T969	06 T970	06 T971	06 T972	06 T973	06 T974	06 T975	06 T976	06 T977	06 T978	06 T979	06 T980	06 T981	06 T982	06 T983	06 T984	06 T985	06 T986	06 T987	06 T988	06 T989	06 T990	06 T991	06 T992	06 T993	06 T994	06 T995	06 T996	06 T997	06 T998	06 T999	06 T1000	06 T1001	06 T1002	06 T1003	06 T1004	06 T1005	06 T1006	06 T1007	06 T1008	06 T1009	06 T1010	06 T1011	06 T1012	06 T1013	06 T1014	06 T1015	06 T1016	06 T1017	06 T1018	06 T1019	06 T1020	06 T1021	06 T1022	06 T1023	06 T1024	06 T1025	06 T1026	06 T1027	06 T1028	06 T1029	06 T1030	06 T1031	06 T1032	06 T1033	06 T1034	06 T1035	06 T1036	06 T1037	06 T1038	06 T1039	06 T1040	06 T1041	06 T1042	06 T1043	06 T1044	06 T1045	06 T1046	06 T1047	06 T1048	06 T1049	06 T1050	06 T1051	06 T1052	06 T1053	06 T1054	06 T1055	06 T1056	06 T1057	06 T1058	06 T1059	06 T1060	06 T1061	06 T1062	06 T1063	06 T1064	06 T1065	06 T1066	06 T1067	06 T1068	06 T1069	06 T1070	06 T1071	06 T1072	06 T1073	06 T1074	06 T1075	06 T1076	06 T1077	06 T1078	06 T1079	06 T1080	06 T1081	06 T1082	06 T1083	06 T1084	06 T1085	06 T1086	06 T1087	06 T1088	06 T1089	06 T1090	06 T1091	06 T1092	06 T1093	06 T1094	06 T1095	06 T1096	06 T1097	06 T1098	06 T1099	06 T1100	06 T1101	06 T1102	06 T1103	06 T1104	06 T1105	06 T1106	06 T1107	06 T1108	06 T1109	06 T1110	06 T1111	06 T1112	06 T1113	06 T1114	06 T1115	06 T1116	06 T1117	06 T1118	06 T1119	06 T1120	06 T1121	06 T1122	06 T1123	06 T1124
--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------

15 1992



T
7
N

(MACKAY NE)

34-07227

55'

Devil

34-7227

A-189
S.L. McAFFEE
189A

~~Wrong~~
MINIERS
523A

Map from
License File

A-79
R.M.N.
520A

R23E

R24E

T7N

P.O.U

A-393
R.HARP
393A

10.3

2.8

31.2

8.6

DU 7.1

9.3

13.3

L-4

P.O.

5.8

11.6

9.9

7.6

JAN 15 1992

13.18

A-63

G. KIMBLE

33A

A-361
F.W. DOYLE
361A



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 - (208) 327-7900

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

November 2, 1990

RE: Permit No. 34-7227

Scott McAfee
Box 282
Mackay, ID 83251

Dear Mr. McAfee:

The Department has further reviewed the field examination for the above referenced permit and the conditions which were imposed at the time the permit was approved. One of the conditions stated that unperforated casing was to be extended through the first confining layer. The well log submitted for this well by the well driller indicates that casing was perforated from 18' to 48' and the bottom of the hole has not passed through a confining layer.

Because of the location of your well, it was probably impossible for you to comply with the above condition. Added to this is the fact that this water right is located within a hydrological basin undergoing severe depletions in surface water supplies. Under the provisions of Section 42-237a, Idaho Code, the director is authorized to include the use of groundwater rights which have an effect upon the flow of the Big Lost River within the jurisdiction of the watermaster of Water District 34 (Big Lost River). Once the rights in this basin have been adjudicated, rights such as your will likely become regulated by the watermaster. For this reason, the license to be issued will be conditioned as being under the control of the watermaster unless you can submit information to us which confirms that the casing requirement was met.


We also note that a Snake River Basin Adjudication Claim has been filed on this right. Issuance of a license is subject to subsequent investigations conducted by the adjudication staff. Therefore, the license is subject to revision prior to a final decree.

JAN 15 1992

Page 2

We will withhold issuing a license for an additional ten (10) days to allow you to respond to these concerns. If we do not hear from you within that time period, we will assume you have no objections to the issuance of the license under the control of the watermaster.

Sincerely,



JIM JOHNSON
Water Rights Supervisor

JAN 16

March 20, 1989

SCOTT MC AFFEE
P.O. BOX 282
MACKAY, ID 83251

RE: PERMIT NO. 34-07227

Dear Permit Holder(s):

The above referenced water right is in the process of being licensed. However, before a license can be issued, your permit must be amended to correspond with the findings of the Department's field examiner.

The enclosed application for amendment contains information that will be included on the license when it is issued. Please review carefully and if you concur, sign the amendment and return with the \$20.00 filing fee within 30 days.

If you do not concur with these findings or if you have any questions, please contact us within the 30-day period.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

JAN 15 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

34-7227
Permit No.

Staff Analysis Sheet
for
Beneficial Use Field Report

A. Prior to Conducting the Exam, the File Contains:

- ☐ Blank Field Report Form
- ☒ Copy of Permit
- ☒ Copies of any Amendments/Orders with conditions of approval
- ☒ Computer Data Proof Report
- ☒ Copy of U.S.G.S. Quad
- ☒ Check for Government Lots. If so, make a copy of Government Plat

CHECK WELL LOG FOR COMPLIANCE WITH
CONDITIONS OF PERMIT

RECEIVED

OCT 23 1987

Check of P/D index 261 3/26/87 (Initial and date)

Overlap? ☐ yes ☒ no If yes: ☐ copy of exam(s) attached?

Type of Overlap? ☐ Add acres or uses to existing system

☐ Increase rate of flow or volume

☐ Other: 34-7113 Surface Rt.

Check of P/U index ES 3/26/87 (Initial and date)

Overlap? ☐ yes ☒ no If yes: ☐ copy of water right(s) attached?

Type of Overlap? ☐ Increase rate of flow or volume

☐ Add P/D's

☐ Increase number of acres within tracts

☐ Other: Surface Rts. 34-0878A

Aerial Photo

Required? ☐ yes ☐ no If yes: ☐ copy attached?

Scheduling Letter sent? _____ (Initial and date)

☐ Appointment made and telephone conversation memo attached

B. After Conducting the Exam, the File Contains:

- ☒ Fully completed and signed Field Report Form
- ☒ Photographs of Point of Diversion and Place of Use
- ☐ Corrected Computer Data Proof Report with recommended license information, and date and signature of examiner.

C. Review and Processing:

Exam Completed 7/20/87 Carol Slaughterbeck (Signature of examiner and date)

Exam Reviewed by Senior Water Resource Agent ES 8-19-87 (Initial and date)

Exam Reviewed by Manager of Regional Office SM 10/1/1987 (Initial and date)

Exam Date Entered in Computer _____ (Initial and date)

Exam sent to State Office 10/21/87 (Initial and date)

Copy of Staff Analysis Sheet sent to Manager of Regional Office and Original
Réfiled in White File _____ (Initial and date)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

--- SEE REMARKS BEFORE LICENSING ---

A. GENERAL INFORMATION

Permit No. 34-7227

1 Owner: Scott McAfee Phone No. 598-3319

Current Address: Mackay, ID 83251

2. Accompanied by Scott McAfee EXAM. DATE 7/20/87

Address Mackay, ID Phone No. 598-3319

Relationship to Permit Holder owner

3 Source: groundwater tributary to N/A

B. OVERLAP REVIEW

1. Other water rights with same place of use none surface Rts.


See ☐ Copies Attached

2. Other water rights with same point of diversion: no surface Rts.

☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1 **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = No Scale

2 ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☒ Photo of Diversion and System Attached

(required for all but single household domestic groundwater, and stockwater.)

☒ Aerial Photo Attached
(required for irrigation of 10 acres or more).

RECEIVED
JUL 25 1987

System Description (continued)

- 3 Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc)

25 hp pump runs 1 short ^{8 heads} line and 2 wheel lines; ~ 50-60 heads ^{3/16"} nozzles on wheel all lines
20-22 on wheels

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	GE	25	FNJ622291	Johnston	JP 27220

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
	4		SW	SW	7	7N	24E	Custer	USGS

6. Place(s) of Use:

Indicate Method of Determination

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
7N	24E	7									7	14							21
7N	23E	12									#			9			9		18
																			39

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
annubar					6.065	
manometer					48"	

2. Measurements:

ID = 7.5"
 pressure = 40 psi
 manometer (1) = 37.2 37.8 36.5
 USED (2) 34.8 37.1
 pressure on hand line = 40 psi wheel line 34-36

E. FLOW CALCULATIONS

☒ Additional Computation Sheets Attached

1. Measured Method:

ANNUBAR - USED 2ND READING FOR LENSING - SEE ATTACHED SHEET.

2. Alternate Method for Checking Purposes.

PITOT GAUGE -

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure _____ psi x 2.31 = _____ ft (1); Dynamic pumping level _____ ft (2)
 Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP (3) x (4) ÷ 8.8 = _____ (5)
 Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)
 Meter Input HP: (6) x 1.34 = _____ (7)
 Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x 0.01732 = _____ (6)
 Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation

$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 39(3) = 117$
 $V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 214(214)(1.9835) = 304.9$
 $V = \text{Smaller of } V_{IR} \text{ and } V_{DR} = 117 \text{ a/a}$

2. Volume Calculations for Other Uses

JAN 15 2002

H. REMARKS AND OVERLAP REVIEW ANALYSIS

THE WELL LOG INDICATES THAT THIS WELL DOES NOT MEET PERMIT REQUIREMENTS REGARDING USE OF PERFORATED PUMP CASING ~~PERMIT~~ AND CONDITION REQUIRING DRILLING THROUGH 1 CONFINING LAYER.

WELL LOG INDICATES CASING PERFORATED FROM 18' TO 48' AND BOTTOM OF HOLE HAS NOT PASSED THROUGH A CONFINING LAYER.

WELL LOG IS ATTACHED.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Irrigation	4/1	11/1	.71	117
Totals:			.71 cfs	117 afa

2. Recommended Amendments

- | | | |
|---|---|--------------------------------|
| ☐ Change P.D. as reflected above | ☐ Add P.D. as reflected above | ☐ None |
| ☐ Change P.U. as reflected above | ☒ Add P.U. as reflected above | ☐ Other |

J. AUTHENTICATION

Field Examiner's Name Carol Slaughterbeck
Signature Carol Slaughterbeck
Certification Date Oct 1, 1987
Field Report Preparation Date 7/22/87

Steve McCormick
CONSULTANT SEAL

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

Ryanne McElroy 11/22/87

JAN 15 1988

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
LICENSING REPORT

34-7227
Permit No

Measurement Calculations

Field Measurement Calculations (Include theoretical capacities and system capacity)

Halls Meter: $Q = (A)(V_h)$ $A = \text{Area} = \frac{\pi d^2}{4}$ $V_h = \text{Halls Manometer Reading}$

$Q_{\text{gpm}} = (A)(V_h) = \left[\frac{\pi d^2}{4} \right] (V_h) = \text{GPM} \div 448.8 \text{ gpm/cfs} = \text{CFS}$

$Q_{\text{cfs}} = \left[\frac{(3.1416)(\text{Nozzle Dia})^2}{4} \right] \times \left[\text{Reading} \right] \div 448.8 = \text{cfs}$

TABLE 1

CHART TO CONVERT LINEAR INCHES DIFFERENTIAL
IN THE MANOMETER TO MANOMETER READING

$V_h = \text{HALLS Manometer Reading}$	Diff. Inches of Water	$V_h = \text{HALLS Manometer Reading}$	Diff. Inches of Water	$V_h = \text{HALLS Manometer Reading}$	Diff. Inches of Water
1	.140	17	12.435	33	43.950
1.5	.240	17.5	13.132	33.5	45.200
2	.350	18	13.848	34	46.500
2.5	.470	18.5	14.582	34.5	47.850
3	.600	19	15.336	35	49.200
3.5	.750	19.5	16.108	35.5	50.550
4	.903	20	16.898	36	51.900
4.5	1.080	20.5	17.707	36.5	53.250
5	1.283	21	18.534	37	54.600
5.5	1.540	21.5	19.380	37.5	56.000
6	1.833	22	20.246	38	57.35
6.5	2.094	22.5	21.129	38.5	58.7
7	2.397	23	22.031	39	60.05
7.5	2.722	23.5	22.951	39.5	61.4
8	3.066	24	23.891	40	62.75
8.5	3.428	24.5	24.849	40.5	64.1
9	3.810	25	25.825	41	65.45
9.5	4.210	25.5	26.820	41.5	66.8
10	4.627	26	27.834	42	68.15
10.5	5.063	26.5	28.866	42.5	69.5
11	5.520	27	29.917	43	70.85
11.5	5.994	27.5	30.987	43.5	72.2
12	6.486	28	32.075	44	73.55
12.5	6.997	28.5	33.181	44.5	74.9
13	7.526	29	34.307	45	76.25
13.5	8.074	29.5	35.451	45.5	77.6
14	8.642	30	36.610	46	78.95
14.5	9.228	30.5	37.780	46.5	80.3
15	9.832	31	38.960	47	81.65
15.5	10.454	31.5	40.160	47.5	83.00
16	11.096	32	41.380	48	84.35
16.5	11.756	32.5	42.600		

From Sprinkler Head
Pressures

Hand line: $(6.64)(8) = 53.12$

Wheel lines: $(44)(6.21) = 273.24$

Total = 326.36 gpm

$Q = .73 \text{ cfs}$

JAN 15 1992

Annubar:

B = Difference in inches of water

C = Annubar Factor: Model 75 = 3.85
Model 73 = 4.14

$Q_{\text{cfs}} = \left[\frac{(C)(id)^2 \sqrt{B}}{448.8} \right] K = \text{CFS}$

$Q_{\text{cfs}} = \left[\frac{(3.75)(7.5)^2 \sqrt{2.3}}{448.8} \right] (1) =$

#2 Reading

$Q_{\text{cfs}} = .71 \text{ cfs}$

ALLOW .71 for license

K = Flow Correction Factor
= 1 for Manometer
= # From Calibration Chart


C=Correction Factor

6"	3.75
7.98"	3.87
10"	3.94
12"	3.99
14"/16"	4.01
18"/24"	4.02
30"	4.03

34-7227



100



34-7227

A-189
S.L. McAFFEE
189A

12

A-190
P.T. NIELSEN
523A

A-79
R.M. NI
520A

R23E

R24E

T7N

P.O.U

A-393
R.HARP
393A

a 10.3

b 2.8

a 31.2

b 6.6

DU 71

9.3

13.3

L-4

P.O.

b 5.8

JAN 15 1992

c 9.9

j 7.6

1318

A-83
G.E. KIMBALL
83A

e 5.3

A-341
F.W. DOYER
341A

7N24E 34-7227

Sec. 6.

Sec. 5.

unimproved

1' 50'

1' 19' 30"

LOC ATTRA

39 12

160

Sec. 7.

Sec. 8.

L-3

500 00

L-4

160

1' 07' 15"

1' 00' 19' 30"

5 89' 4"

500 05

150

LOC HOU

5A

500 12

4/86

RECEIVED

OCT 20 1988

RECEIVED

SEP 25 1986

Department of Water Resources
Eastern District Office

Department of Water Resources
STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

EXAMINATION FEE INFORMATION

For Office Use Only
Fee Received 125.00
Date 9-25-86
Receipt # 39903
Receipt by mn
Sent to S.O. 10-28-86

1. Permit No. 54 7227

ONE OF THE FOLLOWING BOXES SHOULD BE MARKED TO DESIGNATE YOUR CHOICE:

☒ I choose to have the department make the field examination of this permit; attached is the examination fee. (If this box is marked, complete items 1 thru 8.)

2. Permit Holder: Scott McAffee

3. Post Office Address: Mackay, Idaho 83251
Telephone No. 588-3319

4. Source of Water: Ground Water

5. Extent of Use:

Domestic _____ (No. of households) Stockwater _____ (No. and type of stock)

Irrigation 80 (acres) Other/Remark _____

6. Total rate &/or volume for which proof is submitted 1.6 cfs _____ acre-feet

7. Show the date water was first diverted and beneficially used under this permit:

6-15-79

8. Person to contact to accompany the department representative during the field examination:

Scott McAffee
(Name)

Mackay, Ida. 83251
(Address)

588-3319
(Telephone Number)

☐ I choose to have the field examination conducted by a certified water right examiner. Attached is a statement from the certified examiner I have selected verifying that he has been retained to conduct the examination. (If this box is marked, complete items 1 thru 7.)

Date 9/23/86

Scott McAffee
Signature of Permit Holder (and title, if appropriate)

JAN 15 1992

copy retained for file

State of Idaho
Department of Water Resources

LICENSE EXAMINATION FEE SCHEDULE

(c.f.s. = cubic feet per second
AF = acre feet)

cfs	AF	Fee
0 - 0.04	0 - 4	\$ 0
.05 - 0.20	5 - 20	50.00
.21 - 1.0	21 - 100	100.00
1.01 - 2.0	101 - 200	125.00
2.01 - 3.0	201 - 300	150.00
3.01 - 4.0	301 - 400	175.00
4.01 - 5.0	401 - 500	200.00
5.01 - 6.0	501 - 600	225.00
6.01 - 7.0	601 - 700	250.00
7.01 - 8.0	701 - 800	275.00
8.01 - 9.0	801 - 900	300.00
9.01 - 10.0	901 - 1000	325.00
10.01 - 11.0	1001 - 1100	350.00
11.01 - 12.0	1101 - 1200	375.00
12.01 - 13.0	1201 - 1300	400.00
13.01 - 14.0	1301 - 1400	425.00
14.01 - 15.0	1401 - 1500	450.00
15.01 - 16.0	1501 - 1600	475.00
16.01 - 17.0	1601 - 1700	500.00
17.01 - 18.0	1701 - 1800	525.00
18.01 - 19.0	1801 - 1900	550.00
19.01 - 20.0	1901 - 2000	575.00
20.01 & over	2001 & over	600.00

Checks should be made payable to the
Department of Water Resources

No fee is required for single family
domestic use or stockwater use.



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

34-7227
MC AFFEE, SCOTT
P.O. BOX 282
MACKAY, ID 83251

Mailing address:
Statehouse
Boise, Idaho 83720

0013488

JUL 30 1986

EXAMINATION FEE NOTICE

Dear Permit Holder:

Department records show that proof of beneficial use has been submitted for the above-referenced permit, but that a field examination has not yet been conducted to determine the extent of beneficial use of the water for licensing purposes.

House Bill 671 (effective April 4, 1986) enacted by the 1986 Idaho Legislature requires the payment of a fee before this department can conduct the field examination needed to issue a license confirming use of water under the permit. This letter is notification that the license examination fee is due within sixty (60) days of the date of this letter. The examination fee information sheet (enclosed) must be returned with the fee.

As an alternative to submitting the fee, the department will accept a field examination report completed by a certified water right examiner from the private sector. If you choose to have the examination done by a certified water right examiner, you need not submit the license examination fee to the department, but you must within sixty (60) days of the date of this letter return to the department, the examination fee information sheet showing appropriate information together with a statement from the certified examiner to verify that you have retained a certified examiner to conduct the field examination. If you choose this alternative, a completed field examination report must be submitted within one year of the date of this letter. You cannot later change your decision to use this alternative and submit the fee needed for the department to conduct the field examination, but you may change to another certified examiner.

Certified water right examiners are licensed engineers, geologists, or land surveyors certified by the department to conduct water right examinations. The procedure for certifying examiners results from the recently enacted HB 671 and is being developed at this time. A listing

of certified water right examiners will be available from this department when examiners have been certified.

If your permitted use, in fact, has already been examined by the department and you have not asked to have the examination repeated, the fee requirement is not applicable to your permit. If you believe this is the case, please contact the department.

The license examination fee is to be based on the amount of water you indicate you have developed, as listed in item 6 on the examination fee information sheet. The amount of water on which the examination fee is based can be less than the permitted amount, if less water has been diverted and beneficially used. The licensed amount of water, however, will not exceed the amount you claim on the examination fee information sheet. The enclosed license examination fee schedule shows a listing of applicable fees.

FAILURE TO SUBMIT WITHIN THE SIXTY (60) DAY PERIOD, THE FEE OR THE STATEMENT THAT A CERTIFIED EXAMINER HAS BEEN RETAINED TO MAKE THE FIELD EXAMINATION, WILL BE CAUSE TO ADVANCE THE PRIORITY OF THE PERMIT ONE DAY FOR EACH DAY THAT THE FEE SUBMITTAL IS LATE.

FAILURE TO SUBMIT THE FEE OR THE COMPLETED FIELD EXAMINATION REPORT WITHIN A YEAR WILL BE CAUSE TO CONSIDER THE PROOF OF BENEFICIAL USE TO BE INCOMPLETE AND TO LAPSE THE PERMIT.

The attached examination fee information sheet and the fee may be submitted to the following department offices.

Northern Region

Idaho Dept. of Water Resources
4055 Government Way
Coeur d'Alene, ID 83814
Phone: 765-4639

Eastern Region

Idaho Dept. of Water Resources
150 Shoup Ave., Suite 15
Idaho Falls, ID 83401
Phone: 525-7161

Southern Region

Idaho Dept. of Water Resources
1041 Blue Lakes Blvd. North
Twin Falls, ID 83301
Phone: 734-3578

Western Region

Idaho Dept. of Water Resources
450 W. State St., (Third Floor)
Boise, ID 83720
Phone: 334-2190

Sincerely,



L. GLEN SAXTON
Chief, Operations Bureau



Enclosures

JAN 15 1992

Scott M. Fee

Box 282

Truckee, Ida.



Department of Water Resources

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
COMMENCEMENT OF WORKS

Permit No 34-7227
Name(s) of Permit Holder(s). Scott MacKee
Post Office Address Box 282
MacKee, Idaho 83251
Phone No. 588-3319

- ☒ I hereby certify that construction of diversion works for the above referenced permit began on June 1979 (date). I understand that I must continue to develop the water system with due diligence to maintain a valid permit.
- ☐ I hereby certify that construction of diverting works on the above referenced project has not yet begun due to the following reason beyond my control*:

*Note: A financing difficulty is
not an acceptable reason

Date

Signature of Permit Holder

4/23/83

Scott MacKee

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Eastern Region

150 Shoup, Suite 15
Idaho Falls, Idaho 83402
(208) 525-7161

MPW 22, 1994

SCOTT McAFFEE

BOX 282

MACKAY

ID 83251

RE Permit No. 34-7227

Dear Permit Holder

We acknowledge receipt of your statement submitted as front of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this department.

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office by phone at 525-7161 or in person in the third floor State Office Building, 150 Shoup, Idaho Falls, Idaho.

Sincerely,

CHAROLD W. JONES



Resource Agent

JAN 15 1992

Scott McPeck

Box 282

Mackay, Idaho 83251



RECEIVED

APR 18 1984

RETURNED FOR POSTAGE



Department of Water Resources

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No 34 7227.

Name(s) of Permit Holder Scott McAffee

Post Office Address. Box 282

Mackay, Idaho 83251 Tel No. 588-3319

Source of Water Ground water

Extent of Use

☐ Domestic

(number of households)

☐ Stockwater

(number and type of stock)

☒ Irrigation 50

(acres)

☐ Other

Measuring Device

Required?

☐ Yes

☐ No

Installed?

☐ Yes

☐ No

Access Port

Required?

☒ Yes

☐ No

Installed?

☒ Yes

☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed

4/14/84
Date

Scott McAffee
Signature of Permit Holder

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

MCAPFEE, SCOTT
MACKAY, ID 83251

138563

PROOF DUE NOTICE

MARCH 31, 1984

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 34-7227 WAS THAT PROOF OF THE EXTENT OF YOUR BENEFICIAL USE MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE JUNE 01, 1984. (SEE LAST PAGE OF YOUR APPROVED PERMIT OR YOUR LAST APPROVED EXTENSION REQUEST). ENCLOSED IS A POSTCARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU OR A PREVIOUS OWNER OF THIS PERMIT HAVE NOT RECEIVED A PRIOR EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME IF THE DELAY IS FOR REASONABLE CAUSE AS PROVIDED IN SECTION 42-204, IDAHO CODE. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED. AN EXTENSION OF TIME REQUEST FORM IS ENCLOSED FOR YOUR CONVENIENCE.

EITHER THE BENEFICIAL USE POSTCARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE DESCRIBED PROOF DUE DATE. IF NEITHER IS RECEIVED, THE DEPARTMENT WILL SEND YOU A LAPSE NOTICE. WITHIN SIXTY (60) DAYS OF THE MAILING OF THE LAPSE NOTICE, THE PERMIT WILL NO LONGER BE OF ANY FORCE NOR EFFECT.

SINCERELY,

RITA FLECK
SECRETARY/RECORDS MANAGER

ENCLOSURES

ENCLOSURE



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 373 W. Franklin Street, Boise, Idaho

JOHN V. EVANS
Governor

C. STEPHEN ALLRED
Director

July 16, 1979

Mailing address.
Statehouse
Boise, Idaho 83720
(208) 384-2215

Scott McAfee
Mackay,
ID 83251

Dear Mr. McAfee:

RE: Permit No. 34-7227

Enclosed is a copy of your approved Application for Permit. We direct your attention to the conditions of approval on the fourth page.

Please note the special condition requiring you to install an access port or other device to provide for the installation of measuring equipment by the Department. Enclosed are specifications for the installation of the access port, as well as a list of measuring device options.

The exercise of this permit may also be affected by the court's determination of water rights in the case of Idaho Power Company v. State of Idaho, et al., Civil No. 62237, currently pending before the District Court of Ada County.

Idaho Power officials tell us that because of Case No. U-1006-124 filed before the Idaho Public Utilities Commission, Idaho Power Company is asking the District Court of Ada County to determine whether the Power Company's water rights on the Snake River are protected against subsequent upstream appropriations in the waters of the Snake River and surface and subterranean tributaries between Milner Dam and Hells Canyon.

Since the use of water under your permit may affect the flows in this reach of the Snake River, the final decision in Idaho Power Company v. State of Idaho, et al. (Ada County Civil No. 62237) may determine to what extent the exercise of your permit may be subject to the water rights of Idaho Power.

While the Ada County court is examining this question, Idaho Power Company has not filed a specific protest to your permit. However, the Department of Water Resources has been advised that the Power Company is not waiving any of its rights to contest or limit the exercise of your permit or a subsequent license or water right.

If you have any questions, please let us know.

Sincerely,

DAVID R. TUTHILL, JR.
Supervisor, Water Allocations Section

DRT:lr

Enclosures

[Handwritten signature]

MEMO

TO: Bob Flanagan


RE: Ground Water Level Graphs

Attached are two graphs illustrating groundwater levels from February 1976 to January 1979 on the INEL site west of Idaho Falls. They demonstrate a rather drastic decline in the static water level for an area that probably receives most of its recharge from the Big Lost and Little Lost Rivers with possibly some inflow from Birch and Medicine Lodge Creeks. Though the Department is still approving ground water development in these drainage basins and the Montpelier area, it may be beneficial for the Department to further analyze the situation relative to future groundwater development.


Ernest

MICROFILMED

OBSERVATION WELL 2N 29E Sec 17 CBC-1



OBSERVATION WELL 3N 29E Sec 32 BBC-1



STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES
Eastern Region

1515 Lincoln Road
Idaho Falls, ID 83401
(208) 523-7186

MAY 4, 1979

Custer Publishing Co.
P. O. Box 405
Challis, Idaho 83226

Gentlemen,

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. We have allowed ample time for you to submit a sales proof to this office for review before the first publication date. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before MAY 29, 1979.

Yours truly,

RONALD D. CARLSON
Supervisor

Encl.

MICROFILMED

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho

34-2227

McAFFEE, SCOTT

MACKAY, ID 83251

Source: GROUNDWATER

Date Filed: 05/03/1979

Amount: 1.60 CFS

Diversion Point: SMSW Sec 07 T 07N R 24E, CUSTER Co.

Use: IRRIGATION (1.60 CFS) from 04/01 to 11/01

Place of Use: SMSW Sec 07 T 07N R 24E SESE Sec 12 T 07N R 23E
FOR 80 ACRES

Diversion Means: WELL, PUMP, DELIVERY SYSTEM

rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 1515 Lincoln Rd., Idaho Falls, Idaho 83401 on or before MAY 29 1979.

C. STEPHEN ALLRED

Director

Published 5/10 & 5/17/79.

MICROFILMED

May 3, 1979

Scott McAfee
Mackay,
Idaho 83251

Dear Mr. McAfee:

Re: Application for Permit

Attached herewith is Departmental receipt No. 11852 in the amount of \$45.00 for the above referenced application.

Very truly yours,

RONALD D. CARLSON
Supervisor
Eastern Region

RDC:dh

Attachment

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: Ernest APPLICATION NUMBER: _____

CHECK:

- ☒ Source. g.w.
☒ Point of diversion.
☒ County.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No* In form to receipt.

Field check by: _____

Date: _____

Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

NOTE: This well is with 1/4 mile of Big Lost River. May want to condition well construction to case ~~then~~ into first impermeable layer? gmc.

SEND COPIES TO:

- ☐ Idaho State Health Department. Copies sent by: _____ Date: _____
☐ Idaho Fish and Game Department. _____
☐ Idaho Department of Lands. _____
☐ U.S. Bureau of Land Management. _____
☐ U.S. Forest Service. _____
☐ Other _____

PROCESSING:

- ☐ Yes ☐ No Platted by: gmc Map No. Basin 34 7N 24E & 7N 23E
☐ Yes ☒ No Other rights on same place of use. _____
☒ Yes ☐ No* In form for advertising.
Final date for protests: MAY 29, 1979
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 5-21-79
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☒ Yes ☐ No Access port required.
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____
5/3/79 Date of priority recommended.
Special conditions of approval or cover letter.
☒ Unperforated casing must extend through the first confining layer.

Sand Snake River Tributary Letter.

By: Ernest Carlson. Date: 6/12/79.

STATE OFFICE REVIEW:

yes, 19, OIC

- ☐ See attached sheet for more information.

By: Jim Date: 6/22/79

RECEIVED

JUN 15 1979

Department of Water Resources

MICROFILMED