


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

Range 26E




Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Ralph S. Parkinson
(Applicant)

10. Other water rights on these lands 34-2505/2506/2497 Groundwater Big Lost River 34-2289/2490 34-7145
11. Other water right diverted from same p.d. N/A

12. **Diversion and Delivery System Diagram:** Indicate all major components and distances between components. Indicate ditch size/pipe i.d. as applicable. Indicate on systems with measurement port the distance between the port and the nearest component/pipe bend/restriction both upstream and downstream, and the inside pipe diameter at the measurement port. On multiple diversion systems indicate how diversion systems are connected.



13. ☒ Photo of Diversion & System Attached

- ☒ Aerial Photo of Place of Use Attached or Map of Irrigated Acreage Attached

14. **Remarks** Munsey ditch has a Cipolletti weir. Big Lost Irrigation District purchased an annubar to measure rediversions within the District (should meet requirement for measuring device at rediversions from canal.) and all rediversions have been fitted so measurements can be made.
East Side Ditch has a Cipolletti weir $\approx$ 100 yards before the ditch discharges into Big Lost River

15. Recommended Amendments

- ☐ Change P.D. as reflected above
☒ Change P.U. as reflected above

- ☐ Add P.D. as reflected above
☐ Add P.U. as reflected above

- ☐ None
☐ Other

16. Examiner's/Consultant's Signature Keith C. Wilson Date 1 Aug 1985

Consultant's License Number _____

IDWR Director's Authorization to Conduct

Beneficial Use Examination _____

Date _____

JAN 15 1992

CONSULTANT SEAL

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

Permit No. 34-7176

1. Owner: Ralph Parkinson

Phone No. 527-3161

Current Address: Rt 1 Box 228 Arco ID 83213

2. Accompanied by: Scott Parkinson EXAM. DATE: 12-Sept 1990

Address: Rt 1 Box 222 Arco 83213 Phone No. _____

Relationship to Permit Holder: Son/Operator

3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: SEE ORIGINAL EXAM

☐ Copies Attached


2. Other water rights with same point of diversion: SEE ORIGINAL EXAM

☐ Copies Attached

☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☒ Photo of Diversion and System Attached


(required for all but single household domestic groundwater, and stockwater.)

☒ Aerial Photo Attached

(required for irrigation of 10 acres or more).

MICROFILMED

JAN 15 1992




DELIVERY
SYSTEM


MAP 1

34-7176

POINT
OF
DIVERSION

POINT OF DIVERSION
MUNSEY DITCH





POINT OF
DIVERSION
MUNSEY
DITCH

R26E

T4N
T3N

DELIVERY SYSTEM

THIS LAND SEC 10 &
SEC 11, NOT UNDER
THIS RIGHT 34-7176

R26E R27E

R26E
T3N

34-7176

REDIVERSION #1

REDIVERSION #2

DITCH


MAP 2

PLACE OF USE

PLACE OF USE

MUNSEY DITCH

R26E
T3N



10

11

12

14

13

18

23

24


19

MAP 4

PLACE OF USE TO BE
LICENSED UNDER PERMIT

34-7176

JAN 15 1992




GROUNDWATER WELL

APPROVED

JAN 15 1992

34-7176



RE-DIVERSION SYSTEM PUMPS

JAN 15 1992

34-7176

T
3
N

R26E R27E

127
1318

A-406
S. PARKINSON
606-4

LOT 1

20.8

1.2

38.2

LOT 2

38

39

26.5

25.8

25.9

20.5

8.9

9.0

LOT 3

18

455
L.V. Behndell
452-4

AERIAL PHOTO #2

JAN 15 1992

LOT 4

34-7176

1318
2419
2419

69.3

A-149
C. Huggins

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 34-07176

Priority: May 29, 1977

Maximum Diversion Rate: 7.80 CFS
Maximum Diversion Volume: 1245.0 AF

This is to certify, that THEDA E. PARKINSON
RALPH S. PARKINSON

RT. 1 BOX 228
ARCO ID 83213

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated April 4, 1977; and has submitted Proof of Beneficial Use on July 26, 1982. An examination indicates that the works have a diversion capacity of 9.730 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 to 11/01	7.80 CFS	1245.0 AF

LOCATION OF POINT(S) OF DIVERSION:

Rediversion	SENE , Sec. 11, Township 03N, Range 26E
Rediversion	NWNW , Sec. 24, Township 03N, Range 26E
	NESWSW , Sec. 34, Township 05N, Range 26E
Rediversion	SWSW , Sec. 12, Township 03N, Range 26E

BUTTE County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
03N	26E	14	NESE 39	NWSE 40	SWSE 40	158
		18	SESE 39			
			NENW 1.2	LOT 1(NWNW) 20.8	LOT 2(SWNW) 38	99
			SESW 39			
		23	NENE 39	NWNE 40	SWNE 40	158
			SENE 39			

Total number of acres irrigated: 415

CONDITIONS/REMARKS:

1. The maximum diversion volume listed within this right is defined as the maximum allowable volume of water that may be diverted annually from the source identified under this right, or limited to the amount that can actually be beneficially used on the above described place of use. This right is further limited to a maximum diversion of water onto the above described place of use of 0.02 cfs per acre or 3.0 acre feet per acre per year when combined with all other appurtenant water rights.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.

FILED

JAN 15 1992

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE


WATER RIGHT NO. 34-07176

CONDITIONS/REMARKS:

4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Use of water under this water right will be regulated by the watermaster of State Water District No. 34.
6. A measuring device and lockable controlling works of a type acceptable to the Department shall be permanently installed and maintained as part of the diverting works.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 6TH day of DECEMBER, 1991.

Acting for


K. Keith Higginson, Director

JAN 15 1992

Nov. 5, 1991

Jim Johnson
Water Rights Supervisor
State of Idaho
Dept. of Water Resources

Re: Water Right no. 34-07176

Dear Sir:

Enclosed is my check for the \$20.00 filing fee.

also I discussed this application for amendment with Harold Jones in the Idaho Falls office of the Dept. of water Resources & we made a few ^{corrections} ~~changes~~ as you can see. you will probably want to call him & talk to him about it.

The redirection described as the NWSW Sect 12 Township 3N Range 26E is a ditch that goes down to section 18 and drops into the McLaughlin ditch and then we pump it ~~out~~ ^{into} into an irrigation system.

JAN 15

Thank you,
Ralph S. Parkinson

State of Idaho
Department of Water Resources

RECEIVED
NOV 07 1991

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 34-07176

Department of Water Resources

Date of Priority: May 29, 1977

Maximum Diversion Rate: 7.80 CFS
Maximum Diversion Volume:¹ 1245.0 AF

Comes now

RALPH S. PARKINSON
THEDA E. PARKINSON

RT. 1 BOX 228
ARCO ID 83213

and represents to the Director of the

Idaho Department of Water Resources:

That he is the owner and holder of Permit to appropriate the Public Waters of the State of Idaho No. 34-07176, and requests that the permit be changed as follows:

Source: **GROUNDWATER**

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 to 11/01	7.80 CFS	1245.0 AF

LOCATION OF POINT(S) OF DIVERSION:

~~Rediversion~~ SENE, Sec. 11, Township 03N, Range 26E
~~Rediversion~~ NWNW, Sec. 24, Township 03N, Range 26E
~~Rediversion~~ NESWSW, Sec. 34, Township 05N, Range 26E
~~Rediversion~~ ~~SWSW~~, Sec. 12, Township 03N, Range 26E
NWSW BUTTE County

Rediversion (Munsiey Ditch)

NWNW Sec. 24 T4N R26E

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
03N	26E	14	NESE 39	NWSE 40	SWSE 40	
			SESE 39			158
		18	NENW 1.2	LOT 1(NWNW) 20.8	LOT 2(SWNW) 38	
			SESW 39			99
		23	NENE 39	NWNE 40	SWNE 40	
			SENE 39			158

Total number of acres irrigated: 415

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at Arco, Idaho, this 5 day of November, 1991.

Ralph S. Parkinson
(Signature)

JAN 15 1992

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 34-07176

FOR DEPARTMENT USE ONLY

Preliminary check by _____ Fee = \$20.00 Received by JH Date 11-7-91

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, R. Keith Higginson, of the Department of Water Resources hereby approve the above Application for Amendment for Permit No. 34-07176 with the following;

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Use of water under this water right will be regulated by the watermaster of State Water District No. 34.

Witness my hand this _____ day of _____, 19____.

R. Keith Higginson, Director

JAN 15 1992

WATER RIGHT SUMMARY

ACTION	RIGHT NO.	NAME	AMOUNT CFS
~~Original Permit~~	~~34-7176~~	~~Ralph S. &/or Theda E. Parkinson &/or James S. Babcock~~	~~7.80 cfs~~
Full Assignment	34-7176	Ralph S. or Theda E. Parkinson	7.80 cfs

MICROFILMED

State of Idaho
Department of Water Resources

AUG 13 1985

ASSIGNMENT OF PERMIT

Department of Water Resources
Eastern District Office

I, James S Babcock, hereby assign to Ralph S; or Theda E. Parkinson
of Rt 1 Box 228 Arco Id 83213
Address

CHECK ONE

☒ All my right, title, and interest in and to Permit No. 34-7176
to appropriate the public waters of the State of Idaho.

☐ The following described portion of my right, title, and interest in and to Permit
No. _____ to appropriate the public waters of the State of Idaho.
(Describe that portion of the permit being assigned by listing the acreage within
each 40 acre subdivision, the point of diversion and the amount of water in cubic
feet per second for direct diversion, or acre feet for storage)

Made this 12 day of August, 1985.

James S Babcock
Permit Holder

Theda E Babcock
Spouse of Permit Holder

State of Idaho)
County of Custer) ss.

On this 12th day of August, 1985, personally
appeared before me the signer(s) of the above instrument, who duly acknowledged to me
that he (she) (they) executed the same.

seal

Lita M. Lundberg
Notary Public residing at
Graceland, Idaho

RECEIVED

AUG 22 1985

My commission expires:
3/19/91

Department of Water Resources

MICROFILMED

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 34-7176	)	
	)	
IN THE NAME OF RALPH S. AND/OR	)	
	)	ORDER OF REINSTATEMENT
THEDA E. PARKINSON AND/OR	)	
	)	
JAMES S. BABCOCK	)	
	)	
	)	

WHEREAS, the Department has issued the above-captioned permit with the condition that proof of construction of works and application of water to beneficial use be submitted on or before June 1, 1982; and,

WHEREAS, the Department has notified the permit holders by certified mail that proof was due and instructed the permit holders as to the steps to be taken to make said proof; and,

WHEREAS, the Department has notified the permit holders that the permit has lapsed for failure of the permit holders to submit proof of beneficial use; and,

WHEREAS, Section 42-218a of the Idaho Code provides that a permit may be reinstated upon a showing of reasonable cause within sixty days of the date of the notice of lapsing; and,

WHEREAS, the permit holders have provided a reasonable showing as to why said permit should be reinstated by submitting proof of beneficial use on July 26, 1982;

IT IS, THEREFORE, HEREBY ORDERED that Permit No. 34-7176 be REINSTATED and the priority advanced to May 29, 1977.

Dated this 4th day of August, 1982.



L. GLEN SAXTON

Chief, Operations Bureau

MICROFILMED

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF CHANGING THE MEASURING
DEVICE REQUIREMENT FOR PERMIT NO. 34-7176

ORDER

WHEREAS, the above numbered permit was approved with the condition that a measuring device of a type approved by the Department be permanently installed and maintained as part of the diverting works; and,

WHEREAS, on July 1, 1978, the Department adopted a new water measurement condition which states: "An access port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department"; and,

WHEREAS, the former condition required the permit holder to purchase and install a measuring device or hire a professional engineer to certify the rate of diversion; and,

WHEREAS, the measuring device condition effective July 1, 1978, requires less capital expenditure by the permit holder; and,

WHEREAS, to be equitable to holders of permits issued prior to July 1, 1978, the new condition should be retroactive;

NOW THEREFORE, it is hereby ordered that the condition of approval of this permit related to water measurement is hereby changed as follows:

"The permit holder shall either install a measuring device or provide a certified measurement by a professional engineer or install an access port or other device as specified by the Department".

Dated this 1st day of June 1981.

Glen Saxton

GLEN SAXTON
Chief, Operations Bureau

MICROFILMED

Identification No. 34 7176
Application No. _____

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

- 1 Name of applicant Ralph S. &/or Theda E. Parkinson Phone 527-3161
post office address &/or James S. Babcock Rt. #1, Box 66, Arco, 83213
- 2 Source of water supply ground water which is a tributary of _____
- 3 a Location of point of diversion is SW $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 34 Township 5N
Range 26E B M Butte County; additional points of diversion if any _____
- b If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B M _____
- 4 Water will be used for the following purposes
Amount 7.80 for irrigation purpose from Apr. 1 to Nov. 1 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated.
a 7.80 cubic feet per second and/or
b _____ acre feet per annum
- 6 Proposed diverting works
a Description of ditches, flumes, pumps, headgates, etc. well, pump and open discharge and network of canals.
- b Height of storage dam _____ feet, active reservoir capacity _____ acre feet, total reservoir capacity _____ acre feet, materials used in storage dam _____
Period of year during which storage will occur _____ to _____ inclusive.
(Mo Day) (Mo Day)
- c Proposed well diameter is 20 inches; proposed depth of well is 160 feet
- 7 a Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years
b Estimated construction cost is \$ 15,000.00
- 8 Description of proposed uses
a If water is **not** for irrigation
(1) Give the place of use of water _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B M _____
(2) Amount of power to be generated _____ hp under _____ feet of head
(3) List number of each kind of livestock to be watered _____
(4) Name of municipality to be served _____, or number of families to be supplied with domestic water _____
(5) If water is to be used for other purposes describe _____

APPROVED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below

TWP	RANGE	SEC	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				TOTALS
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
3N	26E	14													40	40	40	40	160
		23	40	40	40	40													160
5N	26E	34											40	40					80
		3					40												40

Total number of acres to be irrigated 440


c. Describe any other water rights used for the same purposes as described above. License No. 34-2289, for ground water on 280 acres in SE $\frac{1}{4}$, Sec. 14, NE $\frac{1}{4}$, Sec. 23, T. 3N, R. 26E, B.M. and License No. 34-2490 for 2.09 cfs for ground water on 276.5 acres for same land description

- 9 a. Who owns the property at the point of diversion James S. Babcock
b. Who owns the land to be irrigated or place of use James S. Babcock & Ralph S. Parkinson
c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing verbal agreement

10. Remarks License No. 34-2490 for 2.09 cfs of ground water is needed for transportation loss in the 9-mile long canal.

11 Map of proposed project show clearly the proposed point of diversion, place of use, section number, township and range number

Range 26E



Scale 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth

Ralph S. Parkinson
(Applicant)

Proposed Priority 4/ 4/77

Received by CW Date 4-04-77 Time 4:50p.

Preliminary check by AKK Fee \$ 95.00

Receipted by CW Date 4-04-77 # 6506

Publication prepared by CW Date 4-08-77

Published in Arco Advertiser

Publication dates April 14 + 21 - 1977

Publication approved _____ Date _____

Priority reduced to _____ Reason _____

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial AKK

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 34-7176, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.


b. Proof of construction of works and application of water to beneficial use shall be submitted on or before June 1, 19 82.

c. Other: A measuring device of a type approved by the Director shall be permanently installed and maintained as part of the diverting works.

Measuring devices are to be installed at the point of diversion of the well and at the point of withdrawal from the canal.

That the rate of diversion shall not exceed 8.8 c.f.s. when this right is combined with License Nos. 34-2289 and 34-2490.

Witness my hand this 2 day of June, 19 77.


Deputy Director

Affidavit of Publication

RECEIVED
MAY 1 1977

Department of Water Resources
Eastern District Office

I, Leella Chismack, of the
Arco Advertiser, a weekly newspaper of general
circulation, published weekly at Arco, Idaho, since
March, 1909, do solemnly swear that a copy of
this notice, per clipping attached, was published
weekly in the regular and entire issue of said
newspaper, and not in any supplement thereof,

for 2 consecutive weeks, commencing with

the issue dated 4-14-77

and ending with the issue dated 4-21-77

Leella Chismack

Subscribed and sworn to before me this

16 day of May, 1977

Charles J. [Signature]
Notary Public

Residence: Arco, Idaho.

My commission expires 5/14, 1978

PUBLIC NOTICE
PERMIT TO APPLY FOR WATER RIGHTS
This is hereby given that the
State of Idaho, by the Department of Water Resources, has
received an application for a permit to apply for water rights
submitted on 4-14-77 for a permit to
appropriate 7.00 cubic feet per
second of water from a surface
water source by means of well and
pump within the SW 1/4 SW 1/4 Sec.
24, T. 5N., R. 24E., B.M., Blaine
County; to be used from April 1st
Nov. 1 for the irrigation of 40 acres
within the SE 1/4, Sec. 14, NE 1/4, Sec.
23, T. 5N., R. 24E.; SW 1/4 SW 1/4, Sec. 24,
NE 1/4 NW 1/4, Sec. 3, T. 5N., R. 24E.,
B.M.
If issued, this permit will be
subject to all prior water rights.
Protests against the granting of the
permit must be filed with the Idaho
Department of Water Resources,
1515 Lincoln Road, Idaho Falls,
Idaho 83401, on or before May 2,
1977.
Director
Published in the Arco Advertiser,
Arco, Idaho, on May 1, 1977.

SYSTEM DESCRIPTION:

34-7176

GROUNDWATER WELL, PUMP & MOTOR WITH OPEN DISCHARGE INTO THE ISLAND DITCH TO THE EASTSIDE DITCH THAT DISCHARGES WATER INTO THE BIG LOST RIVER. HEADGATE OF MUNSEY DITCH (OPPOSITE BANK OF THE BIG LOST RIVER) TO PRIVATE DITCH TO REDIVERSION PUMP # 3.

REDIVERSION PUMP # 3 PUMPS INTO MAINLINES TO CENTER PIVOTS & LATERALS WITH SPRINKLERS. SEE MAPS #1 THROUGH #3. (NOTE REDIVERSION PUMPS #1 & #2 ARE USED UNDER 34-7145)

THE PRIVATE DITCH CARRIES WATER TO THE NE $\frac{1}{4}$ SEC 18, T03N, R27E.

17 Sept 1991
DATE

Keith C. Wilson
KEITH C. WILSON
4-16-96

lynn,
Shelley says we need your note
of approval to correct a licensing
error on this license. Field examiner
found land in Sec. 18 R. 27E. Licensing
amendment said it was in Sec. 18
R 26E. It was licensed in R 26E.
SRBA recommended it in R 27E.
Licensing amendment dated 11-5-91
Carter

January 10, 1992

THEDA E. PARKINSON
RALPH S. PARKINSON
RT. 1 BOX 228
ARCO ID 83213

RE: WATER RIGHT NO. 34-07176

Dear Water Right Holder(s):

Enclosed is a copy of your water right license.

This right is included in the Snake River Basin Adjudication and you will be receiving further information regarding this in the near future.

If you have any questions, please let me know.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:blm

Enclosure

1071000

October 29, 1991

RALPH S. PARKINSON
THEDA E. PARKINSON
RT. 1 BOX 228
ARCO ID 83213

RE: WATER RIGHT NO. 34-07176

Dear Water Right Holder(s):

The above referenced water right is in the process of being licensed. However, before a license can be issued, your permit must be amended to correspond with the findings of the Department's field examiner.

The enclosed application for amendment contains information that will be included on the license when it is issued. Please review carefully and if you concur, sign the amendment and return with the \$20.00 filing fee by November 7, 1991.

If you do not concur with these findings or if you have any questions, please contact us immediately.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:blm


Enclosure

JAN 15 1992

SEE MAP#1-#3 FOR COMPLETE SITE & FROM MUNSEY LITCH Total Acres 415

10. Other water rights on these lands 34-2505/2506/2497 Groundwater Big Lost Rvr. 34-2289/2490 34-7145
11. Other water right diverted from same p.d. N/A

12. **Diversion and Delivery System Diagram:** Indicate all major components and distances between components. Indicate ditch size/pipe i.d. as applicable. Indicate on systems with measurement port the distance between the port and the nearest component/pipe bend/restriction both upstream and downstream, and the inside pipe diameter at the measurement port. On multiple diversion systems indicate how diversion systems are connected.



13. ☒ Photo of Diversion & System Attached

- ☒ Aerial Photo of Place of Use Attached or Map of Irrigated Acreage Attached

14. **Remarks** Munsey ditch has a Cipolletti weir. Big Lost Irrigation District purchased an annubar to measure rediversions within the District (should meet requirement for measuring device at rediversions from canal.) and all rediversions have been fitted so measurements can be made.
East Side Ditch has a Cipolletti weir ~ 100 yards before the ditch discharges into Big Lost River

15. **Recommended Amendments**

- ☐ Change P.D. as reflected above
☒ Change P.U. as reflected above

- ☐ Add P.D. as reflected above
☐ Add P.U. as reflected above

- ☐ None
☐ Other

16. **Examiner's/Consultant's Signature** Keith C. Wilson **Date** 1 Aug 1985
Consultant's License Number _____
IDWR Director's Authorization to Conduct Beneficial Use Examination _____

Date

CONSULTANT SEAL

SYSTEM DESCRIPTION:

34-7176

GROUNDWATER WELL PUMP & MOTOR WITH OPEN DISCHARGE INTO THE ISLAND DITCH TO THE EASTSIDE DITCH THAT DISCHARGES WATER INTO THE BIG LOST RIVER. HEADGATE OF MUNSEY DITCH (OPPOSITE BANK OF THE BIG LOST RIVER) TO THREE DIVERSION PUMPS AND A PRIVATE DITCH. THE REDIVERSION PUMPS PUMP INTO MAINLINES TO CENTER PIVOTS AND LATERALS WITH SPRINKLERS. SEE MAPS #1 THROUGH #3.

8 Aug 1991
DATE

Keith C Wilson
KEITH C. WILSON

JAN 15 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
LICENSING REPORT34-7176

Permit No.

1. Measurement Calculations

a) Field Measurement Calculations (Include theoretical capacities and system capacity)

GROUNDWATER DIVERSION $Q = \left[\frac{C (id)^2 \sqrt{inches}}{448.8} \right] K$ $C_{12} = 3.99$ $id = 11.41"$
Annubar $inches = 62"$ $K = 1.067$

$$Q = \left[\frac{3.99 (11.41)^2 \sqrt{62}}{448.8} \right] 1.067 = 9.724 \text{ cfs} = 9.72 \text{ cfs}$$

SPORLING METER 0.01 af in 44.75 sec

$$\left[(43560 \text{ ft}^2/\text{af}) (0.01 \text{ af}) \right] \div 44.75 \text{ sec} = 9.73 \text{ cfs}$$

REDIVERSIONS: FROM MUNNIEY DITCH $Q = \left[\frac{C (id)^2 \sqrt{inches}}{448.8} \right] K$ $C_{7.98} = 3.87$ $K = 1$ for manometer $C_{10.02} = 3.94$

$$Q_{\#1} = \frac{3.87 (7.98)^2 \sqrt{40.5 - 4.1}}{448.8} = 3.31 \text{ cfs}$$

$$Q_{\#2} = \frac{3.87 (7.98)^2 \sqrt{37.4 - 23.9}}{448.8} = 2.02 \text{ cfs}$$

$$Q_{\#3} = \frac{3.94 (10.4)^2 \sqrt{38.2 - 33}}{448.8} = 2.17 \text{ cfs}$$

Rediversion Total 7.50 cfs

SEE ATTACHED PAGE

b) Volume Calculations for Irrigation:

$$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \frac{415}{316 \text{ ac}} \times 3 \text{ af} = 448.1245$$
$$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = (7.80) (214) (1.9835) = 3316.8$$
$$V = \text{Smaller of } V_{IR} \text{ and } V_{DR} = 1245 \text{ cfs}$$

c) Volume Calculations for Other Uses:

2. Overlap Reviewa) Other water rights with same place of use: 34-2289/2490 34-7145 (Big Lost River)Big Lost River 34-0635/2313/0010/0011/0012/0013/0014/0817Bb) Other water rights with same point of diversion: N/Ac) Analysis: SEE ATTACHED PAGE

JAN 15 1992

RECOMMENDED AMOUNTS

3.	Permit No.	Priority	Amount	App. Date	Date Proof Submitted	System Capacity
	34-7176		7.80			

4. Permit Holder: Ralph S. or Theda E. Parkinson

Address: Rt 1 Box 228, Arco, Id 83213

5. Source: Groundwater tributary to _____

6. Beneficial Use	Period of Use From	To	Rate of Diversion Q (cfs)	Annual Volume V (afa)
IRRIGATION	4/1	11/1	7.80 cfs	1245

Allowable Maximums: 7.80 cfs 1245

7. Point(s) of Diversion:

No.	Govt. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County
			SW	SW	34	5N	26E	Butte

8. Place(s) of Use SEE MAP #4

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
~~3S~~																			
3N	26E	14													39	40	40	39	158
		23	39	40	40	39													158
																			158
3N	27E	18					1.2	20.8	38	39									99
								41	42										
Total Acres 415																			

9. Recommended Conditions/Remarks: _____

R04 (34)

NOV 20 1991

JAN 15 1992

10. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None

☒ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

11. Examiner's Signature Keith C Wilson

Date 8 Aug 1991
18 Sept 86

Checked in Regional Office by _____

Date _____

Approved in State Office by _____

Date _____

34-7176

ANALYSIS:

OLD DIVERSION RATE:

34-2289 @ 1.00 CFS / 280 AC = 0.0035714 CFS/AC
34-2490 @ 2.09 CFS/276.5 AC = +0.0075587 CFS/AC } Different PD
From 34-7176

OLD DIVERSION RATE = 0.0111301 CFS/AC

NEW DIVERSION RATE:

34-7176 @ 7.80 CFS / 415 AC = 0.0187951 CFS/AC

NEW DIVERSION RATE > OLD DIVERSION RATE
(0.0187951 CFS/AC) > (0.0111301 CFS/AC)

**THEREFORE: INCLUDE ALL LAND UNDER 34-2289/2490 PLUS NEW
LAND UNDER 34-7176.**

DETERMINE IF FLOW > 0.02 CFS/AC

TOTAL Q = 34-2289 + 34-2490 + 34-7176
Q = (1.0 CFS) + (2.09 CFS) + (7.80 CFS)
= 10.89 CFS FOR 415 ACRES

10.89 CFS/415 AC = 0.02624 CFS/AC

DIVERSION RATE > 0.02 CFS/AC
(0.02624 CFS/AC) > 0.02 CFS/AC

HOWEVER; IRRIGATION DISTRICT CHARGES UP TO 30% SHRINK

EFFECTIVE REMAINING Q = [10.89 CFS] - [(0.30)(10.89 CFS)]
Q = 7.623 CFS

**THEREFORE, I RECOMMEND THAT THIS PERMIT BE LICENSED FOR THE
PERMITTED AMOUNT.**

07 Aug 1991
DATE

Keith C. Wilson
KEITH C. WILSON

34-7176

JAN 15 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

Permit No. 34-7176

1. Owner: Ralph Parkinson Phone No. 527-3161

Current Address: Rt 1 Box 228 Arco ID 83213

2. Accompanied by: Scott Parkinson EXAM. DATE: 12-Sept 1990

Address: Rt 1 Box 222 Arco 83213 Phone No. _____

Relationship to Permit Holder: Son/Operator

3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: SEE ORIGINAL EXAM

☐ Copies Attached


2. Other water rights with same point of diversion. SEE ORIGINAL EXAM

☐ Copies Attached

☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe id as applicable ☐ Alternative diagram attached



Scale: 1" = _____

2. ☒ Copy of U.S G S Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☒ Photo of Diversion and System Attached

(required for all but single household domestic groundwater, and stockwater)

☒ Aerial Photo Attached

(required for irrigation of 10 acres or more).

RECEIVED
JAN 15 1992

System Description (continued)

3. **Narrative:** Description (As operating at time of measurement Indicate pressure, number of sprinklers, etc)

Groundwater well, pump, mainline open discharge into Island Ditch to East Side
ditch to Big Lost River to Munsey ditch to diversion pumps on Munsey ditch

☐ See Remarks on page 4 for continuation

4

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
Well	GE	75hp	FNJ 608576	Johnston	12'

*Code to correspond with No. on map and aerial photo

5 **Point(s) of Diversion:**

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			SW	SW	34	5N	26E	Bullock	on site 1/2 USGS Quad

6 **Place(s) of Use:**

Indicate Method of Determination

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
3N	26E	14													39	40	40	39	158
		23																	158
3N	27E	18					1.2	208	38	39									99

JAN 15 2012

Do not use this space

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Totalizing Meter		Granlund		12555	11.75	

2 Measurements:

213 gpm x 10 (Totalizing Meter)
Recalibrated Mid July 1981 according to Ralph
Parkinson, 8-7-91 KDW

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method From Totalizing meter 2130 gpm = 4.75 cfs

2. Alternate Method for Checking Purposes

SEE ORIGINAL EXAM

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head (1) + (2) = _____ (3); Flow rate: _____ cfs (4)

Water HP (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

SEE ORIGINAL EXAM

1 Volume Calculations for Irrigation

$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{IR} \text{ and } V_{DR} =$ _____

2 Volume Calculations for Other Uses

JAN 15 1992

H. REMARKS AND OVERLAP REVIEW ANALYSIS

SEE ORIGINAL
EXAM

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Totals:				

SEE ORIGINAL
EXAM

2 Recommended Amendments SEE ORIGINAL EXAM


- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

J. AUTHENTICATION

Field Examiner's Name Keith C. Wilson
Signature Keith C. Wilson
Certification Date _____
Field Report Preparation Date _____

CONSULTANT SEAL


- K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.




DELIVERY
SYSTEM

MAP 1

34-7176





POINT OF
DIVERSION
MUNSEY
DITCH
(27)

R26E
T4N

R26E

T4N
T3N

DELIVERY SYSTEM

THIS LAND SEC 10 &
SEC 11, NOT UNDER
THIS RIGHT 34-7176

R26E R27E

T3N

34-7176

MAP 2


R26E
T3N

PLACE OF USE

PLACE OF USE

MUNSEY DITCH

LOST




MAP 4

PLACE OF USE TO BE
LICENSED UNDER PERMIT

34-7176



JAN 15 1992



GROUNDWATER WELL

RESEARCH
JUL 15 1982

34-7176




RE-DIVERSION SYSTEM PUMPS

34-7176

AERIAL PHOTO #1

34-7176



T
3
N

R26E R27E

LOT 1

LOT 2

LOT 3

AERIAL PHOTO #2

LOT 4

34-7176

13/18
29/19
24/14

A-149
W. 41 15

MEMORANDUM

TO: Keith C. Wilson
FROM: Gary Spackman *Gary*
DATE: January 12, 1988
RE: Measuring Device Requirement for 34-7176

In response to your inquiry, my first concern is whether the development under this permit includes use of an exchange well. According to our telephone conversation, you confirmed that groundwater from the well is pumped into the Island Ditch and East Side Ditch, empties into the Big Lost River, and is redirected into the Munsee Ditch at approximately the same location as the outlet of the East Side Canal. The water is diverted again from the Munsee Ditch by the permit holder's pumps.

The installation of a totalizing meter at the point of diversion and measurement of delivered water at the Munsee Ditch diversion by capolletti weir and at the permit holders diversion from the Munsee Ditch by annubar will satisfy the conditions of the permit.

Approval of exchange wells on the Big Lost River may not be viewed by the Department with favor when an overall plan for administration of Big Lost River rights is developed, particularly when the filing does not indicate that it proposes an exchange. This memo does not in any way constitute approval of the exchange well concept.

RECEIVED
JAN 15 1988

JAN 15 1992

FROM

Keith C. Wilson

DATE

30 Dec 1987

TO

File 34-7176 / 7145 ✓

SUBJECT

Transport Agreement

RECEIVED

JAN 06 1988

Please include in file Thanks

Department of Water Resources

MICROFILMED


JAN 15 1992

Keith C. Wilson

SIGNATURE

Big Lost River Irrigation District



P. O. Box 205
Mackay, Idaho 83251



RECEIVED

JAN 06 1988

Department of Water Resources



Mr. Ernest Carlsen
IDWR
150 Shoup Avenue
Id. Falls, Id. 83401

February 4, 1987

RECEIVED

FEB 9 1987


Department of Water Resources
Eastern District Office

lost River West
Ralph Parkinson
Rte 1 Box 228
Arco, Id. 83213

Dear Ralph:

A motion was made at the regular meeting held on February 3, 1987 as follows:
Allow your transport agreement signed on April 1st, 1980 to transport 500" of water
through the Irrigation District's Island/eastside/Munsey Canal.
This addendum has been noted on the original agreement and approved by Chairman
J. Doyle Jensen.

Yours truly,


Rita M. Lundy
Assistant Secretary-treasurer

CC: Mr. Ernest Carlsen
IDWR
150 Shoup Avenue
Id. Falls, 83401

JAN 15 1987

JAN 06 1988

MEMO

Department of Water Resources

FROM: Keith C. Wilson

30 December 1987

TO: Gary Spackman

SUBJECT: Measuring Device Requirement for 34-7176

System consists of well open discharge to Island Ditch to East Side Ditch with Cipolletti Weir approximately 100 yds. before discharge into the Big Lost River, Munsey Ditch with Cipolletti Weir to rediversions.

NOTE: Conditions of approval require measuring devices at P/D of well and at the rediversion from the canal.

NOTE: Irrigation district has purchased an annubar and has tapped all rediversions so the annubar can be installed for measurements.

QUESTION: Will a totalizing meter at the P/D and the flow measurement ports meet the requirements of 34-7176.


Keith C. Wilson

RECEIVED

JAN 15 1992

August 29, 1985

RE: Permit No. 34-7176

Ralph S. or Theda E. Parkinson
Rt. 1, Box 228
Arco, ID 83213

Dear Mr. and Mrs. Parkinson:

This office acknowledges receipt of the Assignment of the above referenced permit to you.

Enclosed for your records is a copy of the permit. Be sure to note the special conditions of approval on the fourth page that identify requirements necessary for developing the permit into a licensed water right.

In reviewing the permit, we find that the requirement for submitting proof of construction of works and application of water to beneficial use has been met. The next step towards licensing of the permit will be for our regional office to examine your water right system.

If you have any questions regarding this matter, please feel free to contact us.

Sincerely,

KAY WALKER
Technical Records Specialist

KW:sc
Enclosures

MICROFILMED

Permit No. 34-7176

ASSIGNMENT REVIEW CHECK LIST

1. Signature of Permit Holder? ✓
 2. Notary? ✓
 3. (a.) Full Assignment?
b. Partial Assignment?
 4. "No assignment" condition on permit? NO
 5. Commencement of Works received? proof in file
 - a. Commencement of works requested?
 - b. Show Cause Order drafted & sent?
 - c. Cancellation necessary?
 6. Affidavit of residency required? NO
 7. Extension granted due to litigation? NO
(If yes, commencement of works is not required.)
-
1. Type permit summary sheet. ✓
 2. Coding sheet. ✓
 3. Acknowledgement letter type. #1a
 4. Copy to region. ✓

Date 8/28/85

Employee K. Walker

MICROFILMED



STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES EASTERN REGION

John V. Evans
Governor

150 Shoup
Idaho Falls, Idaho 83401
(208) 525-7161

A. Kenneth Dunn
Director

September 27, 1932

Ralph S. Parkinson
Rt. #1, Box 228
Arco, Idaho 83213

RE: Permit No. 34-7176

Dear Mr. Parkinson:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department.

_____ A field examination of your system has been scheduled for _____.

If this time and date is not convenient for you, please contact this office as soon as possible.

 X A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office.


Sincerely,

COLLEEN WRAY
Adm. Secretary

Enc: Reinstatement Order

MICROFILMED

Ralph S. Parkinson
Rt. 1 Box 228
Arco, Idaho 83213



REGISTERED



JUL 26 1982

IDAHO DEPARTMENT OF WATER RESOURCES

Department of Water Resources
STATEHOUSE

BOISE, IDAHO 83720

MICROFILMED

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 34-7176.

Name(s) of Permit Holder: Ralph S. Parkinson

Post Office Address: Rt. 1 Box 228
Arco, Idaho 83213 Tel. No. 527-3161

Source of Water: well

Extent of Use:

☐ Domestic	_____	(number of households)
☐ Stockwater	_____	(number and type of stock)
☒ Irrigation	<u>370</u>	(acres)
☐ Other	_____	

MICROFILMED

Measuring Device	Required?	☐ Yes ☒ No	Installed?	☐ Yes ☐ No
Access Port:	Required?	☐ Yes ☒ No	Installed?	☒ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed

July 22, 1982
 Date

Ralph S. Parkinson
 Signature of Permit Holder

CALCULATION OF NEW PRIORITY DATE

FROM: Rita Fleck

TO: File # 34-7176

DATE: Aug. 3, 1982

Date Proof Received 7/26

Proof Due

Number of Days Proof Late

207

152
55

Priority Date

Number of Days Proof Late

New Priority Date

94
55
149

= May 29, 1977

Remarks

MICROFILMED

WARNING

CANCELLED OR LAPSED

This permit has been officially CANCELLED or LAPSED.

Ninety days following the date of official action this file will be DESTROYED.

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

PARKINSON, RALPH S. & THEDA E.
RT. 1 BOX 66
ARCO, ID 83213

JUNE 08, 1982

DEAR PERMIT HOLDER:

YOU ARE HEREBY NOTIFIED THAT UNDER THE PROVISIONS OF SECTION 42-218A OF THE IDAHO CODE, PERMIT NO. 34-7176 HAS LAPSED. THIS OFFICE DID NOT RECEIVE EITHER A NOTICE THAT YOU HAVE COMPLETED THE PROJECT BY THE DATE REQUIRED ON YOUR PERMIT, OR A REQUEST FOR AN EXTENSION OF TIME. YOU WERE PROVIDED THE PROPER FORMS IN OUR NOTICE TO YOU DATED MARCH 31, 1982.

YOUR PERMIT CANNOT BE REINSTATED UNLESS YOU SUBMIT THE STATEMENT OF BENEFICIAL USE POSTCARD OR SUBMIT AN EXTENSION OF TIME REQUEST SHOWING REASONABLE CAUSE FOR DELAY. EITHER THE COMPLETED POSTCARD OR THE EXTENSION REQUEST MUST BE RECEIVED BY THIS OFFICE WITHIN SIXTY DAYS OF THE DATE OF THIS LAPSE NOTICE OR THE PERMIT WILL NO LONGER BE OF ANY FORCE OR EFFECT.

A STATEMENT OF BENEFICIAL USE POSTCARD AND A REQUEST FOR EXTENSION OF TIME FORM ARE ENCLOSED FOR YOUR USE. PLEASE NOTE THAT A FEE OF \$15.00 MUST ACCOMPANY AN EXTENSION OF TIME REQUEST.

L. GLEN SAXTON
CHIEF, OPERATIONS BUREAU

ENCLOSURES

6/17/1982

Rita Fleck

MICROFILMED

S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

138526

PARKINSON, RALPH S. & THEODA E.
RT. 1 BOX 66
ARCO, ID 83213

MARCH 31, 1982

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 34-7176 WAS THAT EVIDENCE OF THE EXTENT OF DEVELOPMENT MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE JUNE 01, 1982. (SEE LAST PAGE OF YOUR APPROVED PERMIT). ENCLOSED IS A POST CARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF OF BENEFICIAL USE.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU HAVE NOT PREVIOUSLY RECEIVED AN EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME PROVIDED THE DELAY IS FOR REASONABLE CAUSE AS INDICATED IN SECTION 42-204, IDAHO CODE, AMENDED. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED.

EITHER THE BENEFICIAL USE POST CARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE MENTIONED DATE, OTHERWISE, THE PERMIT WILL LAPSE AND BE OF NO FURTHER FORCE OR EFFECT WITHIN 60 DAYS.

SINCERELY,

RITA FLECK
SR. SECRETARY

ENC: 1

MICROFILMED



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

A. KENNETH DUNN

Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

March 4, 1982

Dear Wateruser:

The enclosed Order changes the measuring device condition of approval on your water right permit.

The changed condition is less restrictive and provides you the option to install an access port or have your system measured and certified by a professional engineer. Instructions for access port installation are also enclosed.

If you have questions regarding this matter, please contact the regional office nearest to you.

Sincerely,

DAVID R. TUTHILL JR., P. E.
Supervisor, Water Allocations Section

DRT:jg

Enclosures

NORTHERN REGION OFFICE
Route #5, Box 203, Government Way
Coeur d'Alene, Idaho 83814
Telephone 667-6484

SOUTHERN REGION OFFICE
1041 Blue Lake Boulevard North
Twin Falls, Idaho 83301
Telephone 734-3578

EASTERN REGION OFFICE
150 Shoup Avenue
Idaho Falls, Idaho 83401
Telephone 525-7161

WESTERN REGION OFFICE
92 South Cole Road
Boise, Idaho 83709
Telephone 334-2190

MICROFILMED

June 7, 1977

Re: Permit No. 34-7176

Ralph S. &/or Theda E. Parkinson &/or James S. Babcock
Route #1, Box 66
Arco, ID 83213

Dear Mrs Parkinson and Gentlemen:

Enclosed is a copy of your approved Application for Permit No. 34-7176 . We direct your attention to the conditions of approval as listed on the fourth page.

Be sure to note that a special condition requiring you to install and maintain a measuring device at your point of diversion has been placed upon your permit. We are enclosing a letter describing different types of measuring devices accepted by this office.

Sincerely,

BOBBY D. FLEENOR
Chief, Water Rights

Enclosure: Copy of permit

RECEIVED
JUN 10 1977
WATER RIGHTS
DIVISION

April 8, 1977

RE: Claim to a Water Right No. 34-4031 HONE
Application for Permit No. 34-7175 HONE
No. 34-7176 PARKINSON

Arco Advertiser
Box "C"
Arco, Idaho 83213

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill.

Very truly yours,

RONALD D. CARLSON
Supervisor,
Eastern Region

Bill submitted _____ by _____

Bill returned 5-17-77

RDC: CW

Enc: Legal Notice (3)

PUBLIC NOTICE

NO. 34-7176 APPLICATION FOR WATER PERMIT

Notice is hereby given that Ralph S. &-or Theda E. Parkinson &-or James S. Babcock, Arco, Idaho, have on 4-04-77 submitted Application No 34-7176 for a permit to appropriate 780 cubic feet per second of water from a ground-water source by means of well and pump within the W¹/₂ SW¹/₄, Sec 34, T 5N, R 26E, B.M., Butte County, to be used from Apr 1 to Nov, 1 for the irrigation of 440 acres within the SE¹/₄, Sec 14, NE¹/₄, Sec 23, T 3N, R. 26E, S¹/₂SW¹/₄, Sec. 34, NE¹/₄NW¹/₄, Sec. 3, T 5N, R 26E, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 1515 Lincoln Road, Idaho Falls, Idaho, 83401 on or before May 2, 1977.

Director

Published in the Arco Advertiser, Arco, Idaho on April 14 and April 21, 1977.

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Ralph S. &/or Theda E. Parkinson &/or James S. Babcock, Arco, Idaho
have ~~has~~ on 4-04-77 submitted Application No. 34-7176
for a permit to appropriate 7.80 cubic feet per second ~~acre feet per annum~~
of water from a ground-water source
by means of well and pump
within the SW $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 34, T. 5N, R. 26E, B.M., Butte County;

to be used from Apr. 1 to Nov. 1
for the irrigation of 440 acres

within the SE $\frac{1}{4}$, Sec. 14, NE $\frac{1}{4}$, Sec. 23, T. 3N, R. 26E; S $\frac{1}{2}$ SW $\frac{1}{4}$, Sec. 34, NE $\frac{1}{4}$ NW $\frac{1}{4}$,
Sec. 3, T. 5N, R. 26E, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 1515 Lincoln Road, Idaho Falls, Idaho, 83401 on or before May 2, 1977.

~~XXXXXXXXXXXXXXXXXXXX~~

Director

Published in the Arco Advertiser, Arco, Idaho
on April 14 and April 21, 1977

*He. E.
DR. 14
A*

DEPARTMENT OF WATER RESOURCES
- STAFF ANALYSIS -

Parkinson & Babcock

Item Initial Date

Application No. _____

- ☒ Source
☒ Point of Diversion
☒ County
☒ Quantity of Water and Period of Use
☒ Description of Diverting Works
☒ Time required for B/U of water
☒ Place of Use or Acres Irrigated
☒ Map
☒ Signature
☒ Fee

(1) ML 4/4/77

In form to receipt yes

(2) " "

Send Copies to:

- Idaho State Health Department
Idaho Fish and Game Department
NK Bureau of Land Management

(3) " "

- Request Special Use Permit from U.S.F.S.
JA Request Easement from B.L.M.
Request Information from Applicant
Request Dam Safety Information

(4) " "

In form for advertising yes

(5) " "

Platted on Map No. 3N-26E-5N-26E

(6) " "

Located within Water District No. Basin 34

(7) " "

Critical groundwater area: yes no ☒

(8) " "

Groundwater levels:

Declining, ☒ Stable, Increasing

(comment) Obs well 23 cdb1

(9) " "

Other rights on the same place of use 34-2289-10 cfs for 200 ac. and 34-2490-2.09 cfs for 276.5 ac all for the same land
description

(10) " "

Comments: The extra 2.09 cfs is need for Transportation Loss

(11) ML 5-17-77

Affidavit of Publication received(date) 5-17-77

(12) RDC 5/18/77

Final date for protests May 2-1977

Protests received: yes no

(13) " "

All requested information received from agencies or applicant: yes no

(14) " "

Action recommended:

☒ Approve Deny

4/4/77 Proposed Priority

Reason for Reduction

☒ Measuring device required

☒ See attached sheet for other conditions of approval

No special conditions for approval

(15) District E

By RDC

Date 5/19/77

Conditions of Approval

1. MD & PD from Canal & PD from well

2. No more than 8.8 Cfs under a combination of these rights shall be diverted from Canal

Copy Sent

MICROFILMED