



11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile


BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

E. J. Harrap
(Applicant)



MICROFILMED

JAN 15 1992



Magnetic Declination, 19° E.

Scale: 40 Chains to an Inch.

Area Surveyed, 2240.19 Acres. Additional.

DESIGNATED BY WHOM SURVEYED

GROUP

MILEAGE

WHEN SURVEYED

The above

Retracement

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
MAY 06 1991

A. GENERAL INFORMATION

Department of Water Resources
Permit No. 317085

1. Owner: E.J. HARROP Phone No. 554-4641

Current Address: DARLINGTON, ID. 83231

2. Accompanied by: MR. HARROP EXAM. DATE: 9-11-87

Address: _____ Phone No. _____

Relationship to Permit Holder: OWNER

3. Source: CHERRY CREEK tributary to AUTELOPE CREEK

B. OVERLAP REVIEW

1. Other water rights with same place of use: NONE

☐ Copies Attached


2. Other water rights with same point of diversion: NONE

☐ Copies Attached

☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = _____

2. ☐ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater.

- ☒ Aerial Photo Attached

(required for irrigation of 10 acres or more).

ASCS DOES NOT COVER THIS FAR UP STREAM.

PUMPING
PLANT
→



A
34.
0
0
0
0
0
0
0
0



ACCESS
PORT
→

WASHED OUT
ORIGINAL HEADING
→



MICROFILMED
JAN 15 1992

9/11/87
ms

POINT OF
DIVERSION
↪



A34-
07080

DITCH FROM
DIVERSION TO
PUMP INTAKE
↪



PUMP INTAKE
↪



MICROFILMED
JAN 15 1992
9/11/87
EJW

**NOTICE OF APPLICATION
FOR WATER PERMIT**

Ms Notice is hereby given that E. J. Harrop, Grouse, Idaho, has on 11-25-74 submitted Application No. 34-7085 for a permit to appropriate 4.8 cubic feet per second of water from Cherry Creek tributary of Big Lost River by means of pump and pipeline within the NE $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 30, T. 5N, R. 24E, B.M., Custer County; to be used from May 15 to July 15 for the irrigation of 240 acres within the E $\frac{1}{2}$ SW $\frac{1}{4}$, Sec. 30, E $\frac{1}{2}$ NW $\frac{1}{4}$, NE $\frac{1}{4}$ SW $\frac{1}{4}$, NW $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 31, T. 5N, R. 24E, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 1515 Lincoln Road, Idaho Falls, Idaho, 83401 on or before December 23, 1974.

R. KEITH HIGGINSON
Director

Published in the Mackay Miner,
Mackay, Idaho on December 5 and
December 12, 1974.

MICROFILMED

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 34-07085

Priority: November 25, 1974

Maximum Diversion Rate:

1.20 CFS

Maximum Diversion Volume:

180.0 AF

This is to certify, that E. J. HARROP

DARLINGTON ID 83231

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated November 25, 1974; and has submitted Proof of Beneficial Use on March 25, 1985. An examination indicates that the works have a diversion capacity of 1.290 cfs of water from:

CHERRY CREEK

tributary to ANTELOPE CREEK

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 to 11/01	1.20 CFS	180.0 AF

LOCATION OF POINT(S) OF DIVERSION: LOT 3(NENWSW), Sec. 30, Township 05N, Range 24E
CUSTER County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
05N	24E	30	NESW 5	LOT 3(NWSW) 11	SESW 26	42
		31	NENW 18			18

Total number of acres irrigated: 60

CONDITIONS/REMARKS:

1. The maximum diversion volume listed within this right is defined as the maximum allowable volume of water that may be diverted annually from the source identified under this right, or limited to the amount that can actually be beneficially used on the above described place of use. This right is further limited to a maximum diversion of water onto the above described place of use of 0.02 cfs per acre or 3.0 acre feet per acre per year when combined with all other appurtenant water rights.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. A measuring device and lockable controlling works of a type acceptable to the Department shall be permanently installed and maintained as part of the diverting works.

JAN 15 1992

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 34-07085

CONDITIONS/REMARKS:

6. Use of water under this water right will be regulated by the watermaster of State Water District No. 34.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code, Witness the seal and signature of the Director, affixed at Boise, this 30TH day of NOVEMBER, 1991.

Acting for 
R. Keith Higginson, Director

JAN 15 1992

RECEIVED

JUN 17 1991

State of Idaho
Department of Water Resources

APPROVED

Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 34-07085

Date of Priority: November 25, 1974

Maximum Diversion Rate: 1.20 CFS
Maximum Diversion Volume:¹ 180.3 AF

Comes now E. J. HARROP
DARLINGTON, ID 83231

and represents to the Director of the

Idaho Department of Water Resources:

That he is the owner and holder of Permit to appropriate the Public Waters of the State of Idaho No. 34-07085, and requests that the permit be changed as follows:

Source: CHERRY CREEK

tributary to ANTELOPE CREEK

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 to 11/01	1.20 CFS	180.0 AF

LOCATION OF POINT(S) OF DIVERSION:

NWSW, Sec. 30, Township 05N, Range 24E
CUSTER County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
05N	24E	30	NESW 5	LOT 3(NWSW) 11	SESW 26	42
		31	NENW 18			18

Total number of acres irrigated: 60

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at Grange, Idaho, this 13 day of June, 19 96

E. J. Harrop
(Signature)

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 34-07085

FOR DEPARTMENT USE ONLY

#C020877

Preliminary check by SC Fee ✓ \$20.00

Received by JD Date 6/18/91

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, R. Keith Higginson, of the Department of Water Resources hereby approve the above Application for Amendment for Permit No. 34-07085 with the following;

CONDITIONS/REMARKS:

1. The maximum diversion volume listed within this right is defined as the maximum allowable volume of water that may be diverted annually from the source identified under this right, or limited to the amount that can actually be beneficially used on the above described place of use. This right is further limited to a maximum diversion of water onto the above described place of use of 0.02 cfs per acre or 3.0 acre feet per acre per year when combined with all other appurtenant water rights.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. A measuring device and lockable controlling works of a type acceptable to the Department shall be permanently installed and maintained as part of the diverting works.
6. Use of water under this water right will be regulated by the watermaster of State Water District No. 34.

Witness my hand this 30TH day of NOVEMBER, 1991.

Acting for

R. Keith Higginson
R. Keith Higginson, Director

JAN 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
REQUEST FOR EXTENSION OF TIME

To provide additional time in which to submit
proof of beneficial use on a water right permit

E. J. HARROP of DARLINGTON
(Name) (Address)

State of IDAHO, deposes and says:

That he is the holder, or the duly authorized agent of the holder*, of Permit to Appropriate the Public Waters of the State of Idaho No. 34-7085.

That under the terms and conditions of said permit, work thereunder was required to be completed on or before April 1, 1980.

That he has heretofore performed the following work described under said permit: Applicant
has installed a 4' x 10' settling box. Applicant intends to pump out of this
box. Applicant also has purchased main line for the irrigation system. Applicant
has also removed the sage brush on the land.

Costing \$ 10,500.

That he is unable to complete the remainder of the work within the required time for the following reasons, to-wit: The last 3 years have been too dry to start a crop. Next year the
land will be irrigated even if just for pasture. Applicant has had other
obligations which have prevented completion of project.

Wherefore, he asks that the Department of Water Resources extend the time for the completion of obligations under said permit to April 1, 1985.

RECEIVED

DEC 27 1979

E. J. Harrop

(Signature)*

Department of Water Resources
Eastern District Office

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

IT IS HEREBY ORDERED that the above application for extension of time be APPROVED and the time within which to submit proof of beneficial use is extended to April 1, 1985.

Signed this 14th day of January, 1980.

J. Glen Sayton
Chief, Operations Bureau

MICROFILMED

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF CHANGING THE MEASURING }
DEVICE REQUIREMENT FOR PERMIT NO. 34-7035 }

ORDER

WHEREAS, the above numbered permit was approved with the condition that a measuring device of a type approved by the Department be permanently installed and maintained as part of the diverting works; and,

WHEREAS, on July 1, 1978, the Department adopted a new water measurement condition which states: "An access port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department"; and,

WHEREAS, the former condition required the permit holder to purchase and install a measuring device or hire a professional engineer to certify the rate of diversion; and,

WHEREAS, the measuring device condition effective July 1, 1978, requires less capital expenditure by the permit holder; and,

WHEREAS, to be equitable to holders of permits issued prior to July 1, 1978, the new condition should be retroactive;

NOW THEREFORE, it is hereby ordered that the condition of approval of this permit related to water measurement is hereby changed as follows: "The permit holder shall either install a measuring device or provide a certified measurement by a professional engineer or install an access port or other device as specified by the Department".

Dated this 18th day of August, 1978.


C. STEPHEN ALLRED
Director

MICROFILMED

Identification No 34 7085
Application No _____

APPROVED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

- 1 Name of applicant E. J. Harrop Phone 237-0175 or 588-2518
post office address Grouse, ID
- 2 Source of water supply Cherry Creek which is a tributary of Big Lost River
- 3 a Location of point of diversion is NE $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 30 Township 5N
Range 24E B M Custer County, additional points of diversion if any _____
- b If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____
- 4 Water will be used for the following purposes
Amount 4.8 for Irrig. purpose from May 15 to July 15 (both dates inclusive)
(cfs or acre feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre feet per annum)
- 5- Total quantity to be appropriated.
a 4.8 cubic feet per second and/or
b _____ acre feet per annum.
- 6 Proposed diverting works
a Description of ditches, flumes, pumps, headgates, etc Pump, sprinkler system
- b Height of storage dam _____ feet, active reservoir capacity _____ acre feet, total reservoir capacity _____ acre feet, materials used in storage dam _____
Period of year during which storage will occur _____ to _____ inclusive
(Mo Day) (Mo Day)
- c Proposed well diameter is _____ inches; proposed depth of well is _____ feet
- 7 a Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years
b Estimated construction cost is \$ 10,000.00
- 8 Description of proposed uses
a If water is **not** for irrigation N.A.
(1) Give the place of use of water _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B M _____
(2) Amount of power to be generated _____ hp under _____ feet of head
(3) List number of each kind of livestock to be watered _____
(4) Name of municipality to be served _____, or number of families to be supplied with domestic water _____
(5) If water is to be used for other purposes describe _____

MICROFILMED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below

TWP	RANGE	SEC	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
5N	24E	30									40			40					80
"	"	31					40			40	40					40			160


Total number of acres to be irrigated 240

c. Describe any other water rights used for the same purposes as described above. None

- 9 a. Who owns the property at the point of diversion Applicant
 b. Who owns the land to be irrigated or place of use Applicant
 c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____

10. Remarks _____

11 Map of proposed project show clearly the proposed point of diversion, place of use, section number, township and range number



Scale 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth

E. J. Harrap
(Applicant)

Proposed Priority 11-25-1974

Received by MB Date 11-25-74 Time 4:05 p.m.
Preliminary check by WR Fee \$ 65.00
Receipted by MB Date 11-25-74 # 13168
Publication prepared by MB Date 11-25-74
Published in The Mercury Press
Publication dates Dec. 5 & 12, 1974
Publication approved OW Date 12-16-74
Priority reduced to _____ Reason _____

Protests filed by

George D. Hobley Thithdman

Copies of protests forwarded by

MB 12-17-74

Hearing held by _____ Date _____

Recommended for approval denial by

RDC BDF

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No 34-7085, and said application is hereby APPROVED.

1 Approval of said application is subject to the following limitations and conditions

a SUBJECT TO ALL PRIOR WATER RIGHTS.

b Proof of construction of works and application of water to beneficial use shall be submitted on or before April 1, 1980

c Other A measuring device of a type approved by this Department shall be permanently installed and maintained as part of the diverting works.

2 Denial of said application is for the following reasons _____

Witness my hand this 10 day of April 19 75.

R. Karl Higin
Director

DEPARTMENT OF WATER RESOURCES
- STAFF ANALYSIS -

Item Initial Date

Application No. 34-7085

☒ Source
☒ Point of Diversion
☒ County
☒ Quantity of Water and Period of Use
☒ Description of Diverting Works
☒ Time required for B/U of water
☒ Place of Use or Acres Irrigated
☒ Map
☒ Signature
☒ Fee

(1) YH 11-25-74

In form to receipt yes

(2) " "

Send Copies to:

Idaho State Health Department
Idaho Fish and Game Department

NA Bureau of Land Management

(3) " "

Request Special Use Permit from U.S.F.S.

Request Easement from B.L.M.

NA. Request Information from Applicant

(4) " "

In form for advertising yes

(5) " "

Platted on Map No. SN 24E

(6) " "

Located within Water District No. 34

(7) " "

NA Critical groundwater area: yes no

(8) " "

NA Groundwater levels:

Declining, Stable, Increasing

(comment)

(9) " "

Other rights on the same place of use NO

(10) " "

Comments: No other Surface Water rights.

(11) MB 12-16-74

Affidavit of Publication received (date) 12-16-74

(12) BDC 4/1/75

Final date for protests December 23, 1974

Protests received: yes X no

(13) " "

All requested information received from agencies or applicant: yes no

(14) " "

Action recommended:

☒ Approve Deny

11/25/74 Proposed Priority

Reason for Reduction

☒ Measuring device required

No. item 8c states NA
there are no other rights BDF

See attached sheet for other conditions of approval

No special conditions for approval

(15) District E

By BDC

Date 4/1/75

RECEIVED

DEC 16 1974

Department of Water Resources
Eastern District Office

FOR WATER PERMIT

Notice is hereby given that E. J. Harrop, Grouse, Idaho, has on 11-25-74 submitted Application No. 34-7085 for a permit to appropriate 4.8 cubic feet per second of water from Cherry Creek tributary of Big Lost River by means of pump and pipeline within the NE $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 30, T. 5N, R. 24E, B.M., Custer County; to be used from May 15 to July 15 for the irrigation of 240 acres within the E $\frac{1}{2}$ SW $\frac{1}{4}$, Sec. 30, E $\frac{1}{2}$ NW $\frac{1}{4}$, NE $\frac{1}{4}$ SW $\frac{1}{4}$, NW $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 31, T. 5N, R. 24E, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 1515 Lincoln Road, Idaho Falls, Idaho, 83401 on or before December 23, 1974.

R. KEITH HIGGINSON
Director

Published in the Mackay Miner

Affidavit of Publication

STATE OF IDAHO

County of Custer

ss.

I, MARGARET PARKS the

Publisher

of The MACKAY MINER, a weekly newspaper of General Circulation published weekly and entered in the Post Office Mackay, Idaho, continuously since February 6, 1906, do solemnly swear that a copy of the notice, as per clipping attached, was published weekly in the regular and entire issue of said newspaper and not in

any supplement thereof, for 2

consecutive weeks commencing with the issue dated

Dec 5, 1974
and ending with the issue dated

Dec 12, 1974

Margaret Parks

Subscribed and sworn to before

me this 12 day of

December, 1974

Raymond Gustaf
Notary Public



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

January 9, 1992

E. J. HARROP
DARLINGTON ID 83231

RE: WATER RIGHT NO. 34-07085

Dear Water Right Holder(s):

Enclosed is a copy of your water right license along with a copy of the approved application for amendment you had submitted.

This right is included in the Snake River Basin Adjudication and you will be receiving further information regarding this in the near future.

If you have any questions, let me know.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:blm

Enclosure

4-18-92

October 29, 1991

E. J. HARROP
DARLINGTON ID 83231

RE: WATER RIGHT NO. 34-07085

Dear Water Right Holder(s):

The above referenced water right is in the process of being licensed. However, before a license can be issued, your permit must be amended to correspond with the findings of the Department's field examiner.

The enclosed application for amendment contains information that will be included on the license when it is issued. Please review carefully and if you concur, sign the amendment and return with the \$20.00 filing fee by November 7, 1991.

If you do not concur with these findings or if you have any questions, please contact us immediately.

Sincerely,

JIM JOHNSON
Water Rights Supervisor


JJ:blm

Enclosure

JAN 15 1992

Flower - Box 240
Moore, 83255

address
change



State of Idaho Water Resources
attn: Shasta Burites
1301 N Orchard St.
Boise, Idaho 83706-2237

June 13-91

Sharla Curtis
Technical Records Specialist,

Dear Ms. Curtis.

As near as I can tell all
the record is correct.

Enclosed is a check for \$20.00 to
cover filing fee and completed
& signed form.

However there is a question
I wish to ask and I will get
an appointment with you at a
later date.

JAN 15 1992

Yours Truly,
J. Harrop

June 4, 1991

E. J. HARROP
DARLINGTON, ID 83231

RE: WATER RIGHT NO. 34-07085

Dear Water Right Holder(s):

The above referenced water right is in the process of being licensed. However, before a license can be issued, your permit must be amended to correspond with the findings of the Department's field examiner.

The enclosed application for amendment contains information that will be included on the license when it is issued. Please review carefully and if you concur, sign the amendment and return with the \$20.00 filing fee within 15 days.

If you do not concur with these findings or if you have any questions, please contact us within the 15-day period.

Sincerely,

SHARLA CURTIS
Technical Records Specialist

SC:blm

Enclosure

RECEIVED

JAN 15 1992

LICENSE REVIEW CHECKLIST

Permit No. 34-7085

Name/Address change? ok ☒

Priority date Advance? yes no ☒

Memo to advance
Order to reinstate needed? yes no ☒

Total cfs Limited by fee ok

Limited by capacity

Total volume Limited by flow

Chart checked for AF rate/ac ☒ 3.0

Capacity Actual measurement checked

Theoretical checked

If greater than permit, check for other rts

Source Changed? yes no ☒

If so, is memo needed to clarify?

P/D Verify with map ☒ permit ☒ amendment needed

More than one per 1/4? Remember remark

Check p/d overlap

Uses Check irrigation period of use w/ chart ☒

P/U Verify with map ☒ permit
> 5 acres irrigated, run overlap

Remarks More than one p/d in 1/4
Description of non-irrig uses
Special overlap condition

Conditions -

2. → Measuring device R42
W. Master control R29
Overlap
Water quality
Other

Dates/Misc. -

Water Dist
App Rec'd
Proof Rec'd


CHECK FOR ADJ. CLAIM Needed according to proof filed
Filed - needs amended
Add'l fee required ok
Not filed -
Not needed

Comments/Changes to Examiner's Recommendations:

JAN 15 1992


License 10-day 30-day ☒

Back of field report signed? ☒
Reviewer 2 Curtis Date 5/10/91 Review time 12 min.



AIRPROFILMED

JAN 15 1992



Magnetic Declination, 19° E. Scale: 40 Chains to an Inch. Area Surveyed, 2240.19 Acres. Additional.

DESIGNATED BY WHOM SURVEYED GROUP MILEAGE WHEN SURVEYED

The above

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Staff Analysis Sheet
for
Beneficial Use Field Report

34-7085
Permit No.
EDW 11/86

A. Prior to Conducting the Exam, the File Contains:

- ☒ Blank Field Report Form
- ☒ Copy of Permit
- ☒ Copies of any Amendments/Orders with conditions of approval
- ☒ Computer Data Proof Report
- ☒ Copy of U.S.G.S. Quad
- ☒ Check for Government Lots. If so, make a copy of Government Plat

Check of P/D index ES 3/24/87 (Initial and date)

Overlap? ☐ yes ☒ no If yes: ☐ copy of exam(s) attached?
Type of Overlap? ☐ Add acres or uses to existing system
☐ Increase rate of flow or volume
☐ Other: _____

Check of P/U index ES 3/25/87 (Initial and date)

Overlap? ☐ yes ☒ no If yes: ☐ copy of water right(s) attached?
Type of Overlap? ☐ Increase rate of flow or volume
☐ Add P/D's
☐ Increase number of acres within tracts
☐ Other: 340560 - couldn't find it

Aerial Photo

Required? ☒ yes ☐ no If yes: ☐ copy attached?

Scheduling Letter sent? _____ (Initial and date)

☐ Appointment made and telephone conversation memo attached

B. After Conducting the Exam, the File Contains:

- ☐ Fully completed and signed Field Report Form
- ☐ Photographs of Point of Diversion and Place of Use
- ☐ Corrected Computer Data Proof Report with recommended license information, and date and signature of examiner.

C. Review and Processing:

Exam Completed 2-10-90-ES (Signature of examiner and date)

Exam Reviewed by Senior Water Resource Agent 4-24-91 (Initial and date)

Exam Reviewed by Manager of Regional Office _____ (Initial and date)

Exam Date Entered in Computer _____ (Initial and date)

Exam sent to State Office _____ (Initial and date)

Copy of Staff Analysis Sheet sent to Manager of Regional Office and Original
Refiled in White File _____ (Initial and date)

WR5810NP
(OD-138)IDAHO DEPARTMENT OF WATER RESOURCES
PLACE OF USE 1/4 1/4 COMPARISON REPORT

DATE: 05/14/91

PAGE: 1

WR-NUMBER	NAME	STG	SOURCE	T	R	S	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	SUM
L3407085	NO MATCHES FOR THIS POU IN AJ-POU-TEMP																		
3400560	MACKAY	D	CHERRY CREEK, NORTH	05N	24E	30	:	:	:	:	X	X	:	:	:	:	:	:	:
~~3407085~~	~~HARROP~~	~~D~~	~~CHERRY CREEK~~	~~05N~~	~~24E~~	~~30~~	~~:~~	~~:~~	~~:~~	~~:~~	~~40~~	~~40~~	~~:~~	~~:~~	~~:~~	~~:~~	~~:~~	~~:~~	~~80~~
A3407085	HARROP	P	CHERRY CREEK	05N	24E	30	:	:	:	:	5	26	:	:	:	:	:	:	31
L3407085	HARROP	L	CHERRY CREEK	05N	24E	30	:	:	:	:	5	26	:	:	:	:	:	:	31
	1986 MAPPING DATA ---	-	COUNTY 37 QUAD X 29	05N	24E	30	:	:	:	:	18	39	:	:	:	:	3	:	60
	1986 MAPPING DATA ---	-	COUNTY QUAD X 29	05N	24E	30	:	:	:	:	16	31	:	:	:	:	8	:	55

L3407085

WR-NUMBER	NAME	STG	SOURCE	T	R	S	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	SUM
NO MATCHES FOR THIS POU IN AJ-POU-TEMP																			
A3400513	AETNA CASUALTY & SURET	D	CHERRY CREEK	05N	24E	31	:	8	18	6	30	:	:	:	:	21	17	:	100
A3400514	AETNA CASUALTY & SURET	D	CHERRY CREEK	05N	24E	31	:	8	18	6	30	:	:	:	:	21	17	:	10
3400515	MILLER	D	BIG LOST RIVER	05N	24E	31	:	:	:	:	:	X	X	:	X	X	:	:	
A3400515	AETNA CASUALTY & SURET	D	CHERRY CREEK	05N	24E	31	:	8	18	6	30	:	:	:	:	21	17	:	100
3400560	MACKAY	D	CHERRY CREEK, NORTH	05N	24E	31	:	:	X	:	X	:	:	:	:	:	:	:	
A3400560	AETNA CASUALTY & SURET	D	CHERRY CREEK	05N	24E	31	:	8	18	6	30	:	:	:	:	21	17	:	100
3402057	MILLER	L	CHERRY CREEK	05N	24E	31	:	:	:	40	:	:	:	:	40	40	:	120	
~~3407085~~	~~HARROP~~	~~P~~	~~CHERRY CREEK~~	~~05N~~	~~24E~~	~~31~~	~~:~~	~~:~~	~~:~~	~~40~~	~~:~~	~~40~~	~~:~~	~~40~~	~~:~~	~~40~~	~~:~~	~~160~~	
A3407085	HARROP	P	CHERRY CREEK	05N	24E	31	:	:	:	18	:	:	:	:	:	:	:	:	18
L3407085	HARROP	L	CHERRY CREEK	05N	24E	31	:	:	:	18	:	:	:	:	:	:	:	:	18
A3410886	THE AETNA CASUALTY & S	J	CHERRY CREEK	05N	24E	31	:	:	:	:	:	:	:	:	18	17	:	35	
	1986 MAPPING DATA ---	-	COUNTY 23 QUAD X 29	05N	24E	31	:	20	35	9	35	18	:	:	28	:	:	145	
	1986 MAPPING DATA ---	-	COUNTY 37 QUAD X 29	05N	24E	31	:	19	37	9	39	21	:	:	37	:	:	162	

JAN 15 1992

WR5810NP
(OD-139)IDAHO DEPARTMENT OF WATER RESOURCES
PLACE OF USE LOTS COMPARISON REPORTDATE: 05/14/91
PAGE: 1

WR-NUMBER	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	LOT	+	SUM
L3407085	T05N	R24E	S30																
L3407085	:			:				:		3L11		:				:			11
A3407085	:			:				:		3L11		:				:			11
37 MAPPING:	2L13	3L17	4L1																31

L3407085 T05N R24E S31
 23 MAPPING: 2L13 3L17 4L1 7L26
 37 MAPPING: 2L13 3L17 4L1 7L26 7L32

26
32

JUN 15 1992

WR0722NP
(OD-22)

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHTS BY POINT OF DIVERSION

DATE: 05/14/91
PAGE: 1

WATER RIGHT NO.	LAST NAME	STG	PRIORITY DATE	P F	WATER SOURCE	WATER USE	RATE cfs	CAPACITY	TWP	RNG	SECT	TRACT	LOT
L34-07085	HARROP	L	11/25/1974		CHERRY CREEK	IRR	1.20	1.29	05N	24E	30		NWSW

JAN 15 1992

R23E R24E

GROUSE NW QUADRANGLE


IDAHO

7.5 MINUTE SERIES

113°37'30"
43°4

40' R 23 E 590 000 FEET

R 24 E



NAPP 375-19 X29 NE

PLACE OF USE
POINT OF DIVERSION

34-07080

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
MAY 06 1991

A. GENERAL INFORMATION

Department of Water Resources
Permit No. 317085


1. Owner E. J. HARROP Phone No. 554-4641
Current Address DARLINGTON, ID. 83231
2. Accompanied by MR. HARROP EXAM DATE 9-11-87
Address: _____ Phone No. _____
Relationship to Permit Holder OWNER
3. Source: CHERRY CREEK tributary to AUTELOPE CREEK

B. OVERLAP REVIEW

1. Other water rights with same place of use: NONE ☐ Copies Attached
2. Other water rights with same point of diversion: NONE ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable ☐ Alternative diagram attached



Scale: 1" = _____

2. ☒ Copy of U.S.G.S Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required). ☒ Aerial Photo Attached
(required for irrigation of 10 acres or more)
ASCS DOES NOT COVER THIS FAR UP STREAM.
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater)

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

MEASURED w/ 4.5 line out. (1/4 mile)

DITCH FROM STREAM SENDS WATER TO PUMP INTAKE. OVERFLOW RETURNS TO STREAM. PUMP RUNS FROM TRACTOR PTO, WHICH DELIVERS WATER TO 10" MAINLINE TO 4.5 QUARTER MILE HANDLINES. MAINLINE SPANS BOTH SIDES OF STREAM. DUE TO HEADCUTTING OF STREAM, HEADGATE ^{CONTROLABLE} WAS DESTROYED. A NEW ONE WILL BE PUT IN IF HEADCUTTING IS CONTROLLED.

☐ See Remarks on page 4 for continuation

4

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	OLIVER DIESEL		130320 K1000	BERKELEY	4"

*Code to correspond with No. on map and aerial photo

- 5 Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
	3	NE	NW	SW	30	5N	24E	CUSTER	AERIAL PHOTO, ON SITE Insp.

6. Place(s) of Use:

Indicate Method of Determination

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
5N	24E	30									5	11	3	26	18	18	18	26	42
		31					18												18
																			60

State of Idaho
DEPARTMENT OF WATER RESOURCES
SUPPLEMENTAL FIELD REPORT FOR ANNUBAR MEASUREMENT

Measured by: ERIC VERNER Date Sept 11, 1987
Owner: E.S. Hanop Permit No. 35-7085

Description of well &/or measuring site

- Include any clarifications of the sketch
- Include legal description if more than one p.d. is described in the Field Report

MEASURED INSIDE PIPE DIAMETER IN INCHES (ID)

CIR = Pipe Circumference in inches = _____

T = Pipe Thickness in inches = _____

ID = $2 [(0.1592 \times \text{CIR}) - T] = \dots\dots\dots 9.85"$

ANNUBAR DESCRIPTION & CONSTANT (C)

Size Used in Test _____

State ID No. _____

Select C based on size from Table below.

Nominal Pipe Size	C
4"	4.23
6"	3.75
8"	3.87
<u>10"</u>	<u>3.94</u>
12"	3.99
14" - 16"	4.01
18" - 24"	4.02
30" or larger	4.03

C selected 3.94

DIFFERENTIAL PRESSURE READING IN INCHES OF H₂O (H)

High Reading = ~~43.6~~ 40.5

Low Reading = ~~45.2~~ 38.2

High - Low = H = ... ~~1.6~~ 2.3

CALCULATION OF DISCHARGE IN CFS (Q)

$$Q = \frac{(ID)^2 \cdot (\sqrt{H}) \cdot (C)}{448.8}$$

$$Q = \frac{(9.85)^2 \cdot (\sqrt{2.3}) \cdot (3.94)}{448.8} = \frac{1.29}{1.00} \text{ CFS}$$

SKETCH (If not shown on Field Report)

JAN 15 1988

579.7 gpm @ 20 psi
~~483.53 gpm @ 30 psi~~

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
ANNUBAR		DIETRICH	2517-316	191147	10.02"	
MANOMETER					57"	

2 Measurements:

$id = 9.85"$ 40.5 - 38.2 @ 20psi

45.2 - 43.6 @ 30psi

E. FLOW CALCULATIONS

☒ Additional Computation Sheets Attached

1. Measured Method: ANNUBAR

$Q = 1.30$ cfs CAPACITY
LIMIT TO 0.02/ACRE
 $= 1.20$ cfs

2 Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure _____ psi x 2.31 = _____ ft (1); Dynamic pumping level _____ ft (2)

Total Head: (1) + (2) = _____ (3) : Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW _____ Ave PF x _____ Ave Volts x _____ Ave Amps x 0.01732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation

$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = (60)(3.0) = 180 \text{ AFA}$

$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = (1.30)(214)(1.9835) = 552 \text{ AFA}$

$V = \text{Smaller of } V_{IR} \text{ and } V_{DR} = 180 \text{ AFA}$

2 Volume Calculations for Other Uses

JAN 15 2002

H. REMARKS AND OVERLAP REVIEW ANALYSIS

THE WATER MASTER HAS NOT REQUIRED MR. HARROP TO INSTALL
LOCKING DEVICE. CONTROLS BY TELLING MR. HARROP TO NOT RUN
PUMP.

I. RECOMMENDATIONS

1 Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
IRRIGATION	4/1	11/1	1.20	180
Totals:			1.20	180

2 Recommended Amendments

☒ Change P D as reflected above

☐ Add P D. as reflected above

☐ None

☒ Change P U. as reflected above

☐ Add P.U. as reflected above

☐ Other

J. AUTHENTICATION

Field Examiner's Name

ERIC VERNER

Signature

[Signature]

Certification Date

Field Report Preparation Date

CONSULTANT SEAL

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

PUMPING
PLANT
→



A
34.
000200



WASHED OUT
ORIGINAL HEADING
→



700

POINT OF
DIVERSION
→




A34-
07080

DITCH FROM
DIVERSION TO
PUMP INTAKE
→



PUMP INTAKE
→



4/86

RECEIVED

SEP 18 1986

For Office Use Only
 Fee Received 125.00
 Date 9-10-86
 Receipt # 39881
 Receipt by MD
 Sent to S.O. 9-17-86

RECEIVED

SEP 10 1986

Department of Water Resources
 Eastern District Office

STATE OF ID Department of Water Resources
 DEPARTMENT OF WATER RESOURCES

EXAMINATION FEE INFORMATION

RECEIVED

SEP 4 1986

1. Permit No. 37-7085

ONE OF THE FOLLOWING BOXES SHOULD BE MARKED TO DESIGNATE YOUR CHOICE:
 Department of Water Resources

☒ I choose to have the department make the field examination of this permit; attached is the examination fee. (If this box is marked, complete items 1 thru 8.)

2. Permit Holder: Harrop Ranch Inc.3. Post Office Address: Darlington, Id. 83231Telephone No. 554-46414. Source of Water: Cherry Creek - Antelope Creek Drainage - Big Lost River

5. Extent of Use:

Domestic _____ (No. of households) Stockwater _____ (No. and type of stock)

Irrigation 60 (acres) Other/Remark _____6. Total rate &/or volume for which proof is submitted 1.2 cfs _____ acre-feet

7. Show the date water was first diverted and beneficially used under this permit:

May-1981

8. Person to contact to accompany the department representative during the field examination:

E.J. Harrop

(Name)

JAN 15 1992

Darlington, Idaho 83231

(Address)

554-4641
(Telephone Number)

☐ I choose to have the field examination conducted by a certified water right examiner. Attached is a statement from the certified examiner I have selected verifying that he has been retained to conduct the examination. (If this box is marked, complete items 1 thru 7.)

9-2-86
 Date

Harrop Ranch Inc. E.J. Harrop Pres.
 Signature of Permit Holder (and title, if appropriate)

Copy retained for file

State of Idaho
Department of Water Resources

LICENSE EXAMINATION FEE SCHEDULE

(c.f.s. = cubic feet per second
AF = acre feet)

cfs	AF	Fee
0 - 0.04	0 - 4	\$ 0
.05 - 0.20	5 - 20	50.00
.21 - 1.0	21 - 100	100.00
1.01 - 2.0	101 - 200	125.00
2.01 - 3.0	201 - 300	150.00
3.01 - 4.0	301 - 400	175.00
4.01 - 5.0	401 - 500	200.00
5.01 - 6.0	501 - 600	225.00
6.01 - 7.0	601 - 700	250.00
7.01 - 8.0	701 - 800	275.00
8.01 - 9.0	801 - 900	300.00
9.01 - 10.0	901 - 1000	325.00
10.01 - 11.0	1001 - 1100	350.00
11.01 - 12.0	1101 - 1200	375.00
12.01 - 13.0	1201 - 1300	400.00
13.01 - 14.0	1301 - 1400	425.00
14.01 - 15.0	1401 - 1500	450.00
15.01 - 16.0	1501 - 1600	475.00
16.01 - 17.0	1601 - 1700	500.00
17.01 - 18.0	1701 - 1800	525.00
18.01 - 19.0	1801 - 1900	550.00
19.01 - 20.0	1901 - 2000	575.00
20.01 & over	2001 & over	600.00

Checks should be made payable to the
Department of Water Resources

No fee is required for single family
domestic use or stockwater use.

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Eastern Region

150 Shoup, Suite 15
Idaho Falls, Idaho 83402
(208) 525-7161

JULY 22, 1985

E.J. HARROP
P.O. BOX 4102
POCATELLO

ID 83201

RE: Permit No. 34-7085

Dear Permit Holder:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this department.

A condition of approval of your original permit required the installation of a measuring device which, according to the proof card submitted by you, has not been installed. A measuring device must be installed and operating at the time the field examination is made. If a measuring device is not installed your permit may be subject to cancellation.

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office by phone at 525-7161 or in person in the third floor State Office Building, 150 Shoup, Idaho Falls, Idaho.

Sincerely,
s/HAROLD W. JONES
Sr. Resource Agent

JAN 15 1992



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

A. KENNETH DUNN

Director

34-7085
HARRDP, E. J.
P.O. BOX 4102
POCAHELLO, ID 83201

Mailing address:
Statehouse
Boise, Idaho 83720

0013459

JUL 30 1986

EXAMINATION FEE NOTICE

Dear Permit Holder:

Department records show that proof of beneficial use has been submitted for the above-referenced permit, but that a field examination has not yet been conducted to determine the extent of beneficial use of the water for licensing purposes.

House Bill 671 (effective April 4, 1986) enacted by the 1986 Idaho Legislature requires the payment of a fee before this department can conduct the field examination needed to issue a license confirming use of water under the permit. This letter is notification that the license examination fee is due within sixty (60) days of the date of this letter. The examination fee information sheet (enclosed) must be returned with the fee.

As an alternative to submitting the fee, the department will accept a field examination report completed by a certified water right examiner from the private sector. If you choose to have the examination done by a certified water right examiner, you need not submit the license examination fee to the department, but you must within sixty (60) days of the date of this letter return to the department, the examination fee information sheet showing appropriate information together with a statement from the certified examiner to verify that you have retained a certified examiner to conduct the field examination. If you choose this alternative, a completed field examination report must be submitted within one year of the date of this letter. You cannot later change your decision to use this alternative and submit the fee needed for the department to conduct the field examination, but you may change to another certified examiner.

JAN 15 1982

Certified water right examiners are licensed engineers, geologists, or land surveyors certified by the department to conduct water right examinations. The procedure for certifying examiners results from the recently enacted HB 671 and is being developed at this time. A listing

or certified water right examiners will be available from this department when examiners have been certified.

If your permitted use, in fact, has already been examined by the department and you have not asked to have the examination repeated, the fee requirement is not applicable to your permit. If you believe this is the case, please contact the department.

The license examination fee is to be based on the amount of water you indicate you have developed, as listed in item 6 on the examination fee information sheet. The amount of water on which the examination fee is based can be less than the permitted amount, if less water has been diverted and beneficially used. The licensed amount of water, however, will not exceed the amount you claim on the examination fee information sheet. The enclosed license examination fee schedule shows a listing of applicable fees.

FAILURE TO SUBMIT WITHIN THE SIXTY (60) DAY PERIOD, THE FEE OR THE STATEMENT THAT A CERTIFIED EXAMINER HAS BEEN RETAINED TO MAKE THE FIELD EXAMINATION, WILL BE CAUSE TO ADVANCE THE PRIORITY OF THE PERMIT ONE DAY FOR EACH DAY THAT THE FEE SUBMITTAL IS LATE.

FAILURE TO SUBMIT THE FEE OR THE COMPLETED FIELD EXAMINATION REPORT WITHIN A YEAR WILL BE CAUSE TO CONSIDER THE PROOF OF BENEFICIAL USE TO BE INCOMPLETE AND TO LAPSE THE PERMIT.

The attached examination fee information sheet and the fee may be submitted to the following department offices.

Northern Region

Idaho Dept. of Water Resources
4055 Government Way
Coeur d'Alene, ID 83814
Phone: 765-4639

Eastern Region

Idaho Dept. of Water Resources
150 Shoup Ave., Suite 15
Idaho Falls, ID 83401
Phone: 525-7161

Southern Region

Idaho Dept. of Water Resources
1041 Blue Lakes Blvd. North
Twin Falls, ID 83301
Phone: 734-3578

Western Region

Idaho Dept. of Water Resources
450 W. State St., (Third Floor)
Boise, ID 83720
Phone: 334-2190

Sincerely,



L. GLEN SAXTON
Chief, Operations Bureau

Enclosures

JAN 15 1977

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

RECEIVED

MAR 25 1985

COPIES OF THIS PERMIT MUST BE
FILED IN THE PERMIT OFFICE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed development under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below:

Permit No 34-7085

Name(s) of Permit Holder E. J. Hattop

Post Office Address P.O. Box 4102 Pocatello, ID 83201

Telephone No 237-0116

Source of Water Chetty Creek

Extent of Use:

Domestic _____ (number of households)

Stockwater _____ (number and type of stock)

Irrigation 246 (acres)

Other/Remarks _____

Indicate the date water was first diverted and beneficially used under this permit: May, 1982

Measuring Device, Required? ☒ Yes ☐ No

Installed? ☐ Yes ☒ No

well previously installed & washed out.

Flow Measurement Port, Required? ☐ Yes ☐ No

Installed? ☐ Yes ☐ No

Person to contact to accompany the Department representative during the field examination:

E. J. Hattop

(Name)

Datlington, ID

(Address)

554-4641

(Telephone Number)

The above information is a true statement of the extent to which the above numbered permit has been developed.

3/25/85

Date

E. J. Hattop

Signature of Permit Holder (and Title, if appropriate)

MICROFILMED

Place
Stamp
Here

Idaho Department of Water Resources
Statehouse Mail
Boise, ID 83720

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

138644

HARROP, E. J.
DARLINGTON, ID 83231

PROOF DUE NOTICE

JANUARY 31, 1985

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 34-7085 WAS THAT PROOF OF THE EXTENT OF YOUR BENEFICIAL USE MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE APRIL 01, 1985. (SEE LAST PAGE OF YOUR APPROVED PERMIT OR YOUR LAST APPROVED EXTENSION REQUEST). ENCLOSED IS A POSTCARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU OR A PREVIOUS OWNER OF THIS PERMIT HAVE NOT RECEIVED A PRIOR EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME IF THE DELAY IS FOR REASONABLE CAUSE AS PROVIDED IN SECTION 42-204, IDAHO CODE. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED. AN EXTENSION OF TIME REQUEST FORM IS ENCLOSED FOR YOUR CONVENIENCE.

EITHER THE BENEFICIAL USE POSTCARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE DESCRIBED PROOF DUE DATE. IF NEITHER IS RECEIVED, THE DEPARTMENT WILL SEND YOU A LAPSE NOTICE. WITHIN SIXTY (60) DAYS OF THE MAILING OF THE LAPSE NOTICE, THE PERMIT WILL NO LONGER BE OF ANY FORCE NOR EFFECT.

SINCERELY,

RITA FLECK
SECRETARY/RECORDS MANAGER

ENCLOSURES

MICROFILMED

January 15, 1980

E. J. Harrop
Darlington, ID 83231

Dear Mr. Harrop:

Re: Permit No. 34-7085

Enclosed is a copy of the approved request for extension...The time within which to submit proof of beneficial use of water is extended to April 1, 1985.

Sincerely,

JAN GROVER
Water Rights Supervisor

JG:rf

Enclosure

MICROFILMED



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 373 W. Franklin Street, Boise, Idaho

JOHN V. EVANS

Governor

C. STEPHEN ALLRED

Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 384-2215

August 17, 1979

Dear Wateruser:

The enclosed Order changes the measuring device condition of approval on your water right permit.

The changed condition is less restrictive and provides you the option to install an access port or have your system measured and certified by a professional engineer. Instructions for access port installation are also enclosed.

If you have questions regarding this matter, please contact the Regional Office nearest to you.

Sincerely,

DAVID R. TUTHILL, JR.
Supervisor, Water Allocations Section

DRT:lr

Enclosures

Northern Region Office
Rt. #5, Box 203 Government Way
Coeur d'Alene, Idaho 83814

Eastern Region Office
1515 Lincoln Street
Idaho Falls, Idaho 83401

Southern Region Office
1041 Blue Lake Blvd. North
Twin Falls, Idaho 83301

Western Region Office
92 S. Cole Road
Boise, Idaho 83705

April 10, 1975

Re: Permit No. 34-7085

Mr. E. J. Harrop
Grouse,
Idaho 83242

Dear Mr. Harrop:

Enclosed is a copy of your approved Application for Permit No. 34-7085. We direct your attention to the conditions of approval as listed on the fourth page.

Be sure to note that a special condition requiring you to install and maintain a measuring device at your point of diversion has been placed upon your permit. We are enclosing a letter describing different types of measuring devices accepted by this office.

Sincerely,

BOBBY D. FLEENOR
Chief, Water Rights

BDF:jfr

Enclosures

MICROFILMED

MEMORANDUM

RE: Application for Permit No. 34-7085

DATE: April 2, 1975

We have recently received several applications in the Big Lost area, which were submitted to bring the total diversion rate up to 2.0 inch per acre. I believe that many farmers need the excessive diversion rates, due to the low water holding capacity of the soils and the high permeabilities. However, I believe that Section 42-202 of the Idaho Code put the burden of proof in justifying an excessive diversion rate on the applicant. Since it is difficult for us to check surface water rights, I recommend that this permit be conditioned as follows:

- 1) Water diverted under this right in combination with other existing rights should not exceed a total diversion rate of 1 inch per acre.



RONALD D. CARLSON
District Engineer

MIC 13

April 2, 1975

RE: Application for Permit No. 34-7085
E. J. HARROP

Mr. George J. Hobley
Darlington
Idaho 83231

Dear Mr. Hobley:

This is to acknowledge receipt of the statement which you submitted to this office withdrawing your protest against the above referenced application.

If we may be of any assistance in the future, please contact us.

Very truly yours,

RONALD D. CARLSON
District Engineer

RDC:MB

April 2, 1975

RE: Application for Permit No. 34-7085

Mr. E. J. Harrop
Grouse
Idaho 83242

Dear Mr. Harrop:

Enclosed please find a copy of the statement Mr. George J. Hobley submitted to this office, withdrawing his protest against the above referenced application. Since Mr. Hobley was the only protestant, the final processing of your application can now be completed.

If you have any questions, please feel free to contact us.

Very truly yours,

RONALD D. CARLSON
District Engineer

RDC:MB

Enclosure

RECEIVED

APR 2 1975

Department of Water Resources
Eastern District Office

I hereby withdraw my
protest against the approval
of application for permit no 347085.

Dunge J. Holley

DATE - 3/31/1975

MICROFILMED

RECEIVED

DEC 16 1974

Department of Water Resources
Eastern District Office

Dec 16-74

Protest against 347085

We object to this because we feel that present ditch rider will not turn Mr. Harrops water off on July 15 as stated in request. This will effect our water on Antelope Creek.

George J Holby

RECEIVED

1515 Lincoln Road

March 13, 1975

RE: Application for Permit No. 34-7085

Mr. George Hobley
Darlington,
Idaho 83231

Dear Mr. Hobley:

Mr. Bill Rhoads of this office informs me that you recently indicated to him that you wish to withdraw your protest against the above referenced application for permit filed in the name of E. J. Harrop. If you do wish to have your protest withdrawn, please submit a letter to that effect.

Please let me know as soon as possible how you intend to dispose of this protest because we are now in the process of scheduling our next round of hearings.

Very truly yours,

RONALD D. CARLSON
District Engineer

RDC:CW

MICROFILMED



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
EASTERN DISTRICT

Cecil D. Andrus
Governor

December 17, 1974

1515 Lincoln Road
Idaho Falls, Idaho 83401
(208) 523-7186

R. Keith Higginson
Director

RE: Application for Permit No. 34-7085

Mr. E. J. Harrop
Grouse
Idaho 83242

Dear Mr. Harrop:

We have enclosed a copy of the protest filed against the issuance of a permit pursuant to your Application No. 34-7085. You should be aware that the following are the principle items we can consider at a conference and/or hearing in either approving or denying an application for permit (Section 42-203, Idaho Code):

1. Will the proposed use reduce the quantity of water under existing water rights?
2. Is the proposed water supply insufficient for the purposes intended?
3. Is the application made in good faith or for delay or speculative purposes?
4. Has the applicant sufficient financial resources with which to complete the project?

The Department cannot allow a permit for irrigation purposes which would entail the use of more than a continuous flow of 0.02 cubic feet per second of water for each acre of land, or an annual amount of 5 acre feet for each acre of land, unless the applicant can show that more is required. (Section 42-202, Idaho Code)

A permit issued by this office is subject to all prior water rights and does not in any way convey or establish a right-of-way over private or governmental lands. Any right-of-way or easement must be obtained by the applicant through action outside of the water right proceedings.

You will be notified at a later date as to the time and place set for a conference and/or hearing to discuss the matters of protest. Legal counsel is not mandatory at any proceeding before the Department, although you may desire to employ an attorney in your behalf.

If we may be of any assistance, please contact us.

Very truly yours,

RONALD D. CARLSON
Acting District Engineer

RDC:MB

Enc: Copy of Protest(s)



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
EASTERN DISTRICT

Cecil D. Andrus
Governor

1515 Lincoln Road
Idaho Falls, Idaho 83401
(208) 523-7186

R. Keith Higginson
Director

December 17, 1974

RE: Application for Permit No. 34-7085 E. J. HARROP

Mr. George J. Hobley
Grouse
Idaho 83242

Dear Mr. Hobley:

This is to acknowledge receipt of your protest to issuance of a permit pursuant to the above referenced application. The following are the principle items we can consider at a conference and/or hearing in either approving or denying an application for permit (Section 42-203, Idaho Code):

1. Will the proposed use reduce the quantity of water under existing water rights?
2. Is the proposed water supply insufficient for the purposes intended?
3. Is the application made in good faith or for delay or speculative purposes?
4. Has the applicant sufficient financial resources with which to complete the project?

The Department may reject an application and refuse issuance of a permit, partially approve the permit, approve the permit for a quantity of water less than applied for, or approve the permit subject to special conditions.

A permit issued by this office is subject to all prior water rights and does not in any way convey or establish a right-of-way over private or governmental lands. Any right-of-way or easement must be obtained by the individuals concerned through action outside of the water right proceedings.

You will be notified at a later date as to the time and place set for conference and/or hearing to discuss the matters of protest. If we may be of further assistance, please contact us.

Very truly yours,

RONALD D. CARLSON
Acting District Engineer

RDC: MB

RECEIVED

XXXXXXXXXXXXXXXXXXXXXXXXX RESOURCES

November 29, 1974

RE: Application for Permit No. 34-7086 Goddard
" " " No. 34-7085 Harrop

The Custer Publishing Co.
P.O. Box 405
Challis, ID 83226

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill.

Very truly yours,

RONALD D. CARLSON
Acting District Engineer

RDC:MB

Enc: Legal Notices (2)

File submitted 12-16-74 116

[Handwritten signature/initials]

It is hereby given that E. J. Harrop, Grouse, Idaho, has on 11-25-74 submitted Application No. 34-7085 for a permit to appropriate 4.8 cubic feet per second of water from Cherry Creek tributary of Big Lost River by means of pump and pipeline within the NE $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 30, T. 5N, R. 24E, B.M., Custer County; to be used from May 15 to July 15 for the irrigation of 240 acres within the E $\frac{1}{2}$ SW $\frac{1}{4}$, Sec. 30, E $\frac{1}{2}$ NW $\frac{1}{4}$, NE $\frac{1}{4}$ SW $\frac{1}{4}$, NW $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 31, T. 5N, R. 24E, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 1515 Lincoln Road, Idaho Falls, Idaho, 83401 on or before December 23, 1974.

R. KEITH HIGGINSON
Director

Published in the Mackay Miner,
Mackay, Idaho on December 5 and
December 12, 1974.

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that E. J. Harrop,

Grouse, Idaho

has on 11-25-74 submitted Application No. 34-7085

for a permit to appropriate 4.8 cubic feet per second ~~XXXXXX~~

of water from Cherry Creek tributary of Big Lost River

by means of pump and pipeline

within the NE $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 30, T. 5N, R. 24E, B.M., Custer County;

to be used from May 15 to July 15

for the irrigation of 240 acres

within the E $\frac{1}{2}$ SW $\frac{1}{4}$, Sec. 30, E $\frac{1}{2}$ NW $\frac{1}{4}$, NE $\frac{1}{4}$ SW $\frac{1}{4}$, NW $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 31, T. 5N, R. 24E,

B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 1515 Lincoln Road, Idaho Falls, Idaho, 83401 on or before December 23, 1974.

R. KEITH HIGGINSON

Director

Published in the Mackay Miner, Mackay, Idaho

on December 5 and December 12, 1974.

MICROFILMED

MB-L
aw- $\frac{1}{2}$
aw- $\frac{1}{2}$

November 27, 1974

RE: Application for Permit No. 34-7085

Mr. Eugene Gabert, Watermaster
Water District No. 34
Box 206
Mackay, Idaho 83251

Dear Mr. Gabert:

We are enclosing a copy of an application that may be of interest to your water district. Please review the application and if you have any comments, please submit them to our Department as soon as possible. The last date of protest is December 23, 1974, and we are required to take final action shortly thereafter.

If we may be of further assistance, please feel free to contact us.

Very truly yours,

RONALD D. CARLSON
Active District Engineer

RDC:ME

Enclosure