


13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.




Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

*sign here
please
AB*

X R. Conner Jr.
(Applicant)

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☒ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
		1 1/2		Tel Industrial	2"
				Dayton	
				mod. # 1103043468	

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS


1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

MICROFILMED

NOV 15 1995



NOV 15 1995

PERMIT 79-07191 INIT S.H
T. R. S. Q/Q
P/D 26N 2E 19 NW NE
SCALE 7.5 USGS Topo.
PHOTO ID.



79-07191
6/28/95 S.H.
P/D:

Tel Industrial Dayton
1 1/2 HP mod.# 1103043468

2" PVC discharge
245' to yard

Pond from seepage
of spring 95' away

Spring



P/u: Domestic
yard/garden, and
fruit trees
(external only)

MICROFILMED
NOV 15 1995

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 79-07191

Priority: August 5, 1988

Maximum Diversion Rate:

0.02 CFS

Maximum Diversion Volume:

0.6 AF

This is to certify, that RICHARD M CONNOR JR
PO BOX 95

LAONA WI 54541

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated August 5, 1988; and has submitted Proof of Beneficial Use on December 19, 1988. An examination indicates that the works have a diversion capacity of 0.100 cfs of water from:

SPRING

tributary to JOHN DAY CREEK

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.02 CFS	0.6 AF

LOCATION OF POINT(S) OF DIVERSION: SENWNE , Sec. 19, Township 26N, Range 02E
IDAHO County

PLACE OF USE: DOMESTIC

TWN RGE SEC

26N 02E 19

NWNE

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Domestic use is for 1 home.

NOV 15 1995

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 13TH day of NOVEMBER, 1988.

Acting for

KARL J. DREHER, Director

RECEIVED

DEC 19 1988

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

For Office Use Only
Fee Received _____
Date _____
Receipt # _____
Receipt by _____
Reviewed by 94
Sent to region _____

No Enc. Im
Department of Water Resources

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 79-07191

Name(s) of Permit Holder: RICHARD M. CONNOR, JR.

Post Office Address: P.O. BOX 95, LAONA, WISC. 54541

Telephone No. 715-674-3511
715-674-6411 OFF

Source of Water: SPRING

Extent of Use:

Domestic ONE (number of households) Stockwater _____ (number and type of stock)

Irrigation 1/2 ACRE (acres) Other/Remark _____

Total rate and/or volume for which proof is submitted .02 cfs _____ acre-feet

Show the date water was first diverted and beneficially used under this permit: AUGUST 1977

Measuring Device: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☒ No
Fee enclosed \$ NONE REQUIRED
(See License Examination Fee Schedule)

Flow Measurement Port: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☒ No

Person to contact to accompany the Department representative during the field examination:

RODNEY PERKINS, HCO1 LUCILE, ID. 83542

208-628-3958

(Name)

(Telephone Number)

(Address)

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

DEC 27 1988

12/12/88

Date

R. Connor RICHARD M. CONNOR, JR.
Signature of Permit Holder (and title, if appropriate)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant CONNOR, RICHARD M. JR. Phone (715) 674-3511 ⁶⁷⁴⁻⁶⁴¹¹
Post office address P.O. Box 95 LAONA, WISCONSIN 54541
2. Source of water supply POND* → Spring which is a tributary of JOHN DAY CREEK
3. Location of point of diversion is SE ¼ of NW ¼ of NE ¼, Govt. Lot _____
Sec. 12 19 Township 26N. Range 2E. B.M. Idaho County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
Amount 0.02 for DOMESTIC purposes from 01/01 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) .02 cubic feet per second and/or (b) _____ acre feet per annum
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. pumped by electric motor
from pond to irrigate 1/2 acre of lawn/garden/fruit
trees around house
b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
d. Is ground water with a temperature of greater than 90°F being sought? _____
7. Time required for the completion of the works and application of the water to the _____ use is
1 years (minimum 1 year).

MICROFILMED

DEC 19 1988

* per letter received 9/19/88 from applicant.

82

8. Description of proposed uses (if irrigation only, go to item 9):

a. Hydropower; show total feet of head and proposed capacity in KW. _____

b. Stockwatering; list number and kind of livestock. _____

c. Municipal; show name of municipality. _____

d. Domestic; show number of households. 1 HOUSEHOLD

e. Other; describe fully. _____

9. Description of place of use:

a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.

b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
26N	2E.	19		D															

Total number of acres to be irrigated _____

10. Describe any other water rights used for the same purposes as described above. Drilled well on property to supply household

11. a. Who owns the property at the point of diversion? claimant


b. Who owns the land to be irrigated or place of use? claimant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: _____

DEC 14 1988

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

DEC 19 1988

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

sign here
please
AB

X R. Conner Jr.
(Applicant)

Received by RLA Date 8/5/88 Time 1:40 PM Preliminary check by SL
 Fee \$ 30.00 Receipted by SL # W000987 Date 9/26/88 *
 Publication prepared by GG Date 9-28-88 Published in Idaho County Free Press
 Publication approved DK Date 10-28-88 10/5 & 10/12/88

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 79-7191, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before December 1, 19 89.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.
- e. Other:

Witness my hand this 30th day of November, 1988.

A. Glen Saylor

MICROFILMED

DEC 19 1988

MICHAEL P. WASKO

ATTORNEY AT LAW

P.O. Box 118
COTTONWOOD, IDAHO 83522
(208) 962-3351
(208) 962-3351 FAX

RECEIVED

SEP 15 1999

Department of Water Resources
P.O. Box 207
NEZPERCE, IDAHO 83543
(208) 937-2409
(208) 937-2409 FAX

September 1, 1999

RECEIVED

SEP 22 1999

WATER RESOURCES
WESTERN REGION

Idaho Department of Water Resources
P.O. Box 83720
Boise, Idaho 83720-0098

Re: Richard M. Connor, Jr.
#79-1404

79-07191 License

RECEIVED

SEP 24 1999

Department of Water Resources

Dear People:

Please be advised that this office represents Richard M. Connor, Jr., in the above matter.

The stock water has been in use since 1900, or before.

The household use is being checked out for its priority date.

If you have any questions or comments, please let us know. Thank you for your courtesy.

Very truly yours,

Michael P Wasko by kmn

Michael P. Wasko

MPW/kmn

cc: Richard M. Connor, Jr.

Copies put in files on
attach print-out.

Note - #79-1404 not on WR
or Af side. Not sure
where that # came from.

SD-0601-2 Last Name: CONNOR JR

STATE

S E L	First Name	O W N	Water Right No.	Priority Date	Source	Total Diversion	Use Code Desc
—	CONNOR JR						
—	RICHARD M	C	A79-10324	06/01/1954	SPRINGS	0.050	05 STOC S
—							06 STO FS
—	RICHARD M	C	A79-10179	06/01/1900	SPRINGS	0.080	43 DOMEST
—					ROUND SPRIN		04 STOCK
—	RICHARD M	C	A79-10180	06/01/1978	GROUNDWATER	0.020	43 DOMEST
—	RICHARD M	C	A79-10181	06/01/1950	JOHN DAY CR	0.060	43 DOMEST
—							04 STOCK
—	RICHARD M	C	79-10181	06/01/1950	JOHN DAY CR	0.060	43 DOMEST
—					SPRINGS		04 STOCK
—	RICHARD M	C	79-10179	06/01/1900	SPRING	0.040	43 DOMEST
—					ROUND SPRIN		04 STOCK
—	RICHARD M	C	79-10324	06/01/1954	SPRINGS	0.50	05 STOC S
—							06 STO FS
—	RICHARD M	C	79-10180	06/01/1978	GROUNDWATER	0.020	43 DOMEST

END OF DATA...ENTER MENU OPTION AND/OR PRESS ENTER TO CONTINUE

(Enter=Continue)

(GOLD7=This Query)

(Menu _____)



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

November 14, 1995

RICHARD M CONNOR JR
PO BOX 95
LAONA WI 54541

RE: WATER RIGHT NO. 79-07191

Dear Water Right Holder(s):

Enclosed is a copy of the Water Right License issued on the above referenced permit. If you have any questions, please contact me within 10 days of receipt of this license.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:rl

Enclosure

RECEIVED

NOV 15 1995

LICENSE REVIEW FOR SINGLE DOMESTIC USE

PERMIT NO. 74-07191

DATE 11-9-95

COMMENTS (Front of exam doesn't match map.)

REMARK: w01

AMEND P/D or P/U / 1st Notice _____ 2nd Notice _____

AMEND BOTH / 1st Notice _____ 2nd Notice _____

Adjustment Memo Necessary YES

Reviewer BC

MICROFILMED

NOV 15 1995

MEMORANDUM

TO: File 79-07191 / Richard Connor, Jr.
FROM: Brenda Chapman
DATE: November 9, 1995
RE: Recommendation Adjustment(s)

=====

The final licensing recommendations for Right 79-07191 are based on the information below:

C. DIVERSION AND DELIVERY SYSTEM

2. Place of Use:

The Place of Use location checked in this section does not coincide with the exam map or the permit. The examiner indicates an amendment to the place of use is not necessary, so it is assumed the NENE $\frac{1}{4}$ was marked in error. The NWNE $\frac{1}{4}$ should have been checked.

UNRECORDED

NOV 15 1995

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

OCT 17 1995

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 79-07191
HM: (715) 674-3511
Phone No. (714) 674-6411

1. Owner: Richard M. Connor, JR.

Current Address: P.O. Box 95 Laona, WI 54541

2. Accompanied by: Richard M. Connor, JR.

EXAM DATE: 6/28/95

Address: P.O. Box 95 Laona, WI 54541

HM: (715) 674-3511
Phone No. (714) 674-6411

Relationship to Permit Holder: Self

3. Source: Spring tributary to John Day Creek

B. OVERLAP REVIEW

1. Other water rights with the same place of use: 79-07000

2. Other water rights with the same point of diversion: none

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		SE	NW	NE	19	26N	2E	Idaho	per County Assessors office - see narrative USGS topo. + exam

2. Place(s) of Use:

Indicate Method of Determination

USGS topo. + exam


TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
26N	2E	19	D/1																

MICROFILMED

NOV 15 1995

* See adjustment memo. @C

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe I.d. as applicable.



Scale: 1" = _____

☒ Copy of USGS Quadrange Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☒ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
		1 1/2		Tel Industrial Dayton	2"
				mod. # 1103043468	

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

RECEIVED
NOV 15 1995

NOV 15 1995

E. NARRATIVE/REMARKS/COMMENTS

- Confirmed per telephone with Idaho County Assessors Office/Laura @ (208) 983-2742 on 6-14-94.
- Shows: same owner/adj.
 - 1 ac. with a house.
 - tax #1
 - no lot #, block #, or subd.
- No govt. lots found.
- Physical address: Box 365 Lucille, Id.
- Overlaps for P/U were other land +/or other uses.
- Other water sources available: Domestic well used for internal use.
- Use is Domestic, D/I external use only, for 1/2 acre yard, garden & fruit trees.
- The system consists of a spring that seeps into the pond from ^{source} run-off, a Tel Industrial Dayton 1 1/2 HP pump w/ 2" PVC discharge 245' to yard then converted to 1" PVC in the yard to variable nozzles (most nozzles are "lawn genie" model #525).

Have conditions of permit approval been met? ☒ yes ☐ no

MAINTAINED

NOV 15 1995

F. FLOW CALCULATIONS

☒ Additional Computation Sheets Attached

Measured Method:

Pumpback Computation Spreadsheet (see attachment) = .10 cfs
Allow Domestic D/I .02 cfs external use only.

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days In Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

Allow Domestic .6 Afa external use only.

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
<u>Domestic</u>	<u>1/1</u>	<u>12/31</u>	<u>.02</u>	<u>.6</u>
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
Totals:			<u>.02</u>	<u>.6</u>

2. Recommended Amendments

___ Change P.D. as reflected above

___ Add P.D. as reflected above

☒ None

___ Change P.U. as reflected above

___ Add P.U. as reflected above

___ Other

I. AUTHENTICATION

Field Examiner's Name Andy Hemenway Date 10/10/95

Reviewer _____ Date _____

NOV 15 1995

NOV 15 1995

① Permit: Domestic $\boxed{.02 \text{ cfs}}$ 11-12/31

② B/U yce: ~~0~~ pd 12/19/88 prior to 11/1/91
0 - 0.04 cfs

③ Max. Allowable:
Domestic D/I external only $\boxed{.02 \text{ cfs}}$

④ Measurement:
Pumpback Computation Spreadsheet
(see attachment) = .10 cfs

APPROVED
NOV 15 1995

Pumpback Computation Spreadsheet (DRT 1/24/1995)

Data Entered By: Sandy Hemenway
10/10/95
Project: Flow Computation for Permit No. 79-07191

Given: See Data Table

Compute head losses with the Williams and Hazen Formula:

$$f = 0.2083 * (100 / \text{roughness})^{1.85} * ((\text{cfs} * 448.8)^{1.852} / \text{ID}^{4.8655} * \text{Length} / 100)$$

To Find: Compute Rate of Flow for a Pumpback System


Data Table

Vertical Lift: 30.00 feet
 Pressure Req'd: 20.00 psi (Domestic psi, if no gauge present +
 Required Head: 76.20 feet unable to get a measurement from
 Pump Horsepower: 1.50 horsepower sprinklers since they were variable
 Pipe Roughness: 150.00 sizes + makes.)
 Note: pvc = 150, smooth and straight pipe = 140
 aluminum - joint length 20' = 125, joint length
 30' = 130, joint length 40' = 132, joint length
 50' = 134, new riveted steel = 100
 old riveted steel = 100, old cast iron = 95,
 old pipes in poor condition = 60 to 80

Inside Diameter in Inches	Equivalent Length in Feet	Unit Head Loss	Total Friction Head Loss from Pipe Friction
1.75	245.00	18.16	
1.00	0.00	0.00	
1.00	0.00	0.00	
			18.16

Initial Estimate of Rate of Flow: 0.100 CFS
 Computation of Rate of Flow: 0.10

RECEIVED
NOV 15 1995




NOV 15 1995

PERMIT 79-07191 INIT S.H.
T. R. S. Q/Q
P/D 26N 2E 19 NW NE
SCALE 7.5 USGS Topo.
PHOTO ID.



79-07191
6/28/95 S.H.
P/D:
Tel Industrial Dayton
1 1/2 HP mod.# 1103043468
2" PVC discharge
245' to yard
Pond from seepage
of spring 95' away

Spring



P/u: Domestic
yard/garden, and
fruit trees
(external only)

NOV 15 1995

S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

Statehouse
Boise, Idaho 83720
(208) 334-7900
December 5, 1988

RICHARD M. CONNOR, JR.
P.O. BOX 95
LAONA, WI 54541

P E R M I T A P P R O V A L N O T I C E

RE: PERMIT NO. 79-07191

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of Beneficial Use" that must be submitted to the Department when your project is completed.

Sincerely,

GARY SPACKMAN, Supervisor
Water Rights Permits Section

GS: SC
Enclosures

MICROFILMED

DEC 15 1988



State of Idaho
DEPARTMENT OF WATER RESOURCES

705 • (208) 334-2190

R. KEITH HIGGINSON
Director

MR. R. CONNOR JR.
BOX 95
LAONA, WISCONSIN 54541

STEVE LESTER
IDAHO DEPT. OF WATER RESOURCES
BOISE, IDAHO

August 31, 1988

DEAR MR. LESTER,

I BELIEVE I HAVE TAKEN CARE OF THE POINTS YOU
RAISED IN YOUR LETTER OF 8/31/88.

THE POND IS FORMED BY A SPRING, LOCATED IN THE SE $\frac{1}{4}$,
NW $\frac{1}{4}$, NE $\frac{1}{4}$. IT IS ALREADY IN USE SO I PUT IN THE 1
YEAR.

few changes
a the


I HAVE MARKED THE POINT OF DIVERSION ON THE TOPO
MAP AS PER YOUR REQUEST. IF YOU HAVE ANY QUESTIONS
PLEASE CONTACT ME.

the pond
or your use. If
water source
locate it to the
of the

SINCERELY,

Dick

R. CONNOR, JR.



MICROFILMED

DEC 19 1988

Department of Water Resources
Western Regional Office

oints on the
.

ne to five,
tem already

on page three.

rdizing your
and a receipt
ed.

Sincerely,

Steve Lester
Sr. Water Resource Agent

SL:s
Encl.

MICROFILMED

DEC 19 1988

AFFIDAVIT OF PUBLICATION

Charlotte Sotin

being first duly

Bookkeeper

**NOTICE OF APPLICATION
FOR WATER RIGHT**
The following application(s) have been
filed to appropriate the public waters of
the State of Idaho:

77-07277

U.S. DEPT. OF AGR.: FOREST
SERVICE, FEDERAL BLDG., 324 25TH
ST., OGDEN, UT 84401

Source: UNNAMED STREAM Tributary:
SUMMIT CREEK

Diversion Pt: NWNE Sec 34 T 22N R
04E

Use: WILDLIFE STORAGE (3.00 AF)
WILDLIFE FROMS TORAGE (3.00 AF)
DIVERSION TO STORAGE (.100 CFS)
Date Filed: 9/16/1988

In: T22N R04E S27 SESE

79-07191

CONNOR, JR., RICHARD M.; P.O. BOX
95, LAONA, WI 54541

Source: SPRING Tributary: JOHN DAY
CREEK

Diversion Pt: SENWNE Sec 19 T 26N R
02E

Use: DOMESTIC (.020 CFS)
Date Filed: 8/05/1988

In: T26N R02E S19 NWNE

The permit(s) will be subject to all prior
water rights. Protests must be filed with
the Director, Dept. of Water Resources,
Western Region, 2735 Airport Way,
Boise, Idaho 83705 on or before
OCTOBER 24, 1988.

R. KEITH HIGGINSON, Director
Published 10/05/1988 & 10/12/1988

05-12

MICROFILMED

DEC 19 1988

sworn, says he is the Bookkeeper of the IDAHO COUNTY FREE PRESS, a weekly newspaper which is published and issued weekly at Grangeville, Idaho County, State of Idaho, and which is of general circulation in said county and state; that the said notice, of which the one hereto attached is a true copy, was published in said paper for two weeks, being published two times, the first publication being on the 5th day of October, 1988, and the last publication on the 12th day of October, 1988; and that the said notice was published in the newspaper proper and not a supplement; that said newspaper has been continuously and uninterruptedly published in said county during a period of more than seventy-eight consecutive weeks prior to the first publication of said notice or advertisement.

Charlotte Sotin

Subscribed and sworn to before me this 12th day

of October, 1988.

R. Keith Higginson, Notary Public

for State of Idaho, residing at Grangeville, Idaho.

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Western Region
2735 AIRPORT WAY

Boise, Idaho 83705
(208) 334-2190

SEPTEMBER 30, 1988

Idaho County Free Press
P.O. Box 267
Grangeville, ID 83530

Dear Legal Dept.:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before OCTOBER 24, 1988.

Yours truly,

JUDY PENSE
Secretary

Encl.

MICROFILMED
DEC 19 1988

79-07191

CONNOR, JR., RICHARD M.
P.O. BOX 95
LAONA, WI 54541

Source: SPRING

Tributary: JOHN DAY CREEK

Diversion Pt: SENWNE Sec 19 T 26N R 02E

Use: DOMESTIC (.020 CFS)

Date Filed: 8/05/1988

In: T26N R02E S19 NWNE

MICROFILMED
DEC 19 1988