




Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Joe Wilson
(Applicant)

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☒ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.


Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: 5 gallon bucket measurement = 2 min 40 sec. / 5 gal.
= .004 cfs low flow for the season

RECEIVED

1997

IAN 9 2 1997



PERMIT 79-07182 INIT S.H.
T. R. S. Q/Q
P/D 27N 1E 24 SESW
SCALE 7.5 USGS Topo.
PHOTO ID. P-8

JAN 26 1967

79-07182

P/D:

Spring w/
collection box
1 1/4" ABS 153' to
500 gallon
holding tank



III

500 gallon
holding tank
w/overflow
going to
23'x 22'x 2' pond



P/U # 2

23'x 22'x 2' pond
w/its overflow
going to Slippery Creek

RECEIVED
JAN 26 1996

79-07182

P/u:

P/u#1

Domestic D/I
external only

(1138') PVC 1 1/4" from
500 gal. holding tank
to hydrant + stockwater
(buried 3')

P/u# 2 pond

(950') 1 1/4" ABS
from holding tank
to pond



P/u:

P/u#1

3' x 6' ~~3~~ tire
for stockwater

5 horses

2 cattle

(under their
domestic
water use)

Microfilm

JAN 26 1996

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 79-07182

Priority: July 19, 1988

Maximum Diversion Rate:

0.02 CFS

Maximum Diversion Volume:

0.1 AF

This is to certify, that JOE WILSON
ADA C WILSON

HC01 BOX 81C

WHITEBIRD ID 83554

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated July 19, 1988; and has submitted Proof of Beneficial Use on January 10, 1990. An examination indicates that the works have a diversion capacity of 0.020 cfs of water from:

SPRING

tributary to SLIPPY CREEK

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
STOCKWATER	01/01 to 12/31	0.02 CFS	0.1 AF

LOCATION OF POINT(S) OF DIVERSION:

NESESW , Sec. 24, Township 27N, Range 01E
IDAHO County

PLACE OF USE: STOCKWATER

TWN RGE SEC

27N 01E 24

NESW

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
 2. This water right is appurtenant to the described place of use.
 3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
 4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
- Stockwater use is for 5 horses and 2 range cattle.

SCANNED

FEB 16 2004


JAN 26 2004


State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 79-07182

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 23RD
day of JANUARY, 1976.


KARL J. DREHER, Director
Acting for




JAN 28 1976

RECEIVED

STATE OF IDAHO

JAN 10 1990

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

No fee included
Department of Water Resources

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 79-07182 Telephone No. 208-839-2474Name(s) of Permit Holder(s): Joe and/or Ida C. WilsonPost Office Address: HCO1 Box 81C White Bird Ida 83554Source of Water: Spring

If ground water, well driller's name: _____ Date drilled: _____

Extent of Use:
Domestic 2 (No. of households) Irrigation _____ (No. of acres)
Stockwater _____ (No. and type of stock) Other _____Total rate and/or volume for which proof is submitted 0.08 cfs _____ acre/feetShow date water was first diverted and beneficially used under this permit: October 1987

One of the following may be a condition of approval of your permit:

Measuring device: Required? ☐ Yes ☐ No Installed? ☐ Yes ☐ No

OR

Flow Measurement Port: Required? ☐ Yes ☐ No Installed? ☐ Yes ☐ No

Fee Enclosed: \$ _____ (See License Examination Fee Schedule)

Department of Water Resources

Person to contact to accompany the Department representative during the field examination:

Name Joe Wilson Telephone No. 208-839-2474
Address HCO1 Box 81C White Bird Ida 83554

The above information is my true statement of the extent to which the above number permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

Date 1-8/90Signature (and title if on behalf of a company or organization) Joe Wilson**RECEIVED**
JAN 26 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

79-07182
Ident. No.

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant Joe AND/OR ADAC. Wilson Phone 208-839-2424
Post office address HCOI Box 81C White Bird ID 83554
2. Source of water supply Spring which is a tributary of Slippy Creek
3. Location of point of diversion is NE $\frac{1}{4}$ of SE $\frac{1}{4}$ of SW $\frac{1}{4}$, Govt. Lot _____
Sec. 24 Township 27N Range 1E B.M. Idaho County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
Amount .08 for Domestic purposes from Jan 1 to Dec 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) .08 cubic feet per second and/or (b) _____ acre feet per annum
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc. Concrete Head box with holding Tank
1 1/2" dia 2300' long To two houses
 - b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
 - c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
 - d. Is ground water with a temperature of greater than 90°F being sought? _____
7. Time required for the completion of the works and application of the water to the project is _____
2 years (minimum 1 year).

MICROFILMED

FEB 09 1989

8. Description of proposed uses (if irrigation only, go to item 9):

- a. Hydropower; show total feet of head and proposed capacity in KW. _____
- b. Stockwatering; list number and kind of livestock. _____
- c. Municipal; show name of municipality. _____
- d. Domestic; show number of households. 2 houses
- e. Other; describe fully. _____

9. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
27N	1E	24									$\frac{0}{2}$								

↑
refers to 2 homes, not 2 acres.
per phone conv. with applicant,
8/3/88 SL.

Total number of acres to be irrigated _____

10. Describe any other water rights used for the same purposes as described above. _____

11. a. Who owns the property at the point of diversion? Applicant

b. Who owns the land to be irrigated or place of use? _____

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: _____

MICROFILMED

FEB 09 1989



Scale: 2 inches equal 1 mile.

MICROFILMED

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

FEB 09 1985

Joe Wilson
(Applicant)

ml No + 2000
7-20-88 2:00 pm Proposed Priority 7/19/88
Received by #19 Date 7/19 Time 10:30a. Preliminary check by 82
Fee \$ 30.00 Receipted by [Signature] # W000518 Date 7-22-88
Publication prepared by GG Date 8-10-88 Published in Idaho County Free Press
8/17 & 8/24/88
Publication approved [Signature] Date 9/30/88

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 79-7182, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before January 1, 19 91.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.
- e. Other:
Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.

Witness my hand this 19th day of December, 1988.

[Signature]

MICROFILMED

FEB 6 1989



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

January 23, 1996

JOE WILSON
ADA C WILSON
HC01 BOX 81C
WHITEBIRD ID 83554

RE: WATER RIGHT NO. 79-07182

Dear Water Right Holder(s):

Enclosed is a copy of the Water Right License issued on the above referenced permit. If you have any questions, please contact me within 10 days of receipt of this license.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:rl

Enclosure

RECORDED

JAN 26 1996

LICENSE REVIEW CHECKLIST

PERMIT NO. 79-07182 DATE 1-18-96



NAME	<u>Change OK</u> ☒	Or Address Change?
PRIORITY DATE	☒	Advance? <u> </u> Advanced to: <u> </u> Order to reinstate needed? <u> </u> Incorrect fee for rate recommended? <u>W</u>
SOURCE	<u> </u>	Changes or just clarification of originally intended source? <u> </u> Notice of Intent to Void necessary? <u> </u>
POINT OF DIV	☒	Amendment needed? <u>NO GOV LOT HERE</u> ☒ Overlaps? <u> </u>
PLACE OF USE	☒	Amendment needed? <u>Add SESW 1/4 OF SEC 24? NO</u> ☒ Overlaps? <u>NA</u> <u>SEE MEMO</u>
DIV RATE	☒	Permit/fee limits: <u>.08 CFS</u> <u>2 DOMESTICS</u> Meas Q = <u>Pipeflow</u> Theo Q = <u>.02</u> Recommend: <u>.02</u> <u>USE IS ACTUALLY FOR STOCK 5 HORSES + 2 CATTLE</u> <u>RATE OF .02 IS OK</u> Combined rates exceed capacity <u> </u>
ANNUAL VOLUME	☒	Volume Limit: <u> </u> Season: <u> </u> Calculations: <u>7 HEAD X .00022 = .1 cfs</u> Flow limit: <u> </u> cfs x <u> </u> x 1.9835 = <u> </u> Combined volumes exceed capacity/allowable <u> </u>
USES	☒	Change in Nature of Use or additional uses? <u>DOMESTIC TO STOCK</u> Amendment necessary? <u>NO</u>
ADDITIONAL INFO	☒	Replaces Surface Water <u>050</u> Supplemental GW <u> </u> Irr/Dom Combination <u>WB5</u> PPU Recommendation <u> </u> Boise River/Wood River Source Aes/Rec Uses <u>W38</u>
NEW REMARKS	<u>W02</u>	Multiple p/d(s) in 1/4 1/4? <u> </u> Other <u>(7)</u>
NEW CONDITIONS	☒	WM Control- District <u> </u> Meas/Lock Devices <u> </u> Irrigation Overlap <u> </u> Other <u> </u> Water Quality <u> </u> Heat/Cool/Fish verified <u> </u>

COMMENTS: ① Gov Lot 4 does not extend into the SESW 1/4 1/4.
② Change use to stockwater

RECOMMENDATION	CFS	VOLUME	SRBA Claim Filed	<u>NO</u>
<u>Stockwater</u>	<u>.02</u>	<u>.1</u>	Adjustment Memo Needed	<u>YES</u>
<u> </u>	<u> </u>	<u> </u>	LICENSE	☒
<u> </u>	<u> </u>	<u> </u>	1ST AMEND LETTER	<u> </u>
<u> </u>	<u> </u>	<u> </u>	2ND AMEND LETTER	<u> </u>

MEMORANDUM

TO: File 79-07182 / Joe Wilson
FROM: Brenda Chapman
DATE: January 18, 1996
RE: Recommendation Adjustment(s)

=====

The final licensing recommendations for Right 79-07182 are based on the information below:

C. DIVERSION AND DELIVERY SYSTEM

1. Point of Diversion: Government Lot 4 does not extend into the SESW $\frac{1}{4}$.
2. Place of Use: The exam map of the system is a 7.5 minute series one with 1" equal to 2,000 ft. Given the distances between the spring and both stock troughs, the troughs would be inside the permitted NESW $\frac{1}{4}$.

E. NARRATIVE/REMARKS/COMMENTS

The actual use under this permit is stockwater, not domestic. Changing the use to stockwater reduces the annual consumptive volume; therefore, a change in the nature of use amendment is not necessary.

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use	Rate of Div	Annual Vol
Stockwater	1-01 to 12-31	.02	.1

The volume recommendation has been adjusted based on the requirements for 5 horses and 2 head of cattle.

2. Recommended Amendments

☐ Change P.D.	☐ Add P.D.	☒ None
☐ Change P.U.	☐ Add P.U.	☐ Other

Based on Section C, part 2, an amendment to add an additional $\frac{1}{4}$ to the place of use is ~~not necessary~~.

JAN 26 1996

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
NOV 15 1995

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 79-07182

1. Owner: Joe +/or Ada C. Wilson Phone No. (208) 839-2474

Current Address: HC #1 Box 81C Whitebird Id 83554

2. Accompanied by: Joe Wilson EXAM DATE: 9/28/95

Address: HC #1 Box 81C Whitebird, Id. 83554 Phone No. (208) 839-2474

Relationship to Permit Holder: self

3. Source: Spring tributary to ~~Slippy Creek~~ Slippy Creek

B. OVERLAP REVIEW

1. Other water rights with the same place of use: 79-04060, 79-04061, 79-07015

2. Other water rights with the same point of diversion: none

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
	4	NE	SE	SW	24	27N	1E	Idaho	USGS Topo. + exam

2. Place(s) of Use:


Indicate Method of Determination USGS Topo. + exam

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
* 27N	1E	24									D/I			D/I					

RECEIVED
JAN 26 1996

* SEE adjustment memo. BC

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate well size/ditch size/pipe I.D. as applicable.



Scale: 1" = _____

☒ Copy of USGS Quadrange Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☒ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: 5 gallon bucket measurement = 2 min 40 sec. / 5 gal.
= .004 cfs low flow for the season

E. NARRATIVE/REMARKS/COMMENTS

- Gov't Lot #4 was found.
- Overlaps for P/U are same land, other source ^(other springs) & other land &/or other uses (irrigation/~~the~~ stockwater).
- Other WR 79-04060, & 79-04061 statutory claims, both from different springs.
- Use is domestic D/I external only for stockwater for 5 horses & 2 cattle. Other uses: wildlife. ^(Internal was not developed)
- Recommend allowing Domestic D/I external using the pipeflow computation spreadsheet (.02 cfs), instead of the 5 gallon Bucket Measurement since the flow is low right now.
- The system consists of a spring w/an unknown size collection box, 153' of 1 1/4" ABS to a 500 gallon holding tank, 950' of 1 1/4" ABS from overflow to a 23' X 22' X 2' pond (P/U #1) w/flow thru to Slippy Creek, 2088' 1 1/4" PVC from storage tank buried 3 feet deep to ^(P/U #1) hydrant & ^(P/U #1) stockwater 3' X 6' tire (measured @ low flow 2 min 40 sec / 5 gal. = .004 cfs).

Have conditions of permit approval been met? ☒ yes ☐ no

RECEIVED
JAN 26 1996

F. FLOW CALCULATIONS

☒ Additional Computation Sheets Attached

Measured Method:

* Allow Domestic D/I external .02 cfs

Pipeflow Capacity 1 1/4" pipe (see attachment) = .04 cfs

Pipeflow Computation Spreadsheet (see attachment) = .02 cfs

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

* Allow Domestic D/I external .6 Afa

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
* Domestic	1/1	12/31	.02	.6
Totals:			.02	.6

2. Recommended Amendments

* ☐ Change P.D. as reflected above

☐ Add P.D. as reflected above

☐ None

☐ Change P.U. as reflected above

☒ Add P.U. as reflected above

☐ Other

I. AUTHENTICATION

Field Examiner's Name Endy Hernandez Date 10/30/95

Reviewer _____ Date _____

SEAL

* See adjustment memo. BC

JAN 26 1996

① Permit: Domestic .08 cfs 1/1 - 12/31 79-07182
D/2

② B/u fee: \$50.00 8/29/90 pd. .05 - 0.2 cfs

③ Max. Allowable:

Domestic D/1 .02 cfs external only ~~only~~
(Stockwater that would be watered under domestic = 5 horses, 2 cattle)

④ Measurement:

5 gallon Bucket Measurement: 2 min. 40 sec. / 5 gal.

$$\frac{5 \text{ gal.} \times 60 \text{ sec.}}{160 \text{ sec.}} = 1.875 \text{ gpm} \times .00223 \text{ cfs} =$$

.004 cfs low flow

Pipeflow Capacity of 1 1/4" pipe

$$Q = 5 \pi R^2 \frac{\text{dia.}}{12} \div 2 = R \quad \pi = 3.1416$$

$$\frac{1.25}{12} \div 2 = .05$$

$$Q = .04 \text{ cfs}$$

Pipeflow Computation Spreadsheet (see attachment)

$$= \underline{.02 \text{ cfs}}$$

JAN 26 1996

Pipeflow Computation Spreadsheet (DRT 12/31/1992)

Data Entered By: Sandy Hemenway
10/30/95
Project: Flow Computation for Permit No. 79-07182
Joe Wilson
Given: See Data Table

Compute head losses with the Williams and Hazen Formula:

$$f = 0.2083 * (100 / \text{roughness})^{1.85} * ((\text{cfs} * 448.8)^{1.852} / \text{ID}^4.8655 * \text{Length} / 100)$$

To Find: Compute Rate of Flow

Data Table


Total Head: 160.00 feet *from USGS Topo.*
 Pressure Req'd: 1.00 psi
 Available Head: 157.69 feet
 Pipe Roughness: 145.00 Note: pvc = 150, smooth and straight pipe = 140
 aluminum - joint length 20' = 125, joint length
 30' = 130, joint length 40' = 132, joint length
 50' = 134, new riveted steel = 100
 old riveted steel = 100, old cast iron = 95,
 old pipes in poor condition = 60 to 80

Inside Diameter in Inches	Equivalent Length in Feet	Unit Head Loss	Total Head Loss from Pipe Friction	
1.00	153.00	10.76		<i>from spring to storage tank</i>
1.00	950.00	66.82		<i>from storage tank to pond</i>
1.00	1138.00	80.04		<i>from pond to stockwater tank</i>
9.50	0.00	0.00	157.62	<i>total pipe from spring to P/u#1</i>

Rate of Flow:

0.022 CFS

JAN 26 1996




PERMIT 79-07182 INIT S.H.
T. R. S. Q/O
P/D 27N 1E 24 SESW
SCALE 7.5 USGS Topo.
PHOTO ID. P-8

79-07182

P/O:

Spring w/
collection box
1 1/4" ABS 153' to
500 gallon
holding tank



三

500 gallon
holding tank
w/overflow
going to
23'x22'x2' pond



P/u #2

23'x22'x2' pond
w/its overflow
going to Slippery Creek

JAN 26 1996

79-07182



P/u:

P/u #1

Domestic D/I
external only

(1138) PVC 1 1/4" from
500 gal. holding tank
to hydrant + stockwater
(united 3')

P/u #2 pond

(950') 1 1/4" ABS
from holding tank
to pond



P/u:

P/u #1

3' x 6' ~~3~~ tire
for stockwater

5 horses

2 cattle

(under their
domestic
water use)

RECEIVED
JAN 26 1996

RECEIVED
MAY 18 1992

Department of Resources

St. Luke Bird Island
May 13 1992.

Dear Sir,

I am writing in regards to
permit No. 79-7182.

Your letter of November 16, 1990
said you was going ahead with
the field inspection so we could
get the water right filed.

How come we haven't heard any
more about this. Please let me
hear from you

Yours truly
Joe Wilson

RECEIVED

JAN 26 1996

November 16, 1990

Joe Wilson
Ada C. Wilson
HC01 Box 81C
Whitebird, ID 83554

Dear Mr. and Mrs. Wilson:

Re: Permit No. 79-7182

The department received your letter of November 6, 1990 questioning the lockable measuring device and requesting return of the \$50 licensing exam fee.

The letter acknowledging the proof of beneficial use contained a paragraph addressing the need for installation of a lockable measuring device. This computer-generated letter contained this paragraph in error. The installation of a lockable measuring device is not necessary.

The next step is for the department to conduct a field inspection to confirm and verify the extent of beneficial use to process the permit into a license. The license exam fee is required for the department to complete the field inspection. The \$50 fee is required to cover the costs of the field inspection.

If I can be of further assistance, please contact me.

Sincerely,

RITA I. FLECK
Secretary/Records Manager

JAN 26 1991

White Bird Ida.
Nov. 6 1990

Dear Sir,

We have had several water rights recorded and never before had to have a measuring device or an inspection.

We would never made out an application for a water right on this spring if we had known we had to have a measuring device and an inspection.

We will leave it as it is.

Please refund the \$50.00 I sent for an inspection fee.

Yours Truly

Ada Wilson

RECEIVED
NOV 8 1990

Department of

1990

November 1, 1990

JOE WILSON
ADA C. WILSON
HC01 BOX 81C
WHITEBIRD, ID 83554

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 79-07182

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

I note that the permit issued to you by the department requires the installation of a lockable device to allow the department to determine the rate of diversion. The proof which you submitted does not show that you have installed this equipment.

The installation of the lockable device must be complete by the time the department representative conducts the examination of your system unless the department has rescinded the requirement prior to the field examination. In some cases, the equipment requirement can be rescinded because the equipment cannot be physically installed, is not appropriate or can be accommodated with other measuring methods.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

MAILED

JAN 26 1996

January 25, 1990

Joe and Ada C. Wilson
HC01 Box 81C
White Bird, ID 83554

Dear Mr. and Mrs. Wilson:

Re: Permit No. 79-7182

On January 10, 1990, the department received your letter and the proof of beneficial use form.

Your letter mentions that you are unaware of who might be a certified water right examiner in your area. Enclosed is a listing of present certified examiners. Note, however, that renewals are effective as of April so this list could change in a few months.

The other option is to submit a \$50 fee and the department will conduct the field inspection.

Returned is the proof of beneficial use form. It is not due until January 1, 1991, but can be submitted at any time with either a license examination fee of \$50 or with a beneficial use report completed by a certified water right examiner.

If I can be of further assistance, please contact me.

Sincerely,

RITA I. FLECK
Secretary/Records Manager

Enclosures

c: region

RECEIVED

JAN 26 1996

White Bird Idaho.

Jan 8 1990

Dear Sir:

I have no idea who would
be a Certified water right
examiner in this area so will
mail you a check when I
know how much it will be.
for the examiner

Yours truly

Joe Nelson

REC-1
JAN 10 1990

Department of Water Resources

RECEIVED

JAN 26 1996

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

COMMENCEMENT OF WORKS

Permit No. 79-07182
Name(s) of Permit Holder(s): Joe & Ada Wilson
Post Office Address: Hdqt Bldg 81C
White Bird, Ida 83554 Tel. No. 839-2474

- ☐ I hereby certify that construction of diversion works for the above referenced permit began on _____ (date) I understand that I must continue to develop the water system with diligence to maintain a valid permit.
- ☐ I hereby certify that construction of diverting works on the above referenced project has not yet begun due to the following reason beyond my control*:

*Note: A financing difficulty is not an acceptable reason.

Sept 22 1989
Date

Joe Wilson
Signature of Permit Holder

PLACE
STAMP
HERE

RECEIVED
SEP 25 1989



IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

Department of Water Resources

JAN 26 1996

RECEIVED

SEP 25 1989

White Bird Island

Department of Natural Resources

Sept 22 1989

Dear Giv:

The work on this spring was done in 1988. We have been using it for some time now.

We do want to put in another holding tank at a later date.

Yours truly
Jai Wilson

RECEIVED

JAN 26 1996

S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

Statehouse
Boise, Idaho 83720
(208) 334-7900
December 21, 1988

JOE WILSON
ADA C. WILSON
HC01 BOX 81C
WHITEBIRD, ID 83554

P E R M I T A P P R O V A L N O T I C E

RE: PERMIT NO. 79-07182

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

Please note the requirement that as a permit holder you must commence the excavation or construction of diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The enclosed blue card must be completed and returned to this office as soon as you commence construction, no later than one year from the date the permit was approved.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit into a license.

Sincerely,

GARY SPACKMAN, Supervisor
Water Rights Permits Section

GS: SC
Enclosures

MICROFILMED

FEB 09 1989

MEMORANDUM

RE: 79-07182 thru 07184, 79-07186

TO: DAVE T. *Det*

FROM: ROB WHITNEY

SUBJ: INCORRECT PRIORITY DATES (*on Advertising*)

Points of diversion for the above referenced applications for permit, have been compared with all other applications which may have been affected by the correction of priority dates.

From this information, it has been determined that the correction of these priority dates will not interfere with any other applications for permit. (see attached).

MICROFILMED
FEB 09 1989

Water Rights that may be affected by error
in priority date during advertising.

79-07180 - 7/25/88 P/D 28N 1W S.27 NW SE (cr.)
*No Conflict different P/D

79-07181 - 7/28/88 P/D 30N 2E S.36 NE NE SE (spr.)
*No Conflict

79-07185 - 7/27/88 P/D 24N 1E S.4 SE NW SW (spr.)
*No Conflict

79-07188 - 7/28/88 P/D 24N 1E S.3 SW SE NE (spr.)
*No Conflict

79-07189 - 7/22/88 P/D 28N 1W S.21 NE NE NW (spr.)
*No Conflict

* No interference evident - points of diversion
are located in different townships

Dave,

If this is enough info. please return
to me to right a memo for [unclear] if not
I'll dig deeper

Thank,

RW

MICROFILMED

FEB 09 1989

Points of diversion for the above referenced applications for permit have been compared with all other applications which may have been affected by the correction of priority dates.

From this information, it has been determined that the change of these dates to the correct priority dates will not interfere with any other applications for permit.

DEPARTMENT OF WATER RESOURCES
WATER RIGHTS NUMBER INDEX

DATE: 11/03/88
PAGE: 1

WATER RIGHT NUMBER	NAME	STG STA	PRIORITY DATE	SOURCE OF WATER	TRIBUTARY TO
79-07178	KLOSTER, PAUL KLOSTER, BONNIE L.	C A/	07/18/1988	GETTA CREEK	SNAKE RIVER
79-07179	MC REYNOLDS, VIOLA MC REYNOLDS, CLARENCE	C P/	07/11/1988	GROUNDWATER	
79-07180	ADAIR, TERESA	C P/	07/25/1988	UNNAMED STREAM	INDIAN CREEK*
79-07181	VOPAT, JAMES H.	C P/	07/28/1988	SPRING	SINKS*
79-07182	WILSON, JOE WILSON, ADA C.	C A/	07/19/1988	SPRING	SLIPPER CREEK
79-07183	BUXTON, WILLIAM C.	C A/	07/18/1988	SPRING	COW CREEK
79-07184	JAYO, PAUL S & S JAYO RANCH	C A/	07/21/1988	SPRING	SINKS
79-07185	R & S REALTY CORP.	C P/	07/27/1988	SPRING	RACE CREEK*
79-07186	BUXTON, WILLIAM C.	C A/	07/18/1988	SPRINGS	COW CREEK
79-07188	HESTER, MRS. JAMES A. HELMICH, MRS. KIM L. SMITH, MRS. DUANE B.	C A/	07/28/1988	SPRING	SINKS*
79-07189	LEFSAKER, KENNETH R.	C A/	07/22/1988	SPRING	SINKS*
79-07190	FIEDLER, STEVE	C A/	09/08/1988	COW CREEK	SALMON RIVER
79-07191	CONNOR, JR., RICHARD M.	C A/	08/05/1988	SPRING	JOHN DAY CREEK
79-07192	BLACK, ROBERT J. BLACK, RUTH M. LOVE, ARCHIE LOVE, KAY	C A/	09/26/1988	GROUNDWATER	
79-07193	WILSON, JOSEPH P.	C A/	09/30/1988	UNNAMED STREAM	SLATE CREEK

Advised w/priority
of 8/16/88

MICROFILMED
FEB 09 1989

July 23, 1988

Dear Mr. [unclear] [unclear]:

*To remain with
application. Letter
documents date
check received and
info provided. SC*

following information is sufficient to complete the water
t. If more information is needed please contact me.
or your help.

Sincerely,

Jim Vopat
Jim Vopat

#1 Idaho County

#2 At this present time one home receives water from this spring.

#3 This spring is now developed and in use.

#4 Please refer to the attached map.

#5 A check for \$30.00 is enclosed.

MICROFILMED

FEB 09 1989

RECEIVED

JUL 28 1988 *SC*

Department of Water Resources
Western Regional Office



CECIL D. ANDRUS
Governor

State of Idaho
DEPARTMENT OF WATER RESOURCES
WESTERN REGION, 2735 Airport Way, Boise, Idaho 83705 • (208) 334-2190

R. KEITH HIGGINSON
Director

July 18, 1988

Dear Applicant:

This office recently received your application for a water right permit to develop a spring for domestic use. Please supply the following information to expedite the application.

- 1) county- is the spring in Idaho County?
- 2) amount of water in cubic feet per second (cfs)- you show .20 cfs, or 90 gallons per minute for domestic use. Other information in the application indicates use at a single home. Under Idaho law, the maximum rate for one home is .04 cfs or 18 gallons/minute. Please let me know how many homes will receive water with your anticipated water right.
- 3) time to complete development and use the water- select from one to five years. This reflects the time needed to actually build and use your water system.
- 4) map- refer to the enclosed topo map to mark the spring and home(s) location. If you cannot locate the spring to a 10-acre tract, show the appropriate 40-acre tract.
- 5) fee- a \$30 fee should accompany applications of up to .20 cfs. No check was found with the application.

It is important to respond within 30 days to avoid any loss in priority date or possible voiding of the application. Please contact this office for additional help.

Sincerely,

Steve Lester
Sr. Water Resource Agent

SL:s
Encl.

RECEIVED

FEB 09 1989

NOTICE OF APPLICATION
FOR WATER RIGHT

The following application(s) have been
filed to appropriate the public waters of
the State of Idaho.

79-07180

ADAIR, TERESA; RT. 4 BOX 504;
COTTONWOOD, ID 83522

Source: UNNAMED STREAM Tributary:
INDIAN CREEK

Diversion Pt: NWSE Sec 27 T 28N R 1
01W

Use: IRRIGATION (.020 CFS)

Date Filed: 7/25/1988

In: T28N R01W S27 NWSE

1.0 ACRES TOTAL

79-07181

VOPAT, JAMES H.; RT. 2 BOX 667;
GRANGEVILLE, ID 83530

Source: SPRING Tributary: SINKS

Diversion Pt: NENESE Sec 36 T 30N R 10
02E

Use: DOMESTIC (.040 CFS)

Date Filed: 7/28/1988

In: T30N R02E S36 SENE

79-07182

WILSON, JOE; WILSON, ADA C.;
HC01 BOX 81C; WHITEBIRD, ID 83554

Source: SPRING Tributary: SLIPPY
CREEK

Diversion Pt: NESESW Sec 24 T 27N R
01E

Use: DOMESTIC (.080 CFS)

Date Filed: 8/10/1988

In: T27N R01E S24 NESW

79-07183

BUXTON, WILLIAM C.; P.O. BOX 752;
RIGGINS, ID 83549

Source: SPRING Tributary: COW
CREEK

Diversion Pt: NENWSE Sec 36 T 26N R
01W

Use: DOMESTIC (.040 CFS)

STOCKWATER (.010 CFS)

Date Filed: 8/10/1988

In: T26N R01W S36 NWSE

79-07184

JAYO, PAUL; S & S JAYO RANCH;
HC01 BOX 103A; WHITEBIRD, ID
83544

Source: SPRING Tributary: SINKS

Diversion Pt: NENENE Sec 9 T 26N R
01E

Use: STOCKWATER (.030 CFS)

Date Filed: 8/10/1988

In: T26N R01E S10 SENE

79-07185

R & S REALTY CORP.; P.O. BOX 247;
RIGGINS, ID 83549

Source: SPRING Tributary: RACE
CREEK

Diversion Pt: SENWSW Sec 4 T 24N R
01E

Use: DOMESTIC (.040 CFS)

Date Filed: 7/27/1988

In: T24N R01E S04 NWSW

79-07186

BUXTON, WILLIAM C.; P.O. BOX 752;
RIGGINS, ID 83549

Source: SPRINGS Tributary: COW
CREEK

Diversion Pt: SWSSENW Sec 36 T 26N
R 01W

NENESW Sec 36 T 26N R 01W

Use: STOCKWATER (.010 CFS)

DOMESTIC (.040 CFS)

Date Filed: 8/10/1988

In: T26N R01W S26 NWSE

The permit(s) will be subject to all prior
water rights. Protests must be filed with
the Director, Dept. of Water Resources,
Western Region, 2735 Airport Way,
Boise, Idaho 83705 on or before
SEPTEMBER 6, 1988.

R. KEITH HIGGINSON, Director

Published 8/17/1988 & 8/24/1988

A17-24

AUG 3 1988

Department of Water Resources
Western Regional Office

AFFIDAVIT OF PUBLICATION

Charlotte Sotin being first duly

sworn, says he is the Bookkeeper
of the IDAHO COUNTY FREE PRESS, a weekly newspaper which
is published and issued weekly at Grangeville, Idaho County,
State of Idaho, and which is of general circulation in said county
and state; that the said notice, of which the one hereto attached
is a true copy, was published in said paper for two weeks,
being published two times, the first publication being
on the 17th day of August, 1988,
and the last publication on the 24th day of
August, 1988; and that the said notice
was published in the newspaper proper and not a supplement;
that said newspaper has been continuously and uninterruptedly
published in said county during a period of more than seventy-
eight consecutive weeks prior to the first publication of said
notice or advertisement.

Charlotte Sotin

Subscribed and sworn to before me this 24th
day of August, 1988.

[Signature]

Notary Public

for State of Idaho, residing at Grangeville, Idaho.

MICROFILMED

FEB 09 1989

79-07182

WILSON, JOE
WILSON, ADA C.
HC01 BOX 81C
WHITEBIRD, ID 83554

Source: SPRING

Tributary: SLIPPY CREEK

Diversion Pt: NESESW Sec 24 T 27N R 01E

Use: DOMESTIC (.080 CFS)

Date Filed: 8/10/1988

In: T27N R01E S24 NESW

MICROFILMED

FEB 09 1989