

-
- Topographic map of Grangeville, Idaho, showing a blue-outlined area labeled "Basin 85" and "Basin 99". The map includes contour lines, a grid, and various landmarks like "Grangeville Golf and Country Club" and "Gravel Pit". Handwritten blue annotations include "Highway 95", "Basin 85", "Basin 99", and "Home Spring". A red stamp in the bottom left corner reads "MICROFILMED DEC 16 1989".

James H. Vopat
(Applicant)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
MAR 13 1991

Department of Water Resources

A. GENERAL INFORMATION


1. Owner: James H. Vopat Permit No. 79-07181
Current Address: Rt. 2 Box 667 Grangeville Id. 83530 Phone No. (208) 983-2837
2. Accompanied by: James Vopat EXAM. DATE: 7-19-90
Address: Same Phone No. Same
Relationship to Permit Holder: Owner
3. Source: Spring tributary to Sinks

B. OVERLAP REVIEW

1. Other water rights with same place of use: None
☐ Copies Attached
2. Other water rights with same point of diversion: None
☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = not to scale


2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).
- ☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).

PERMIT 79-07181 INT'L.W.
T. R. S. Q/O
P/D 30N 2E 36 NE NE SE
SCALE
PHOTO ID. N-9


Place
of
use

Point of
diversion

1961 1 2 1961



79-07181



Picture of Cistern at the spring
where water collects before ~~leaving~~
going to the house. Picture taken looking
north.

INDEXED

OCT 01 1991

79-07181




Picture of domestic home where water
is used for in-house use and irrigation
of less than $\frac{1}{2}$ acre of grass. Picture
taken looking north east.

RECEIVED

OCT 01 1991

79-07181



Picture of $\frac{1}{3}$ hp pump + pressure tank under the house used to ~~add~~ add pressure to the gravity fed spring water so that house hold appliances will operate properly. Pump is not used to divert water because it is gravity fed. Pump is only used to add pressure to lines. Picture taken looking east.

OCT 01 1991

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 79-07181

Priority: July 28, 1988

Maximum Diversion Rate:
Maximum Diversion Volume:¹

0.03 CFS
1.2 AF

This is to certify, that JAMES H VOPAT
RT 2 BOX 667

GRANGEVILLE ID 83530 has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated July 28, 1988; and
has submitted Proof of Beneficial Use on December 30, 1988. An examination indicates
that the works have a diversion capacity of .030 cfs of water from:

SPRING

tributary to SINKS

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.03 CFS	1.2 AF

LOCATION OF POINT(S) OF DIVERSION: NENESE , Sec. 36, Township 30N, Range 02E
IDAHO County

PLACE OF USE: DOMESTIC
TWN RGE SEC

30N 02E 36 SENE

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Domestic use is for 1 home.

MAILED
OCT 01 1991


State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 79-07181

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 17TH
day of SEPTEMBER, 1991.

Acting for


R. Keith Higginson, Director

RECEIVED
OCT 11 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

APPROVED

1. Name of applicant James H Vopat Phone (208) 983-2837

Post office address Rt. 2 Box 667 Grangeville, Idaho 83530

2. Source of water supply Spring which is a tributary of N/A Sinks

3. Location of point of diversion is NE ¼ of NE ¼ of SE ¼, Govt. Lot _____

Sec. 36 Township 30N Range 2E B.M. Idaho * County; additional

points of diversion if any: _____

4. Water will be used for the following purposes:

* per letter of 7/18/88
and response received
7/28/88 SL

Amount .04 * 20 for Domestic purposes from Jan. 1 to Dec. 31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) .04 * and/or (b) _____
cubic feet per second acre feet per annum

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. 7' spring liner, Gravity feed
to pressure pump at House.

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

d. Is ground water with a temperature of greater than 90°F being sought? _____

7. Time required for the completion of the works and application of the water to the proposed beneficial use is
ONE * years (minimum 1 year).

DEC 16 1988

8. Description of proposed uses (if irrigation only, go to item 9):

- Hydropower; show total feet of head and proposed capacity in KW. _____
- Stockwatering; list number and kind of livestock. _____
- Municipal; show name of municipality. _____
- Domestic; show number of households. 1 (per letter of 7/18/88 & response received 7/28/88)
- Other; describe fully. _____

9. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
30N	2E	36				D													


Total number of acres to be irrigated _____

10. Describe any other water rights used for the same purposes as described above. _____

- Who owns the property at the point of diversion? Leon Slichter
 - Who owns the land to be irrigated or place of use? James H Vopat
 - If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. easement right granted for spring development in 1975. Easement granted by Sam Stichter (now deceased)
12. Remarks: Leon became the heir to this property. This spring

DEC 16 1988

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

James H. Vopat
(Applicant)

Received by nl Date - 7-88 Time 11:00 am Preliminary check by SL Proposed Priority 7/28/88
Fee \$ 30⁰⁰ Received by SL # W000563 Date 7/29/88
Publication prepared by GG Date 8/10/88 Published in Idaho County Free Press
Publication approved _____ Date _____
NOTE: FEE RECEIVED ON 7/28/88 SL
8/17 & 8/24/88

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 79-7181, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before November 1, 19 89.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.
- e. Other: The issuance of this permit in no way grants any right-of-way or easement across the land of another.
The maximum rate of diversion for domestic purposes under this permit shall not exceed 0.04 cfs.

Witness my hand this 11th day of October, 1988.

J. Allen Saylor

RECORDED

DEC 16 1988

**NOTICE OF APPLICATION
FOR WATER RIGHT**

The following application(s) have been
filed to appropriate the public waters of
the State of Idaho:

79-07180

ADAIR, TERESA; RT. 4 BOX 504;
COTTONWOOD, ID 83522
Source: UNNAMED STREAM Tributary:
INDIAN CREEK

Diversion Pt: NWSE Sec 27 T 28N R 1
01W

Use: IRRIGATION (.020 CFS)

Date Filed: 7/25/1988

In: T28N R01W S27 NWSE

1.0 ACRES TOTAL

79-07181

VOPAT, JAMES H.; RT. 2 BOX 667;
GRANGEVILLE, ID 83530

Source: SPRING Tributary: SINKS

Diversion Pt: NENESE Sec 36 T 30N R 2
02E

Use: DOMESTIC (.040 CFS)

Date Filed: 7/28/1988

In: T30N R02E S36 SENE.

79-07182

WILSON, JOE; WILSON, ADA C.;
HC01 BOX 81C; WHITEBIRD, ID 83554

Source: SPRING Tributary: SLIPY
CREEK

Diversion Pt: NESESW Sec 24 T 27N R
01E

Use: DOMESTIC (.080 CFS)

Date Filed: 8/10/1988

In: T27N R01E S24 NESW.

79-07183

BUXTON, WILLIAM C.; P.O. BOX 752;
RIGGINS, ID 83549

Source: SPRING Tributary: COW
CREEK

Diversion Pt: NENWSE Sec 36 T 26N R
01W

Use: DOMESTIC (.040 CFS)

STOCKWATER (.010 CFS)

Date Filed: 8/10/1988

In: T26N R01W S36 NWSE

79-07184

JAYO, PAUL; S & S JAYO RANCH;
HC01 BOX 103A; WHITEBIRD, ID
83544

Source: SPRING Tributary: SINKS

Diversion Pt: NENENE Sec 9 T 26N R
01E

Use: STOCKWATER (.030 CFS)

Date Filed: 8/10/1988

In: T26N R01E S10 SENE.

79-07185

R & S REALTY CORP.; P.O. BOX 247;
RIGGINS, ID 83549

Source: SPRING Tributary: RACE
CREEK

Diversion Pt: SENWSW Sec 4 T 24N R
01E

Use: DOMESTIC (.040 CFS)

Date Filed: 7/27/1988

In: T24N R01E S04 NWSW.

79-07186

BUXTON, WILLIAM C.; P.O. BOX 752;
RIGGINS, ID 83549

Source: SPRINGS Tributary: COW
CREEK

Diversion Pt: SWSENW Sec 36 T 26N
R 01W

NENESW Sec 36 T 26N R 01W

Use: STOCKWATER (.010 CFS)

DOMESTIC (.040 CFS)

Date Filed: 8/10/1988

In: T26N R01W S26 NWSE.

The permit(s) will be subject to all prior
water rights. Protests must be filed with
the Director, Dept. of Water Resources,
Western Region, 2735 Airport Way,
Boise, Idaho 83705 on or before
SEPTEMBER 6, 1988.

R. KEITH HIGGINSON, Director

Published 8/17/1988 & 8/24/1988

A17-24

AUG 22 1988

Department of Water Resources
Western Regional Office

AFFIDAVIT OF PUBLICATION

Charlotte Sotin being first duly

sworn, says he is the Bookkeeper
of the IDAHO COUNTY FREE PRESS, a weekly newspaper which
is published and issued weekly at Grangeville, Idaho County,
State of Idaho, and which is of general circulation in said county
and state; that the said notice, of which the one hereto attached
is a true copy, was published in said paper for two weeks,
being published two times, the first publication being
on the 17th day of August, 1988,
and the last publication on the 24th day of
August, 1988; and that the said notice
was published in the newspaper proper and not a supplement;
that said newspaper has been continuously and uninterruptedly
published in said county during a period of more than seventy-
eight consecutive weeks prior to the first publication of said
notice or advertisement.

Charlotte Sotin

Subscribed and sworn to before me this 24th
day of August, 1988

[Signature]

Notary Public

for State of Idaho, residing at Grangeville, Idaho.

MICROFILMED

DEC 16 1988

September 19, 1991

JAMES H VOPAT
RT 2 BOX 667
GRANGEVILLE ID 83530

RE: WATER RIGHT NO. 79-07181

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:blm

Enclosure

OCT 01 1991

August 23, 1991

JAMES H VOPAT
RT 2 BOX 667
GRANGEVILLE, ID 83530

RE: WATER RIGHT NO. 79-07181

Dear Water Right Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

SHARLA CURTIS
Technical Records Specialist

SC:blm

Enclosure

OCT 01 1991

LICENSE REVIEW CHECKLIST

Permit No. 79-7181

Name/Address change? ok ☒

Priority date Advance? yes no ☒

Memo to advance Order to reinstate needed? yes no ☒

Total cfs Limited by fee N/A

Limited by capacity ✓

Total volume Limited by flow ✓

Chart checked for AF rate/ac N/A

Capacity Actual measurement checked ✓

Theoretical checked ✓

If greater than permit, check for other rts ✓

Source Changed? yes no ☒

If so, is memo needed to clarify? ✓

P/D Verify with map ✓ permit ✓

More than one per 44 Remember remark ✓

Check p/d overlap N/A

Uses Check irrigation period of use w/ chart N/A

P/U Verify with map ✓ permit ✓
> 5 acres irrigated, run overlap N/A

Remarks More than one p/d in 44 ✓
Description of non-irrig uses ✓
Special overlap condition ✓

Conditions -
Measuring device ✓
W.Master control ✓
Overlap ✓
Water quality ✓
Other ✓

Dates/Misc. -
Water Dist ✓
App Rec'd 7/28/88 ✓
Proof Rec'd ✓

CHECK FOR ADJ. CLAIM Needed according to proof filed ✓
Filed - needs amended ✓
Add'l fee required ✓
Not filed - ✓
Not needed ✓

Comments/Changes to Examiner's Recommendations: OCT 01 1991

License 10-day ☒ 30-day ✓

Back of field report signed? ✓
Reviewer [Signature] Date 8/20/91 Review time 5 min.

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
MAR 13 1991

Department of Water Resources

A. GENERAL INFORMATION


1. Owner: James H. Vopat Permit No. 79-07181
Current Address: Rt. 2 Box 667 Grangeville Id. 83530 Phone No. (208) 983-2837
2. Accompanied by: James Vopat EXAM. DATE: 7-19-90
Address: Same Phone No. Same
Relationship to Permit Holder: Owner
3. Source: Spring tributary to Sinks

B. OVERLAP REVIEW

1. Other water rights with same place of use: None
☐ Copies Attached
2. Other water rights with same point of diversion: None
☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = not to scale

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required). ☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

RECEIVED
OCT 01 1991

System Description (continued)

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

The water is gravity fed from spring to house where a 1/3 hp motor adds pressure to the lines for in-house use & irrigation of less than 1/2 acre.

Pressure : 46 PSI from gage

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	model Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Dayton	1/3	6K578A	Red jacket	10682

*Code to correspond with No. on map and aerial photo

5. **Point(s) of Diversion:**

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		NE	NE	SE	36	30N	2E	Idaho	Maps / on site inspection

6. **Place(s) of Use:**

Indicate Method of Determination

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
30N	2E	36				D													

OCT 01 1991

Do not use this space

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Bucket					5 gal	
stop watch						

2. Measurements:

$$5 \text{ gal} / 25 \text{ sec.} = 12.0 \text{ gpm} = 0.0267 \approx 0.03 \text{ cfs}$$

E. FLOW CALCULATIONS

☒ Additional Computation Sheets Attached

1. Measured Method:

0.03 cfs from above

2. Alternate Method for Checking Purposes:

~~Theoretical for pump = $\frac{HP (8.8) (44)}{1.44 + (2.3 \times \text{psi})} = \frac{15 (8.8) (44)}{0 + 2.3 (46)} = \text{see attached sheet}$~~

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3); Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

domestic use less than 1/2 acre irrigated = 1.2 AFA.

OCT 01 1997

H. REMARKS AND OVERLAP REVIEW ANALYSIS

1 home

No overlaps

limit to measured amount which is
0.03 cfs with 1.2 A.F.A. (standard for domestic)

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Domestic	1-1	12-31	0.03 cfs	1.2 AFA
Totals:			0.03 cfs	1.2 AFA

2. Recommended Amendments

☐ Change P.D. as reflected above

☐ Add P.D. as reflected above

☒ None

☐ Change P.U. as reflected above

☐ Add P.U. as reflected above

☐ Other

J. AUTHENTICATION

Field Examiner's Name

Larry L. Waters

3/11/91
JFW


Signature

Larry L. Waters

Certification Date

8-13-90

Field Report Preparation Date



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

NOT RECORDED

APR 11 1991

PERMIT 74-07171 INT 6-10-71
T. R. S. O/O
P/D 21 36 NE NE SE
SCALE
PHOTO ID. N-9

Place
of
use
Point of
diversion



IRRIGATION RIGHT FROM A ~~GROUND WATER~~ SOURCE

A theoretical calculation is necessary to determine if a measurement is required for irrigation from a groundwater source.
=====

1. Using the found acres (or an estimate by the permit holder) calculate the acre-foot per annum limit. This is the volume that the system must be able to theoretically produce to exclude a rate of flow measurement.
2. Next, given the pump hp and the estimated dynamic water level, calculate the theoretical rate of flow that the system can produce.
3. Using the rate found in step 2 and the days in the permitted irrigation season, calculate the theoretical AFA that the system could produce. This volume is then compared to the first AFA calculation. If the theoretical volume (step 3) is greater than the irrigation requirement volume (step 1) then no measurement is necessary. If it is less, then you must make a diversion rate measurement during the field examination.

1.
$$\frac{\text{Found Acres} * \text{Irr. Req.}}{\text{AFA}} = \text{AFA}$$
2.
$$\frac{(\frac{1}{3}) \text{ HP} * 8.8 * (\frac{1}{7}) \text{ EFF}}{(\frac{0}{0}) \text{ Dyn Level} + (2.3 * (\frac{46}{46}) \text{ PSI})} = \frac{0.02 \text{ CFS}}{\text{Theor. Div. Rate}}$$
3.
$$\frac{\text{Theoretical Div. Rate} * \text{Days in season} * \text{factor}}{1.9835} = \text{AFA}$$

Note: for electrical motors
EFF = 0.70
for diesel motors
EFF = 0.60

Data Requires Verification	☐
Measurement Required	-- ☐
Measurement Not Required	☐

Calculation data sources:

Found acres = less than 1/2 acre (domestic)
 HP = 1/3
 Dyn Level = 0
 PSI = 46 from gage on system

01011991

mist also look at cfs from spring because pump just boosts the pressure. from table for flow through drop flood with 25' drop, 1000' run & 1" line we get 5.7 gpm = 0.013 cfs this plus the 0.03 cfs from booster pump $\Rightarrow$ 0.03 cfs, therefore limit to 0.03 as was measured also.

79-07181



Picture of Cistern at the spring
where water collects before ~~being~~
going to the house. Picture taken looking
north.

OCT 01 1991

79-07181



Picture of domestic home where water
is used for in-house use and irrigation
of less than $\frac{1}{2}$ acre of grass. Picture
taken looking north east.

OCT 01 1991

79-07181



Picture of $\frac{1}{3}$ hp pump + pressure tank under the house used to ~~increase~~ add pressure to the gravity fed spring water so that house hold appliances will operate properly. Pump is not used to divert water because it is gravity fed. Pump is only used to add pressure to lines. Picture taken looking east.

EST. 1900

RECEIVED

DEC 30 1988

STATE OF IDAHO

RECEIVED

DEC 30 1988

Office Use Only
Fee Received _____
Date _____
Receipt # _____
Receipt by _____
Reviewed by JS
Sent to region _____

Department of Water Resources

DEPARTMENT OF WATER RESOURCES
Department of Water Resources
PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 79-07181-Name(s) of Permit Holder: James H. VopatPost Office Address: Rt. 2 Box 667 Grangeville, IdahoTelephone No. 983-2837Source of Water: Spring

Extent of Use:

Domestic ✓(1) (number of households) Stockwater _____ (number and type of stock)
Irrigation _____ (acres) Other/Remark _____

Total rate and/or volume for which proof is submitted .04 cfs _____ acre-feetShow the date water was first diverted and beneficially used under this permit: July - 1975

Measuring Device: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☒ No
Fee enclosed \$ 0.00
(See License Examination Fee Schedule)

Flow Measurement Port: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☒ No

Person to contact to accompany the Department representative during the field examination:

Jim Vopat 983-2837
(Name) (Telephone Number)

Rt. 2 Box 667 Grangeville, Idaho
(Address)

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

MICROFILMED

FEB 09 1989

12-28-88
Date

James H. Vopat
Signature of Permit Holder (and title, if appropriate)

S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

Statehouse
Boise, Idaho 83720
(208) 334-7900
October 17, 1988

JAMES H. VOPAT
RT. 2 BOX 667
GRANGEVILLE, ID 83530

P E R M I T A P P R O V A L N O T I C E

RE: PERMIT NO. 79-07181

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of Beneficial Use" that must be submitted to the Department when your project is completed.

Sincerely,

Gary Spackman
Supervisor, Water Allocation Section

GS: SC
Enclosures

MAINTAINED
DEC 16 1988

Form No. 202a
/87

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY SL DATE 7/18/88 APPLICATION NUMBER 79-07181

REQUIRED INFORMATION

- ☒ Name (If applicant is a corporation or partnership, names must be provided for the director, officers, & other partners.)
☒ Address
☒ Source (See USGS Quad for names of water sources)
☒ Point of Diversion (10 acres for spring, lot & block descriptions for subdivisions, local name, flow and/or volume)
☒ County
☒ Quantity (flow and/or volume)
☒ Period of Use
☒ Nature of proposed use (Include description of use.)
☒ Description of diverting works
☒ Time required for beneficial use of water
☒ Place of use or acres irrigated
☒ Map
☒ Signature (If applicant is corp. partnership, or municipality, title of signator is required)
☒ Fee
☒ Yes ☐ No* In form to receipt

ADDITIONAL INFORMATION

- ☒ Overlapping place of use (Describe source & relationship to present application on the back.) NO
☒ Overlapping point of diversion NO
☐ Yes ☒ No Field check required
Field check by _____
☐ Yes ☒ No Field report attached
☐ Yes ☒ No Critical groundwater area
☐ Yes ☒ No Groundwater management area
☐ Yes ☒ No Send dam safety information
☐ Yes ☒ No Send power requirement letter
☐ Yes ☒ No Send fish farm requirement letter
☐ Yes ☒ No Power residency affidavit
☐ Yes ☒ No Power efficiency form
☐ Yes ☒ No Within trustwater boundary (If yes, attach trust water supplementary analysis sheet.)
☐ Yes ☒ No Diversion greater than 5 cfs or 500 acre ft. (If yes, attach large diversion supplementary analysis sheet.)
☐ See reverse side for additional information

REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT

Date Requested

OCT 04 1988

Department of Water Resources

RECEIVED

79-07181

VOPAT, JAMES H.
RT. 2 BOX 667
GRANGEVILLE, ID 83530

Source: SPRING

Tributary: SINKS

Diversion Pt: NENESE Sec 36 T 30N R 02E

Use: DOMESTIC (.040 CFS)

Date Filed: 7/28/1988

In: T30N R02E S36 SENE

MICROFILMED

DEC 16 1988