

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.




Scale: 2 inches equal 1 mile.

DEC 16 1988

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Iris H. Lundgren
(Applicant)

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☒ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.


Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

MAY 07 1996

79-07173

T24N R01E



79-07173
8/31/95 S.H



P/D:

Spring

5' x 3'6"

holding tank, gravity
flow,
buried

1 1/4" steel pipe
from spring

to yard, then

1" ABS around
yard (spring

shared with

WR 79-4131,

79-4126,

79-4127,

A 79-04126B, +

A 79-04128

P/u:

2 cement
stock tanks

2' x 1'6" x 6'

for 18 horses

(part of stockwater
covered on
domestic



MAY 07 1996

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 79-07173

Priority: July 5, 1988

Maximum Diversion Rate:

0.01 CFS

Maximum Diversion Volume:

0.1 AF

This is to certify, that IRIS H LUNDGREN
C/O GEORGE KAUFMAN
995 HAAS RD
WEISER ID 83672

has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated July 5, 1988; and
has submitted Proof of Beneficial Use on June 7, 1989. An examination indicates
that the works have a diversion capacity of 0.040 cfs of water from:

SPRING

tributary to RACE CREEK

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
STOCKWATER	01/01 to 12/31	0.01 CFS	0.1 AF

LOCATION OF POINT(S) OF DIVERSION: Lot 2 (SEWNNE), Sec. 10, Township 24N, Range 01E
IDAHO County

PLACE OF USE: STOCKWATER

TWN RGE SEC

24N 01E 10 Lot 2 (NWNE)

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Right 79-07174 is also diverted at the point of diversion described above.
6. The total combined rate of diversion under this right and Right 79-07174 shall not exceed .04 cfs.

SCANNED

SEP 14 2004

MAY 07 1986


State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 79-07173

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 2ND
day of April, 1996.


Acting for KARL J. DREHER, Director



MAY 07 1996

Form 217
03/86

RECEIVED

For Office Use Only

Fee Received N/A

Date _____

Receipt # _____

Receipt by _____

Reviewed by HL

Sent to region 820

copy kept at
Region 82

STATE OF IDAHO

JUN 09 1989

Department of Water Resources
Western Regional Office

DEPARTMENT OF WATER RESOURCES

Department of Water Resources

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 79-07173

Name(s) of Permit Holder: IRIS H. LUNDGREN

Post Office Address: 449 E. RAMONA AVE SALT LAKE CITY, UT. 84115

Telephone No. 801-486-7919

Source of Water: Spring Trib of RACE CREEK

Extent of Use:

Domestic _____ (number of households) Stockwater 6 BEEF (number and type of stock)

Irrigation _____ (acres) Other/Remark _____

Earthen dam approx. 6'-8' X 20' located at base of hill between house and US 95.

Total rate and/or volume for which proof is submitted .01 cfs _____ acre-feet

Show the date water was first diverted and beneficially used under this permit: 1983

Measuring Device: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☐ No

Fee enclosed \$ EXEMPTED
(See License Examination Fee Schedule)

Flow Measurement Port: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☐ No

Person to contact to accompany the Department representative during the field examination:

Edward L. Seyfried, Jr.
(Name) (Telephone Number)

P.O. Box 1278 Riggins, ID 83549
(Address)

MICROFILMED

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

JUL 18 1989

June 4, 1989
Date

Iris H. Lundgren
Signature of Permit Holder (and title, if appropriate)

State of Idaho
Department of Water Resources

LICENSE EXAMINATION FEE SCHEDULE

(c.f.s. = cubic feet per second
AF = acre feet)

cfs	AF	Fee
0 - 0.04	0 - 4	\$ 0
.05 - 0.20	5 - 20	50.00
.21 - 1.0	21 - 100	100.00
1.01 - 2.0	101 - 200	125.00
2.01 - 3.0	201 - 300	150.00
3.01 - 4.0	301 - 400	175.00
4.01 - 5.0	401 - 500	200.00
5.01 - 6.0	501 - 600	225.00
6.01 - 7.0	601 - 700	250.00
7.01 - 8.0	701 - 800	275.00
8.01 - 9.0	801 - 900	300.00
9.01 - 10.0	901 - 1000	325.00
10.01 - 11.0	1001 - 1100	350.00
11.01 - 12.0	1101 - 1200	375.00
12.01 - 13.0	1201 - 1300	400.00
13.01 - 14.0	1301 - 1400	425.00
14.01 - 15.0	1401 - 1500	450.00
15.01 - 16.0	1501 - 1600	475.00
16.01 - 17.0	1601 - 1700	500.00
17.01 - 18.0	1701 - 1800	525.00
18.01 - 19.0	1801 - 1900	550.00
19.01 - 20.0	1901 - 2000	575.00
20.01 & over	2001 & over	600.00

Checks should be made payable to the
Department of Water Resources

MICROFILMED

is required for single family
domestic use or stockwater use.

JUL 18 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant IRIS H. LUNDGREN Phone 801-486-7919
Post office address 449 E. RAMONA AVE SALT LAKE CITY, UT 84115
2. Source of water supply SPRING which is a tributary of RACE CREEK
3. Location of point of diversion is SE $\frac{1}{4}$ of NW $\frac{1}{4}$ of NE $\frac{1}{4}$, Govt. Lot _____
Sec. 10 Township 24N Range 1E B.M. IDAHO County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
Amount .01 for STOCK WATER purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) .01 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc. STOCK TANK
 - b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
 - c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
 - d. Is ground water with a temperature of greater than 90°F being sought? _____
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
1 years (minimum 1 year).

MICROFILMED

DEC 16 1988

8. Description of proposed uses (if irrigation only, go to item 9):

- a. Hydropower; show total feet of head and proposed capacity in KW. _____
- b. Stockwatering; list number and kind of livestock. _____
- c. Municipal; show name of municipality. _____
- d. Domestic; show number of households. _____
- e. Other; describe fully. S / G RANGE

9. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
24N	1E	10		S															

Total number of acres to be irrigated _____

10. Describe any other water rights used for the same purposes as described above. NONE

11. a. Who owns the property at the point of diversion? APPLICANT

b. Who owns the land to be irrigated or place of use? APPLICANT

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: SPRING DEVELOPED ABOUT 1983

RECORDED

DEC 16 1988

-
- township and range number.
- S
- PS
- PD
- 10
- Mountain
- S
- P
- 4452
- 16
- Riggins
- BM 1781
- Salmon
- 14
- Salmon
- Shorts
- Riggins
- BM 1781
- 177
- T 24 MICROFILMED

DEC 16 1988

orth. _____
Irvin H. Lundgren
 (Applicant)

Proposed Priority 7/5/88
Received by Am Date 7/5/88 Time 12:45 P.M. Preliminary check by SL
Fee \$ 30.00 Received by Am # W000430 Date 7/5/88
Publication prepared by GG Date &- 7-13-88 Published in Idaho County Free Press
7/20 & 7/27/88
Publication approved AS Date 8/5/88

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 79-7173, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before September 1, 19 89.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other:

Witness my hand this 30th day of August, 1988.

R. Karl Higgins
Director

MICROFILMED

DEC 16 1988



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

April 2, 1996

IRIS H LUNDGREN
C/O GEORGE KAUFMAN
995 HAAS RD
WEISER ID 83672

RE: WATER RIGHT NO. 79-07173

Dear Water Right Holder(s):

Enclosed is a copy of the Water Right License issued on the above referenced permit. If you have any questions, please contact me within 10 days of receipt of this license.

Sincerely,

A handwritten signature in cursive script that reads "Shelley Walter Keen".

Shelley W. Keen
Water Rights Supervisor

SK:rl

Enclosure

MAY 07 1996

LICENSE REVIEW CHECKLIST

PERMIT NO. 79-07173 DATE 1-12-96



NAME (OWNER DECEASED) ☒ Change OK Or Address Change? No assignment with exam.

PRIORITY DATE ☒ Advance? Advanced to:
 Order to reinstate needed?
 Incorrect fee for rate recommended? NA

SOURCE ☒ Changes or just clarification of originally intended source?
 Notice of Intent to Void necessary?

POINT OF DIV ☒ Amendment needed? add Gov Lot 2
 ☒ Overlaps? 79-07174 (domestic) (same spring)

PLACE OF USE ☒ Amendment needed?
 ☒ Overlaps? 79-07174 Add Lot 2 (domestic use)

DIV RATE ☒ Permit/fee limits: .01 / STOCKWATER - 6 Cattle
Capacity of 1 1/4" pipe Pipeflow Meas Q = .04 Theo Q = Recommend: .01

 Combined rates exceed capacity YES - CONDITION

ANNUAL VOLUME ☒ Volume Limit: Season: 1-1 to 12-31
 ☒ Calculations: Permit limited to 6 head = .197

 Flow limit: cfs x x 1.9835 =
 Combined volumes exceed capacity/allowable NO

USES ☒ Change in Nature of Use or additional uses?
 ☒ Amendment necessary?

ADDITIONAL INFO Supplemental Groundwater PPU Scenario
 Irr/Dom Combination Shared G/W System

NEW REMARKS Multiple p/d(s) in 1/4 1/4?
w36 and w02 Other 6 head of horses w26 edit (79-07174)

NEW CONDITIONS Watermaster control - District
 Measuring/Locking Devices
 Irrigation Overlap
 Other
 Water Quality Heat/Cool/Fish verified

COMMENTS: Ownership confirmed by telephone conversation with Kim at the Idaho County Assessor's Office.

RECOMMENDATION	CFS	VOLUME	SRBA Claim Filed	NO
<u>Stock water</u>	<u>.01</u>	<u>.1</u>	Adjustment Memo Needed	<u>YES</u>
<u> </u>	<u> </u>	<u> </u>	LICENSE	☒
<u> </u>	<u> </u>	<u> </u>	1ST AMEND LETTER	<u> </u>
<u> </u>	<u> </u>	<u> </u>	2ND AMEND LETTER	<u> </u>

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
DEC 21 1995

Department of Water Resources

A. GENERAL INFORMATION

AKA: Iris Seefried
1. Owner: Iris H. Lundgren Permit No. 79-07173 Phone No. (208) 549-3961
Current Address: % George Kaufman 995 Haas Rd. Weiser, Id 83672
2. Accompanied by: Gudy Cook EXAM DATE: 8/31/95
Address: % George Kaufman 995 Haas Rd Weiser Id 83672 Phone No. (208) 549-3961
Relationship to Permit Holder: new owners daughter & occupant
3. Source: Spring tributary to Race Creek

B. OVERLAP REVIEW

79-07174
1. Other water rights with the same place of use: 79-04126, 79-04127, 79-07100
2. Other water rights with the same point of diversion: none

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
	2	SE	NW	NE	10	24N	1E	Idaho	USGS Topo. & exam

2. Place(s) of Use:

Indicate Method of Determination

USGS Topo. & exam

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
24N	1E	10		S															

7 1996

[illegible]

☒ Photo of Diversion and System Attached

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

MAY 07 1996

E. NARRATIVE/REMARKS/COMMENTS

- P/D + P/U were found in lot 2
- New owner: George Kaufman 995 Hass Rd. Weiser, Id 83672 (208) 549-3961 (left assignment w/ occupant of property, his daughter: Judy Cook).
- Use is ~~sho~~ stockwater for 18 horses.
- The system consists of a spring w/a 5'x3'6" cement holding tank, ^{per Judy Cook, it is} shared w/ WR 79-04131 Pat Marek, 79-4126 Ed Sefried, [redacted], A 79-04126B, A 79-04128. A 4224' 1 1/4" steel pipe from the holding tank to the P/U, by means of gravity flow, to (2) 2'x1'6" x 6' cement stock tanks.
- Overlaps for P/U 79-04126 is same P/D/springs a statutory claim for domestic use (shared w/ Hamell, Swift, Smith, Spickelmire); 79-04127 is different source, different land &/or uses (statutory claim) for irrigation; 79-07174 is same source, same P/U for domestic use (in permit stage, but exam was done at the same time as this one).
- Other WR A 79-04126B springs/domestic/statutory claim, A 79-04128 race creek/irrigation/statutory claim, 79-07174 springs/domestic/permit; 79-04127 Race Creek/irrigation/statutory claim; 79-04126 springs/domestic/statutory claim

Have conditions of permit approval been met? ☒ yes ☐ no

MAY 07 1996

F. FLOW CALCULATIONS

☒ Additional Computation Sheets Attached

Measured Method:

Pipe flow computation spreadsheet (see attachment) = .01 cfs
 * not a good estimate of the spring, but of the storage tank

Pipe flow capacity $Q = 5\pi R^2$ 1 1/4" pipe = .04 cfs
 Allow as permitted for stockwater @ .01 cfs

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

stockwater

* $V_{I.R.} = (18 \text{ horses} \times 12 \text{ gpd} \times 365) / 25,850 = .24 = .2$

$V_{D.R.} = .01 \text{ cfs} \times 365 \times 1.9835 = 7.2$

$V = .2$

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
* <u>Stockwater</u>	<u>1/1</u>	<u>12/31</u>	<u>.01</u>	<u>.2</u>
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
Totals:			<u>.01</u>	<u>.2</u>

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATION

Field Examiner's Name Andy Hemminger Date 12/19/95

Reviewer _____ Date _____

* See adjustment memo. BC

SEAL
 MAY 07 1996

MEMORANDUM

TO: File 79-07173 / Iris H. Lundgren
New owner / George Kaufman

FROM: Brenda Chapman

DATE: January 12, 1996

RE: Recommendation Adjustment(s)

=====

The final licensing recommendations for Right 79-07173 are based on the information below:

The original owner of this permit, Iris H. Lundgren, is deceased. A representative from the Idaho County Assessor's Office confirmed the owner of the property this right is appurtenant to is George Kaufman.

G. VOLUME CALCULATIONS

The permit limits the number of stock to 6; therefore, the volume recommendation has been reduced.

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use	Rate of Div	Annual Vol
Stockwater	1-01 to 12-31	.01	.1

RECEIVED
MAY 8 1996

- ① Permit: Stockwater 1/1 - 12/31 $\boxed{1.01 \text{ cfs}}$
- ② B/u fee: $\odot$ pd 6/4/89 $\boxed{0-0.04 \text{ cfs}}$
- ③ Max. Allowable: Table 1 Rec. Div. Rates for Stockwater
18 horses ——— 0-25 = .02 cfs
~~_____~~
- ④ Measurement:

Pipeflow Computation Spreadsheet

(see attachment) $\boxed{1.01 \text{ cfs}}$

* not a good estimate of the
spring, since the holding tank
is on top of the spring

estimates
of the system
since
closed:

Pipe flow capacity 1 1/4" pipe

$$Q = 5\pi R^2 = \boxed{1.04 \text{ cfs}}$$

APPROVED

MAY 07 1996

Pipeflow Computation Spreadsheet (DRT 12/31/1992)

Data Entered By: Sandy Hemenway
12/19/95
Project: Flow Computation for Permit No.79-07173,79-07174

Given: See Data Table

Compute head losses with the Williams and Hazen Formula:

$$f = 0.2083 * (100 / \text{roughness})^{1.85} * ((\text{cfs} * 448.8)^{1.852} / \text{ID}^{4.8655} * \text{Length} / 100)$$

To Find: Compute Rate of Flow

Data Table

Total Head: 80.00 feet
 Pressure Req'd: 1.00 psi
 Available Head: 77.69 feet
 Pipe Roughness: 130.00 Note: pvc = 150, smooth and straight pipe = 140
 aluminum - joint length 20' = 125, joint length
 30' = 130, joint length 40' = 132, joint length
 50' = 134, new riveted steel = 100
 old riveted steel = 100, old cast iron = 95,
 old pipes in poor condition = 60 to 80

Inside Diameter in Inches	Equivalent Length in Feet	Unit Head Loss	Total Head Loss from Pipe Friction
1.00	4224.00	77.88	
13.50	0.00	0.00	
11.50	0.00	0.00	
9.50	0.00	0.00	77.88

Rate of Flow: 0.009 CFS = 0.01 cfs

Pipeflow Computation Spreadsheet (DRT 12/31/1992)


Data Entered By: Sandy Hemenway
12/19/95
Project: Flow Computation for Permit No.79-07173,79-07174

Given: See Data Table

Compute head losses with the Williams and Hazen Formula:

RECEIVED
MAY 07 1996

79-07173
T24N R01E



79-07173
8/31/95 S.H



P/D:

Spring

5' x 3'6"

holding tank, gravity
flow,
buried

1 1/4" steel pipe
from spring

to yard, then

1" ABS around
yard (spring

shared with

WR 79-4131,

79-4126,

79-4127,

A 79-04126B, +

A 79-04128

P/u:

2 cement
stock tanks

2' x 1'6" x 6'

for 18 horses

(part of stockwater

covered on
domestic



MAY 07 1996

S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

Statehouse
Boise, Idaho 83720
(208) 334-7900
August 31, 1988

IRIS H. LUNDGREN
449 E. RAMONA AVE.
SALT LAKE CITY, UT 84115

P E R M I T A P P R O V A L N O T I C E

RE: PERMIT NO. 79-07173

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of Beneficial Use" that must be submitted to the Department when your project is completed.

Sincerely,

Gary Spackman
Supervisor, Water Allocation Section

GS: SC
Enclosures

MICROFILMED

DEC 16 1988

79-07173

LUNDGREN, IRIS H.
449 E. RAMONA AVE.
SALT LAKE CITY, UT 84115

Source: SPRING

Tributary: RACE CREEK

Diversion Pt: SENWNE Sec 10 T 24N R 01E

Use: STOCKWATER (.010 CFS)

Date Filed: 7/05/1988

In: T24N R01E S10 NWNE .

5.0 ACRES TOTAL

MICROFILMED

DEC 16 1988

**NOTICE OF APPLICATION FOR
WATER RIGHT**

The Following application(s) have been
filed to appropriate the public waters of
the State of Idaho:

78-07298

CARROLL, EUGENE G.; CARROLL,
RUTH E., 313 SUNRISE DR.,
PAYETTE, ID 83661

Source: ELK CREEK; Tributary: LITTLE
SALMON RIVER

Diversion Pt: SWNW Sec 26 T 22N R
01E

Use: IRRIGATION (.080 CFS);
DOMESTIC (.040 CFS)

Date Filed: 7/07/1988

In: T22N R01E S28 SWNW; 2.8 ACRES

TOTAL

79-07170

LOVE, KATHERINE M.; LOVE,
ARCHIE; HC01, BOX 84B; WHITE
BIRD, ID 83554

Source: SALMON RIVER; Tributary:
SNAKE RIVER

Diversion Pt: NENESE Sec 23 T 27N R
01E

Use: IRRIGATION (.050 CFS)

Date Filed: 6/23/1988

In: T27N R01E S23 NESE; 1.5 ACRES

TOTAL

79-07171

FERGUSON, DALE; FERGUSON,
JUNE; HC01 BOX 56; WHITE BIRD, ID
83554

Source: SLATE CREEK; Tributary:
SALMON RIVER

Diversion Pt: NENWSE Sec 32 T 27N R
02E

Use: IRRIGATION (.20 CFS);
STOCKWATER (.020 CFS)

Date Filed: 6/20/1988

In: T27N R02E S32 NWSE; 0.5 ACRES

TOTAL

79-07172

CUTHBERT, LESTER J.; BOX 51
SLATE CREEK; WHITE BIRD, ID 83554

Source: SLATE CREEK; Tributary:
SALMON RIVER

Diversion Pt: NWNE Sec 36 T 27N R
01E

Use: IRRIGATION (.100 CFS)

Date Filed: 6/23/1988

In: T27N R01E S36 NWNE NENW; 4.0
ACRES TOTAL

79-07173

LUNDGREN, IRIS H.

449 E. RAMONA AVE.

SALT LAKE CITY, UT 84115

Source: SPRING; Tributary: RACE
CREEK

Diversion Pt: SENWNE Sec 10 T 24N R
01E

Use: STOCKWATER (.010 CFS)

Date Filed: 7/05/1988

In: T24N R01E S10 NWNE; 5.0 ACRES

TOTAL

79-07174

LUNDGREN, IRIS H.

449 E. RAMONA AVE.

SALT LAKE CITY, UT 84115

Source: SPRINGS; Tributary: RACE
CREEK

Diversion Pt: SWNENW Sec 10 T 24N
R01E

Use: DOMESTIC (.040 CFS)

Date Filed: 7/05/1988

In: T24N R01E S10 NWNE

The permit(s) will be subject to all prior
water rights. Protests must be filed with
the Director, Dept. of Water Resources,
Western Region, 2735 Airport Way,
Boise, Idaho 83705 on or before
AUGUST 8, 1988.

R. KEITH HIGGINSON, Director

Published 7/20/1988 & 7/27/1988

Jy20-27

RECEIVED

AUG 1 1988

Department of Water Resources
Western Regional Office

AFFIDAVIT OF PUBLICATION

Charlotte Sotin

being first duly

sworn, says he is the Bookkeeper
of the IDAHO COUNTY FREE PRESS, a weekly newspaper which
is published and issued weekly at Grangeville, Idaho County,
State of Idaho, and which is of general circulation in said county
and state; that the said notice, of which the one hereto attached
is a true copy, was published in said paper for two weeks,
being published two times, the first publication being
on the 20th day of July, 19 88,
and the last publication on the 27th day of
July, 19 88; and that the said notice
was published in the newspaper proper and not a supplement;
that said newspaper has been continuously and uninterruptedly
published in said county during a period of more than seventy-
eight consecutive weeks prior to the first publication of said
notice or advertisement.

Charlotte Sotin

Subscribed and sworn to before me this 27th day

of July, 19 88.

[Signature]

Notary Public

for State of Idaho, residing at Grangeville, Idaho.

MICROFILMED

DEC 16 1988