

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

LOT 4
4

Sec 27

Township 28

RANGE 1 EAST

B.M.

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Neal D. Witt, Evelyn D. Witt
(Applicant)

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

NOV 22 1989

RECEIVED

A. GENERAL INFORMATION


1. Owner: Neal and/or Evelyn DeWitt Permit No. 79-7160
Current Address: Box 217 White Bird, Id. 83554 Phone No. 839-2245
2. Accompanied by: Evelyn DeWitt EXAM. DATE: 7/20/87
Address: same Phone No. same
Relationship to Permit Holder: Co-owner
3. Source: Groundwater tributary to —

B. OVERLAP REVIEW

1. Other water rights with same place of use: — ☐ Copies Attached
2. Other water rights with same point of diversion: 79-7159 and 79-2075 ☐ Copies Attached ☐ Copies of Field Exam's Attached
copies not needed

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached




RECEIVED


NOV 22 1989

Scale: 1" = NOT TO SCALE

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required). ☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater.



79-7160
28 N-1E-S-27



MICROFILMED

NOV 22 1989

79-7160



P/D

Well between Dewitt home
and Buck Creek Road.
Located 3/4 mile Sw of
Whitebird Cemetery.




P/U

Looking SE at
home and yard,
which is the area
immediately around
house but not
the grass & trees
in background.

MICROFILMED

NOV 22 1969



Water Surface 479.38 Acres - Total 23292.37 Acres.

UNPROFILMED

Scale 1" = 1 Mile

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 79-07160

Priority: June 4, 1985

Maximum Diversion Rate:
Maximum Diversion Volume:¹

0.04 CFS
1.2 AF

This is to certify, that NEAL DE WITT
EVELYN DE WITT

P.O. BOX 217

WHITE BIRD, ID 83554

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated June 4, 1985; and has submitted Proof of Beneficial Use on September 25, 1985. An examination indicates that the works have a diversion capacity of .040 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.04 CFS	1.2 AF

LOCATION OF POINT(S) OF DIVERSION: LOT 4(SENW), Sec. 27, Township 28N, Range 01E
IDAHO County

PLACE OF USE: DOMESTIC

TWN RGE SEC

28N 01E 27 LOT 4(SENW)

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to reflect cropping patterns or acceptable standards of water delivery efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Domestic use is for 1 home.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 16TH day of NOVEMBER, 1989.

RECORDED

NOV 22 1989

Acting for Norman C. Young
R. Keith Higginson, Director

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

APPROVED

1. Name of applicant Neal DeWitt - Evelyn DeWitt Phone 208-839-2245

Post office address Box 217, White Bird, Idaho 83554

2. Source of water supply Well which is a tributary of _____
(SEE MAP FROM MAP K 6/4/85)

3. Location of point of diversion is S.E. 1/4 of Lot 4 1/4 of Section 27 Township 28 N

Range 1 east B.M. Idaho County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount .05 for domestic purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. .05 cfs cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. well with pump

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is 6 inches; proposed depth of well is 420 feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 1 years (minimum 1 year - maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation: (SEE MAP FROM MAP K 6/4/85)

(1) Give the place of use of water: S.E. 1/4 of Lot 4 1/4 of Section 27 Township 28 N

Range 1 east B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.


(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water 1 family.

(5) If water is to be used for other purposes describe: R.V. park.

MICROFILMED

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Neal D. Witt, Evelyn DeWitt
(Applicant)

MICROFILMED

MICROFILMED

Proposed Priority 6/4/85 JP 6/7/85 10:00 chance
Received by JP Date 6/4/85 Time 1:25 PM
Preliminary check by JP Fee \$ 30.00 # 36080
Receipted by JP Date 6/10/85
Publication prepared by JP Date 6/13/85
Published in Idaho County Free Press
Publication dates 6/19 & 6/26/85
Publication approved JP Date 7/1/85
Protests filed by: none

Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by DBS KW

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 79-7160, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before September 1, 19 86.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other:

Witness my hand this 27th day of August, 1985.

A. Glen Saxton
Chief, Operations Bureau

AFFIDAVIT OF PUBLICATION

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

79-7159 ✓

DE WITT, NEAL & or EVELYN
P.O. BOX 217, WHITE BIRD, ID
83554

Source: BRACKET GULCH trib. to
SALMON RIVER

Date Filed: 06-04-1985

Diversion Pt: LOT 04 (S^WNW) Sec
27 T 28N R 01E

Use: IRRIGATION (0.16 CFS)

In: SENW Sec 27 T 28N R 01E FOR 8
ACRES.

79-7160 ✓

DE WITT NEAL & or EVELYN
P.O. BOX 217, WHITE BIRD, ID
83554

Source: GROUNDWATER

Date Filed: 06-04-1985

Diversion Pt: LOT 04 (SENW) Sec
27 T 28N R 01E

Use: DOMESTIC (0.05 CFS)

In: LOT 04 (SENW) Sec 27 T 28N R
01E.

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, Statehouse, Boise, Idaho 83720 on or before JULY 8, 1985.

KEN DUNN, Dir.

Published 06-19 & 06-26-85.

J19-26

Charlotte Sotin being first duly

Bookkeeper

sworn, says he is the
of the IDAHO COUNTY FREE PRESS, a weekly newspaper which
is published and issued weekly at Grangeville, Idaho County,
State of Idaho, and which is of general circulation in said county
and state; that the said notice, of which the one hereto attached
is a true copy, was published in said paper for two weeks,
being published two times, the first publication being
on the 19th day of June 19 85...,
and the last publication on the 26th day of
..... June 19 85; and that the said notice
was published in the newspaper proper and not a supplement;
that said newspaper has been continuously and uninterruptedly
published in said county during a period of more than seventy-
eight consecutive weeks prior to the first publication of said
notice or advertisement.

Charlotte Sotin

Subscribed and sworn to before me this 26th day
of June 19 85.

[Signature]

Notary Public

for State of Idaho, residing at Grangeville, Idaho.



Department of Water Resources
Western Regional Office

MICROFILMED

November 16, 1989

NEAL DE WITT
EVELYN DE WITT
P.O. BOX 217
WHITE BIRD, ID 83554

RE: PERMIT NO. 79-07160

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

NOV 22 1989

October 26, 1989

NEAL DE WITT
EVELYN DE WITT
P.O. BOX 217
WHITE BIRD, ID 83554

RE: PERMIT NO. 79-07160

Dear Permit Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

NOV 22 1989

BENEFICIAL USE FIELD REPORT REVIEW

TO: FILE 79-7160

FROM: JOHN MCLEOD

RE: PRIORITY ADVANCE REVIEW

DATE: 8-SEP-1989

This review memo is prepared to show the process for determining what elements were involved in advancement of the priority.

	<u>DATE</u>	<u>JULIAN</u>
PERMIT		
Permit priority Date:	JUNE 04 1985	155
EXAM FEE NOTICE		
Exam Fee Notice Date:	APRIL 10 1987	100
Exam Fee/Info Sheet Received Date:	JULY 01 1987	182
Exam Fee or Info Due Date:	JUNE 09 1987	160
Days Late:		22 DAY(S)
NEW PRIORITY DATE		
Original Priority Date:	JUNE 04 1985	155
Total Days Late:		22 DAY(S)
New Priority Date:	JUNE 26 1985	177

MICROFILMED

NOV 22 1989

[]

POINT OF DIVERSION OVERLAP REVIEW

WR-NUMBER	TWP	RNG	SC	TRACT 1\4 1\4 1\4	LT	#SOURCE	#NAME
7907160	28N	01E	27	SE NW	4	GROUNDWATER	DE WITT, NEAL
7902075						SALMON RIVER	IDAPINE MILLS INC.
7907159						BRACKET GULCH	DE WITT, NEAL

MICROFILMED

NOV 22 1989

219-S.A.
6/86

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Staff Analysis Sheet
for
Beneficial Use Field Report

79-7160
Permit No.

RECEIVED

FEB - 3 1988

Department of Water Resources

A. Prior to Conducting the Exam, the File Contains:

- ☒ Blank Field Report Form
- ☒ Copy of Permit
- ☒ Copies of any Amendments/Orders with conditions of approval
- ☐ Computer Data Proof Report
- ☒ Copy of U.S.G.S. Quad
- ☒ Check for Government Lots. If so, make a copy of Government Plat

Check of P/D index SL 7/17/87 (Initial and date)

Overlap? ☒ yes ☐ no If yes: ☐ copy of exam(s) attached? N/A
Type of Overlap? ☐ Add acres or uses to existing system
☐ Increase rate of flow or volume
☒ Other: _____

Check of P/U index SL 7/17/87 (Initial and date)

Overlap? ☒ yes ☐ no If yes: ☐ copy of water right(s) attached? N/A
Type of Overlap? ☐ Increase rate of flow or volume
☐ Add P/D's
☐ Increase number of acres within tracts
☒ Other: _____

Aerial Photo

Required? ☐ yes ☒ no If yes: ☐ copy attached?

Scheduling Letter sent? N/A telephone appt. (Initial and date)

☒ Appointment made and telephone conversation memo attached

B. After Conducting the Exam, the File Contains:

- ☒ Fully completed and signed Field Report Form
- ☒ Photographs of Point of Diversion and Place of Use
- ☒ Corrected Computer Data Proof Report with recommended license information, and date and signature of examiner.

C. Review and Processing:

Exam Completed Steve Lester 7/20/87 (Signature of examiner and date)

Exam Reviewed by Senior Water Resource Agent BD 1/15/88 (Initial and date)

Exam Reviewed by Manager of Regional Office Amc 1/21/88 (Initial and date)

Exam Date Entered in Computer ✓ (Initial and date)

Exam sent to State Office SL 2/2/88 (Initial and date)

Copy of Staff Analysis Sheet sent to Manager of Regional Office and Original
Refiled in White File _____ (Initial and date)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

Permit No. 79-7160
1. Owner: Neal and/or Evelyn DeWitt Phone No. 839-2245
Current Address: Box 217 White Bird, Id. 83554
2. Accompanied by: Evelyn DeWitt EXAM. DATE: 7/20/87
Address: same Phone No. same
Relationship to Permit Holder: Co-owner
3. Source: Groundwater tributary to —


B. OVERLAP REVIEW

1. Other water rights with same place of use: _____ ☐ Copies Attached
2. Other water rights with same point of diversion: 79-7159 and 79-2075 ☐ Copies Attached ☐ Copies of Field Exam's Attached

copies not needed

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



MICROFILMED

NOV 22 1989

Scale: 1" = NOT TO SCALE

2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☐ Aerial Photo Attached (required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).

System Description (continued)

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

A 6" cased well provides internal & external domestic water through a 1" line to this home just NW of Cooper Bar on the Salmon River. The well is approx. 200' SW of house.

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	UNKNOWN submersible	1 1/2	NO TAG	UNKNOWN submersible	NO TAG; 1" pipe

*Code to correspond with No. on map and aerial photo

5. **Point(s) of Diversion:**

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
	04		SE	NW	27	28N	1E	Idaho	USGS 7 1/2' Quad

6. **Place(s) of Use:**

Indicate Method of Determination USGS 7 1/2' Quad

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
28N	1E	27								Lot 4 D									—

MICROFILMED

NOV 22 1989

Do not use this space

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
NONE						

2. Measurements:

NONE

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

NONE

2. Alternate Method for Checking Purposes:

NONE POSSIBLE

F. PUMP EFFICIENCY DATA (Optional) N/A

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3)

; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation: N/A

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

1 Domestic unit
+ int. + ext. = 1.2 AFA

MICROFILMED

NOV 22 1989

H. REMARKS AND OVERLAP REVIEW ANALYSIS

Limit diversion to .04 cfs based on use.

Overlap: NO CONFLICT.

P/D: 79-7159 Surface water.

79-2075 Surface water.

P/U: 79-7159 Irrigation of other ~~property~~ DeWitt property. Does not irrigate yard as well (7160) does.

79-2075 Industrial use at mill site shown on topo map just NW of DeWitt's home. DeWitts now own this property and informal me that mill has been out of operation since the 1960's. Computer database check shows no transfer etc. with this WR. Appears that this ~~license~~ is an abandoned WR. Memo about this sent to State office file 12/17/87.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Domestic	1/1	12/31	.04	1.2

Totals: .04

1.2

2. Recommended Amendments

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above

- ☒ None
☐ Other

J. AUTHENTICATION

Field Examiner's Name

Steve Lester


Signature

Steve Lester

Certification Date

Field Report Preparation Date

7/20/87



BD

CONSULTANT SEAL


1/15/88

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.


LDU 9/8/89

MICROFILMED

NOV 22 1989



79-7160
28 N-1E-S-27





MICROFILMED

NOV 22 1989

79-7160

P/D

Well between DeWitt home
and Buck Creek Road.
Located $\frac{3}{4}$ mile SW of
Whitebird Cemetery.



P/U

Looking SE at
home and yard,
which is the area
immediately around
house but not
the grass & trees
in background.

MICROFILMED

NOV 22 1969

4/86
RECEIVED

JUL 1 1987

No. 1 enclosed
Department of Water Resources
Western Regional Office

DEC 17 1987

STATE OF IDAHO Department of Water Resources
DEPARTMENT OF WATER RESOURCES
EXAMINATION FEE INFORMATION

OK BD
For Office Use Only
Fee Received 0
Date
Receipt #
Receipt by
Sent to S.O. 12/17/87 S.L.

1. Permit No. 79-7160

ONE OF THE FOLLOWING BOXES SHOULD BE MARKED TO DESIGNATE YOUR CHOICE:

☒ I choose to have the department make the field examination of this permit; attached is the examination fee. (If this box is marked, complete items 1 thru 8.)

2. Permit Holder: Neal and Evelyn DeWitt

3. Post Office Address: Box 217, White Bird, Id 83554

Telephone No. 208-839-2245

4. Source of Water: Well

5. Extent of Use:

Domestic 1 (No. of households) Stockwater (No. and type of stock)

Irrigation (acres) Other/Remark

6. Total rate &/or volume for which proof is submitted 0.04 cfs acre-feet

7. Show the date water was first diverted and beneficially used under this permit:

May 1985

8. Person to contact to accompany the department representative examination:

Neal or Evelyn DeWitt
(Name)

NOV 24 1989

Box 217, White Bird, Id 83554
(Address)

208-839-2245
(Telephone Number)

☐ I choose to have the field examination conducted by a certified water right examiner. Attached is a statement from the certified examiner I have selected verifying that he has been retained to conduct the examination. (If this box is marked, complete items 1 thru 7.)

June 26-87
Date

Evelyn DeWitt
Signature of Permit Holder (and title, if appropriate)



State of Idaho
DEPARTMENT OF WATER RESOURCES
Western Region

Cecil D. Andrus
Governor

2735 Airport Way
Boise, Idaho 83705
(208) 334-2190

79-7160
DE WITT, NEAL
DE WITT, EVELYN
P.O. BOX 217
WHITE BIRD, ID 83554

138418

April 10, 1987

CERTIFIED MAIL

EXAMINATION FEE NOTICE

Dear Permit Holder:

Department records show that proof of beneficial use has been submitted for the above-referenced permit, but that a field examination has not yet been conducted to determine the extent of beneficial use of the water for licensing purposes.

House Bill 671 (effective April 4, 1986) enacted by the 1986 Idaho Legislature requires the payment of a fee before this department can conduct the field examination needed to issue a license confirming use of water under the permit. This letter is notification that the license examination fee is due within sixty (60) days of the date of this letter. The examination fee information sheet (enclosed) must be returned with the fee.

As an alternative to submitting the fee, the department will accept a field examination report completed by a certified water right examiner from the private sector. If you choose to have the examination done by a certified water right examiner, you need not submit the license examination fee to the department, but you must within sixty (60) days of the date of this letter return to the department, the examination fee information sheet showing appropriate information together with a statement from the certified examiner to verify that you have retained a certified examiner to conduct the field examination. If you choose this alternative, a completed field examination report must be submitted within one year of the date of this letter. You cannot later change your decision to use this alternative and submit the fee needed for the department to conduct the field examination, but you may change to another certified examiner.

MICROFILMED

NOV 22 1988

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Western Region

Statehouse
Boise, Idaho 83720
(208) 334-2190

DECEMBER 2, 1985

NEAL DE WITT
P.O. BOX 217
WHITEBIRD ID 83554

RE: Permit No. 79-7160

Dear Permit Holder:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this department.

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office by phone at 334-2190 or in person in the third floor State Towers Building, 450 West State Street, Boise.

Sincerely,
s/Judy Pense
Secretary

MICROFILMED

NOV 22 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
PROOF OF BENEFICIAL USE

RECEIVED
SEP 25 1985

Department of Water Resources

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed development under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below:

Permit No. 79-7160

Name(s) of Permit Holder: Neal DeWitt - Evelyn DeWitt
Box 217

Post Office Address: White Bird, Id 83554

Telephone No. 839-2245

Source of Water: Well with pump

Extent of Use:

Domestic 1 (number of households)

Stockwater _____ (number and type of stock)

Irrigation _____ (acres)

Other/Remarks R.V. Park

Indicate the date water was first diverted and beneficially used under this permit: May, 1985

Measuring Device: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☐ No

Flow Measurement Port: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☐ No

Person to contact to accompany the Department representative during the field examination:

Neal DeWitt

(Name)

Box 217, White Bird - Id

(Address)

839-2245

(Telephone Number)


The above information is a true statement of the extent to which the above numbered permit has been developed.

Sept 23 - 85
Date

Evelyn DeWitt
Signature of Permit Holder (and Title, if appropriate)

MICROFILMED

Neal DeWitt
Box 217
White Bird, Id
83554



Idaho Department of Water Resources
Statehouse Mail
Boise, ID 83720

August 28, 1985

RE: Permit No. 79-7160

Neal & Evelyn DeWitt
Box 217
White Bird, ID 83554

Dear Permit Holder:

Enclosed is a copy of your approved Application for Permit. We direct your attention to the conditions of approval on the fourth page.


We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is the statement of beneficial use that must be submitted when your project is completed.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc
Enclosures

MICROFILMED



Water Surface 479.38 Acres - Total 23292.31 Acres



Scale 1:50,000
24mm

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: 6LS

APPLICATION NUMBER: 79-7160

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.

Field check by: _____

Date: _____

Comments: _____

- ☒ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No* In form to receipt.

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☒ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: 1P

Date: 6/12/85

PROCESSING:

- ☐ Yes ☐ No Platted by: _____ Map No. _____
☐ Yes ☒ No Other rights on same place of use. _____
☒ Yes ☐ No* In form for advertising.
Final date for protests: July 8, 1985
☐ Yes ☐ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 7/1/85
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application. 30/25080
☒ Publication dates and paper, recorded on application. 10 City Free Press 6/19 & 6/26/85
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____
6/4/85 Date of priority recommended.
☒ Special conditions of approval or cover letter. _____

OK to allow 0.05 cfs for domestic (1 family & RV park) KW

By: QBS

Date: 7/9/85

STATE OFFICE REVIEW:

L/K

- ☐ See attached sheet for more information.

By: KW

Date: 8/19/85

JUL 16 1985

Department of Water Resources

MICROFILMED
RECEIVED

POINT OF DIVERSION AND STREAM INDEX INFORMATION

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX



STATE OF IDAHO

DEPARTMENT OF HEALTH AND WELFARE

DIVISION OF ENVIRONMENT - 1118 F. Street - Lewiston, Idaho 83501

799-3430

July 2, 1985

Mr. David B. Shaw
DEPARTMENT OF WATER RESOURCES
450 W. State Street
Boise, Idaho 83720

Re: 79-7160 (DeWitt)

Dear Mr. Shaw:

Thank you for sending us a copy of this permit application. We have no comments at this time. By copy of this letter we will supply Paul Guenther of the North Central Health Department a copy for his information.

Sincerely,

DIVISION OF ENVIRONMENT

George M. Dekan

George M. Dekan
Sr. Water Quality Specialist

GMD/cmd
xc: John Moeller-IDHW/DOE, Lewiston
Paul Guenther-NCDHD, Lewiston

RECEIVED
JUL 9 1985

Department of Water Resources
Western Regional Office

EQUAL OPPORTUNITY EMPLOYER

MICROFILMED



State of Idaho

DEPARTMENT OF WATER RESOURCES

WESTERN REGION, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-2190

June 13, 1985

Don Wroten
Division of Environment
Idaho Department of Health & Welfare
Statehouse
Boise, ID 83720

Re: No. 79-7160/Dewitt

Dear Mr. Wroten:

Enclosed is a copy of the above referenced application for permit which may be of interest to your agency. Please review the application and submit any comments you may have.

This office normally completes the processing of an application within a six-week period and is required to take final action shortly thereafter, however, if your agency desires to file a formal protest against the approval of this application, your written protest must be received in this office by July 8, 1985.

If you have any questions regarding the application, please contact this office.

Sincerely,

DAVID B. SHAW
Western Regional Supervisor

DBS:jp

Enclosure

MICROFILMED

29-7160

DE WITT, NEAL &/or EVELYN

P.O. BOX 217, WHITE BIRD, ID 83554

Source: GROUNDWATER

Date Filed: 06/04/1985

Diversion Pt: LOT 04 (SENW) Sec 27 T 28N R 01E

Use: DOMESTIC (0.05 CFS)

In: LOT 04 (SENW) Sec 27 T 28N R 01E

MICROFILMED