

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

NW 1/4 SE 1/4 Section 31 - T29N R1E BM.

31

NW 1/4 SE 1/4

X


Point of diversion
and use

Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

C. V. Swedblom
(Applicant)

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☒ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
		1/4	MM15934 M	Robbins + Myers	1 1/4"

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.


Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: _____

JAN 26 1996

79-07139
T29N 01E S31

50'



PERMIT 79-07139 INIT S.H.

T. R. S. Q/Q

P/D 29N 1E 31 NWSE

SCALE 1" = 4260 Ortho + Topo.

PHOTO ID. N-57 + N-58

JAN 26 1996



79-07139
8/31/95 S.H

P/D:

Robbins + Myers Pump
1/4 HP
Ser. # MA159,34 M
on steel pipe,
1 1/4" ABS to house

existing &
unknown size holding
tank on spring



P/u: stockwater 2'x4'9" 95' of 1" ABS
(gravity flow) from holding tank



P/u:

Domestic D/I
internal &
external (garden &
lawn)

JAN 26 1996

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 79-07139

Priority: June 27, 1983

Maximum Diversion Rate:

0.04 CFS

Maximum Diversion Volume:

1.3 AF

This is to certify, that C V SWEDBLOM
PO BOX 124

WHITE BIRD ID 83554 has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated June 27, 1983; and
has submitted Proof of Beneficial Use on June 22, 1988. An examination indicates
that the works have a diversion capacity of 0.060 cfs of water from:

SPRING

tributary to MOONSHINE GULCH

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
STOCKWATER	01/01 to 12/31	0.02 CFS	0.1 AF
DOMESTIC	01/01 to 12/31	0.03 CFS	1.2 AF
	Totals	0.04 CFS	1.3 AF

LOCATION OF POINT(S) OF DIVERSION:

SENWSE , Sec. 31, Township 29N, Range 01E
IDAHO County

PLACE OF USE: STOCKWATER

TWN RGE SEC

29N 01E 31

NWSE

PLACE OF USE:

DOMESTIC, same as STOCKWATER use

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Stockwater use is for 5 horses.
6. Domestic use is for 1 home.

JAN 26 1996


State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 79-07139

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 25th
day of January, 1996.


Acting for KARL J. DREHER, Director



JAN 26 1996

RECEIVED

JUN 22 1988

STATE OF IDAHO

70# enc. *Q*
Department of Water Resources

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

For Office Use Only
Fee Received _____
Date _____
Receipt # _____
Receipt by _____
Reviewed by *Q*
Sent to region _____

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 79-7139

Name(s) of Permit Holder: C.V. and Doris Swedblom

Post Office Address: Box 124 White Bird, Idaho 83554

Telephone No. 208-839-2434

Source of Water: Spring (developed)

Extent of Use:

Domestic V 1 (number of households) Stockwater 55 (number and type of stock)

Irrigation _____ (acres) Other/Remark _____

Total rate and/or volume for which proof is submitted .04 cfs _____ acre-feet

Show the date water was first diverted and beneficially used under this permit: 1983

Measuring Device: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☒ No Fee enclosed \$ -0-
(See License Examination Fee Schedule)

Flow Measurement Port: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☒ No

Person to contact to accompany the Department representative during the field examination:

Doris Swedblom
(Name)

208-839-2434
(Telephone Number)

White Bird

(Address)

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

June 14, 1988
Date

K.V. Swedblom owner.
Signature of Permit Holder (and title, if appropriate)

OCT 12 1988

Identification No. 79-7139

Application No. _____

RECEIVED

JUN 27 1983

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

Department of Water Resources
Northern District Office

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

1. Name of applicant C. V. SWEDBLOM Phone: 208-839-2434
post office address Box 124, White Bird, Idaho 83554
2. Source of water supply spring (surface water) which is a tributary of MOONSHINE GULCH
3. a. Location of point of diversion is NW $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 31 Township 29 North
Range 1 E. B.M. Idaho County; additional points of diversion if any: _____

b. If water is not consumed, it will be discharged into Moonshine Gulch at a point in NE $\frac{1}{4}$
of NE $\frac{1}{4}$ of Section 31 Township 29 N Range _____ B.M. _____
4. Water will be used for the following purposes:
Amount .04 for domestic purpose from Jan. 1 to Dec. 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount .02 for stock purpose from Jan. 1 to Dec. 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
a. .06 cubic feet per second and/or
b. _____ acre feet per annum.
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. 1/3 hp. electric pump; storage box
15 feet deep, 10 feet square; 1" pipe for domestic purpose; excess overflow
for stock, piped with 1" pipe to stock water tank, overflow creates stream

b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet, materials used in storage dam: _____
Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)
c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 5 years.
b. Estimated construction cost is \$ 2,000.00.
8. Description of proposed uses:
a. If water is **not** for irrigation:
(1) Give the place of use of water: NW $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 31 Township 29 North
Range 1 E B.M.
(2) Amount of power to be generated: _____ hp under _____ feet of head.
(3) List number of each kind of livestock to be watered 50 head cattle; 5 horses

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water 1.
(5) If water is to be used for other purposes describe: _____

MICROFILMED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

WEGOFFKED

Total number of acres to be irrigated_____


c. Describe any other water rights used for the same purposes as described above. NONE

9. a. Who owns the property at the point of diversion C. V. and DORIS SWEDBLOM
b. Who owns the land to be irrigated or place of use C. V. and DORIS SWEDBLOM
c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____

10. Remarks _____

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

NW 1/4 SE 1/4 Section 31 - T29N R1E BM.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

C. V. Svedblom
(Applicant)

Proposed Priority 6/27/1983

Received by mm Date 6-30-83 Time 3:00 pm
Received by mm Date 6/27/83 Time noon
Preliminary check by jo Fee \$ 90⁰⁰
Receipted by mm Date 6/27/83 (42348)
Publication prepared by SP Date 7/28/83
Published in Idaho Press
Publication dates 8/3 & 8/10
Publication approved SP Date 8/18/83
Priority reduced to _____ Reason _____
Protests filed by: None
Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by 085 RC

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 79-7139, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before August 1, 19 88.
- c. Other:

Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.

Witness my hand this 26th day of August, 1983.

L. Glen Saxton
Chief, Operations Bureau



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

January 23, 1996

C V SWEDBLOM
PO BOX 124
WHITE BIRD ID 83554

RE: WATER RIGHT NO. 79-07139

Dear Water Right Holder(s):

Enclosed is a copy of the Water Right License issued on the above referenced permit. If you have any questions, please contact me within 10 days of receipt of this license.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:rl

Enclosure

RECEIVED
JAN 26 1996

LICENSE REVIEW CHECKLIST

PERMIT NO. 79-07139 DATE 1-17-96



*NEW OWNER
NO ASSIGNMENT*

NAME Change OK Or Address Change? NO

PRIORITY DATE Advance? Advanced to:
Order to reinstate needed?
Incorrect fee for rate recommended? NO

SOURCE ✓ NO FEES P/D Changes or just clarification of originally intended source?
Notice of Intent to Void necessary?

POINT OF DIV ✓ Amendment needed? Add 10 acre tract designator for
 ✓ Overlaps? the spring (SE)

PLACE OF USE ✓ Amendment needed?
 ✓ Overlaps?

DIV RATE ✓ Permit/fee limits: .06 } .04 DOM
Proof limit .04 Pipeflow Meas Q = .03 Theo Q = .03 Recommend: .04
TOTAL CAPACITY = .06 CFS 1" pipe = .03 STOCK OK @ .02
1 1/4" pipe = .05 DOM OK @ .03
Combined rates exceed capacity

ANNUAL VOLUME ✓ Volume Limit: Season: 1-1 to 12-31
Calculations:
Flow limit: cfs x x 1.9835 =
Combined volumes exceed capacity/allowable

USES ✓ Change in Nature of Use or additional uses?
Amendment necessary?

ADDITIONAL INFO Replaces Surface Water 050 Supplemental GW
 Irr/Dom Combination WB5 PPU Recommendation
 Boise River/Wood River Source Aes/Rec Uses W38

NEW REMARKS Multiple p/d(s) in 1/4 1/4?
YES Other WOZ (5 HORSES) WO1 (1)

NEW CONDITIONS WM Control- District Meas/Lock Devices
 Irrigation Overlap
 Other
 Water Quality Heat/Cool/Fish verified

COMMENTS: (Pipeflow capacity for a 1 1/4" pipe is .05 CFS at 5' per second) But pump

RECOMMENDATION	CFS	VOLUME
<u>Stockwater</u>	<u>.02</u>	<u>.1</u>
<u>Domestic</u>	<u>.03</u>	<u>1.2</u>
<u>TOTALS</u>	<u>.04</u>	<u>1.3</u>

SRBA Claim Filed YES
Adjustment Memo Needed NO

LICENSE ✓

1ST AMEND LETTER
2ND AMEND LETTER

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

DEC 21 1995

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 79-07139
(hm) 907 835-2670
Phone No. (WK) 907 835-2424

1. Owner: C.V. Svedblom
Current Address: 1/2 Delbert Welch PO Box 962 Valdez AK

2. Accompanied by: Dr. Bonnie Dials EXAM DATE: 8/31/95
(hm) 907 835-2670
Address: 1/2 Delbert Welch PO Box 962 Valdez, AK Phone No. (WK) 907 835-2424

Relationship to Permit Holder: Sister to new owner Delbert Welch

3. Source: Spring tributary to Moonshine Gulch

B. OVERLAP REVIEW

1. Other water rights with the same place of use: None
2. Other water rights with the same point of diversion: none

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			NW	SE	31	29N	1E	Idaho	USGS Ortho./Topo. + exam

2. Place(s) of Use:

Indicate Method of Determination USGS Ortho./Topo. + exam

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
29N	1E	31														D/I			
																S			
						</													

JAN 2 1996

E. NARRATIVE/REMARKS/COMMENTS

- Other WR A79-07139 stockwater .02cfs, domestic .04cfs. (same spring).
- Use is Domestic D/I internal & external (yard & garden), and Stockwater for 5 horses.
- No govt. lots were found.
- The system consists of a 15' x 10' ^{cement} storage box on top of the spring, a 1" ABS pipe 95' long overflow pipe goes to a 2' x 4' 9" stockwater tank (gravity flow); a 1/4 HP Robbins & Myers Pump, pumps water to the house by means of 60' of 1 1/4" buried steel & ABS pipe for internal & external use. External use is by means of hoses & misc. size sprinklers to water the yard & garden.
- No other water sources are available.

Have conditions of permit approval been met? ☒ yes ☐ no

RECEIVED

JAN 26 1996

F. FLOW CALCULATIONS

☒ Additional Computation Sheets Attached

Measured Method:

Domestic (Internal/external) Pumpback Computation Spreadsheet (see attachment) = .03 cfs

Stockwater: Table 1, Recommended Diversion Rate for
Stockwater Exh. 15A 0-25 horses = .02 cfs

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

Allow Domestic D/I internal/external (yard/garden) 1.2 Afa

Stockwater: $V_{I.R.} = (5 \text{ horses} \times 12 \text{ gpd} \times 365) / 325,850 = .07 = .1$

$V_{D.R.} = .02 \text{ cfs} \times 365 \times 1.9835 = 14.5$

$V = .1$

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
<u>Domestic</u>	<u>1/1</u>	<u>12/31</u>	<u>.03</u>	<u>1.2</u>
<u>Stockwater</u>	<u>1/1</u>	<u>12/31</u>	<u>.02</u>	<u>.1</u>
Totals:			<u>.04</u>	<u>1.3</u>

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATION

Field Examiner's Name Endy Hernandez Date 12/5/95

Reviewer _____ Date _____

SEAL

① Permit: Domestic 1/1-12/31 .04 cfs
 Stockwater 1/1-12/31 .02 cfs
.06 cfs

② B/U fee: ~~0~~ pd 6/22/88 0-0.04 cfs

③ Max. Allowable:

Domestic D/I .04 cfs 1.2 Afa
 internal/external
 Stockwater: Table 1, Recommended Diversion Rate for Stockwater ^{Exh 15A}
 5 horses 0-25 = .02 cfs

④ Measurement:

Domestic:
 Pumpback Computation Spreadsheet
 (see attachment) = .03 cfs

Stockwater:

(1" ABS pipe to tank) Pipe Flow Capacity
 $Q = 5\pi R^2 \frac{\text{dia.}}{12} \div 2 = R \quad \pi = 3.1416$
 1" diam. = .03 cfs

APR 26 1996

Pumpback Computation Spreadsheet (DRT 1/24/1995)

Data Entered By: Sandy Hemenway
12/05/95
Project: Flow Computation for Permit No. 79-07139

Given: See Data Table

Compute head losses with the Williams and Hazen Formula:

$$f = 0.2083 * (100 / \text{roughness})^{1.85} * ((\text{cfs} * 448.8)^{1.852} / \text{ID}^{4.8655} * \text{Length} / 100)$$

To Find: Compute Rate of Flow for a Pumpback System

Data Table

Vertical Lift: 10.00 feet
 Pressure Req'd: 20.00 psi *estimated for domestic, since no gauge*
 Required Head: 56.20 feet
 Pump Horsepower: 0.25 horsepower
 Pipe Roughness: 140.00 Note: pvc = 150, smooth and straight pipe = 140
 aluminum - joint length 20' = 125, joint length
 30' = 130, joint length 40' = 132, joint length
 50' = 134, new riveted steel = 100
 old riveted steel = 100, old cast iron = 95,
 old pipes in poor condition = 60 to 80

Inside Diameter in Inches	Equivalent Length in Feet	Unit Head Loss	Total Friction Head Loss from Pipe Friction
1.00	60.00	7.77	
1.00	0.00	0.00	
1.00	0.00	0.00	

7.77

Initial Estimate of Rate of Flow:

0.029 CFS = .03 cfs


Computation of Rate of Flow:

0.02

[Handwritten signature]
JAN 26 1996

79-07139
T24N 31E S31

50'



PERMIT 79-07139 INIT S.H.


T. R. S. Q/Q

P/D 29N 31E NWSE

SCALE 1" = 4000' Ortho + Topo.

PHOTO ID. N-57 + N-58

JAN 26 1996




79-07139
8/31/95 S.H

P/D:

Robbins + Myers Pump
1/4 HP
Ser. # MA15534 M
+ steel pipe,
1 1/4" ABS to house

existing +
unknown size holding
tank on springs



P/u: Stockwater 2'x4'9" 95' of 1" ABS
(gravity flow) from holding tank



P/u:
Domestic D/I
internal +
external (garden
land)
JAN 26 1996



State of Idaho

DEPARTMENT OF WATER RESOURCES

WESTERN REGION, 2735 Airport Way, Boise, Idaho 83705 • (208) 334-2190

CECIL D. ANDRUS
Governor

R. KEITH HIGGINSON
Director

October 10, 1988

79-7139
Civi Swedblom
Box 124
Whitebird, ID 83554

Dear Applicant(s):

We acknowledge receipt of your statement submitted as proof as beneficial use for the above-referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office.

Sincerely,

A handwritten signature in cursive script, appearing to read "Judy Pense".

Judy Pense
Secretary

/jip

RECEIVED
JAN 26 1996

138791
CERTIFIED MAIL
May 31, 1988

SWEDBLUM, C. V.
P.O. BOX 124
WHITE BIRD, ID 83554

PROOF DUE NOTICE

RE: Permit No. 79-7139

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before August 1, 1988. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a completed field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this Department on or before the above described proof due date, or the permit will no longer be of any force nor effect.

Sincerely,

RITA FLECK
Secretary/Records Manager

Enclosures

MAILED

OCT 12 1988

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

SWEDBLOM, C. V.
P.O. BOX 124
WHITE BIRD, ID 83554

SEPTEMBER 14, 1983

RE: PERMIT NO. 79-7139

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

THE 1982 IDAHO LEGISLATURE ADDED A REQUIREMENT THAT AS A PERMIT HOLDER YOU MUST COMMENCE THE EXCAVATION OR CONSTRUCTION OF DIVERTING WORKS WITHIN ONE YEAR OF THE DATE THE PERMIT WAS ISSUED, AND YOU MUST PROCEED DILIGENTLY UNTIL THE PROJECT IS COMPLETED. THE ENCLOSED BLUE CARD MUST BE COMPLETED AND RETURNED TO THIS OFFICE AS SOON AS YOU COMMENCE CONSTRUCTION, NO LATER THAN ONE YEAR FROM THE DATE THE PERMIT WAS APPROVED.

WE HAVE ENCLOSED INSTRUCTIONS ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

RECEIVED

Western

LAW OFFICES
DEE AND MACGREGOR

WILLIAM J. DEE
W. C. MACGREGOR, JR.

MACGREGOR BUILDING
416 W. MAIN
GRANGEVILLE, IDAHO 83530
AREA CODE 208
TELEPHONES 983-1740
983-0250
983-0252

June 22, 1983

State of Idaho
Department of Water Resources
Northern Region
Suite No. 1
4055 Government Way
Coeur d'Alene, Idaho 83814

RE: C. V. Swedblom Appplication for Permit

Gentlemen:

Enclosed you will find an Application for Permit for
C. V. Swedblom, together with a check in the sum of \$30.00
to cover the filing fee for the same.

Very truly yours,

DEE AND MacGREGOR

William J. Dee
WILLIAM J. DEE *dg*

WJD:cbg
Enclosures

RECEIVED

JUN 27 1983

Department of Water Resources
Northern District Office

RECEIVED

**NOTICE OF APPLICATION
FOR WATER RIGHTS**

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

78-7247

HARRIMAN, HAROLD &/or
FERN

617 N. 11TH, PAYETTE, ID
83661

Source: LITTLE SALMON
RIVER trib. to SALMON
RIVER

Date Filed: 06/29/1983

Diversion Pt: SENW Sec 11
T 21N R 01E

Use: IRRIGATION (0.14
CFS)

In: SENW Sec 11 T 21N R
01E FOR 5 ACRES.

78-7138

HECKMAN RANCHES INC.
P.O. BOX 87, WHITE BIRD,
ID 83554

Source: SPRINGS trib. to
SALMON RIVER

Date Filed: 07/01/1983

Diversion Pt: SESE Sec 22 T
28N R 01E NENW Sec 26 T

28N R 01E SENE Sec 35 T

28N R 01E NWNW Sec 13 T

28N R 01E SESW Sec 12 T

28N R 01E

Use: IRRIGATION (0.52

CFS); STOCKWATER (0.70

CFS) DOMESTIC (0.02 CFS)

In: SESE Sec 22 T 28N R 01E

SWNW SENW Sec 35 T 28N R

01E NWNW Sec 13 T 28N R

01E NWSW Sec 12 T 28N R

01E FOR 75 ACRES.

78-7139

SWEDBLOM, C.V.
P.O. BOX 124, WHITE
BIRD, ID 83554

Source: SPRING trib. to
MOONSHINE GULCH

Date Filed: 06/27/1983

Diversion Pt: NWSE Sec 31

T 29N R 01E

Use: STOCKWATER (0.02

CFS) DOMESTIC (0.04 CFS)

In: NWSE Sec 31 T 29N R

01E.

The permit(s) will be

subject to all prior water

rights. Protests must be filed

with the Director, Dept. of

Water Resources, Western

Region, Statehouse, Boise,

Idaho 83720 on or before

AUGUST 22, 1983.

KEN DUNN, Dir.

Published 08/03 & 08/10/83.

A3-10

AFFIDAVIT OF PUBLICATION

Nona Donaldson

being first duly

office manager

sworn, says he is the

of the IDAHO COUNTY FREE PRESS, a weekly newspaper which

is published and issued weekly at Grangeville, Idaho County,

State of Idaho, and which is of general circulation in said county

and state; that the said notice, of which the one hereto attached

is a true copy, was published in said paper for 2 weeks,

being published 2 times, the first publication being

on the 3 day of August, 1983,

and the last publication on the 10 day of

August, 1983; and that the said notice

was published in the newspaper proper and not a supplement;

that said newspaper has been continuously and uninterruptedly

published in said county during a period of more than seventy-

eight consecutive weeks prior to the first publication of said

notice or advertisement.

Nona C. Donaldson

Subscribed and sworn to before me this 11 day

of August, 1983.

[Signature] Notary Public

for State of Idaho, residing at Grangeville, Idaho.

MICROFILMED

29-7139

SWEDBLOM, C. V.

P.O. BOX 124, WHITE BIRD, ID 83554

Source: SPRING trib. to MOONSHINE GULCH

Date Filed: 06/27/1983

Diversion Pt: NWSE Sec 31 T 29N R 01E

Use: STOCKWATER	(0.02 CFS)
DOMESTIC	(0.04 CFS)

In: NWSE Sec 31 T 29N R 01E

MICROFILMED