


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

T27N

R1E



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Arthur J. Roman
(Applicant)
J. A. Thomson - Acting F. A.

79 7032

AFFIDAVIT OF PUBLICATION

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that U. S. FOREST SERVICE, Slate Creek Ranger Station, White Bird, ID has on Feb. 21, 1974 submitted Application No. 79-7032 for a permit to appropriate 0.3 cubic feet per second 60 acre feet per annum of water from Salmon River by means of pump & pipeline within the SW $\frac{1}{4}$ NW $\frac{1}{4}$, S. 36, T. 27 N., R. 1 E., B.M. Idaho County to be used from April 1 to Nov. 1 for irrigation of 15 acres within the SW $\frac{1}{4}$ NW $\frac{1}{4}$, S. 36, T. 27 N., R. 1 E., B.M. If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Administration, Statehouse, Boise, Idaho 83707, on or before March 18, 1974.

R. KEITH HIGGINSON
Director

Published in the Idaho County Free Press, Grangeville, Idaho on Feb. 27, 1974 and March 6, 1974. F27-M6

OK'd
3-8-74

I, Marilyn J. Stolley being first duly

sworn, says he is the office manager

of the IDAHO COUNTY FREE PRESS, a weekly newspaper which is published and issued weekly at Grangeville, Idaho County, State of Idaho, and which is of general circulation in said county and state; that the said notice, of which the one hereto attached is a true copy, was published in said paper for three weeks,

being published three times, the first publication being on the 20th day of February, 1974,

and the last publication on the 6th day of March 1974; and that the said notice

was published in the newspaper proper and not a supplement; that said newspaper has been continuously and uninterruptedly published in said county during a period of more than seventy-eight consecutive weeks prior to the first publication of said notice or advertisement.

Marilyn J. Stolley

Subscribed and sworn to before me this 6th day of March, 1974.

Richard C. Hark, Notary Public
for State of Idaho, residing at Grangeville, Idaho.

RECEIVED

MAR 8 1974

Department of Water Administration

79 7032




Diagram of System

RECEIVED
JAN 1 1960

SALMON

RIVER

2307.67

Δ: 59°5
L: 29°
R: 28°
S: 0°
T: 6°
Ts: 1°

John Hoene Implement Co.

Take

1.84 Ac.

Remainder Lt. 0.00 Ac.

Remainder Rt. 0.00 Ac.

S89°59'39"E 25'

Ronald P. & Ethel M. Aiken

Take

1.29 Ac.

Remainder Lt. 0.00 Ac.

Remainder Rt. 0.00 Ac.

(Mean High Water)

N89°59'44"E

State

Take

Remainder

Remainder

Rock Paving
Foundation

N00°00'00"W

Foundation

4" Irr. through Existing Culvert

Remove all Bldgs. within R/W

Sewer Pump

Shed

Shed

Privy

Shed

3/4" Pipe

1-W

550'

37'

Privy

Shed

50.49

102.3

98.38

Rem

Conc

30

165.8'

435.65

Lesl

Em

T

P

Lot 3 Sec. 36

883+50 W=28'

Right For Future
Access Granted

U.S. Forest Service

887+00 - Cont. Appr.

Garage

Ranger Station

467' to 1/16 Cor.

388+75 - W=28'

Right For Future
Access Granted

890+27.40

Mamie

**NOTICE OF APPLICATION
FOR WATER PERMIT**

Notice is hereby given that U. S. FOREST SERVICE, Slate Creek Ranger Station, White Bird, ID has on Feb. 21, 1974 submitted Application No. 79-7032 for a permit to appropriate 0.3 cubic feet per second 60 acre feet per annum of water from Salmon River by means of pump & pipeline within the SW $\frac{1}{4}$ NW $\frac{1}{4}$, S. 36, T. 27 N., R. 1 E., B.M. Idaho County to be used from April 1 to Nov. 1 for irrigation of 15 acres within the SW $\frac{1}{4}$ NW $\frac{1}{4}$, S. 36, T. 27 N., R. 1 E., B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Administration, Statehouse, Boise, Idaho 83707, on or before March 18, 1974.

R. KEITH HIGGINSON
Director

Published in the Idaho County Free Press, Grangeville, Idaho on Feb. 27, 1974 and March 6, 1974.

F27-M6

OK df
2.26-74

79 7032

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 79-7032 Priority February 21, 1974 Amount 0.30 cfs

THIS IS TO CERTIFY, that U.S. FOREST SERVICE, SLATE CREEK RANGER STATION
of Whitebird, Idaho, has complied with the terms and conditions of Permit
No. 79-7032 issued pursuant to Application for Permit dated February 21, 1974,
and has submitted proof to the Department of Water Resources on March 1, 1979,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of 0.37 cfs of water from Salmon River,
tributary to SNAKE RIVER, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
Irrigation	from <u>April 1</u> to <u>November 1</u>	at <u>0.30</u> cfs and	<u>60.0</u> acre feet
	from _____	_____ cfs and	_____
	from _____	_____ cfs and	_____
(both dates inclusive)			

Subject, however, to the condition that no more than 0.30 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
60 acre feet per year, said waters to be diverted within the SW $\frac{1}{4}$ NW $\frac{1}{4}$, Sec 36, Twp. 27N,
Rge. 1E, B.M. in the County of Idaho

Description and location of place of use:

Twp.	Range	Sec.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				Totals
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
27N	1E	36							15										15

Total number of acres irrigated 15

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use herein described, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 24 day of
July, 19 79.

Director

Identification No. _____

Application No. 79-7032

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION

APPLICATION FOR PERMIT

APPROVED

To appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

1. Name of applicant U.S. Forest Service
post office address Slate Creek Ranger Station, White Bird, Idaho 83554
2. Source of water supply Salmon River which is a tributary of _____
3. a. Location of point of diversion is SW $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 36 Township 27N
Range 1E B.M. Boise, Idaho County; additional points of diversion if any: _____

- b. If water is not consumed, it will be discharged into Station Grounds at a point in SW $\frac{1}{4}$
of NW $\frac{1}{4}$ of Section 36 Township 27N Range 1E B.M. Boise
4. Water will be used for the following purposes:
Amount 0.3 ~~106 cfs~~ for Irrigation purpose from 4-1 to 11-1 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
a. 106 cfs 0.3 cubic feet per second and/or
b. 210 60 acre feet per annum.
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. 10 hp irrigation pump on the
station grounds with an intake pipe running into the river.

b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet, materials used in storage dam: _____
Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)
c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 0.5 years.
b. Estimated construction cost is \$ 5000.
8. Description of proposed uses:
a. If water is **not** for irrigation:
(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M. _____
(2) Amount of power to be generated: _____ hp under _____ feet of head.
(3) List number of each kind of livestock to be watered None

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water _____.
(5) If water is to be used for other purposes describe: Administrative Site Irrigation

79 7032

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP.	RANGE	SEC.	NE1/4				NW1/4				SW1/4				SE1/4				TOTALS
			NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	
27N	1E	36							15										15 acres

Total number of acres to be irrigated 15

c. Describe any other water rights used for the same purposes as described above. None


9. a. Who owns the property at the point of diversion State of Idaho Highway Department

b. Who owns the land to be irrigated or place of use U.S. Forest Service

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing N/A

10. Remarks

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Arthur L. Roman
(Applicant)
A. Thomson - Acting S.D.

79 7032

Proposed Priority 2-21-19742-21-74 - Toucher mailed 2-21-74Received by ej Date 1-22-74 Time 8:00Preliminary check by SD Fee \$ 25.00Receipted by ej Date 3-18-74 Receipt # 14212Publication prepared by df Date 2-21-74Published in Idaho County Free PressPublication dates 2-28 + 3-7-74Publication approved df Date 3-8-74

Priority reduced to _____ Reason _____

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by N SDF

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER ADMINISTRATION

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 79-7032, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before March 1, 19 79.
- c. Other: A measuring device of a type approved by this department shall be permanently installed and maintained as part of the diverting works.

2. Denial of said application is for the following reasons: _____

Witness my hand this 26 day of March 19 74.

L. Karl Higin
Director

DEPARTMENT OF WATER ADMINISTRATION
- STAFF ANALYSIS -

Item	Initial	Date	
(1)	<u>REB</u>	<u>2/21/74</u>	Application No. <u>19-7032</u>
(2)			☒ Source ☒ Point of Diversion ☒ County ☒ Quantity of Water and Period of Use ? ☒ Description of Diverting Works ☒ Time required for B/U of water ☒ Place of Use or Acres Irrigated ☒ Map ☒ Signature ☒ Fee
(3)	<u>REB</u>	<u>2/21/74</u>	In form to receipt
	<u>REB</u>	<u>2/21/74</u>	Send Copies to: ☐ Idaho State Health Department ☐ Idaho Fish and Game Department ☐ Bureau of Land Management
(4)	<u>REB</u>	<u>2/21/74</u>	☐ Request Special Use Permit from U.S.F.S. ☐ Request Easement from B.L.M. ☒ Request Information from Applicant <u>Easement from</u> <u>Ida Dept Highways</u>
(5)	<u>REB</u>	<u>2/21/74</u>	In form for advertising
(6)		<u>NA</u>	Located within Water District No. _____
(7)		<u>NA</u>	Critical groundwater area: yes _____ no _____
(8)		<u>NA</u>	Groundwater levels: ____ Decline (comment) _____ ____ Stable (comment) _____ ____ Increasing (comment) _____
(9)			Comments: _____
(10)	<u>REB</u>	<u>3-8-74</u>	Affidavit of Publication received (date) _____
(11)	<u>RWH</u>	<u>3-18-74</u>	Final date for protests <u>3-18-74</u> Protests received: yes _____ no ☒
(12)		<u>NA</u>	Date and Place of hearing _____ Decision reached at hearing _____
(13)	<u>RWH</u>	<u>3-18-74</u>	All requested information received from agencies or applicant yes ☒ no _____
(14)	<u>RWH</u>	<u>3-18-74</u>	Action recommended: ☒ Approve Priority <u>2-21-1974</u> ☐ Deny Reason for Reduction _____ ☒ Measuring device required ☐ See attached sheet for additional conditions of approval ☒ No additional conditions for approval
(15)	District <u>Western</u>		By <u>Robert W Hamilton</u> Date <u>3-18-74</u>

79 7032

RECEIVED
MAR 18 1974
Department of Water Administration

AFFIDAVIT OF PUBLICATION

I, Marilyn J. Stolley being first duly sworn, says he is the office manager of the IDAHO COUNTY FREE PRESS, a weekly newspaper which is published and issued weekly at Grangeville, Idaho County, State of Idaho, and which is of general circulation in said county and state; that the said notice, of which the one hereto attached is a true copy, was published in said paper for three weeks, being published three times, the first publication being on the 20th day of February, 1974, and the last publication on the 6th day of March, 1974; and that the said notice was published in the newspaper proper and not a supplement; that said newspaper has been continuously and uninterruptedly published in said county during a period of more than seventy-eight consecutive weeks prior to the first publication of said notice or advertisement.

Marilyn J. Stolley

Subscribed and sworn to before me this 6th day of March, 1974.

Richard C. Hahn, Notary Public
for State of Idaho, residing at Grangeville, Idaho.

Adf
3-8-74

RECEIVED

MAR 8 1974

Department of Water Administration

79 7032



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 373 W. Franklin Street, Boise, Idaho

JOHN V. EVANS
Governor

C. STEPHEN ALLRED
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 384-2215

July 24, 1979

U. S. Forest Service
Slate Creek Ranger Station
White Bird, ID 83554

Gentlemen:

RE: Water Right No. 79-7032

Enclosed is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JAN GROVER
JAN GROVER
Water Rights Supervisor

JG:lr

Enclosure

MICROFILMED

DEPARTMENT OF WATER RESOURCES
FIELD REPORT

1 APR 4 1979 Name of permit holder U. S. Forest Service, Kate Creek Ranger Station

Post office address White Bird, Idaho Phone _____
 Department of Water Resources
 Western Regional Office
 Western person to contact _____ Phone _____

2. Source of water supply: Groundwater ☐ Surface water ☒ Salmon River
(name spring, stream, etc.)
Tributary to _____

3. Water will be used for the following purposes:

Amount 0.3 c.f.s. for irrigation
 _____ AF/Annum (nature of use)

Period of Use: from 7-1 to 11-1
(mo.-day) inclusive (mo.-day)

Amount _____ c.f.s. for _____
 _____ AF/Annum (nature of use)

Period of Use: from _____ to _____
(mo.-day) inclusive (mo.-day)

Amount _____ c.f.s. for _____
 _____ AF/Annum (nature of use)

Period of Use: from _____ to _____
(mo.-day) inclusive (mo.-day)

Other uses: _____

Permit No. 79-7032

Examination for b/c

4. Total amount to be appropriated:

Max Rate of Diversion 0.3 cubic feet per second and annual volume _____ AF/Annum.

5. Location of Point(s) of Diversion:

Township 27N N/S, Range 1E E/W, B.M., Section 36, Subdivision SW 1/4 NW 1/4, Idaho
County

Township _____ N/S, Range _____ E/W, B.M., Section _____, Subdivision _____ 1/4 _____ 1/4 _____

Township _____ N/S, Range _____ E/W, B.M., Section _____, Subdivision _____ 1/4 _____ 1/4 _____

Other Points of Diversions: _____

Description of diverting works: 4" intake line, 150 GPM Centrifugal pump, 10 Hp motor

Measuring device required: yes ☐ no ☒

6. Lands to be irrigated or place of use.

[illegible]**TOTAL ACREAGE**




Diagram of System

DATE OF EXAM 6/28/79

ACREAGE
Found 15
Recommended 15

Irrigation Requirement 4.0 Ac Ft/Ac

USE
Irrigation Q = 130 c.f.s. V = 60 AF/Ann. from 4/1 to 11/1
Domestic Q = _____ c.f.s. V = _____ AF/Ann. from _____ to _____
Livestock Q = _____ c.f.s. V = _____ AF/Ann. from _____ to _____

Is water co-mingled? yes _____ no ☒

Name source: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Exchange? yes _____ no ☒

Name source exchanged with: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Point of injection: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Point of exchange: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Total Q measured 137 cfs Method of measurement DIRECT / PRESSURE GAUGES

Total Q recommended 130 cfs Meter No. _____ Type _____ Condition _____

Total V recommended 60.0 AF/Ann

Recommended Amendments:

P.D. _____
Place of Use _____
Other _____
None ☒

MEASUREMENT CALCULATION:
 $Q = 35 \text{ SPINNIER} \times 9.72 \text{ gpm/SPINNIER @ } 45 \text{ psi} = 165.2 \text{ gpm} (1.0027 \text{ cfs}) = .37 \text{ cfs}$
 $Q = 150 \text{ gpm METERED BY USER} = .33 \text{ cfs}$
 $V = 15 \text{ ACRES} (4.0 \text{ AF/Acre}) = 60.0 \text{ AF/Ann}$
 $V = .37 \text{ cfs} (1.55) (213 \text{ days/yr}) = 156 \text{ AF/Ann}$

SYSTEM DESCRIPTION:
10hp GOULD CENTURY SERIAL # M357B, 150gpm @ 160TDH, 2" LINE UNDER
HIGHWAY 70 FIELDS, PIPE INTO RIVER - PENSTOCK INTAKE.
35-RAINBIRD 35 7/8" NOZZLE @ 45psi

REMARKS:

Examiner's Signature Charles W. Boyer Jr Date 6/29/79
Checked by William H. Hest Date 3/5/79
Approved by _____ Date _____



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 373 W. Franklin Street, Boise, Idaho

JOHN V. EVANS
Governor

C. STEPHEN ALLRED
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 384-2215

March 2, 1979

U.S. Forest Service
Slate Creek Ranger Station
White Bird, ID 83554

Gentlemen:

Re: Permit No. 79-7032

Pursuant to your request, enclosed is a copy of your permit.

We acknowledge receipt of the affidavit submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We cannot tell just when this examination will be made, but our examiner will try to contact you at the time he makes the examination so that you may show him the system.

If you have any questions regarding the field examination, please contact our regional office in Boise.

Sincerely,

RITA FLECK
Water Rights

MICROFILMED

UNITED STATES DEPARTMENT OF AGRICULTURE
FOREST SERVICE

Salmon River Ranger District
White Bird, Idaho 83554

RECEIVED

2700
February 27, 1979



State of Idaho
Department of Water Resources
Statehouse
Boise, ID 83720

Department of Water Resources

Certified Number 684850 - Return Receipt Requested

Dear Sir:

Enclosed is the completed affidavit for the water permit
number 79-7032.

Also, please send a photo copy of the permit.

Sincerely,

James B. Whalenhoff
for

ROLAND M. STOLESON
District Ranger

enclosure

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

RECEIVED

PROOF OF APPLICATION
OF WATER TO BENEFICIAL USE

Department of Water Resources

OK
JH
JRCB

1. a) Name of permit holder U.S. Forest Service, Slate Creek Ranger Station
b) Post office address White Bird, Idaho 83554
2. Permit number 79-7032
3. Date of priority that you are prepared to establish September 1976
4. a) Source from which water was appropriated Salmon River
b) Location of the point of diversion: SW $\frac{1}{4}$ NW $\frac{1}{4}$, Section 36
Township 27N, Range 1E Boise Meridian. Other points of diversion: _____

5. a) The amount of water and use to which the water has been applied:
Amount 0.29 CFS for irrigation purposes from June 1 to October 15 incl.
(cfs &/or acre-feet per annum) (month-day) (month-day)
Amount _____ for _____ purposes from _____ to _____ incl.
(cfs &/or acre-feet per annum) (month-day) (month-day)
Amount _____ for _____ purposes from _____ to _____ incl.
(cfs &/or acre-feet per annum) (month-day) (month-day)
b) Total amount appropriated 0.29 CFS cfs and/or acre-feet per annum.
c) Describe how and by whom measurement of rate of flow or amount of storage was made and the qualifications of the person making the measurement:
Flow is estimated from design, will be measured when system is in operation during the summer of 1979.
6. If the means of diversion and conveyance are owned by someone other than the permit holder:
a) Give the name or description of the canal, ditch or other works by which the water is conducted to the place of use:
NA

b) Describe the agreement of understanding by which you take water from the works:
NA

7. a) Briefly describe the works for diverting and conveying the water to the place of use, (if from a subterranean source, give the pump size, motor size, size of well casing, depth of well; if from surface water, give brief description of diversion structure and/or canal or ditch):
Water is taken from the river by means of a 4" intake line connected to a 150 GPM centrifical pump which is driven by a 10 horsepower electric motor.

b) Describe the provision for making a measurement which you have at your point of diversion: (i.e., installed measuring device, access port, other)
Pressure gauge and standard orifice charts.

exam 3-2-79 JH

c) Give well driller's name and address and the date the well was completed: NA

8. If for other than irrigation, describe the beneficial use to which you have applied the water and the place of use:

NA

9. Irrigation uses: describe the lands irrigated by giving the acreages irrigated within each 40 acre subdivision:

Land being irrigated is an old river bar that has been planted with grass, part of which is being used as pasture for livestock, and the rest is used as a lawn for the Slate Creek Ranger Station.

T	R	SEC.	NE¼				NW¼				SW¼				SE¼				TOTAL
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
27N	1E	36						X											1.78
27N	1E	36					X												.87
27N	1E	36							X										11.33
27N	1E	36								X									4.85

Total number of acres irrigated 18.83

10. Remarks: _____

The above information is a true statement of the extent to which the above numbered permit has been developed.

Feb 27, 1979
(Date)

James B. Uhlenhuth
(Signature)

State of _____)
County of Adair) ss.

On this 27th day of February, 1979, personally appeared before me the signer(s) of the above instrument, who duly acknowledged to me that he (she) (they) executed the same.

My commission expires Sept. 1979

Garland R. Clavin Jr.
Notary Public
Residing at White Bird, Idaho

U. S. DEPARTMENT OF AGRICULTURE

FOREST SERVICE

DISTRICT RANGER, SALMON RIVER RD

SLATE CREEK RANGER STATION

WHITE BIRD, IDAHO 83554

OFFICIAL BUSINESS

PENALTY FOR PRIVATE USE, \$300

POSTAGE AND FEES PAID

U. S. DEPARTMENT OF AGRICULTURE

AGR 101



**RETURN RECEIPT
REQUESTED**

State of Idaho Department of Water Resources
Statehouse
Boise, Idaho 83720

**RETURN RECEIPT
REQUESTED**

No



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 373 W. Franklin Street, Boise, Idaho

JOHN V. EVANS
Governor

C. STEPHEN ALLRED
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 384-2215

CERTIFIED MAIL

December 29, 1978

101593

Re: Permit No. 79-7032

U. S. Forest Service
Slate Creek Ranger Station
White Bird, ID 83554

Gentlemen:

One of the conditions of approval of your water Permit No. ~~89-7032~~ (see last page of your approved permit) was that evidence of the extent of development be submitted as proof of application of water to beneficial use to this office on or before March 1, 1979. Enclosed is an affidavit form which must be used to submit the required proof of beneficial use.

If you have not fully completed your project, and you have not previously received an extension of time, you may request an extension of time provided the delay is for reasonable cause as indicated in Section 42-204, Idaho Code, amended. If you have been prevented from proceeding by a governmental agency or by litigation, more than one extension of time can be granted.

Either the beneficial use affidavit or a request for an extension of time must be received by this Department on or before the above mentioned date, otherwise, the permit will lapse and be of no further force or effect.


RITA FLECK
Water Rights

Encl: Proof affidavit

RECEIVED
DEC 31 1978
BOISE, IDAHO



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 373 W. Franklin Street, Boise, Idaho

JOHN V. EVANS
Governor

C. STEPHEN ALLRED
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 384-2215

Nov. 7, 1978

Dear Wateruser:

The enclosed Order changes the measuring device condition of approval on your water right permit.

The changed condition should be less restrictive and provide more flexibility to you in the development of your water right system. The specifications related to the size and location of the access port will be available upon request from the Department, as soon as the Department's measuring equipment is obtained.

If you have questions regarding this matter, please contact this office or our regional offices.

Sincerely,

L. Glen Saxton

L. GLEN SAXTON
Chief, Operations Bureau

LGS:JG:kw

Enclosure

11/7/78

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF CHANGING THE MEASURING
DEVICE REQUIREMENT FOR PERMIT NO. 79-7032

ORDER

WHEREAS, the above numbered permit was approved with the condition that a measuring device of a type approved by the Department be permanently installed and maintained as part of the diverting works; and,

WHEREAS, on July 1, 1978, the Department adopted a new water measurement condition which states: "An access port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department"; and,

WHEREAS, the former condition required the permit holder to purchase and install a measuring device or hire a professional engineer to certify the rate of diversion; and,

WHEREAS, the measuring device condition effective July 1, 1978, requires less capital expenditure by the permit holder; and,

WHEREAS, to be equitable to holders of permits issued prior to July 1, 1978, the new condition should be retroactive;

NOW THEREFORE, it is hereby ordered that the condition of approval of this permit related to water measurement is hereby changed as follows: "The permit holder shall either install a measuring device or provide a certified measurement by a professional engineer or install an access port or other device as specified by the Department".

Dated this 18th day of August, 1978.


C. STEPHEN ALLRED
Director

MICROFILMED

79-7032

January 29, 1974

U. S. Forest Service
Slate Creek Ranger Station
White Bird, Idaho 83554

Re: Application for Permit

Gentlemen:

We have received your application for permit. However, we are returning it for additional information and a filing fee.

It appears that plans are made to irrigate 15 acres of land. At one inch per acre of land to be irrigated, we can allow 15 inches or 0.3 c.f.s. of water unless you can show the need for more. In your area, the acre foot requirement would be 4.0 A.F. per acre or 60 A.F.

There will be a \$25.00 filing fee for 0.3 c.f.s. which must accompany your application. The application will have to be signed by the Supervisor of the Forest Service.

If we can be of further assistance, feel free to contact us.

Sincerely,

ROBERT W. HAMILTON
Supervisor of Water Distribution

RWH:df

Enclosure

RECEIVED
JAN 31 1974
FBI - BOISE

New app

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION
STATE OFFICE



Cecil D. Andrus
Governor

R. Keith Higginson
Director

614 State Street
Statehouse -- Annex 2
Boise, Idaho 83720
(208) 384-2215

Water Rights Administration
Water Resource Investigations
Dam and Reservoir Safety
Water Well Drilling
Waste Disposal Wells
Stream Channel Protection
Geothermal Resources

February 21, 1974

RE: Your Purchase Order No. 658-17-74

U. S. Department of Agriculture
Forest Service
Nezperce National Forest
Grangeville, Idaho 83530

Gentlemen:

Please remit the following amount:

Leit
14212
79-7032

Item	Article/Services	Quantity	Unit	Amount
1	Filing Fee, Application for Permit to appropriate the Public Waters of the State of Idaho for Slate Creek Ranger Station, Whitebird, Idaho SW ¹ / ₄ NW ¹ / ₄ , Sec. 36, T 27N, R 1 E.	1	Ea.	\$25.00
TOTAL				\$25.00

Certified to be a true and correct billing
and no part has been paid thereof.

Leann [Signature]
Records Supervisor

RECEIVED

March 28, 1974

Re: Permit No. 7907032

U. S. Forest Service
Slate Creek Ranger Station
White Bird, Idaho 83554

Gentlemen:

Enclosed is a copy of your approved Application for Permit No. 79-7032. We direct your attention to the conditions of approval as listed on the fourth page.

Be sure to note that a special condition requiring you to install and maintain a measuring device at your point of diversion has been placed upon your permit. We are enclosing a letter describing different types of measuring devices accepted by this office.

Sincerely,

BOBBY D. FLEENOR
Assistant Director

BDF/bjg

Enclosures

79 7032

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION
WESTERN DISTRICT OFFICE



Cecil D. Andrus
Governor
R. Keith Higginson
Director

614 State Street
Statehouse - Annex 2
Boise, Idaho 83707
(208) 384-2190

Water Rights Administration
Water Resource Investigations
Dam and Reservoir Safety
Water Well Drilling
Waste Disposal Wells
Stream Channel Protection
Geothermal Resources

March 11, 1974

U. S. Forest Service
Slate Creek Range Station
White Bird, Idaho 83554

Re: Application for Permit No. 79-7032

Gentlemen:

Enclosed is your Receipt No. 14212 in the amount of \$ 25.00 for
Application for Permit No. 79-7032 which was received in this office
on Jan. 28, 1974.

Sincerely,

DEANNA E. FELDT
Secretary

DEF:d

Enclosure

79 7032

UNITED STATES DEPARTMENT OF AGRICULTURE
FOREST SERVICE

Slate Creek Ranger Station
White Bird, Idaho 83554

2540
March 4, 1974



Department of Water Administration
State of Idaho
614 State Street
Statehouse -- Annex 2
Boise, Idaho 83707

Gentlemen:

Enclosed is the copy of our permit from the Idaho Department of Highways for the point of diversion of our proposed pipeline.

This permit was requested in your letter of February 27, 1974 in connection with our application for permit no. 79-7032.

If you have any further questions, please contact us.

Sincerely,

ARTHUR L. SEAMANS
Acting District Ranger

enclosure

79 7032

CECIL D. ANDRUS
GOVERNOR

STATE OF IDAHO

IDAHO BOARD OF
HIGHWAY DIRECTORS

ARL C. MOORE - CHAIRMAN
LOYD F. BARRON - VICE CHAIRMAN
ROY I. STROSCHEIN - MEMBER

JAYNE SUMMERS
EXECUTIVE SECRETARY



V. N. RICHARDSON
STATE HIGHWAY ENGINEER

DEPARTMENT OF HIGHWAYS

DISTRICT IV
P.O. BOX 837
LEWISTON, IDAHO 83501

February 5, 1974

Arthur L. Seamans
Acting District Ranger
Slate Creek Ranger Station
White Bird, Idaho 83554

Re: Right of Way Permit 4-73-126

Dear Mr. Seamans:

Enclosed is a Permit To Use Right of Way allowing the temporary installation of a 4 inch irrigation water line through on existing 24 inch highway cross drain adjacent to the Slate Creek Ranger Station.

Before starting work please notify Erwin Howell, Maintenance Foreman at Grangeville. Phone: 983-1140.

Very truly yours,

Marvin W. Lotspeich, P.E.
District Engineer

George F. Oberle
George F. Oberle, P.E.
District Traffic Engineer

cfc

79 7032

Better Highways for a Better Idaho

19 10-72

APPLICATION AND PERMIT TO USE RIGHT OF WAY

S & P MANUAL 2-445 AND 2-615 PARAGRAPH SERIES AND
P & T MANUAL 1-12-450 AND 1-12-600 SERIES.

DISTRICT NO. 4

PERMIT NO. 4-73-126



THE UNDERSIGNED REQUESTS PERMISSION TO CONSTRUCT THE FOLLOWING ITEM(S) ON STATE HIGHWAY RIGHT OF WAY:

☐ APPROACH

"pipe-96' under road Slate Creek Ranger Station

Forest Service

ITY WIDTH TYPE - RESIDENCE, BUSINESS, FIELD, ETC.

TYPE OF BUSINESS

☒ UNDERGROUND UTILITY

DISTANCE FROM:

CENTER LINE

Crossing

RIGHT OF WAY LINE

--

BURIED PIPE OR CABLE:

DEPTH

Thru existing culvert

SIZE

4"

POTENTIAL OR PRESSURE 4" pipe thru 24"x96' pipe

POLE LINE:

POTENTIAL

See special provisions

VERTICAL CLEARANCE

Irrigation Water Line

KIND - GAS LINE, TELEPHONE LINE, WATER LINE, ETC.

☐ OVERHEAD UTILITY

one over highway

KIND - POWER LINE, TELEPHONE LINE, ETC.

☒ OTHER: EXPLAIN

Power will come from station grounds.

ETCH OF PROPOSED WORK MUST BE ATTACHED.

AL PROVISIONS: See attached highway plan. Proposal will be to run a 4" irrigation pipe through the existing 24"x96' culvert under highway 95 at station 883+53. Station 885+56 does not have a usable facility. Power will come from either existing lines on the station grounds or continued along east side of highway from deadended pole approximately 600' north of culvert.

883+53

STATION TO STATION

F-4113 (37)

PROJECT NUMBER

IS 95

WAY ROUTE NO.

214.85

MILEPOST TO MILEPOST

Idaho

COUNTY

Slate Creek Ranger Station

DISTANCE AND DIRECTION FROM NEAREST CITY, TOWN OR VILLAGE

TIFY THAT I AM THE OWNER OR AUTHORIZED REPRESENTATIVE OF THE PROPOSED FACILITY OR PROPERTY TO BE SERVED AND TO DO THE WORK REQUESTED HEREON IN ACCORDANCE WITH THE GENERAL PROVISIONS PRINTED ON THE REVERSE SIDE AND IDAHO DEPARTMENT OF HIGHWAYS STANDARD APPROACH POLICY OR UTILITY ACCOMMODATION POLICY, WHICHEVER IS APPLICABLE.

12/18/73

Slate Creek Ranger Station

APPLICANT - PLEASE TYPE OR PRINT

Arthur J. Heaman

SIGNATURE OF OWNER OR AUTHORIZED REPRESENTATIVE

Slate Creek Ranger Station, White Bird, Idaho 83554

APPLICANT'S POST OFFICE ADDRESS

73 7032

ECT TO ALL TERMS, CONDITIONS AND PROVISIONS SHOWN ON THIS FORM OR ATTACHMENTS, PERMISSION IS HEREBY GRANTED TO THE ABOVE NAMED APPLICANT TO PERFORM THE WORK DESCRIBED ABOVE.

2/1/74

BY

STATE HIGHWAY ENGINEER

DISTRICT ENGINEER

1. If required by the Department's District Engineer, the Permittee shall give at least _____ hours advance notice prior to commencing initial work or any future work which would restrict the flow of traffic.
2. During the progress of the work such barricades, lights and other traffic control devices shall be erected and maintained as may be necessary or as may be directed for the protection of the traveling public. Said barricades, lights and other traffic control devices shall conform to the current issue of the Manual on Uniform Traffic Control Devices for Streets and Highways.
3. In accepting this permit, the Permittee, its successors and assigns, agrees to hold the State of Idaho harmless from any and all liability on account of the erection, installation, construction, maintenance or operation of the facilities located under this permit.
4. Except as herein authorized, no excavation shall be made or obstacle placed within the right of way of the State highway in such a manner as to interfere with the travel over said highway.
5. If the work done under this permit in any manner involves the disturbance of the traveled surface of the road and/or traffic control devices, said items shall be restored to the satisfaction of the State Highway Engineer at the completion of the authorized work either by the Permittee or by the Highway Department at the Permittee's expense.
6. If the work done under this permit interferes in any way with the drainage of the State highway, the Permittee shall wholly and at his own expense make such provision as the State Highway Engineer may direct to take care of said drainage.
7. On completion of said work herein contemplated all rubbish and debris shall be immediately removed and the roadway and roadside shall be left neat and presentable and to the satisfaction of the State Highway Engineer.
8. All of the work herein contemplated shall be done to conform with current government and industry standards under the supervision and to the satisfaction of the State Highway Engineer, and the entire expense of said supervision shall be borne by the Permittee.
9. The State Highway Engineer hereby reserves the right to order the change of location or the removal of any structure(s) or facility(ies) authorized by this permit, said change or removal to be made at the sole expense of the Permittee, or its successors and assigns, unless such structure(s) or facility(ies) have been located pursuant to the Special Provisions of form DH-2111.
10. All such changes, reconstruction or relocation by the Permittee shall be done in such manner as will cause the least interference with any of the State's work.
11. This permit or privilege granted under form DH-2109 shall not be deemed or held to be an exclusive one and shall not prohibit the State from granting other permits or franchise rights of like or other nature to other public or private utilities, nor shall it prevent the State from using any of its roads, streets, or public places, or affect its right to full supervision and control over all or any part of them, none of which is hereby surrendered.
12. The State Highway Engineer may revoke, annul, change, amend, amplify, or terminate this permit or any of the conditions herein enumerated if Permittee fails to comply with any or all of its provisions, requirements or regulations as herein set forth or through willful or unreasonable neglect, fails to heed or comply with notices given, or if the utility herein granted is not installed or operated and maintained in conformity herewith.
13. The Permittee shall maintain at his or their sole expense the structure or object for which this permit is granted in a condition satisfactory to the State Highway Engineer.
14. Neither the acceptance of this permit nor anything herein contained shall be construed as a waiver by the Permittee of any rights given it by the Constitution or laws of the State of Idaho or of the United States.
15. Adequate drawings or sketches shall be included showing the existing and/or proposed location of the facility with respect to the existing and/or planned location of the highway improvement, the traveled way, the rights of way lines, and where applicable, the control of access lines and approved access points.
16. If trench or pavement settlement should occur within one year from the date of installation, repairs shall be made by the Permittee as directed by the State Highway Engineer and at no cost to the Highway Department.
17. No work shall be started until an authorized representative of the Department of Highways has given notice to the Permittee to proceed.
18. A bond in the amount of \$ _____ is required for the protection of the State as set forth in the terms of the bond.
19. This permit shall be void unless the work herein contemplated shall have been completed

before 7/1/74
date

79 7000

SALMON

RIVER

John Hoene Implement Co.
Take
Remainder Lt. 0.00Ac.
Remainder Rt. 0.00Ac.

S89°59'39"E 2.29'

Ronald P. & Ethel M. Aiken
Take
Remainder Lt. 0.00Ac.
Remainder Rt. 0.00Ac.

N89°59'44"E 2.29'

Take
State

Lot 3 Sec. 36

Right For Future
Access Granted

4" Irr. through existing
Culvert

Remove all Bldgs. within R/W

U.S. Forest Service

887+00 - Const. Appr.

Garage

Ranger Station

Weather Station

Mamie

Right For Future
Access Granted

890+27.40

Rem

Conc

Less

Em

Rem

Conc

P

30

Rem

Conc

P

30

Rem

Conc

P

30

Rem

Conc

P

30

Rem

Conc

P

30

Rem

Conc

P

30

Rem

Conc

P

30

Rem

Conc

P

30

Rem

Conc

P

30

Rem

Conc

P

30

Rem

Conc

P

30

Rem

Conc

P

30

Rem

Conc

P

30

Rem

Conc

P

30

Rem

Conc

P

30

Rem

Conc

P

30

Rem

Conc

P

30

Rem

Conc

P

30

Rem

Conc

P

30

Rem

Conc

P

30

Rem

Conc

P

30

Rem

Conc

P

30

Rem

Conc

P

30

Rem

Conc

P

30

Rem

Conc

P

30

Rem

Conc

P

30

Rem

Conc

P

30

Rem

Conc

P

30

Rem

Conc

P

30

Rem

Conc

P

30

Rem

Conc

P

30

Rem

Conc

P

30

Rem

Conc

P

30

Rem

Conc

P

30

Rem

Conc

P

30

Rem

Conc

P

30

Rem

Conc

P

30

Rem

Conc

P

30

Rem

Conc

P

30

Rem

Conc

P

30

Rem

Conc

P

30

Rem

Conc

P

30

Rem

Conc

P

30

Rem

Conc

P

30

Rem

Conc

P

30

Rem

Conc

P

30

Rem

Conc

P

30

Rem

Conc

P

30

Rem

Conc

P

30

Rem

Conc

P

30

Rem

Conc

P

30

Rem

Conc

P

30

Rem

Conc

P

30

Rem

Conc

P

30

Rem

Conc

P

30

Rem

Conc

P

30

Rem

Conc

P

30

Rem

Conc

P

30

Rem

Conc

P

30

Rem

Conc

P

30

Rem

Conc

P

30

Rem

Conc

P

30

Rem

Conc

P

30

Rem

Conc

P

30

Rem

Conc

P

30

Rem

Conc

P

30

Rem

Conc

P

30

Rem

Conc

P

30

Rem

Conc

P

30

Rem

Conc

P

30

Rem

Conc

P

30

Rem

Conc

P

30

Rem

Conc

P

30

Rem

Conc

P

30

Rem

Conc

P

30

Rem

Conc

P

30

Rem

Conc

P

30

Rem

Conc

P

30

Rem

Conc

P

30

Rem

Conc

P

30

Rem

Conc

P

30

Rem

Conc

P

30

Rem

Conc

P

30

Rem

Conc

</



REPORT ON APPLICATION FOR PERMIT TO USE RIGHT OF WAY

LOCATION OF WORK

District No. 4

Application No. 4-73-226

F-4113 (37)
Project No.

883+53
Station

214.85
Milepost

12/26/73
Date

Other Description; Section, Township, Range if Station is Not Available

TYPE OF ACCESS CONTROL

Full _____ Partial X Standard Approach Policy _____

APPROACH

1. N/A If the approach is located within the limits of a city, town or village, has approval been granted by the city, town or village?
2. " What is the approach angle (in degree) as shown on attached sketch?
3. " At this location, what is the sight distance? Posted speed? _____
4. " Will the approach adversely affect the operation of the highway?
If yes, explain: _____
5. " Is any future highway construction being planned for this area at this time?
6. " What is the estimated daily volume of traffic that will use this approach?
How many of these are trucks? _____
7. " Have you checked to see that the proposed approach conforms to our "Approach Policy"?
8. " In the event of adjoining approaches in an urban area is the minimum distance of 10 feet provided between approaches for pedestrian protection?
9. " In the event of adjoining approaches, can the space between approaches be divided into adequate parking spaces approximately 20-23 feet long?
10. " Is a distance of 5 feet or more provided between the approach and the adjoining property line?
11. " In the event the proposed approach is located near an intersection, will the approach avoid encroachment on the corner radius?
12. " If the proposed approach is within 200 feet of an intersection, what is the distance from the centerline of the approach to the centerline of the intersection, measured along the highway shoulder?
13. " If the approach grade is steeper than 5%, is a flat stopping zone provided at the highway shoulder?
14. " If a drainage pipe is needed, what kind of pipe will be required?
Size _____; Length _____
15. " Will the approach drain away from the traveled-way? 79

*If Any of the Above is Not Applicable, Indicate N.A.
For Additional Remarks Attach a Separate Sheet if Necessary*

CONTINUED ON REVERSE SIDE

UTILITIES

1 & 2. Will run 4" irrigation pipe through existing culvert during summer.

1. What will be the method of installation? (Boring, Jacking, etc.)
2. What will be the minimum cover over the utility?
3. Yes Will freezing conditions affect this facility?
4. No Is any future highway construction being planned for this area at this time?
5. No During installation, will normal traffic movements be interrupted?
6. N/A Have adequate provisions been made for flagging, slowing, or detouring, etc. of traffic? Attach traffic control plan.
7. No Will this facility interfere with normal maintenance operations, cleaning ditches, backslopes, drainage or irrigation facilities, etc?
8. Yes Does the proposed utility and installation conform to Department policies? See Administrative Directive
9. N/A What will be the minimum vertical clearance?
10. N/A What will be the distance from the highway shoulder to the nearest support or anchor?
11. N/A What will be the maximum span length?
12. N/A If in urban area has City Officials' approval been obtained?

If Any of the Above is Not Applicable, Indicate N.A.

For Other Encroachments-Attach Additional Sheets to Describe if Necessary

 X District Representative's
(YES) (NO) Recommendation for Approval

R.H. Michael
SIGNATURE

() Forward to Boise Office _____ District Engineer

DISTRICT STAFF REVIEW				
To be reviewed by:	✓	Reviewer's Initials	Recommended	
			Yes	* No
Traffic Engineer	<u>X</u>	<u>SL</u>	<u>✓</u>	
Maintenance Engr.	<u>X</u>	<u>AMS</u>	<u>✓</u>	
Design Engineer	<u>X</u>			<u>✓</u>
Construction				
Right of Way	<u>X</u>	<u>J.T.B.</u>	<u>✓</u>	
Asst Dist Engr O	<u>X</u>	<u>[Signature]</u>	<u>✓</u>	
Asst Dist Engr E	<u>X</u>	<u>[Signature]</u>	<u>✓</u>	

** BOISE STAFF REVIEW				
To be reviewed by:	✓	Reviewer's Initials	Recommended	
			Yes	* No
Planning & Traffic				
Survey & Plans				
Maintenance				
Right of Way				
Construction				

* Explain reason for recommendation

** Only required for special situations and when a revision to access control is proposed.

1. Cross control Access Line on both sides
2. Need permit for work from Water Administration
3. May be objectionable from some aspect

79 7032

February 27, 1974

U. S. Forest Service
Slate Creek Ranger Station
White Bird, Idaho 83554

Re: Application for Permit No. 79-7032

Gentlemen:

During the processing of your application for permit, we have noted that your point of diversion is located on Idaho Highway Department land.

Before we can make final approval of your application, it will be necessary for you to supply this department with a copy of your special use permit granted by the Idaho Highway Department.

If we can be of any further assistance in this matter, please feel free to contact this department.

Sincerely,

KENNETH H. FOIT, P. E.
Western District Engineer

KHF:def

79 7032

STATE OF IDAHO

DEPARTMENT OF WATER ADMINISTRATION

Cecil D. Andrus
Governor

J.R. Keith Higginson
Director

Statehouse Annex 2
Boise, Idaho 83707
(208) 384-2215
Western District Office



Water Rights Administration
Water Resource Information
Dam and Reservoir Safety
Water Well Drilling
Waste Disposal Wells
Stream Channel Protection

February 22, 1974

Idaho County Free Press
Box 267
Grangeville, ID 83530

Re: Application for Permit No. 79-7032 - U. S. Forest Service

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. In order to receive payment, the following certification must appear on the bill:

"I hereby certify that the foregoing account is just and correct, that the amount claimed is legally due, after allowing all just credits, and that no part of the same has been paid."

(signature of claimant)

Sincerely,

Bill submitted 3-8-74 by JH

79 7032

**NOTICE OF APPLICATION
FOR WATER PERMIT**

Notice is hereby given that U. S. FOREST SERVICE, Slate Creek Ranger Station, White Bird, ID has on Feb. 21, 1974 submitted Application No. 79-7032 for a permit to appropriate 0.3 cubic feet per second 60 acre feet per annum of water from Salmon River by means of pump & pipeline within the SW $\frac{1}{4}$ NW $\frac{1}{4}$, S. 36, T. 27 N., R. 1 E., B.M. Idaho County to be used from April 1 to Nov. 1 for irrigation of 15 acres within the SW $\frac{1}{4}$ NW $\frac{1}{4}$, S. 36, T. 27 N., R. 1 E., B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Administration, Statehouse, Boise, Idaho 83707, on or before March 18, 1974.

R. KEITH HIGGINSON
Director

Published in the Idaho County Free Press, Grangeville, Idaho on Feb. 27, 1974 and March 6, 1974. F27-M6

OK of

2.26-74

79 7032

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that U. S. FOREST SERVICE, Slate Creek Ranger
Station, White Bird, ID

has on X Feb. 21, 1974 submitted Application No. 79-7032
for a permit to appropriate 0.3 cubic feet per second 60 acre feet
per annum of water from Salmon River
by means of pump & pipeline
within the SW¹/₄ NW¹/₄, S. 36, T. 27 N., R. 1 E., B.M., Idaho County

to be used from April 1 to ^{Nov.} Oct. 1
for irrigation of 15 acres

within the SW¹/₄ NW¹/₄, S. 36, T. 27 N., R. 1 E., B.M.

If issued, this permit will be subject to all prior water rights. Pro-
tests against the granting of the permit must be filed with the Idaho Depart-
ment of Water Administration, Statehouse, Boise, Idaho, 83707, on or before
March 18, 1974

R. KEITH HIGGINSON

Director

Idaho County Free Press, Grangeville, Idaho

Published in the
Feb. 28, 1974

March 7, 1974

on _____ and _____

79 7032

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION
STATE OFFICE



Cecil D. Andrus
Governor
R. Keith Higginson
Director

614 State Street
Statehouse - Annex 2
Boise, Idaho 83720
(208) 384-2215

Water Rights Administration
Water Resource Investigations
Dam and Reservoir Safety
Water Well Drilling
Waste Disposal Wells
Stream Channel Protection
Geothermal Resources

February 21, 1974

RE: Your Purchase Order No. 658-17-74

U. S. Department of Agriculture
Forest Service
Nezperce National Forest
Grangeville, Idaho 83530

Gentlemen:

Please remit the following amount:

Item	Article/Services	Quantity	Unit	Amount
1	Filing Fee, Application for Permit to Appropriate the Public Waters of the State of Idaho for Slate Creek Ranger Station, Whitebird, Idaho SW $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 36, T 27N, R 1 E.	1	Ea.	\$25.00
TOTAL				\$25.00

Certified to be a true and correct billing
and no part has been paid thereof.

Charles L. Lusk
Records Supervisor

79 7032