




Pond near section line
fire use as
needed throughout
large develop area
both sides

SR 11/23/96
SR R.B.W.
well drilling
inspection
site visits

AVA gov't lots


MAP PER TOWNE BASED
ON APPLICANT'S PLAT PREPARED
BY ENGR. CO.'S APP. HAND MAP.
78-07382

9/18/95
JL

MAR 29 1988

this map copied from
for → 78-07383

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = No Scale

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☐ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Franklin	7½		Berkley	Submersible
					Turbine

*Code to correspond with No. on map and aerial photo


D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: None - Closed system - was off

MICROFILMED
JUN 10 1998



x5152

x5150

x5335

22

23

24

NATIONAL FOREST

Warm Spring

Little

Goose

Thorn Creek Fire Camp

BRUNDAGE

T19N
R2E

Sec. 26, 35

Creek

25

Moorehead
Flat

Plu, Pond

Plu
Lodge

Plu
Well

Meadows
Summit

BM 5094

5035

34

Ecks
Flat

x5190

35

36

5580

9635
NATIONAL

5385

BOUNDARY
CORPORATE

BM 5353

Spring

Rock

SKI
LIFT 1

No Gov. Lots

78-07383

MICROFILMED
JUN 10 1998

5380

5111

8. POSSIBLE CONTAMINATION SOURCES:

Is there evidence of Chemigation? ☐ Yes ☒ No

If yes, is there a check-valve present? ☐ Yes ☐ No

Is there a possible source of contamination nearby? ☐ Yes ☒ No

If yes, what Type? _____

How far away from the well is this source? _____

9. REMARKS:

This well is used for Fire protection
at Bear Creek Lodge. The well also fills a
pond for recreation that is also storage for
fire protection.

Don Tomich Water Rights Examiner
Signature of Dept. Representative & Title

7-23-99
Inspection Date

PHOTOS, DRAWINGS, OTHER ATTACHMENTS:



10 1998

1 of 2



P/D
Well, 1"
Fire
Hydrant

P/u
Bear
Creek
Lodge

View
Looking
Northwest



P/u
6" Fire
Hydrant
and
Bear
Creek
Lodge

View
Looking
Southwest

JUN 10 1938

78-07383

P/u

Fire
Pump
House
and
Pond.

View
Looking
Southwest



P/u

Pond
and
Fire
Pump
House

View
Looking
Southwest



MICROFILM
JUN 10 1996

78-07383

NOTICES OF PUBLIC INFORMATION

LEGAL NOTICE

PUBLIC NOTICE SMALL BUSINESS SHARE

and Small Business Administration policy provides for computation of the small business share of National Forest offerings under provision of the Small Business Timber Program. We have, after consultation with the Small Business Administration, summarized sawtimber purchase and harvest in the Payette Market Area, Payette National Forest for the period October 1, 1990 through September 30, 1995. Based on the guidance provided in Forest Service Handbook 190, we have recomputed a proposed small business share for the Payette Market area has been determined to

es from the timber industry may review and submit comments to the Forest Service at the address listed below for a period of 30 days. Comments may address the information used by the recomputation or any information you believe has been considered. The information used in the recomputation is available for review at the Forest Supervisor's office located at 800 W. Lakeside Ave, P.O. Box 1026, McCall, Idaho.

Record" February 22, 1996

LEGAL NOTICE

NATIONAL FOREST TIMBER FOR SALE

BEST TIMBER SALE, PAYETTE NATIONAL FOREST. **AGE TIMBER SALE**, located within T23N, R3E, S4, 15, 22, 23, 26, 27, 34 and 35; T22N, R3E, Sections 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, Boise Meridian, Idaho County. **INITIAL AND ORAL** bidding received in public by the Forest Supervisor or his representative at the office of the Forest Supervisor, 800 W. Lakeside Ave, McCall, Idaho, at 10:00 a.m. local time at the beginning of the bidding, March 14, 1996 for an estimated 15478 M Board Feet (MBF) of timber marked or otherwise designated for minimum acceptable bid is \$892,674.18 based on sale of timber for the required removal timber. The bid price does not include the value of the timber. There are additional deposits of \$3.03 per MBF for slash disposal, \$6.83 per M board feet for surface road maintenance lump sum deposit of \$660.00. An additional \$1.45 per MBF for slash disposal. The bid price does not include the value of the timber. There are additional deposits of \$3.03 per MBF for slash disposal, \$6.83 per M board feet for surface road maintenance lump sum deposit of \$660.00. An additional \$1.45 per MBF for slash disposal.

Specified roads with an estimated construction cost of \$100,000.00. Bidders qualifying as small business concerns under the Small Business Act may elect, when submitting a bid, for the Forest Supervisor to provide permanent roads. Additional information concerning the prospectus. If bidder elects this option, Forest Supervisor will award the award of this sale up to 150 days to secure a construction contract.

The bid guarantee is \$90,000.00. The highest bidder whose bid is not accepted, must, within 30 days from date of award, furnish a cash bid effective purchaser credit, in the amount of 10 percent of the bid premium plus 20 percent of the bid premium, or next \$100.

LEGAL NOTICE

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

78-07383 *✓*

DUNN, MIKE
DUNN, DEBRA
3492 HWY 55
PO BOX 8
NEW MEADOWS, ID 83654

Source: GROUNDWATER

Diversion Pt: NENE Sec 35 T19N R 02E in ADAMS County.

Use: DIVERSION TO STORAGE	(0.130 CFS)	
FIRE PROTECTION STORAGE		(4.00 AF)
FIRE PROTECT. FROM STOR		(4.00 AF)
RECREATION	(0.130 CFS)	
RECREATION STORAGE		(4.00 AF)
Total Diversion:	(0.130 CFS)	

Date Filed: 1/23/1996

In: ADAMS County
T19N R02E S26 SESE
S35 NENE

Permits will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code. Any protest against the approval of this application must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 together with a protest fee of \$25.00 on or before MARCH 4, 1996. The protestant must also send a copy of the protest to the applicant.

KARL J. DREHER, Director

Published: 2/15/1996 & 2/22/1996

Notice to all our loyal and faithful customers. If you have received a notice on past due bills from Walter & Lucille Longtin, please realize that the Council Record or Council Printing and Publishing is not Blevins Record. Walter Longtin is trying to settle his father's estate. Anson Longtin sold the Council Record in June of 1994; in July of 1994 Blevins Record set up new accounts for our customers.

State of Idaho
Department of Water Resources
Water Right License

WATER RIGHT NO. 78-07383

Priority: January 23, 1996

Maximum Diversion Rate: 0.13 CFS
Maximum Diversion Volume: 3.9 AF

This is to certify, that MIKE DUNN
DEBRA DUNN

3492 HWY 55
PO BOX 8

NEW MEADOWS ID 83654-0008 has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated January 23, 1996; and has submitted Proof of Beneficial Use on March 31, 1997. An examination indicates that the works have a diversion capacity of 0.390 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
RECREATION	01/01 to 12/31	0.13 CFS	3.9 AF
RECREATION STORAGE	01/01 to 12/31		0.6 AF
FIRE PROTECTION STORAGE	01/01 to 12/31		0.6 AF
FIRE PROTECT. FROM STOR	01/01 to 12/31		0.6 AF
DIVERSION TO STORAGE	01/01 to 12/31	0.13 CFS	
	Totals	0.13 CFS	3.9 AF

LOCATION OF POINT(S) OF DIVERSION:

NENE , Sec. 35, Township 19N, Range 02E
ADAMS County

PLACE OF USE: RECREATION

TWN RGE SEC

19N 02E 26 SESE
35 NENE

PLACE OF USE:

FIRE PROTECT. FROM STOR, same as RECREATION use

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license shall be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.

NOT RECORDED

JUN 10 1998

State of Idaho
Department of Water Resources


Water Right License

WATER RIGHT NO. 78-07383

CONDITIONS OF APPROVAL AND REMARKS

5. Recreation use is for fishing in a pond at Bear Creek Lodge.
6. Water shall not be diverted from fire protection storage under this right except to fight or repel an existing fire.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 10TH day of April, 1978.


Acting for KARL J. DREHER, Director

JUN 10 1978

RECEIVED

MAR 31 1997

Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

FOR OFFICE USE ONLY

Amt. of Fee \$: 50.00

Receipt No. 0038467

Receipt By: KET

Date Received: 3-31-97

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 78-07283 Telephone No. 208-634-3551
2. Name(s) of Permit Holder(s): MURRAY DUNN + DEBRA DUNN
3. Mailing Address: PO Box 8 NW Meadows ID 83654
4. Source of Water: well If **GROUNDWATER** (well), Date Drilled: mo. 10 / yr. 95
- a. Well Driller: KEWADO DRILLING Drilling Permit Number: 78-95-12-0021-000
- b. **OPTIONAL:**
Pump Horsepower: _____ Pressure (psi): _____ Dynamic pumping level (ft): _____

5. Use(s) (as authorized by the water right permit):

Domestic (No. of households): _____ Stockwater (No. and type of stock): _____

Irrigation (No. of acres): _____ Other: Recreation + Fire Protection

6. Total rate of diversion and/or volume for which proof is submitted: 0.13 cfs OR _____ acre feet

7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)

(This question is not optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)

Measuring Device: Is a measuring device required?

Yes _____ or No ☒

Has the measuring device been installed?

Yes _____ or No ☒

Flow Measurement Port: Is a flow measurement port required?

Yes _____ or No ☒

Has the measurement port been installed?

Yes _____ or No ☒

8. Fee Enclosed: \$ 50.00 (See Fee Schedule on back of the instructions for filing proof of beneficial use)

9. Person to contact to accompany the Department representative during field examination of the water system.

Name: DEBRA DUNN Telephone Number: 208-634-3551

Address: PO Box 8 NW Meadows ID 83654

10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder:



(include your title, if on behalf of company or organization)

Date: 3/27/97

MICROFILMED

MAY 28 1997

State of Idaho
Department of Water Resources
Permit To Appropriate Water
NO. 78-07383

Proposed Priority: January 23, 1996

Maximum Diversion Rate:

0.13 CFS

This is to certify, that **MIKE DUNN**
DEBRA DUNN
3492 HWY 55
PO BOX 8
NEW MEADOWS ID 83654-0008

has applied for a permit to appropriate water from: **GROUNDWATER**

and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
RECREATION	01/01 to 12/31	0.13 CFS	
RECREATION STORAGE	01/01 to 12/31		4.0 AF
FIRE PROTECTION STORAGE	01/01 to 12/31		4.0 AF
FIRE PROTECT. FROM STOR	01/01 to 12/31		4.0 AF
DIVERSION TO STORAGE	01/01 to 12/31	0.13 CFS	
	Totals	0.13 CFS	

LOCATION OF POINT(S) OF DIVERSION:

NENE , Sec. 35, Township 19N, Range 02E
ADAMS County

PLACE OF USE: RECREATION

TWN RGE SEC

19N 02E 26 SESE
35 NENE

PLACE OF USE: FIRE PROTECT. FROM STOR, same as RECREATION use

CONDITIONS OF APPROVAL AND REMARKS

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before April 1, 1997.
2. Subject to all prior water rights.
3. Recreation use is for fishing in a pond at Bear Creek Lodge.
4. Water shall not be diverted for fire protection use under this right except to fight or repel an existing fire.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

22nd day of March, 1996

Karl J. Dreher
for Karl J. Dreher, Director

MAR 29 1996

RECEIVED

MAR 18 1996

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Ident. No. 78-07383

RECEIVED

JAN 23 1996

Department of Water Resources

APPLICATION FOR PERMIT

WATER RESOURCES
WESTERN REGION

To appropriate the public waters of the State of Idaho

1. Name: MIKE DUNN 208-634-3551
Address: 3492 HWY 55 PO BOX 8
NEW MEADOWS ID 83654

OR

Name: DEBRA DUNN 208-634-3551
Address: 3492 HWY 55 PO BOX 8
NEW MEADOWS ID 83654

2. Source: GROUNDWATER

Trib. to:

3. Location of Point of Diversion:

NENE Sec. 35, Township 19N, Range 02E
ADAMS County

4. Water will be used for the following purposes:

Purpose	From	To	CFS	(or)	AF
RECREATION	01/01	12/31	0.130		
RECREATION STORAGE	01/01	12/31			4.00
FIRE PROTECTION STORAGE	01/01	12/31			4.00
FIRE PROTECT. FROM STOR	01/01	12/31			4.00
DIVERSION TO STORAGE	01/01	12/31	0.130		

5. Total quantity to be appropriated is:

0.130 CFS (and/or) AF

6. Proposed diverting works:

- Description of ditches, flumes, pumps, headgates, etc.
CASED WELL, 100'DEEP.4" LINE TO POND AND 12" LINE FROM POND
- Height of storage dam N/A feet; active reservoir capacity 4.00
acre-feet; total reservoir capacity 4.00 acre-feet; period of
year when water will be diverted to storage: 1/01 to 12/31 inclusive.
- Proposed well diameter is 6 inches; proposed depth of well is 100
feet.
- Is groundwater with a temperature greater than 85F being sought? NO
- If well is already drilled, when? 07/09/1995
Drilling Firm MENASCO WELL DRILLING
Well was drilled for MIKE AND DEBRA DUNN

7. Time required for the completion of the works and application of
the water to the proposed beneficial use is 1 year(s).

1996

8. Place of Use: RECREATION

TWN RGE SEC
19N 02E 26 SESE
35 NENE

Place of Use: FIRE PROTECT. FROM STOR, same as RECREATION use

9. a. Who owns the property at the point of diversion?
APPLICANT
b. Who owns the land to be irrigated or place of use?
APPLICANT
c. If the property is owned by a person other than the applicant,
describe the arrangement enabling the applicant to make this filing.

10. Remarks:

Uses are for a single pond at Bear Creek Lodge.

11. Map of proposed point of diversion and place of use attached? ☒

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.


Applicant

Received by 017 Date 1/23/96 Time 11:30 AM Preliminary check by SL
Fee \$ 200 Receipted by AB # W020285 Date 1-23-96
Publication prepared by AT Date 2-8-96 Published in The Record
Publication approved AT Date 3-11-96

MAR 29 1996

RECEIVED

JAN 23 1996

WATER RESOURCES
WESTERN REGION

Comments: Date: 1/ 17/ 1996 User-ID: RWHITNEY

Subject:

Additional conditions suggested

This right does not allow use of stored water from the pond except for suppression of a fire. Diversion to storage limited to one fill annually (4.0af) and recreation use at .13cfs to maintain pond level. This system is separate from Permit #78-07382.

MAR 29 1996

Comments cont.
West Bg.

SD-0420-2
MODIFY RECORD

Idaho Department of Water Resources
Modify Comment

Date: 01/25/96
Time: 10:56:10

Water Right Number: 78-07383

Comment Date: 1/25/1996 User ID: SLESTER


Subject: CLARIFICATION

Bear Creek Lodge originally obtained permit 78-07382 for 2 well P/D's for other uses at site. However, in well drilling work for well in SENENE S.35 (the P/D in current appl.), dept. staff found that possible contamination problems should prevent lodge from using that well for 7382 purposes. Therefore, DEQ requirements will not allow that well to serve lodge/cabins. Instead, well to be used for small pond as noted in current application. Use will be primarily limited to keeping pond full; will pump from pond only to suppress fires as needed. Will not irrigate from pond. Drilling permit 78-95-W-0018-000 upgraded to \$200 with add'tl. \$165 paid with new application.

Also note applicant's agreement to test well quarterly per letter dated 12-19-95 from applicant to IDWR. Contact RBW at Western if need more information about well drilling/testing concerns.

(Enter=Continue/Exit) (Gold2=Update) (Gold3=Delete) (Gold4=Prev) (Gold5=Next)

MAR 29 1996



82-9118/45



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

April 13, 1998

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

MIKE DUNN
DEBRA DUNN
3492 HWY 55
PO BOX 8
NEW MEADOWS ID 83654-0008

RE: WATER RIGHT NO. 78-07383

Dear Water Right Holder(s):

The Department of Water Resources (the Department) has issued the enclosed license confirming that a water right has been established in accordance with the permit referenced above. The license is a preliminary order issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department unless a party petitions for reconsideration or files an exception and/or brief as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of this order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, this preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to this preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

ORAL ARGUMENT

If the Department grants a petition to review the preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The Department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

JUN 10 1986

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

If you have any questions, please call me at 208-327-7946.

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen". The signature is written in dark ink and is positioned above the typed name.

Shelley W. Keen
Water Rights Supervisor

SK:klt

Enclosure


JUN 10 1992

CERTIFICATE OF MAILING

I hereby certify that on the 13th day of April, 1998, I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER (Approved License) to the person(s) listed below:

Water Right No. 78-07383

MIKE DUNN
DEBRA DUNN
3492 HWY 55
PO BOX 8
NEW MEADOWS ID 83654-0008


Kari Lynn Townsend
Secretary

APPROVED
JUN 10 1998

B/U FIELD EXAM REVIEW

by Cindy LouPermit #: 78-7383 Name: Dunn Date: 4/9/98 ✓ Lots ✓

NAME	Chng	Same	Or Address Change?
SOURCE		✓	Clarify source _____ Prelim. Order to Void - Source change.
P/D		✓	Amendment Needed? Addn'l 1/4? _____ Legal _____ P39 Same 1/4? _____ W32 _____ P36 Overlap(s) <u>none</u>
P/U		✓	Amendment Needed? _____ P41 Overlap(s) _____ (Gov't use special T's) _____ *P/D & P/U Amend? P37
RATE		✓	Permit/proof fee limits <u>0.13</u> / <u>0.20</u> Measured Quantity = _____ cfs Theoretical Quantity = <u>0.39</u> cfs <u>allow permitted 0.13 cfs</u> (HP) $\frac{8.8 \times 0.70 \times 7.5}{50 + (2.31 \times 30)} = 0.39$ cfs Recommended capacity <u>0.39</u> cfs Recommended rate <u>0.13</u> cfs
VOLUME		✓	Season: (<u> </u> / <u> </u>) <u>1/1-12/31</u> = <u>365</u> days Calculations: <u>Pond: (15' x 150') : 43,560 ft² x 0.4 = 0.6 AF</u> <u>Flow: (0.13 cfs x 43,560) x 60m/d : 325,800 = 3.9 AF</u> Flow limit: <u>0.13</u> cfs x <u>365</u> days/yr. x 1.9835 = <u>94.1</u> AF Recommended volume <u>3.9</u> AF
USES		✓	Same Nature of Use? _____ P46 Amendment Needed? _____
REMARKS		✓	Multiple p/d's in same 1/4? Use W32 <u>① Rec & Rec Stor / fish pond ② modify 077</u>
CONDITIONS			Measuring Device (R43) or Lockable Controlling Works (R02) Watermaster Control (R04) - WD # _____ Irrigation rate/annual volume overlap _____ GW irrigation replaces surface water (050) _____ GW irrigation supplements surface water (065) _____ Water Quality _____ Other _____
PRIORITY	App Rcd	<u>1/23/96</u>	Due <u>4/1/97</u> Rcd <u>3/31/97</u> Receipt# <u>C038467</u> Fee OK? <u>Yes</u> <u>\$5000</u> Order to Reinstate Needed? <u>Yes</u> <u>No</u> <u>Done?</u> _____ Advanced to: _____ Priority <u>1/23/96</u> Examined <u>7/23/97</u>

COMMENTS:

USE	CFS	VOLUME
<u>Rec</u>	<u>0.13</u>	<u>3.9</u>
<u>Rec Stor</u>	<u>—</u>	<u>0.6</u>
<u>Fish P. Stor / fish pond</u>	<u>—</u>	<u>0.6</u>
<u>Div to Stor</u>	<u>0.13</u>	<u>—</u>
TOTAL	<u>0.13</u>	<u>3.9</u>

 SRBA Overlap _____
 Adjustment Memo ✓
 LICENSE
 #1 AMEND: _____ /P38
 #2 AMEND: (R)P42/(C)P47

MEMORANDUM

DATE: April 9, 1998
TO: File No. 78-07383
FROM: Cindy Lou Zimmerman
SUBJECT: Review of Beneficial Use Field Report

The pond developed under this permit is oval shaped measuring 75' x 150' at the widest points. The examiner incorrectly calculated the volume for the pond. Also, the examiner calculated the theoretical pump capacity based on the static water level of 40' rather than the dynamic pumping level.

The exam does not address annual volume for recreation flow. Per telecon today with Debra Dunn, the well pump is set to automatically fill the pond. The pump comes on for about an hour each day.

The following adjustments¹ were made on the field report to reflect the uses developed under this permit:

F. Flow Calculations.

a. Theoretical Capacity.

$$Q = \frac{8.8 \times 0.7 \times HP}{DL* + (2.31 \times \text{psi})} = \frac{8.8 \times 0.7 \times 7.5}{50 + (2.31 \times 30)} = \underline{\underline{0.39 \text{ cfs.}}}$$

*DL - dynamic pumping level = static level + 10'

G. Volume Calculation.

a. Recreation.

$$V = [(\text{cfs} \times \text{gpm in cfs}) \times \text{minutes per day} \times \text{days per year}] \div \text{gallons per acre foot} \\ = [(0.13 \times 448.83) \times 60 \times 365] \div 325,850 \\ = \underline{\underline{3.9 \text{ AF.}}}$$

b. Storage.

$$V = \{[(\text{width} \times \text{length}) \div \text{sq. ft. in acre}] \times \text{depth}\} \times 0.4 \\ = \{[(75 \times 150) \div 43,560] \times 6\} \times 0.4 \\ = \underline{\underline{0.6 \text{ AF}}}$$

H. Recommendations.

1. Recommended amounts:

Beneficial Use	Period of Use	Rate of diversion	Annual Volume
Recreation	1/1-12/31	0.13 cfs	<u>3.9</u> AF
Recreation Storage	1/1-12/31	<u>NA</u>	<u>0.6</u> AF
Fire Protection Storage	1/1-12/31	<u>NA</u>	<u>0.6</u> AF
Fire Protection from Storage	1/1-12/31	<u>NA</u>	<u>0.6</u> AF
Diversion to Storage	1/1-12/31	0.13 cfs	NA
Totals:		0.13 cfs	<u>3.9</u> AF

Examiner: Dan Tomich
Examined: July 23, 1997

NOT RECORDED

JUN 10 1998

¹ Adjustments are **bolded and underlined.**

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

JAN 14 1998

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 78-07383

1. Owner: Mike & Debra Dunn Phone No. (208) 634-3551
Current Address: 3492 Hwy 55, P.O. Box 8, New Meadows, ID 83654-0008
2. Accompanied by: Debra Dunn EXAM DATE: 7-23-97
Address: (Same) (Bear Creek Lodge) Phone No. (Same)
Relationship to Permit Holder: (Same)
3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with the same place of use: 78-07382; Irrigation & Commercial
2. Other water rights with the same point of diversion: None

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			NE	NE	35	19N	2E	Adams	Site visit, Map

2. Place(s) of Use:


Indicate Method of Determination Site Visit, Map

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
19N	2E	26																	
19N	2E	35	F															F REC	

MICROFILMED

JUN 10 1998

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe I.D. as applicable.



Scale: 1" = No Scale

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☐ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Franklin	7½		Berkley	Submersible
					Turbine

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: None - Closed system - was off

MAY 10 1998

E. NARRATIVE/REMARKS/COMMENTS

1. This water system is for fire protection and recreation at Bear Creek Lodge. The well pump supplies water directly to a 6" fire hydrant, and 2-1" fire hydrants through a buried 4" ^{and 8"} PVC pipe mainline. The well and 8" + 4" pipe also fills a pond which is used for both recreation, and as a water supply for fire protection. A fire pump house at the ~~pond~~ pond has a 15 HPA ^{pump} which can pump storage from the pond and back into the 8" PVC mainline to the same 3 fire hydrants. The mainline pipe is 4" from the well to the 6" fire hydrant, and 8" from the 6" fire hydrant to the pond / Fire Pump House.

2. The lodge also has another well which supplies irrigation water and for commercial use.

Have conditions of permit approval been met? ☒ yes ☐ no

MICROFILMED

JUN 10 1998

F. FLOW CALCULATIONS

Additional Computation Sheets Attached

Measured Method: None. Theoretical cal.

Max. div. Rate of well: $Q = \frac{(8.8)(7.5 \text{ HP})(70.7)}{40' + (30 \text{ PSI})(\frac{34'}{14.7 \text{ PSI}})} = \underline{0.42 \text{ cfs}} > \underline{0.13 \text{ cfs}}$
 @ start-up
 to fill pond

System Pressure 30-65 PSI

Allow 0.13 cfs

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses: Pond, Recreation

Vol. Pond = $\frac{[(16')(75')(150')]}{(66)(66)(10)} = \underline{1.55 \text{ AF}}$
 + 0.45 Losses for Pond
2.0 AFA

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use From	To	Rate of Diversion Q (cfs)	Annual Volume V (afa)
<u>Recreation</u>	<u>01/01</u>	<u>12/31</u>	<u>0.13</u>	<u>*</u>
<u>Recreation Storage</u>	<u>01/01</u>	<u>12/31</u>		<u>2.0 AFA *</u>
<u>Fire Protection Storage</u>	<u>01/01</u>	<u>12/31</u>		<u>2.0 AFA *</u>
<u>Fire Protection from stor.</u>	<u>01/01</u>	<u>12/31</u>		<u>2.0 AFA *</u>
<u>Diversion to Storage</u>	<u>01/01</u>	<u>12/31</u>	<u>0.13</u>	
Totals:			<u>0.13</u>	<u>2.0 AFA *</u>

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☒ Other

Storage is 2.0 AF
 Not 4.0 AF

I. AUTHENTICATION


Field Examiner's Name Jan Zornick Date 1-9-98

Reviewer _____ Date _____

SEAL

* Adjustments made during review of this right for license approval.
 See Memo for additional information. *49198

MICROFILMED
 JUN 10 1998



IDAHO DEPARTMENT OF WATER RESOURCES

WELL INSPECTION FORM

1. DRILLING PERMIT NO: 78-95-W-0018-000 OTHER APPLICABLE NO: 78-07383
2. OWNER: Mike & Debra Dunn Phone: (208) 634-3551
Address: 3492 Hwy 55, P.O. Box 8, New Meadows, ID. 83654-0008
3. WELL LOCATION: Twp 19N, Rge. 2E, Sec. 35, NE 1/4 NE 1/4
County Adams (Provide sketch map and photo on reverse.)
4. DRILLER: Menaslo Drilling Lic. No. 391
When Drilled? 7-6-95 to 7-9-95
5. WELL CONSTRUCTION:
Casing Diameter 6 inches Water tight cap? ☒ Yes ☐ No Access Port: ☐ Yes ☒ No
Casing $\geq$ 12 inches above ground? ☒ Yes ☐ No - Describe _____
Depth of Casing 100 ft. Method Drilled Air Rotary
Condition of Well Casing: ☒ Good ☐ Fair ☐ Poor Describe _____
Control Valve? ☒ Yes ☐ No Pressure Gauge: ☐ Yes ☒ No
Condition of Piping and Valving Good
Auger to a depth of _____ ft. Evidence of Annular Seal ☒ Yes ☐ No
Are there obvious construction problems that may be a source for contamination or waste of water?
☐ Yes ☒ No (Describe in Remarks and Attach Photo - On Reverse)
6. HYDROLOGIC INFORMATION:
Depth to Static Water 40 ft. Water Temperature 48 °F
Flowing Artesian ☐ Yes ☒ No Pressure: _____ (psi)
Water Sample Taken? ☐ Yes ☒ No If yes, describe purpose _____
Water Quality Measurements/Observations (Describe) _____
7. WELL USE:
☐ Domestic ☐ Irrigation ☐ Stock
☐ Test ☐ Municipal ☐ Industrial
☐ Abandoned ☐ Waste Disposal/Injection ☐ Not Used
☒ Other: Fire Protection + Recreation (Pond)
- JUN 10 1998

8. POSSIBLE CONTAMINATION SOURCES:

Is there evidence of Chemigation? ☐ Yes ☒ No

If yes, is there a check-valve present? ☐ Yes ☐ No

Is there a possible source of contamination nearby? ☐ Yes ☒ No

If yes, what Type? _____

How far away from the well is this source? _____

9. REMARKS:


This well is used for Fire protection
at Bear Creek Lodge. The well also fills a
pond for recreation that is also storage for
fire protection.

Don Tomush Water Rights Examiner
Signature of Dept. Representative & Title

7-23-99
Inspection Date

PHOTOS, DRAWINGS, OTHER ATTACHMENTS:





1 of 2

P/D
Well, 1"
Five
Hydrant

P/u
Bear
Creek
Lodge
View
Looking
Northwest




P/u
6" Five
Hydrant
and
Bear
Creek
Lodge
View
Looking
Southwest

10-10-1971

78-07383

2 of 2




P/u

Fire
Pump

House
and
Pond.

View
Looking
Southwest



P/u

Pond
and

Fire
Pump
House

View
Looking
Southwest

MICROFILM

JUN 10 1981

78-07383



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR
April 9, 1997

MIKE DUNN
DEBRA DUNN
3492 HWY 55
PO BOX B
NEW MEADOWS ID 83654

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 78-07383

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

Please be advised that Section 42-248, Idaho Code, which became effective on July 1, 1996, requires you or the owner of this water right to maintain current ownership and address records on file with the department. Please contact any office of the department for the proper form to file a change of ownership of a water right and/or a change in the address of the owner. Failure to maintain current records with the department could result in the assessment of a monetary penalty.

If you have questions concerning the field examination, contact the **WESTERN** Regional Office in Boise, at (208)334-2190.

Sincerely,

JULIE L. YARBROUGH
Senior Secretary

C: IDWR - Region

MICROFILMED
MAY 28 1997

January 31, 1997

MIKE DUNN
DEBRA DUNN
3492 HWY 55
PO BOX 8
NEW MEADOWS ID 836540008

PROOF DUE NOTICE

RE: PERMIT NO. 78-07383

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before April 1, 1997.

(See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.


SINCERELY,

JULIE L. YARBROUGH
Senior Secretary

Enclosures

MICROFILMED

MAY 28 1997





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

March 25, 1996

MIKE DUNN
DEBRA DUNN
3492 HWY 55
PO BOX 8
NEW MEADOWS ID 83654-0008

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 78-07383

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. Please be sure to thoroughly review the "CONDITIONS/REMARKS:" listing on the permit.

Enclosed is a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit into a licensed water right. Also enclosed is a form entitled "Proof of Beneficial Use". If your project is already completed, you should complete and submit this form immediately.

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen".

Shelley W. Keen
Water Rights Supervisor

SK:rl

Enclosures

RECEIVED

MAR 29 1996

NOTICES OF PUBLIC INFORMATION

LEGAL NOTICE

**PUBLIC NOTICE
SMALL BUSINESS SHARE**

and Small Business Administration policy provides for apportionment of the small business share of National Forest offerings under provision of the Small Business Timber Program. We have, after consultation with the Small Business Administration, summarized sawtimber purchase and harvest in the Payette Market Area, Payette National Forest for the period October 1, 1990 through September 30, 1995. Based on the guidance provided in Forest Service Handbook 7000.1-90, we have recomputed a proposed small business share for the next five year period.

Share for the Payette Market area has been determined to

es from the timber industry may review and submit
e Forest Service at the address listed below for a period
ays. Comments may address the information used by
the recomputation or any information you believe
een considered. The information used in the
is available for review at the Forest Supervisor's
uted at 800 W. Lakeside Ave, P.O. Box 1026, McCall.

le Record" February 22, 1996

LEGAL NOTICE

NATIONAL FOREST TIMBER FOR SALE

ESTTIMBER SALE, PAYETTE NATIONAL FOREST. AGE TIMBER SALE, located within T23N, R3E, 4, 15, 22, 23, 26, 27, 34 and 35; T22N, R3E, Sections toise Meridian, Idaho County. **INITIAL AND ORAL** ceived in public by the Forest Supervisor or his entative at the office of the Forest Supervisor, 800 venue, McCall, Idaho, at 10:00 a.m. local time at the ing, March 14, 1996 for an estimated 15478 M Board (F) of timber marked or otherwise designated for imum acceptable bid is \$892.674.18 based on sale- ing for the required removal timber. The bid price does nal value. There are additional deposits of \$3.03 per slash disposal, \$6.83 per M board feet for surface a road maintenance lump sum deposit of \$660.00. An M board feet (9811 CCF) of optional timber is posits of \$6.83 per MBF is required for surface \$1.45 per MBF for slash disposal.

specified roads with an estimated construction cost of \$100,000. Bidders qualifying as small business concerns under the Small Business Act may elect, when submitting a bid, for the construction of permanent roads. Additional information concerning the prospectus. If bidder elects this option, Forest may the award of this sale up to 150 days to secure a construction contract.

guarantee is \$90,000.00. The highest bidder whose bid, within 30 days from date of award, furnish a cash or effective purchaser credit, in the amount of 10 percent of the advertised rate plus 20 percent of the bid premium in excess of \$100.

LEGAL NOTICE

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

78-07383

DUNN, MIKE
DUNN, DEBRA
3492 HWY 55
PO BOX 8
NEW MEADOWS, ID 83654

Source: GROUNDWATER

Diversion Pt: NENE Sec 35 T19N R 02E in ADAMS County.

Use: DIVERSION TO STORAGE	(0.130 CFS)	
FIRE PROTECTION STORAGE		(4.00 AF)
FIRE PROTECT. FROM STOR		(4.00 AF)
RECREATION	(0.130 CFS)	
RECREATION STORAGE		(4.00 AF)
Total Diversion:	(0.130 CFS)	

Date Filed: 1/23/1996

In: ADAMS County
T19N R02E S26 SESE
S35 NENE

Permits will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code. Any protest against the approval of this application must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 together with a protest fee of \$25.00 on or before MARCH 4, 1996. The protestant must also send a copy of the protest to the applicant.

KARL J. DREHER, Director

Published: 2/15/1996 & 2/22/1996

Notice to all our loyal and faithful customers. If you have received a notice on past due bills from Walter & Lucille Longtin, please realize that the Council Record or Council Printing and Publishing is not Blevins Record. Walter Longtin is trying to settle his father's estate. Anson Longtin sold the Council Record in June of 1994; in July of 1994 Blevins Record set up new accounts for our customers.

STATE OF IDAHO)
) ss.
COUNTY OF ADAMS)

Nancy Lakey, being duly sworn,
deposes and says: That she is the Principle Clerk of The Council Record,
a weekly newspaper printed and published at Council, Adams County,
State of Idaho, and having a general circulation therein and which said
newspaper has been continuously and uninterruptedly published in said
County during a period of twelve consecutive months prior to the first
publication of the advertisement, a copy of which is attached hereto; that
advertisement was published in the regular edition of The Council Record

for June insertion(s), beginning with the
issue of February 15, 1996, and ending with the
issue of February 22, 1996

Nancy Lakey
Subscribed and sworn to before me this 5 day of
March, 1996

Patricia M. Mohr
Notary Public for Idaho, Residing at Her Meadows

RECEIVED

MAR 08 1996

WATER RESOURCES
WESTERN REGION

MAR 29

78-07383

DUNN, MIKE
DUNN, DEBRA
3492 HWY 55
PO BOX 8
NEW MEADOWS, ID 83654

Source: GROUNDWATER

Diversion Pt: NENE Sec 35 T19N R 02E in ADAMS County.

Use: DIVERSION TO STORAGE	(	0.130 CFS)	(	4.00 AF)
FIRE PROTECTION STORAGE			(	4.00 AF)
FIRE PROTECT. FROM STOR			(	
RECREATION	(	0.130 CFS)	(	4.00 AF)
RECREATION STORAGE			(	
Total Diversion:	(	0.130 CFS)		

Date Filed: 1/23/1996

In: ADAMS County	
T19N R02E S26	SESE
S35	NENE

MICROFILMED

MAR 29 1996



State of Idaho

DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705-5082 - (208) 334-2190
FAX (208) 334-2348

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

January 17, 1996

Mike or Debra Dunn
Bear Creek Lodge
3492 HWY 55
P.O. Box 8
New Meadows, ID 83654

RE: Use of well for Fire Protection and Recreation Storage.

Dear Mr. and Mrs. Dunn:

Pursuant to a site inspection of the referenced water system on January 10, 1996, the purpose of this letter is to inform you of additional Water Right and Drilling Permit requirements for your lodge.

Enclosed is an additional Application to Appropriate Water for the original well drilled pursuant to Drilling Permit #78-95-W-0018 and located at the south east corner of the lodge. Please carefully review the information on the application, make any changes you feel are necessary and return the signed application with the \$50.00 application fee. Additionally, the drilling permit must be upgraded to a Non-Domestic use which requires an additional \$165.00 fee. (Total Due \$215.00)

Due to the down gradient location of this well with respect to the lodge septic system, you have agreed to quarterly monitoring of the well for Nitrate and Bacteria. The results of these tests should be maintained in your files. Should these test results indicate an influence from the septic system at any time, the Department may require proper abandonment of this well. Use from the well should be limited to that which is shown on the enclosed water right application.

Any questions concerning this matter should be addressed to me at this office.

Respectfully,

ROBERT B. WHITNEY
Sr. Water Resource Agent
Well Construction Regulation

cc: Slifka, Bill Freeman, DEQ/SWIRO

RECORDED

MAR 29 1996



Bear Creek Lodge
3492 Highway 55
P.O. Box 8
New Meadows, ID 83654
208-634-3551
FAX: 208-634-4299

RECEIVED

DEC 21 1995

Department of Water Resources

December 19, 1995

Mark Slifka

Department of Water Resources
1301 N. Orchard Street
Boise, ID 83706

Dear Mr. Slifka:

This is to confirm that we the owners of Bear Creek Lodge agree to quarterly testing of the well for nitrate and bacteria.

Sincerely,

Debra Dunn
Bear Creek Lodge

MAR 29 1996

1. DRILLING PERMIT NO. 78-95-W-5018-500
Other IDWR No. _____

2. OWNER:

Name Debra Dunn
Address HC 33 Box 3205
City 304x T State Id Zip 83706

3. LOCATION OF WELL by legal description:

Sketch map location must agree with written location.



Twp. 19 North ☒ or South ☐
 Rge. 2 East ☒ or West ☐
 Sec. 35, $\frac{1}{4}$ SE $\frac{1}{4}$ SE $\frac{1}{4}$
10 acres 40 acres 160 acres
 Gov't Lot _____ County ADAMS

Address of Well Site Hwy 55
City McCall

(Give at least name of road + Distance to Road or Landmark)

Lt. Blk. Sub. Name

4. PROPOSED USE:

☒ Domestic ☐ Municipal ☐ Monitor ☐ Irrigation
☐ Thermal ☐ Injection ☐ Other _____

5. TYPE OF WORK

☒ New Well ☐ Modify or Repair ☐ Replacement ☐ Abandonment

6. DRILL METHOD

☐ Mud Rotary ☒ Air Rotary ☐ Cable ☐ Other

7. SEALING PROCEDURES

SEAL/FILTER PACK			AMOUNT	METHOD
Material	From	To	Sacks or Pounds	
Bentonite	0	20	4 Bgs	overbore

Was drive shoe used? ☒ Y ☐ N Shoe Depth(s) 59'
Was drive shoe seal tested? Y ☐ N ☐ How? _____

8. CASING/LINER:

Diameter	From	To	Gauge	Material	Casing	Liner	Welded	Threaded
6"	1	59	2SD	steel	☒	☐	☒	☐
4"	-7	100	2SD	PVC	☐	☒	☐	☐
					☐	☐	☐	☐

Length of Headpipe _____ Length of Tailpipe _____

9. PERFORATIONS/SCREENS

☒ Perforations Method Saw
☐ Screens Screen Type

From	To	Slot Size	Number	Diameter	Material	Casing	Liner
40	100	4"	100	1/8	PVC	☐	☒
						☐	☐
						☐	☐

10. STATIC WATER LEVEL OR ARTESIAN PRESSURE:

40' ft. below ground Artesian pressure — lb.
Depth flow encountered 100' ft. Describe access port or
control devices: WELL CAP

11. WELL TESTS:

☐ Pump ☐ Bailer ☒ Air ☐ Flowing Artesian

Yield gal./min.	Drawdown	Pumping Level	Time
27		100	1 hr.
23		80	1 hr.

Water Temp. 48° Bottom hole temp. —

Water Quality test or comments: Clear

12. LITHOLOGIC LOG: (Describe repairs or abandonment)

[illegible]

Completed Depth 100' (Measurable)
Date: Started 7.6.95 Completed 7.9.95

13. DRILLER'S CERTIFICATION

I/We certify that all minimum well construction standards were complied with at the time the rig was removed.

Firm Name MENASCO Drilling Firm No. 391

Firm Official [Signature] Date 7.10.95
and

Supervisor or Operator _____ Date _____

(Sign once if Firm Official & Operator)

Drilling Permit
Water Right Permit No.
Injection Permit No.

78 95W 0018 000

WELL DRILLER: PLEASE COMPLETE FOR VERBALSIDWR Employee Issuing Verbal: Cindy
Verbal Issued Date: 6-7-95 Time: 10:30

FOR APPL 78-07383

1/23/96

RECEIVED

JUL 18 1995

WATER RESOURCES
WESTERN REGIONState of Idaho
Department of Water Resources**APPLICATION FOR DRILLING PERMIT
(FOR THE CONSTRUCTION OF A WELL)**

1. Applicant (please print): Debra Duan
2. Mailing Address: HC 33 Box 3205
City & State Grange, ID Zip Code 23706 Telephone 344-2393
☐ Well Owner ☐ Well Operator ☐ Contractor or Other, specify _____
3. Proposed Well Location: Twp. 19N, Rge. 2E, Sec. 35, NE 1/4 NE 1/4
Gov't Lot No. _____ County ADAMS
Street Address of Well Site Hwy 55 n. Little Ski Hill City McCall
Lot, block and subdivision _____
Give at least name of road + Distance to Road or Landmark

4. Proposed Use of Well:

- ☒ DOMESTIC: The use of water for homes, organization camps, public campgrounds, livestock (1,000 head or less) and for any other purpose in connection therewith, including irrigation of up to 1/2 acre of land, if the total use is not in excess of 13,000 gpd; or any other uses, if the total use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.

Domestic does not include water for multiple ownership subdivisions, mobile home parks, commercial or business establishments, unless the use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.

NON-DOMESTIC: ☐ Irrigation ☐ Municipal ☐ Industrial
☐ Stock ☐ Test ☐ Other _____
(Over 1,000 Head) (Describe)

☐ INJECTION

☐ MONITORING: A well bore schematic and map is required for each blanket permit.
No. of proposed wells: _____

5. Well Construction Information:

- A. ☒ New well ☐ Modify ☐ Replace
- B. Proposed Casing Diameter 6" Proposed Maximum Depth 150'
- C. Anticipated bottom hole temperature:
☒ 85°F or less (Cold Water Well) ☐ 85°F to 212°F (Low Temp. Geo. Well) ☐ 212°F or more (Geothermal Well)

6. Construction Start Date: 6-7-95

7. Anticipated Well Driller: MENASCO Drilling Driller's Lic. No. 251
NOTE: The actual well driller must be identified prior to drilling.

8. Applicant's Signature [Signature] Date 7.6.95

Title Driller
(Owner, Firm Representative, Other)

ACTION OF THE DEPARTMENT OF WATER RESOURCES

This Permit is APPROVED Date 7-18-95

If approved, this permit authorizes the constuction or modification of a well subject to the following conditions. READ CAREFULLY!

GENERAL CONDITIONS:

1. This drilling permit is valid for two (2) months from the above approval date for the start of construction and is valid for one (1) year from the approval date for completion of the well unless an extension has been granted.
2. This permit does not constitute an approval of the District Health Department or the Idaho Department of Health and Welfare which may be required before construction of this well. All wells must be drilled a minimum distance of 100 feet from a drain field. Domestic and Public Water Supply wells must be drilled a minimum of 50 feet and 100 feet respectively from a septic tank.
3. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
4. Approval of this drilling permit does not authorize trespass on the land of another party.
5. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.
6. This drilling permit does not represent a right to divert and use the water of the State of Idaho.
7. If a bottom hole temperature of 85° or greater is encountered, well construction shall cease and the well driller and the well owner shall contact the Department immediately.

SPECIFIC CONDITIONS:

USE FROM THIS WELL IS
LIMITED TO "DOMESTIC"
PURSUANT TO I.C. 42-111.

DAVID R. TUTHILL JR.

**MANAGER
WESTERN REGIONAL OFFICE**

Signature of Authorized Department Representative

Title

Receipt No. W019599 Received by DB Fee 35- Date 7-18-95
W020285 DB 165- upgrade 1-23-96

EXTENSION OF DRILLING PERMIT

Extension approved by _____ Approval Date _____

This extension expires: _____

RECEIVED

MAR 29 1996

WR5809NP
No. 78-07382

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT

DATE: 01/25/96
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	MIKE DUNN	09/13/1995	IRRIGATION	04-15 10-15	0.200 CFS	
C	DEBRA DUNN		COMMERCIAL	01-01 12-31	0.150 CFS	
TOTAL DIVERSION:					0.350 CFS	

Water Source: GROUNDWATER

Tributary to:

Stage: PERMIT

Point(s) of Diversion: T19N R02E S35 NENE ADAMS County

Place of use Legal Description for: IRRIGATION

		NE				NW				SW				SE				
T	R S	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	SUM
19N	02E 26	:		:		:		:		:		:		:		:	05	5.5
19N	02E 35	:	04	:		:		:		:		:		:		:		4.5
TOTAL ACRES																	10.0	

Place of use location for COMMERCIAL is the same location as described for: IRRIGATION

Pou County: ADAMS

Other Water Rights with Same Point(s) of Diversion and Source:
78-07383

Conditions of Approval:

- 26A - Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which permit holder had no control.
- 01M - After specific notification by the department, the right holder shall install a suitable measuring device or shall enter into an agreement with the department to determine the amount of water diverted from power records and shall annually report the information to the department.
- 046 - Right holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
- 46B - Construction of the well must comply with Idaho well construction standards.
- 03A - The rate of diversion of water for irrigation under this right and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.

Remarks: Two points of diversion are located within NENE, S35, T19N, R02E. Commercial use for Bear Creek Lodge and cabins and to provide for fire protection.

copy for
78-07383
=

WR5809NP
No. 78-07382

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT

DATE: 01/25/96
PAGE: 2

Dates: App. Received: 09/13/1995 Priority Date: 09/13/1995
Proof Due Date: 12/01/1998 Proof Made Date:
Exam Made Date: Exam Sent to S.O.:
Licensed Date:

Misc: Water District Number: Field Exam Fee:

Comments: Date: 09/18/1995 User-ID: SLESTER Subject: DRILLING PERMITS
Applicant proposes 2 wells in tract. Has obtained 2 drilling
permits already but both not related to project. Application came
from on-site visit by RBW in well construction inspection.
D.P. 78-95-W-0012 relates to "well site A" - this well will most
likely be abandoned since appears will be probable contaminate
site (down-gradient from drain field). D.P. 78-95-W-0018 is for
applicants' home south of project site and also will not be used
in this project. Therefore, applicants propose 2 other wells to
be drilled & used for lodge, cabins etc. Project known as Bear
Creek Lodge.
At this time, applicants filed appl. for another d.p.; RBW has
78-95-C-0021 (pending). See fax dated 9/14/95 for DEQ comments.

Audit: 09/15/95 RWHITNEY 09/18/95 SCURTIS 09/18/95 SLESTER 11/16/95 CZIMMERM