


HEAVENS GATE



(1E)


T 23 N
T 22 N

NO GOV'T
LOTS
-82 7/11/95

RECEIVED
JUL 15 1995

#78-07373
Noble/Williams

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = No Scale

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☐ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	A.O. Smith	2 1/2	Model C56N2511A2	STA-Rite	Model DHH653-3
	Corp.		SER D75		Code 2M75

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date


2. Measurements: None

MICROFILMED

JUN 10 1998

T23N
R1E
Sec.
29

No
Government
Lots



78-07373

MICROFILMED

JUN 10 1998

Wickup

1 of 2



P/D

Portable
Pump
at
Little
Salmon
River



P/u

House
and
back
yard.

View
Looking
South

8 78-07373

2 of 2



P/u

Typical
sprinkler
and
1 1/2" PE
mainline.

(Southeast
Fence)



P/u

Hose
used for
irrigation
and
fire
Protection.

(Southeast
Corner of
Lot)

78-07373

State of Idaho
Department of Water Resources
Water Right License
WATER RIGHT NO. 78-07373

Priority: June 29, 1995

Maximum Diversion Rate:
Maximum Diversion Volume:

0.14 CFS
1.6 AF

This is to certify, that GENE NOBLE
GERI WILLIAMS

PO BOX 453

RIGGINS ID 83549-0453

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated June 29, 1995; and has submitted Proof of Beneficial Use on August 7, 1997. An examination indicates that the works have a diversion capacity of 0.140 cfs of water from:

LITTLE SALMON RIVER

tributary to SALMON RIVER

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/01 to 11/30	0.02 CFS	1.6 AF
FIRE PROTECTION	01/01 to 12/31	0.14 CFS	
	Totals	0.14 CFS	1.6 AF

LOCATION OF POINT(S) OF DIVERSION:

SWNE , Sec. 29, Township 23N, Range 01E
IDAHO County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
23N	01E	29	SWNE	0.4		0.4

Total number of acres irrigated: 0.4

PLACE OF USE:

FIRE PROTECTION, same as IRRIGATION use

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license shall be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.

MICROFILMED

JUN 10 1998


State of Idaho
Department of Water Resources**Water Right License**

WATER RIGHT NO. 78-07373

CONDITIONS OF APPROVAL AND REMARKS

5. Water shall not be diverted for fire protection use under this right except to fight or repel an existing fire.
6. The right holder shall comply with all fish screening requirements of the Idaho Department of Fish and Game.
7. This right when combined with all other rights shall provide no more than 0.02 cfs nor more than 1.6 afa at the field headgate for irrigation of the land described above.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 8TH
day of MAY, 1998.


Acting for KARL J. DREHER, Director

MICROFILMED

JUN 10 1998

FOR OFFICE USE ONLY
 Amt. of Fee \$: 50.00
 Receipt No. 4325
 Receipt By: [Signature]
 Date Received: 8/7/76
 RECEIVED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

AUG 07 1997

PROOF OF BENEFICIAL USE

Department of Water Resources

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 78-07373 Telephone No. 208 628 3156
2. Name(s) of Permit Holder(s): GENE NOBLE & GERRI WILLIAMS
3. Mailing Address: P.O. BOX 453 RIGGINS ID 83549
4. Source of Water: LITTLE GALAPAGOS If GROUNDWATER (well), Date Drilled: mo. ____ / yr. ____
- a. Well Driller: _____ Drilling Permit Number: ____ - ____ - ____ - ____
- b. OPTIONAL:
Pump Horsepower: 2 Pressure (psi): _____ Dynamic pumping level (ft): _____

- 5. Use(s) (as authorized by the water right permit):**

Domestic (No. of households): _____ Stockwater (No. and type of stock): _____

Irrigation (No. of acres): 0.5 Other: FIRE PROTECTION

6. Total rate of diversion and/or volume for which proof is submitted: 6,20 cfs OR _____ acre feet

- 7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)**

(This question is not optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)

Measuring Device: Is a measuring device required? Yes _____ or No ✓
Has the measuring device been installed? Yes _____ or No ✓
Flow Measurement Port: Is a flow measurement port required? Yes _____ or No ✓
Has the measurement port been installed? Yes _____ or No ✓

8. Fee Enclosed: \$ _____ (See Fee Schedule on back of the instructions for filing proof of beneficial use)

9. Person to contact to accompany the Department representative during field examination of the water system.

Name: GENE NOBLE Telephone Number: 628-3156

Address: FIRE #5 FOSSIL ROAD

10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder: Gene Webb Date: 7/10/97
(include your title, if on behalf of company or organization)

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 78-07373

Proposed Priority: June 29, 1995 Maximum Diversion Rate: 0.20 CFS

This is to certify, that **GENE NOBLE**
GERI WILLIAMS
PO BOX 453
RIGGINS ID 83549-0453
has applied for a permit to appropriate water from:
LITTLE SALMON RIVER tributary of **SALMON RIVER**

and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	04/15 to 10/15	0.02 CFS
FIRE PROTECTION	01/01 to 12/31	0.20 CFS
	Totals	0.20 CFS

LOCATION OF POINT(S) OF DIVERSION: SWNE , Sec. 29, Township 23N, Range 01E
IDAHO County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
23N	01E	29	SWNE	0.5		0.5

Total number of acres irrigated: 0.5

PLACE OF USE: FIRE PROTECTION, same as IRRIGATION use

CONDITIONS OF APPROVAL AND REMARKS

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **September 1, 1997**.
2. Subject to all prior water rights.
3. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which permit holder had no control.
4. The rate of diversion of water for irrigation under this right and all other water rights on the same land shall not exceed 0.03 cubic feet per second for each acre of land.
5. Water shall not be diverted for fire protection use under this right except to fight or repel an existing fire.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

31st day of August, 1995

RECORDED

SEP 15 1995

Karl J. Dreher
for Karl J. Dreher, Director

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant Gene Noble & Geri Williams Phone 628-3041
Post office address P.O. Box 453 Riggins ID 83549
2. Source of water supply Little Salmon River which is a tributary of Salmon River
3. Location of point of diversion is _____ ¼ of SW ¼ of NE ¼, Govt. Lot _____
Sec. 29 Township 23 N Range 1 E B.M. Idaho County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
Amount .02 for Irrigation purposes from 4/15 to 10/15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount .20 for Fire protection purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) .20 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc. Pump in river with sprinkler system.
 - b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
 - c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
 - d. Is ground water with a temperature of greater than 85°F being sought? _____
 - e. If well is already drilled, when? _____; Drilling firm _____
Well was drilled for (well owner) _____
7. Time required for the completion of the works and application of the water to be proposed beneficial use is
2 years (minimum 1 year).

Original
SEP 15 1995

8. Description of proposed uses (if irrigation only, go to item 9):

- Hydropower; show total feet of head and proposed capacity in KW. _____
- Stockwatering; list number and kind of livestock. _____
- Municipal; show name of municipality. _____
- Domestic; show number of households. _____
- Other; describe fully. _____

Fire protection for home and grounds.

9. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: *D* for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
23N	1E	29			<u>F</u> <u>.5</u>														<u>.5</u>

Total number of acres to be irrigated _____

10. Describe any other water rights used for the same purposes as described above. _____

None

11. a. Who owns the property at the point of diversion? Applicant

b. Who owns the land to be irrigated or place of use? Applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: _____

RECORDED
1995

SEP 15 1995

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name: GENE NOBLE 208-628-3041
Address: PO BOX 453
RIGGINS ID 83549

OR
Name: GERI WILLIAMS 208-628-3041
Address: PO BOX 453
RIGGINS ID 83549
2. Source: LITTLE SALMON RIVER Trib. to: SALMON RIVER
3. Location of Point of Diversion: SWNE Sec. 29, Township 23N, Range 01E
IDAHO County
4. Water will be used for the following purposes:

Purpose	From	To	CFS	(or)	AF
IRRIGATION	04/15	10/15*	0.020		
FIRE PROTECTION	01/01	12/31	0.200		
5. Total quantity to be appropriated is:
0.200 CFS (and/or) AF
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc.
PUMP IN THE RIVER WITH IRRIGATION SYSTEM
 - b. Height of storage dam feet; active reservoir capacity
acre-feet; total reservoir capacity acre-feet; period of
year when water will be diverted to storage: to inclusive.
 - c. Proposed well diameter is inches; proposed depth of well is
feet.
 - d. Is groundwater with a temperature greater than 85F being sought? NO
 - e. If well is already drilled, when?
Drilling Firm
Well was drilled for
7. Time required for the completion of the works and application of
the water to the proposed beneficial use is 2 year(s).

SEP 15 1995

*SEASON - OK to leave as is since on/NEAR line btw. 4/15-10/15 & 3/1-11/30 seasons;

shorter season should be adequate in this location.

-82 7/11/95

8. Place of Use: IRRIGATION

TWN	RGE	SEC	ACRES	ACRES	ACRES	TOTAL
23N	01E	29	SWNE	00.5		0.5

Total number of acres irrigated: 0.5

Place of Use: FIRE PROTECTION

TWN	RGE	SEC	ACRES
23N	01E	29	SWNE

9. a. Who owns the property at the point of diversion?
APPLICANT
b. Who owns the land to be irrigated or place of use?
APPLICANT
c. If the property is owned by a person other than the applicant,
describe the arrangement enabling the applicant to make this filing.

10. Remarks: Irrigation is for yard use associated with 1 home.

11. Map of proposed point of diversion and place of use attached? [X]

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

See handwritten copy
Applicant

Received by JFW Date 6/29/95 Time 4:00 Preliminary check by JZ

Fee \$ 50⁰⁰ Receipted by JFW # W019477 Date 6/29/95

Publication prepared by JZ Date 7-11-95 Published in Id City Free Press

Publication approved JZ Date 8-3-95

RECEIVED

SEP 15 1995

* interpretation per item 8c of original handwritten copy; d'base update 7/11/95 -JZ

Comments: Date: 6/ 29/ 1995 User-ID: JWESTRA

Subject:

Fish Moratorium- Salmon River Basin

The applicant is aware the Salmon River Basin is under a
Moratorium Order.

SD-0420-2
MODIFY RECORD

Idaho Department of Water Resources
Modify Comment

Date: 07/11/95
Time: 11:27:31

Water Right Number: 78-07373

Comment Date: 7/11/1995 User ID: SLESTER

Subject: REVISITING SALMON RIVER MORATORIUM ISSUE

Application infers exempted use for 1/2 acre yard irrigation._____
Fire Protection, traditionally not requiring a water right, shown
as .20 cfs; this should be approvable at this rate due to limited
extent of use - no significant consumptive use proposed in this_____
dual use filing & therefore advertised for possible approval._____

(Enter=Continue/Exit) (Gold2=Update) (Gold3=Delete) (Gold4=Prev) (Gold5=Next)


RECEIVED
SEP 15 1995

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

Scale: 2 inches equal 1 mile.

SEP 15 1995

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.


(Applicant)

Received by JFW Date 6/29/95 Time 4:00 PM. Preliminary check by _____
Fee \$ 50.00 Received by JFW # W019477 Date 6/29/95
Publication prepared by _____ Date _____ Published in _____
Publication approved _____ Date _____

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.
- e. Other:

RECEIVED

SEP 15 1995



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

May 11, 1998

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

GENE NOBLE
GERI WILLIAMS
PO BOX 453
RIGGINS ID 83549-0453

RE: WATER RIGHT NO. 78-07373

Dear Water Right Holder(s):

The Department of Water Resources (the Department) has issued the enclosed license confirming that a water right has been established in accordance with the permit referenced above. The license is a preliminary order issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department unless a party petitions for reconsideration or files an exception and/or brief as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of this order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, this preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to this preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

ORAL ARGUMENT

If the Department grants a petition to review the preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The Department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

If you have any questions, please call me at 208-327-7946.

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen".

Shelley W. Keen
Water Rights Supervisor

SK:klt

Enclosure


JUN 10 1988

CERTIFICATE OF MAILING

I hereby certify that on the 11th day of May, 1998, I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER (Approved License) to the person(s) listed below:

Water Right No. 78-07373

GENE NOBLE
GERI WILLIAMS
PO BOX 453
RIGGINS ID 83549-0453


Karl Lynn Townsend
Secretary

JUN 10 1998

B/U FIELD EXAM REVIEW

by *Cindy Lou*Permit #: 78-7373 Name: Noble/Williams Date: 4/29/98 ✓ Lots ✓

NAME Chng Same ✓ Or Address Change?

SOURCE ✓ Clarify source _____
Prelim. Order to Void - Source change.

P/D ✓ Amendment Needed? Addn'l 1/4? _____ Legal _____ P39
Same 1/4? _____ W32 _____ P36
Overlap(s) none

P/U ✓ Amendment Needed? reduce to 0.4 ac. in. P41
Overlap(s) none
(Gov't use special ¶s) _____ *P/D & P/U Amend? P37

RATE ✓ Permit/proof fee limits 0.20 / 0.20
✓ Measured Quantity = _____ cfs Theoretical Quantity = 0.14 cfs
En. 0.4 ac x 0.03 cfs/ac = 0.012 ≈ 0.2 cfs
Fire Protection @ capacity = 0.14 cfs
Max. Total diversion rate = 0.02 + 0.14 = 0.16
0.14 cfs
✓ Recommended capacity 0.14 cfs
✓ Recommended rate 0.14 cfs

VOLUME ✓ ✓ Season: (E 1 4.0) 1/1 - 12/31 = 365
3/1 - 11/30 = 275 days
Calculations:
En. = 0.4 ac x 4.0 = 1.6 AF
F.P. ≈ NA
Flow limit: 0.14 cfs x 365 days/yr. x 1.9835 = 101.4 AF
✓ Recommended volume 1.6 AF

USES ✓ Same Nature of Use? _____ P46
Amendment Needed? _____

REMARKS W31 Multiple p/d's in same 1/4? Use W32 _____
0.4 ac / 0.02 cfs = 1.6 AF

CONDITIONS 1 Measuring Device (R43) or Lockable Controlling Works (R02)
1 Watermaster Control (R04) - WD # _____
1 Irrigation rate/annual volume overlap
1 GW irrigation replaces surface water (050)
1 GW irrigation supplements surface water (065)
1 Water Quality
077 Other _____

PRIORITY App Rcd 6/29/95 Due 9/1/97 Rcd 8/7/97
Receipt# 6031757 Fee OK? Yes No 550
Order to Reinstate Needed? Yes No Done? Advanced to: _____
Priority 6/29/95 Examined 9/17/97

COMMENTS: limit flow to capacity

USE	CFS	VOLUME
<u>En.</u>	<u>0.02</u>	<u>1.6</u>
<u>Fire Protection</u>	<u>0.14</u>	<u>—</u>
<u>—</u>	<u>—</u>	<u>—</u>
TOTAL	<u>0.14</u>	<u>1.6</u>

SRBA Overlap none
Adjustment Memo ✓
LICENSE
#1 AMEND: _____ /P38
#2 AMEND: (R)P42/(C)P47

MEMORANDUM

DATE: April 29, 1998
TO: File No. 78-07373
FROM: Cindy Lou Zimmerman³,
SUBJECT: Review of Beneficial Use Field Report

The following adjustments¹ were made on the field report to reflect department standards and licensing practises for uses developed under this permit:

G. Volume Calculations.

a. Irrigation.

$$V_{I.R.} = \text{acres} \times \text{AF/acre} = 0.4 \times 4.0 = \underline{\mathbf{1.6}} \text{ AF.}$$

H. Recommendations.

1. Recommended amounts:

Beneficial Use	Period of Use	Rate of diversion	Annual Volume
Irrigation	3/1-11/30	0.02 cfs	<u>1.6</u> AF
Fire Protection	1/1-12/31	0.14 cfs	---
	Totals:	<u>0.14</u> cfs	<u>1.6</u> AF

Examiner: Dan Tomich
Examined: September 17, 1997

MICRO - 1117

JUN 10 1998

¹ Adjustments are **bolded and underlined**.

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

JAN 09 1998

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 78-07373

1. Owner: Gene Noble, Geri Williams Phone No. (208) 628-3156 (Hm)
(208) 628-3041 (Wk)

Current Address: P.O. Box 453, Riggins, ID 83549-0453

2. Accompanied by: Gene Noble EXAM DATE: 9-17-97
(Fuzi)

Address: Home: #5 Fuzi Rd., Pollock, ID Phone No. (208) 628-3156

Relationship to Permit Holder: (Same) Gene Noble owns Riverview Motel Riggins
in

3. Source: Little Salmon River tributary to Salmon River

B. OVERLAP REVIEW

1. Other water rights with the same place of use: None

2. Other water rights with the same point of diversion: None

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			SW	NE	29	23N	1E	Idaho	Site Visit, Map

2. Place(s) of Use:


Indicate Method of Determination Site Visit, Map

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
23N	1E	29			0.40 F													0.40	

MICROFILMED

JUN 10 1998

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe I.D. as applicable.



Scale: 1" = No Scale

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☐ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	A.O. Smith	2 1/2	Model C56NZS11A2	Sta-Rite	Model DHH653-3
	Corp.		SER D75		Code 2M75

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: None

MICROFILMED

JUN 10 1988

E. NARRATIVE/REMARKS/COMMENTS

1. The water system consists of a portable pump unit set on the bank of the Little Salmon River, and a ~~2~~ 1½" PE pipe system on the top of the ground. The pipe system has a combination of sprinkler heads and hose bibs to water the lawn and yard. The sprinkler heads are 1½" SU 63-0 impact types. There are 10 sprinkler heads, and several hose bibs in the 1½" PE mainlines. Fire protection is provided by garden type hoses.

2. The PLO + Plu for this permit is the home of Gene Noble at #5 Fuzi Rd. in Pollock. He also owns the Riverview Motel in Riggins.

3. The system was not operating at the time of the exam. There is no pressure gauge, but the operating pressure is about 45 psi. The suction lift from the river is 5'.

Have conditions of permit approval been met? ☒ yes ☐ no

MICROFILMED
JUN 10 1988

Additional Computation Sheets Attached

$$\text{Max. Div. Rate: } Q = \frac{(8.8)(2\frac{1}{2} \text{ HP})(70\%) }{5' + (45 \text{ PSI})(\frac{34'}{14.7 \text{ PSI}})} = \underline{\underline{0.14 \text{ cfs}}}$$

permit has Fire Protection @ 0.20 cfs

$$Q_{\text{irrigation}} = (0.40 \text{ Ac}) \left(0.03 \frac{\text{cfs}}{\text{Ac}} \right) = 0.012 \text{ cfs}$$
$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = (0.40)(3.0 \frac{\text{AFA}}{\text{Ac.}}) = 1.2 \text{ AFA} \quad \text{Use } \underline{\underline{0.02 \text{ cfs}}}$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = (0.02)(275)(1.9835) = 10.9 \text{ AFA}$$

$$V = \text{Smaller of } V_{IB} \text{ and } V_{DB} = 1.2 \text{ AFA}$$

$$\text{Irrigated Acres} = \frac{[(120')(150') - (10')(15') - (6')(6') - (12' \times 40') - (6')(20') - (10')(35') - (10')(50')]}{(66 \times 66 \times 10)} = \underline{0.38 \text{ Ac.}} \quad \text{or} \quad \underline{0.40 \text{ Ac.}}$$

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Irrigation	03/01	~~09/15~~	11/30 0.02	1.2 *
Fire Protection	01/01	12/31	6.14	
			Totals:	0.16 * 1.2 *

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☒ Other

1) Pollock is located in

3.0
E
4.0

 Zone.

Irrigation season is 03/01 to 11/30.

I. AUTHENTICATION

Field Examiner's Name Wes Tomich Date 1-2-98

Reviewer _____ Date _____


* Adjustments made during review of this report for license approval.
See Memo for additional information. 4/29/98

2) Pump will Not
SEAL
meet 0.20 cfs
Div. rate for
Fire Protection.

3) Irrigated Acres
is 0.40 Ac.

JUN 10 1938

No
Government
Lots



1 of 2



P/D

Portable
Pump
at
Little
Salmon
River



P/u

House
and
back
yard.

View
Looking
South


8 78-07373

2 of 2

P/u

Typical
sprinkler
and
1 1/2" PE
mainline.

(South east
Fence)



P/u

Hose
used for
irrigation
and
fire
Protection.

(South east
Corner of
Lot)



78-07373



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

August 12, 1997

Gene Noble
P.O. Box 453
Riggins, ID 83549

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 78-07373

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

Please be advised that Section 42-248, Idaho Code, which became effective on July 1, 1996, requires you or the owner of this water right to maintain current ownership and address records on file with the department. Forms to file a change of ownership of a water right and/or a change in the address of the water right owner are available from any department office.

If you have questions concerning the field examination, please contact the department's **WESTERN** Regional Office in Boise at (208) 334-2190.

Sincerely,

L. GLEN SAXTON, Chief
Water Allocation Bureau

c: IDWR - W. Region.

MICROFILMED

AUG 20 1997

J03

RECEIPT
For Monies Paid
to the
Idaho Department of Water Resources

Receipt No: C039757

Date: 8/ 7/1997
Time: 09:47:03

Received
From: NOBLE, EUGENE

Type of Payment	Program A cct	Amount
PROOF BENEFICIAL USE 78-07373	56104 229 21 1155	50.00

CHECK	112	Total	\$	50.00
-------	-----	-------	----	-------

Region: STATE

Signature: 

MICROFILMED

AUG 20 1997

June 30, 1997

GENE NOBLE
GERI WILLIAMS
PO BOX 453
RIGGINS ID 835490453

PROOF DUE NOTICE

RE: PERMIT NO. 78-07373

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before September 1, 1997. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

JULIE L. YARBROUGH
Senior Secretary

Enclosures

MICROFILMED

AUG 20 1997





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

August 31, 1995

GENE NOBLE
GERI WILLIAMS
PO BOX 453
RIGGINS ID 83549-0453

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 78-07373

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. Please be sure to thoroughly review the "CONDITIONS/REMARKS:" listing on the permit.

As a permit owner you must commence the excavation or construction of the diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The date shown under condition no. 1 is the date when the project must be completed.

The Department will send you a "Proof Due Notice" approximately 60 days prior to the above referenced date requesting you to file either a Proof of Beneficial Use form or a Request for Extension of Time form.

Please note that a separate stream channel alteration permit must be obtained from the IDWR prior to any activity in the stream channel other than construction or maintenance of the diversion structure for your water right(s). Applications for stream channel alteration permits must be filed at least sixty days prior to the commencement of work in the stream.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SEP 15 1995

SK:rl

**NOTICE OF APPLICATION
FOR WATER RIGHT**

The following application(s) have been
filed to appropriate the public waters of
the State of Idaho:

77-07345

PAYETTE NATIONAL FOREST
WARREN HEIGHTS HOMEOWNERS
P.O. BOX 1020
MC CALL, ID 83638
Source: SPRING Tributary: SINKS
Diversion Pt: NESWSE Sec 2 T 22N R
06E in IDAHO County
SESWE Sec 2 T 22N R 06E in IDAHO

County.
NWESE Sec 2 T 22N R 06E in IDAHO
County.
SWESE Sec 2 T 22N R 06E in IDAHO
County.

Use: DOMESTIC (0.100 CFS)
FIRE PROTECTION (0.100 CFS)
Total Diversion: (0.100 CFS)
Date Filed: 7/6/1995
In: IDAHO County

T22N R06E S11 NWNE

78-07373

NOBLE, GENE
WILLIAMS, GERI
P.O. BOX 453
RIGGINS, ID 83549
Source: LITTLE SALMON RIVER Tribu-
tary: SALMON RIVER
Diversion Pt: SWNE Sec 29 T 23N R
01E in IDAHO County.
Use: IRRIGATION (0.020 CFS)
FIRE PROTECTION (0.200 CFS)
Total Diversion: (0.200 CFS)
Date Filed: 6/29/1995
In: IDAHO County
T23N R01E S29 SWNE
0.5 ACRES TOTAL

79-07236

HALL TRUST, WAYNE
WAYNE HALL, TRUSTEE
P.O. BOX 87C
WHITE BIRD, ID 83554
Source: SPRING Tributary: SALMON
RIVER
Diversion Pt: NWNWNE Sec 16 T 28N R
01E in IDAHO County.
Use: DOMESTIC (0.040 CFS)
Total Diversion: (0.040 CFS)
Date Filed: 7/5/1995
In: IDAHO County
T28N R01E S09 SWSE
S16 NWNE

Application limited to domestic use and
therefore exempted from Salmon River
Moratorium restrictions.

Permits will be subject to all prior water
rights. Protests may be submitted based
on the criteria of Sec. 42-203A, Idaho
Code. Any protest against the approval
of this application must be filed with the
Director, Dept. of Water Resources,
Western Region, 2735 Airport Way,
Boise, Idaho 83705 together with a
protest fee of \$25.00 on or before AU-
GUST 7, 1995. The protestant must also
send a copy of the protest to the appli-
cant.

KARL J. DREHER, Director
Published: 7/20/1995 & 7/27/1995

Jy 9-26

ED


995

RCEB
SION

AFFIDAVIT OF PUBLICATION


STATE OF IDAHO
County of Idaho - ss.

Andrew J. McNab, being
first duly sworn, says he is the Publisher
of the IDAHO COUNTY FREE PRESS, a weekly newspaper published
and issued weekly at Grangeville, Idaho county, State of Idaho, and is
of general circulation in said county and state, that the said notice, of
which the one hereto attached is a true copy, was published in said
paper for two weeks, being published two
times, the first publication being on the 19th day of
July, 1995, and the last
publication on the 26th day of July, 1995;
and that the said notice was published in the newspaper proper and not
a supplement; that said newspaper has been continuously and uninter-
ruptedly published in said county during a period of seventy-eight
consecutive weeks prior to the publication of said notice or advertise-
ment.



STATE OF IDAHO }
COUNTY OF } IDAHO

On this 26th day of July in the year of 1995,
Before me, a Notary Public, personally appeared
Andrew J. McNab, known or identified to me
to be the person whose name subscribed to the within instrument, and
being by me first duly sworn, declared that the statements therein are
true, and acknowledged to me that he executed the same.



Notary Public for Idaho
Residing at Grangeville, ID
My commission expires: 10-8-99

RECORDED

SEP 15 1995

78-07373

NOBLE, GENE
WILLIAMS, GERI
PO BOX 453
RIGGINS, ID 83549

Source: LITTLE SALMON RIVER

Tributary: SALMON RIVER

Diversion Pt: SWNE Sec 29 T 23N R 01E in IDAHO County.

Use: IRRIGATION	(	0.020 CFS)
FIRE PROTECTION	(	0.200 CFS)
Total Diversion:	(	0.200 CFS)

Date Filed: 6/29/1995

In: IDAHO County
T23N R01E S29 SWNE

0.5 ACRES TOTAL

SEP 15 1995