



Dreyer
78-07371



NOV 15 1995

Dreyer
78-7371
19N2E S28
- NO GOVT LOTS -

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = None

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☐ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Model Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
(1996) New Well	Franklin	1	2801084915	Meyers	3NFL102-20
(1998) Old Well	Franklin	1		Jawzsi	Model 754C-52/
					5-98

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

System op. Press. - 32 to 55 psi

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
5 Gal. Bucket						

2. Measurements:

New Well: $Q = 5 \text{ Gal.} / 32 \text{ sec.} = 9.4 \text{ GPM}$


Old Well: $Q = 5 \text{ Gal.} / 25 \text{ sec.} = 12.0 \text{ GPM}$


From Hoses located near each well.

Total 21.4 GPM
= 0.05 cfs

T19N
R2E
Sec. 28
SWNW

No Gov. Lots





Packer John Road

3324 Hwy 55

Goose Creek Store
and Trailer Park

78-07371

8. POSSIBLE CONTAMINATION SOURCES:

Is there evidence of Chemigation? ☐ Yes ☒ No

If yes, is there a check-valve present? ☐ Yes ☐ No

Is there a possible source of contamination nearby? ☐ Yes ☒ No

If yes, what Type? _____

How far away from the well is this source? _____

9. REMARKS: This well and another old well
are used for the Goose Creek store
and trailer park. The wells are inter-
connected and serve a common system.

Jan Zornick, Water Rights Examiner
Signature of Dept. Representative & Title

6-23-99
Inspection Date

PHOTOS, DRAWINGS, OTHER ATTACHMENTS:



8. POSSIBLE CONTAMINATION SOURCES:

Is there evidence of Chemigation? ☐ Yes ☒ No

If yes, is there a check-valve present? ☐ Yes ☐ No

Is there a possible source of contamination nearby? ☐ Yes ☒ No

If yes, what Type? _____

How far away from the well is this source? _____

9. REMARKS:

This is an old well that was probably drilled about 1938-39. Since the store was in operation in 1939. This well, along with the new well, 78-95-W-0023-000, provide water for the Goose Creek Store and trailer park. The wells are inter-connected and serve a common system.

Dan Tomich, Water Rights Examiner

Signature of Dept. Representative & Title

6-23-99

Inspection Date

PHOTOS, DRAWINGS, OTHER ATTACHMENTS:



8. POSSIBLE CONTAMINATION SOURCES:

Is there evidence of Chemigation? ☐ Yes ☒ No

If yes, is there a check-valve present? ☐ Yes ☐ No

Is there a possible source of contamination nearby? ☐ Yes ☒ No

If yes, what Type? _____

How far away from the well is this source? _____

9. REMARKS:

This is an old well that was probably drilled about 1938-39. Since the Stone was in operation in 1939. This well, along with the new well; 78-95-W-0023-000, provide water for the Goose Creek Stone and trailer park. The wells are inter-connected and serve a common system.

Dan Tomich, Water Rights Examiner
Signature of Dept. Representative & Title

6-23-99
Inspection Date

PHOTOS, DRAWINGS, OTHER ATTACHMENTS:



1 of 5

P/u

Goose
Creek
Stone
+
Trailer
Park



P/D

New

Well

House



78-07371

2 of 5

P/O

New

Well




P/O

New

Well

House

Air Tanks,
etc.



78-07371

3 of 5



P/D

old
well



P/D

Air Tanks,
etc.
for old
well.

Located
in room
of storage
Area in
Store.

78-07371

4 of 5

Plu

Laundry
Room
in
Store



Plu

Trailers
on

West
side



78-07371

5 of 5

P/u

Trailers
on
North
side.



P/u

one of
two
Rental
Czbins



78-07371

RECEIVED

AUG 06 1997

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Department of Water Resources

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 78-95-W-0023-000 Telephone No. 208-347-2396
2. Name(s) of Permit Holder(s): RICK & PENELOPE DREYER / GOOSE CREEK TR. CT.
3. Mailing Address: 3324 Hwy 55, N.M., Id 83654
4. Source of Water: well If GROUNDWATER (well), Date Drilled: mo. 10 / yr. 95
 - a. Well Driller: Gestrin Well Drilling Drilling Permit Number: 408 - - -
 - b. **OPTIONAL:**
Pump Horsepower: 3/4 Pressure (psi): 6.0 Dynamic pumping level (ft):
5. Use(s) (as authorized by the water right permit): 78-07371

Domestic (No. of households): Stockwater (No. and type of stock):

Irrigation (No. of acres): Other: Commercial

6. Total rate of diversion and/or volume for which proof is submitted: .04 cfs OR acre feet

7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)

(This question is not optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)

Measuring Device: Is a measuring device required?	Yes <u> </u> or No <u>✓</u>
Has the measuring device been installed?	Yes <u> </u> or No <u> </u>
Flow Measurement Port: Is a flow measurement port required?	Yes <u> </u> or No <u>✓</u>
Has the measurement port been installed?	Yes <u> </u> or No <u> </u>

8. Fee Enclosed: \$ \$50⁰⁰ (See Fee Schedule on back of the instructions for filing proof of beneficial use)

9. Person to contact to accompany the Department representative during field examination of the water system.

Name: Rick & Penelope Dreyer Telephone Number: 347-2396

Address: 3324 Hwy 55 Dew Meadows, Id 83654

10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder: Rick Dreyer Date: 8/4/97
Penelope R. Dreyer - Owner
(include your title, if on behalf of company or organization)

AUG 20 1997

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 78-07371

Proposed Priority: May 5, 1995

Maximum Diversion Rate:

0.24 CFS

This is to certify, that **RICK DREYER**

3324 HWY 24

NEW MEADOWS ID 83654

has applied for a permit to appropriate water from: **GROUNDWATER**

and a permit is **APPROVED** for development of water as follows:

BENEFICIAL USE

PERIOD OF USE

RATE OF DIVERSION

COMMERCIAL

01/01 to 12/31

0.24 CFS

LOCATION OF POINT(S) OF DIVERSION:

SWNW , Sec. 28, Township 19N, Range 02E
ADAMS County

PLACE OF USE: COMMERCIAL

TWN RGE SEC

19N 02E 28

SWNW

CONDITIONS OF APPROVAL AND REMARKS

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **October 1, 1997**.
2. Subject to all prior water rights.
3. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which permit holder had no control.
4. After specific notification by the department, the right holder shall install a suitable measuring device or shall enter into an agreement with the department to determine the amount of water diverted from power records and shall annually report the information to the department.
5. Right holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
6. Construction of the well must comply with Idaho well construction standards.
7. Two points of diversion are located within SWNW, S28, T19N, R02E.
8. Commercial use is for 17 mobile home spaces, 2 rental cabins, store and bar.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

29th day of **September**, 19**95**.

NOV 15 1995

Karl J. Dreher
for **Karl J. Dreher, Director**

RECEIVED
SEP 25 1995

Department of Water Resources

Ident. No. 78-07371

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name: RICK DREYER 208-347-2396
Address: 3324 HWY 24
NEW MEADOWS ID 83654
 2. Source: ^WGROUNDWATER Trib. to:
 3. Location of Point of Diversion: SWNW Sec. 28, Township 19N, Range 02E
ADAMS County
 4. Water will be used for the following purposes:

Purpose	From	To	CFS	(or)	AF
COMMERCIAL	01/01	12/31	0.240		
 5. Total quantity to be appropriated is:
0.240 CFS (and/or) AF
 6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc.
2 DRILLED WELLS WITH PRESSURE SYSTEM
 - b. Height of storage dam feet; active reservoir capacity
acre-feet; total reservoir capacity acre-feet; period of
year when water will be diverted to storage: to inclusive.
 - c. Proposed well diameter is inches; proposed depth of well is
feet.
 - d. Is groundwater with a temperature greater than 85F being sought? NO
 - e. If well is already drilled, when? 01/01/1939
Drilling Firm
Well was drilled for
 7. Time required for the completion of the works and application of
the water to the proposed beneficial use is 2 year(s).
 8. Place of Use: COMMERCIAL
- TWN RGE SEC
19N 02E 28 SWNW

NOV 15 1995

9. a. Who owns the property at the point of diversion?
APPLICANT
b. Who owns the land to be irrigated or place of use?
APPLICANT
c. If the property is owned by a person other than the applicant,
describe the arrangement enabling the applicant to make this filing.

- (added)
10. Remarks: Commercial use for 17 mobile home spaces, 2 cabins, store & bar.
2 P/D's located w/in SWNW S28...
11. Map of proposed point of diversion and place of use attached? ☒

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

See hand written application
Applicant

Received by DW Date _____ Time _____ Preliminary check by gy
Fee \$ _____ Receipted by _____ # _____ Date _____
Publication prepared by _____ Date _____ Published in _____
Publication approved _____ Date _____

RECEIVED
NOV 15 1995

Comments: Date: 5/ 10/ 1995 User-ID: JWESTRA

Subject:
Clarification

The store has been in operation since 1939. A trailer park was added in the sixties. No water right has ever been filed.


The owner would like to add another P/d (well) as the existing well can't handle demand, 2 points of diversion.

Owner bought property in 1987

See additional in database

RECEIVED
NOV 15 1995

78-07371



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant Rick Dreyer Phone 347-2396
Post office address 3324 Hwy 55 New Meadows Id. 83654
2. Source of water supply WELL which is a tributary of _____
3. Location of point of diversion is _____ $\frac{1}{4}$ of SW $\frac{1}{4}$ of NW $\frac{1}{4}$, Govt. Lot _____
Sec. 28 Township 19N Range 2E B.M. Adams County; additional
points of diversion if any: 2 wells - 1 existing
1 - new
4. Water will be used for the following purposes:
Amount .24 for Commercial purposes from 4/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) .24 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc. _____
2 - drilled wells with domestic water/pressure system.
 - b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
 - c. Proposed well diameter is Unknown inches; proposed depth of well is Unknown feet.
 - d. Is ground water with a temperature of greater than 85°F being sought? No
 - e. If well is ^{Existing} already drilled, ~~when?~~ ^{depth} 150 Ft; Drilling firm Unknown;
Well was drilled for (well owner) Unknown
7. Time required for the completion of the works and application of the water to be proposed beneficial use is
2 years (minimum 1 year).

RECEIVED

NOV 15 1995

8. Description of proposed uses (if irrigation only, go to item 9):

- a. Hydropower; show total feet of head and proposed capacity in KW. _____
- b. Stockwatering; list number and kind of livestock. _____
- c. Municipal; show name of municipality. _____
- d. Domestic; show number of households. _____
- e. Other; describe fully. Commerical - 17 trailer homes
- 2 cabins - rental
- 1 store/Bar.

9. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
19N	2E	28							C										

Total number of acres to be irrigated _____

10. Describe any other water rights used for the same purposes as described above. None.

11. a. Who owns the property at the point of diversion? Applicant
- b. Who owns the land to be irrigated or place of use? Applicant
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: _____

NOV 15 1995

A full-page sheet of white graph paper featuring a uniform grid of thin black lines. The grid consists of 20 columns and 20 rows, creating a total of 400 small squares. The lines are evenly spaced and extend across the entire page, leaving no margins.

Rick Dwyer
(Applicant)

~~Applicant~~

NOV 15 1995

Received by JFW Date 5/5/95 Time 3:00 PM Preliminary check by _____
Fee \$ 100.00 Received by JFW # W 019108 Date 5/5/95
Publication prepared by AT Date 5-31-95 Published in The Record
Publication approved _____ Date _____

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.
- e. Other:

NOV 15 1995

Dreyer
78-07371
Application

WARRANTY DEED

For Value Received

ROBERT T. FORD and BRENDA SUE FORD

the grantor, do hereby grant, bargain, sell and convey unto

MARSHAL DREYER or RICK W. DREYER

whose address is: General Delivery, New Meadows ID 83654

the grantee, the following described premises, to-wit:

A tract of land in the SW $\frac{1}{4}$ NW $\frac{1}{4}$, Section 28,
Township 19 North, Range 2 East, Boise Meridian,
in Adams County, Idaho, more particularly described as:

Commencing at the SE Corner of the SW $\frac{1}{4}$ NW $\frac{1}{4}$, and
running;
Thence West along the South line of said SW $\frac{1}{4}$ NW $\frac{1}{4}$,
a distance of 264.0 feet;
Thence North and parallel to the East line of
said SW $\frac{1}{4}$ NW $\frac{1}{4}$, a distance of 40.0 rods;
Thence East a distance of 264.0 feet to the East
line of said SW $\frac{1}{4}$ NW $\frac{1}{4}$;
Thence South 40.0 rods along the East line of said
SW $\frac{1}{4}$ NW $\frac{1}{4}$, to the place of beginning;

EXCEPTING THEREFROM, the South 40.0 feet of the
above described tract,

ALSO EXCEPTING THEREFROM, the East 15.0 feet of
said tract, heretofore conveyed to the State
of Idaho for Highway right-of-way and road
right-of-way purposes, respectively, and

ALSO EXCEPTING THEREFROM, the North 75 feet of said
tract.

TO HAVE AND TO HOLD the said premises, with their appurtenances unto the said Grantee,
heirs and assigns forever. And the said Grantor do hereby covenant to and
with the said Grantee, that he the owner in fee simple of said premises; that said
premises are free from all incumbrances

and that he will warrant and defend the same from all lawful claims whatsoever.

Dated: April 27, 1987

Robert T. Ford
Brenda Sue Ford

STATE OF IDAHO, COUNTY OF Valley
On this 27th day of April, 1987,
before me, a notary public in and for said State, personally
appeared Robert T. Ford

known to me to be the person whose name he
subscribed to the within instrument, and acknowledged to
me that he executed the same.

Donna K. Smith
Notary Public
Residing at Casco, Idaho
Comm. Expires 07-1-88

STATE OF IDAHO, COUNTY OF ADAMS

I hereby certify that this instrument was filed for record at
the request of Treasure Valley Bank

at 49 minutes past 3 o'clock P.M.,
this 30 day of April,
1987, in my office, and duly recorded in Book 40M
of Deeds at page 174

Michael Fisk

Ex-Officio Recorder

By *Angela L. Roberts* Deputy.

Fees \$ 2.00

Mail to: Goose Creek
HC 75, Box 3270, New Meadows, ID

INSTRUMENT No. 74088


STATE OF IDAHO, COUNTY OF Valley

On this 27th day of April, 1987,
before me, a notary public in and for said State, personally
appeared Brenda Ford

known to me to be the person whose name she
subscribed to the within instrument, and acknowledged to
me that she executed the same.

Joyce M. Goodman
Notary Public
Residing at

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe I.D. as applicable.



Scale: 1" = None

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☐ Aerial Photo Attached (required for irrigation of 10+ acres)

☐ Photo of Diversion and System Attached

4.

cat.

Well or Diversion Identification No.*	Motor Make	Hp	Model Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
(1996) New Well	Franklin	1	2801084915	Meyers	3NFL102-20
(1998) Old Well	Franklin	1		Jawzsi	Model 754C-52/ 5-98

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

System of Press. - 32 to 55 psi

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
5 Gal. Bucket						

2. Measurements: New Well: $Q = 5 \text{ Gal.} / 32 \text{ sec.} = 9.4 \text{ GPM}$
Old Well: $Q = 5 \text{ Gal.} / 25 \text{ sec.} = 12.0 \text{ GPM}$

From Hoses located near
each well.

Total 21.4 GPM
= 0.05 cfs

E. NARRATIVE/REMARKS/COMMENTS

1. This permit is for Commercial water use at the Goose Creek Store and Trailer Park. The water system has an old well drilled sometime in 1938-39, and a new well drilled in 1995. A new pump & motor was installed in the old well in 1998, and the new well's pump/motor was installed in 1996. The Store was in service in 1939, with no known water right.

2. The two wells are interconnected and serve a common water system. It wasn't possible to develop a layout of the pipe distribution system as Nathan Dreyer was not familiar with it. The system is operated by Air tanks & pressure switches at both wells. The new well has a well house, and the old well has the pressure controls and air tanks located in a room in a Storage area of the Store. The old well is outside.

3. Water Use: 14 Trailers, 2 Rental Cabins, Laundry & 2-bathrooms in Store. The laundry has a washer, dryer, 2 Hot water tanks and 1 sink.

4. There is no flow measuring device in the system.

Have conditions of permit approval been met? ☒ yes ☐ no

5. Flow measurements were taken from a hose near each well, but this would not be the capacity of each pump since other water service was being delivered, and the hoses are piped from the Air Tanks.

Additional Computation Sheets Attached

New Well: $Q_n = \frac{(8.8)(144)(702)}{28' + (32 \text{ psi}) \left(\frac{34'}{14.7 \text{ psi}} \right)} = 0.06 \text{ cfs}$

old well: $Q_o = \frac{(8.8)(1 \text{ HP})(702)}{28' + (32)(\frac{34}{14.7})} = \frac{0.06 \text{ cfs}}{0.12 \text{ cfs Total}}$

1. Volume Calculations for Irrigation:

$$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \text{There is yard irrigation for}$$

$$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = \text{each living unit.}$$

V = Smaller of V_{IB} and V_{DB} =

2. Volume Calculations for Other Uses: *Commercial*

a) 14 Trailers + 2 Rental cabins @ 1.2 AFA/unit
(Internal + External) = 19.2 AFA

b) Laundry @ store: $AFA = (50 \text{ GPD}) / (365 \frac{\text{Days}}{\text{Ann.}}) / (\frac{AF}{325,850 \text{ Gal}})$

c) 2 Bathrooms @ Store:

H. RECOMMENDATIONS

$$AFR = (400 \text{ GPD})(2)(365) \left(\frac{AF}{325,850} \right) = 0.10 \text{ AFA}$$

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion	Annual Volume
	From	To	Q (cfs)	V (afa)
<u>Commercial</u>	<u>01/01</u>	<u>12/31</u>	<u>0.12</u>	<u>20.2</u>
<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>
<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>
<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>
<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>
Totals:			<u>0.12</u>	<u>20.2</u>

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other


1) Div. rate
Could not
reach 0.24 c/s
for these pumps.

I. AUTHENTICATION

Field Examiner's Name Wass Tomich Date 1-4-00

Reviewer	Date
----------	------

Note that Proof
div. rate was
0.04 cts, but
this would not
be enough.



T19N
R2E
Sec. 28
SWNW

No Gov. Lots

78-0737 1/2



Trailer

Trailer

Trailer

Trailer

Trailer
(Manager)

Trailer

P/O
New well

Well
House

Trailer

Trailer

Trailer

Trailer

Trailer

Trailer

Trailer

P/O
old well

Trailer
space

Rental
Cabin

Rental
Cabin

Air Tanks, etc.

Storage
Store
stone

Garage

Packer John Road

3324 Hwy 55

Goose Creek Store
and Trailer Park

78-07371

IDAHO DEPARTMENT OF WATER RESOURCES

WELL INSPECTION FORM

New Well

1. DRILLING PERMIT NO: 78-95-W-0023-000 OTHER APPLICABLE NO: 78-07371
2. OWNER: Bick + Penelope Dreyer Phone: (208) 347-2386
Address: 3324 Hwy 55, New Meadows, ID 83654
3. WELL LOCATION: Twp 19 N, Rge. 2 E, Sec. 28, SW 1/4 NW 1/4
County Adams (Provide sketch map and photo on reverse.)
4. DRILLER: Gestrin Well Drilling Lic. No. 408
When Drilled? 10/25/95 to 10/30/95
5. WELL CONSTRUCTION:
Casing Diameter 6 inches Water tight cap? ☒ Yes ☐ No Access Port: ☐ Yes ☒ No
Casing $\geq$ 12 inches above ground? ☒ Yes ☐ No - Describe _____
Depth of Casing 92 ft. Method Drilled Air Rotary
Condition of Well Casing: ☒ Good ☐ Fair ☐ Poor Describe _____
Control Valve? ☒ Yes ☐ No Pressure Gauge: ☒ Yes ☐ No
Condition of Piping and Valving Good
Auger to a depth of _____ ft. Evidence of Annular Seal ☒ Yes ☐ No
Are there obvious construction problems that may be a source for contamination or waste of water?
☐ Yes ☒ No (Describe in Remarks and Attach Photo - On Reverse)
6. HYDROLOGIC INFORMATION:
Depth to Static Water 28 ft. Water Temperature 50 °F
Flowing Artesian ☐ Yes ☒ No Pressure: _____ (psi)
Water Sample Taken? ☐ Yes ☒ No If yes, describe purpose _____
Water Quality Measurements/Observations (Describe) _____
7. WELL USE:
☐ Domestic ☐ Irrigation ☐ Stock
☐ Test ☐ Municipal ☐ Industrial
☐ Abandoned ☐ Waste Disposal/Injection ☐ Not Used
☒ Other: Commercial

8. POSSIBLE CONTAMINATION SOURCES:

Is there evidence of Chemigation? ☐ Yes ☒ No

If yes, is there a check-valve present? ☐ Yes ☐ No

Is there a possible source of contamination nearby? ☐ Yes ☒ No

If yes, what Type? _____

How far away from the well is this source? _____


9. REMARKS:

This well and another old well
are used for the Goose Creek Store
and trailer park. The wells are inter-
connected and serve a common system.

Jan Zarnick, Water Rights Examiner
Signature of Dept. Representative & Title

6-23-99
Inspection Date

PHOTOS, DRAWINGS, OTHER ATTACHMENTS:



IDAHO DEPARTMENT OF WATER RESOURCES

WELL INSPECTION FORM

old well

1. DRILLING PERMIT NO: _____ OTHER APPLICABLE NO: 78-07371
2. OWNER: Rick + Penelope Dreyer Phone: (208) 347-2396
Address: 3324 Hwy 55, New Meadows, ID 83654
3. WELL LOCATION: Twp 19 N, Rge. 2 E, Sec. 28, SW 1/4 NW 1/4
County Adams (Provide sketch map and photo on reverse.)
4. DRILLER: _____ Lic. No. _____
When Drilled? _____
5. WELL CONSTRUCTION:
Casing Diameter 6 inches Water tight cap? ☒ Yes ☐ No Access Port: ☒ Yes ☐ No
Casing $\geq$ 12 inches above ground? ☐ Yes ☒ No - Describe Flush with ground
Depth of Casing 100 ft. Method Drilled _____
Condition of Well Casing: ☐ Good ☒ Fair ☐ Poor Describe _____
Control Valve? ☒ Yes ☐ No Pressure Gauge: ☒ Yes ☐ No
Condition of Piping and Valving Fair
Auger to a depth of _____ ft. Evidence of Annular Seal ☐ Yes ☒ No
Are there obvious construction problems that may be a source for contamination or waste of water?
☐ Yes ☒ No (Describe in Remarks and Attach Photo - On Reverse)
6. HYDROLOGIC INFORMATION:
Depth to Static Water 20-30 ft. Water Temperature 60/6 °F
Flowing Artesian ☐ Yes ☒ No Pressure: _____ (psi)
Water Sample Taken? ☐ Yes ☒ No If yes, describe purpose _____
Water Quality Measurements/Observations (Describe) _____
7. WELL USE:
☐ Domestic ☐ Irrigation ☐ Stock
☐ Test ☐ Municipal ☐ Industrial
☐ Abandoned ☐ Waste Disposal/Injection ☐ Not Used
☒ Other: Commercial

8. POSSIBLE CONTAMINATION SOURCES:

Is there evidence of Chemigation? ☐ Yes ☒ No

If yes, is there a check-valve present? ☐ Yes ☐ No

Is there a possible source of contamination nearby? ☐ Yes ☒ No

If yes, what Type? _____

How far away from the well is this source? _____


9. REMARKS:

This is an old well that was probably drilled about 1938-39. Since the Stone was in operation in 1939. This well along with the new well; 78-95-W-0023-000, provide water for the Goose Creek Stone and trailer park. The well are inter-connected and serve a common system.

Dan Tomich, Water Rights Examiner
Signature of Dept. Representative & Title

6-23-99
Inspection Date

PHOTOS, DRAWINGS, OTHER ATTACHMENTS:



1 of 5


P/u

Goose
Creek
Stone
+
Trailer
Park



P/D

New
Well
House




78-07371

2 of 5

P/O

New

Well



P/O

New

Well

House


Air Tanks,

etc.



78-07371

3 of 2



P/D

old

well



P/D

Air Tanks,

etc.

for old

well.


Located
in room
of storage
Area in
Store.

78-07371

4 of 5

Plu

Laundry
Room
in
Store



Plu


Trailers
on

West
side




78-07371

5 of 5



P/u

Trailers
on
North
side.



P/u

one of
two
Rental
Cabin

78-07371



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

August 12, 1997

Rick Dreyer
3324 Hwy 55
New Meadows, ID 83654

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 78-07371

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

Please be advised that Section 42-248, Idaho Code, which became effective on July 1, 1996, requires you or the owner of this water right to maintain current ownership and address records on file with the department. Forms to file a change of ownership of a water right and/or a change in the address of the water right owner are available from any department office.

If you have questions concerning the field examination, please contact the department's **WESTERN** Regional Office in Boise at (208) 334-2190.

Sincerely,

L. GLEN SAXTON, Chief
Water Allocation Bureau

c: IDWR - W. Region.

MICROFILMED

AUG 20 1997

Permit No. 78-07371 Reviewed by [Signature] Date 8-12-97

Proof Made 8-06-97

JD1

RECEIPT
For Monies Paid
to the
Idaho Department of Water Resources

Receipt No: C039751

Date: 8/ 6/1997
Time: 14:59:54

Received
From: GOOSE CREEK TRAILER COURT

	Type of Payment	Program A cct	Amount
BENEFICIAL USE	78-07371	56104 229 21 1155	50.00
CHECK	2089		
		Total	\$ 50.00

Region: STATE

Signature: _____

MICROFILMED
AUG 20 1997

July 31, 1997

RICK DREYER
3324 HWY 24
NEW MEADOWS ID 83654

PS 8/1/97

PROOF DUE NOTICE

RE: PERMIT NO. 78-07371

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before October 1, 1997. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

JULIE L. YARBROUGH
Senior Secretary

Enclosures

MICROFILMED

AUG 20 1997



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

September 29, 1995

RICK DREYER
3324 HWY 24
NEW MEADOWS ID 83654

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 78-07371

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. Please be sure to thoroughly review the "CONDITIONS/REMARKS:" listing on the permit.

As a permit owner you must commence the excavation or construction of the diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The date shown under condition no. 1 is the date when the project must be completed.

The Department will send you a "Proof Due Notice" approximately 60 days prior to the above referenced date requesting you to file either a Proof of Beneficial Use form or a Request for Extension of Time form.

If a well has not already been constructed you are required to obtain a "drilling permit" from the department. The right to drill a well is not a part of this permit to appropriate water.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:rl

Enclosures

RECORDED

NOV 15 1995

APPLICATION FOR PERMIT
STATE OFFICE REVIEW
by Cindy Zimmerman

No.: 78-7371 Name: Dreuer Date: 9/26/95 Ad OK? ☒
Correct Fee? ☒ Receipt #: W019108 Priority: 5/5/95 / Gvmt Lts: ☒

AREA OF CONCERN? GW exempt - No/Yes S/C Mor GWMA Trust/Non-trust
PROTESTED: - 020(Protest Agr) or W19(See Final/Prelim Order)

SYSTEM COMPLETED:

Yes/proof filed - NA
1 year/no proof - **P16**
+1 year - ~~NA~~ **P17**

GROUNDWATER: <✓ FLO-CH>

+ 0.2 cfs - **01M**
=/- 0.2 cfs - No MD
=/+ 5 a. - 01M, 065(if GW use SW 1st)

Drilling Permit:

Existing well - NA (pre 7/1/87)
Included w/permit - Permit No. _____, **P99**
No WD permit? - ~~46-46~~ **P23** (post 7/1/87)
irr. in WD - **P05** (new well)

SURFACE WATER <✓ FLO-CH> (Surface water that doesn't sink is regulated):

Water District (~~dem~~) - 005 (req) WD # _____ <SEE MAP & LISTING>
+ 0.2 cfs - 028(may report)-01J(meas dev)-**P08**
=/- 0.2 cfs - 028(may report)-01H(lock dev)-**P01** or No MD
=/+ 5 a. irr. - 028(may report)
~~In WD~~ + 0.2 cfs - 01M or No MD (in-stream)
- 0.2 cfs - No MD
=/+ 5 a. irr. - 01M

RIVER BASINS (*Surface water):

Snake R (01) - 11A-**P04**, NA
(02/03) - 007-**P07** (w/remark WB9), NA
Boise R (63) - 05A (if WD), 11E (not 42-111 use), NA
Payette R (65) - 064(regulated uses), 047-**P04** (Payette Lake), NA

USE:

Domestic (surface) - 021(Boise R + L Peak); 27A(Payette R); NA
Fish Propagation - 07A-042(rq)-010/06A/09E(WQ)-**P10**; 044(N 1000 Spr)
Irr <POU> =/- 5 a - 057 (0.03 cfs/A)
+ 5 a - 03A (0.02 cfs/A)
Mining - 054 (req) & 06A/010/09E-**P10**
Power - 08A-17K-025-027-01M-01F(**P19**)-09E(**P10**);
+25 cfs-**P18**; 17G(FERC) or 17M(FERC); 18B-**P09**
Storage(✓ 3 compo.) - 18A(multi MD in WD), 18B-**P09** (+10' dam), NA

LOCATION:

Boise Front LoGeo - 058 (-85° GW temp only)
In-stream dev. - **P52** (stream channel alteration)
Irr Dist/Canal Co. - 023 (Twin Falls area)
Swan Falls Flag - **B** <SEE CODE CHART>
Trust - 051-052-053-**P74** (Consumptive Uses), NA
Non-Trust <1> - 048-049 (Consumptive Uses), NA

OWNERSHIP: Non-land owner - 004 (PD/PU)

OTHER CONDITIONS:


STANDARD REMARKS:

2 Comm / 17 M.H. 2 Cabins, 1 Store/bar
Q 032 SWNW

BENEFICIAL USE DUE:

10-1-1997

COMMENTS:



Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

INITIAL REVIEW BY: g4 DATE: 5/30/95 APPLICATION: 78-7371

REQUIRED INFORMATION

Name: (If applicant is a corporation or partnership, names and addresses for the director, officers, and other partners must be included.)
Address:
Source: (See USGS Quad for names of water sources)
Point of Diversion: (10 acres for spring, lot & block descriptions for Subdivisions, local name)
County:
Quantity: (flow and/or volume)
Period of use:
Nature of proposed use: (Include description of use)
Description of diverting works:
Time required for beneficial use of water:
Place of use or acres irrigated:
Map: (show T, R, S, QQ &/or QQQ)
Subdivision plat: (for > 1 home in restricted area. ≥ 5 homes in non-restricted area)
Signature: (If applicant is corp., partnership, or municipality, title of signatory is required)
Fee:
Yes ___ No* In form to receipt:

Gov't. Lots:

3 P/D

4 P/U

ADDITIONAL INFORMATION

YES NO

☒ Overlapping place of use: (Describe source & relationship to present application on the back.)
☒ Overlapping point of diversion:
Field check required: Field check by: _____
Field report attached:
Critical groundwater area:
Groundwater management area:
1992 moratorium:
Copy to SCA staff: (perennial stream, non-pump diversion)
Copy to Dam Safety staff: (for any storage)
Basin 63 mitigation plan: (where ground water replaces surface water for irrigation, request additional information &/or mitigation plan to address reduced aquifer recharge)
Send power requirement letter:
Send fish farm requirement letter:
Power residency affidavit:
Power efficiency form:
Diversion greater than 5 cfs or 500 af or irrigation greater than 200 acres: (If yes, attach Large Diversion supplementary analysis sheet.)
*REQUEST ADDITIONAL INFORMATION FROM THE APPLICANT

DATE REQUESTED: _____

Additional information on reverse side:

PROCESSING

APPLICATION

J. 78-7371

YES NO

☒ ☐ In form for advertising:

☒ ☐ Statewide advertising: (> 10 cfs &/or 1000 af)

☒ ☐ Fee amount, receipt number and date recorded on application:

SEND COPIES TO

YES NO

☒ ☐ I.D. Health and Welfare

☐ ☒ I.D. District Health

☐ ☒ I.D. Fish and Game

☐ ☒ I.D. Lands

☐ ☒ Adjudication Bureau

YES NO

☐ ☒ U.S. BLM

☐ ☒ U.S. Forest Svc.

☐ ☒ Water Dist. # _____

☐ ☒ Other _____

FINAL REGIONAL PROCESSING REVIEW

YES NO

☒ ☐ Affidavit of publication received:

☒ ☐ Application published correctly: If not, record action taken.

☐ ☒ Publication dates and paper recorded on application:

☐ ☒ Protests received. Final date for protest 6-26-95

☐ ☒ Protest dates, resolution of protest recorded on application:

☐ ☒ Recommendations attached: Approve, Dnr

☐ ☒ Measuring device required:

☐ ☒ Measuring port required:

☐ ☒ Water delivered by water master? District # _____

☒ ☐ Special conditions of approval or cover letter: _____

26A (Allow 2 yrs)

☒ See below for additional information

Recommended Date or Priority 5/5/1995

Recommended by: Dnr

Date 9/20/1995

STATE OFFICE REVIEW

See below for additional information. By _____ Date _____

ADDITIONAL INFORMATION

Overlaps - Other sources &/or uses

Continued from page 3

26.00 2.52 102.22 100.00 330.74

LEGAL NOTICE

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

FOOT, PAUL DOUGL 69-07112
PO BOX 1948
MIDDLEBURG, VA 22117

Source: BEAR CREEK Tributary: WILDHORSE RIVER

Diversion Pt: NESE Sec 13 T 20N R 03W in ADAMS County.

use: STOCKWATER (0.030 CFS)
DOMESTIC (0.040 CFS)
Total Diversion: (0.070 CFS)

Date Filed: 5/ 9/1995

In: ADAMS County
T20N R03W S24
S25 SWSW
NWNW

78-07371

DREYER, RICK
3324 HWY 24
NEW MEADOWS, ID 83654

Source: GROUNDWATER

Diversion Pt: SWNW Sec 28 T 19N R 02E in ADAMS County.

Use: COMMERCIAL (0.240 CFS)
Total Diversion: (0.240 CFS)

Date Filed: 5/10/95 Not fatal

In: ADAMS County
T19N R02E S28 SWNW

Permits will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code. Any protest against the approval of this application must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 together with a protest fee of \$25.00 on or before JUNE 26, 1995. The protestant must also send a copy of the protest to the applicant.

KARL J. DREYER

Director
Published: 6/ 8/1995 & 6/15/1995

SUMMARY STATEMENT 1995 - 1996 SCHOOL BUDGET ALL FUNDS MEADOWS VALLEY SCHOOL DISTRICT #011

GENERAL M & O FUND ALL OTHER FUNDS

County Revenue	-0-	-0-	-0-	-0-
State Revenue	1,528,294	1,685,128	31,493	42,920
Federal Revenue	2,282	1,924	196,227	202,614
Other Sources	57,000	67,000	7,730	24,185
TOTALS	\$1,872,732	\$1,995,748	\$465,250	\$541,154

GENERAL M & O FUND ALL OTHER FUNDS

EXPENDITURES	Prior Year Budget 1994 - 1995	Proposed Budget 1995 - 1996	Prior Year B 1994 1995	Proposed Budget 1995 - 1996
Salaries	\$ 1,224,303	\$ 1,279,305	\$ 79,330	\$ 79,042
Benefits	394,960	419,719	24,253	20,226
Purchased Services	103,925	109,279	15,072	17,662
Supplies & Materials	97,502	124,644	44,810	43,325
Capital Outlay	38,490	34,458	292	35,970
Pension Retirement	-0-	-0-	489	33,489
Insurance & Judgments	13,335	14,349	-0-	-0-
Transfers	-0-	13,994	64,730	77,191
Contingency Reserve	217	-0-	-0-	-0-
Unappropriated Balances	-0-	-0-	195,274	234,249
TOTALS	\$ 1,872,732	\$ 1,995,748	\$ 465,250	\$ 541,154

A copy of the School District Budget is available for public inspection in the Administrative Offices of the School District or the Office of the Clerk of the District.

Published in The Record June 8, 1995

MEADOWS VALLEY SILVARS by C Fausett

May 29, 1995 - There was no dinner meeting today as the day was proclaimed to be Memorial Day and our help needed memorialized. We found this bit for philosophy, "It is time to focus on what we gain with age, not what we lose."

If you hate tax waste as bad as we do, ask you school board representative how much it costs to honor a frivolous petition to remove a teacher from the staff at Meadows Valley School. We betcha' some of the board would rather you don't find out. However, all public records are "supposed" to be open for us to see. We think our tax money is not being applied with thrifty economics. Who will the head hunters want next?

seniors enjoyed the fine food. "Happy Birthday" was sang to Bill Moats, Dorsey Warr, Maxine Spitler, and Gail Spitler. Dauna Fausett thanked the volunteers (for 172 hours) who set tables, cleaned off tables, and did multitude of other chores during the month of May. where would we be without volunteers? Probably still trying to get off the boat. It was announced that Council Seniors will hold a Father's Day breakfast. Come on Grandma, take Grandpa to breakfast on June 18th in Council. Heber Rich read us three humorous shorties, and Rufus Cole had one that bites us all. "Every man owes it to himself to try for success. But, if he ever finds success he will find he owes it to the IRS." Them ... taxes! !

June 2, 1995-Hallelujah, Theda Einhaus is home at Zim's and taking nourishment

Martinez and Christine Davis from Cascade made a welcome appearance today. Al Becker, from the Forest Service, visited before dinner with information for part time senior (over 55 years of age) help needs; an office receptionist, a warehouse and maintenance helper, and campground hosts are being solicited. If you are interested in any of these positions contact Al Becker at 347-2141.

Fifty-five exuberant seniors enjoyed a gourmet's "goulash" dinner tonight. Rufus had a one liner on the pessimist, and Christine Davis gave us a good chuckle with, "Why chickens don't talk? They don't like foul language." Don Essinger has called for a board meeting Wednesday, the 7th, at 3:30 p.m. Don't forget to ask about how your tax money is being squandered.

78-07371

DREYER, RICK
3324 HWY 24
NEW MEADOWS, ID 83654

Source: GROUNDWATER

Diversion Pt: SWNW Sec 28 T 19N R 02E in ADAMS County.

Use: COMMERCIAL (0.240 CFS)
Total Diversion: (0.240 CFS)

Date Filed: 5/10/1995

In: ADAMS County
T19N R02E S28 SWNW

RECORDED
NOV 15 1995