




28

27

26

34

35

33

10

11

9

Camp Az Mark
4564

BM 3652

Roadside Park

Hazard

MAY 17 1995

Camp

Creek

Hillman

Creek

Boulder
Creek

Creek

Little

JEEP

JEEP

TRAIL

TRAIL

NO govt
lots 5, 34

SUBD. LOT 46

govt
LOT 3

SUBD. LOT 4

8-07366


R1E

T22N

T21N

Topographic map of the Stanchard East area. The map features a river labeled "CREEK" and several elevation points. Handwritten annotations include "STANCHARD EAST" at the top, "12-11-11-1" in the center, and "FEB 1" at the bottom. A green arrow points to a specific location on the map. The map also shows a grid with coordinates and a scale bar.

BOULDER CREEK WOODS DEPENDENT RE-SURVEY
T 21N,R1E, SEC.3 & T22N,R1E, SEC.34



Sections 3 & 34
are 5-1.5-1.5
offset per
top
- 82 9/22/94

99360-82

Cooks
 5.3, noon
 use only in
 647 78-0736
 5.34 ÷ 5.3
 647 4612

Distance from W 1/6
1340' puts north tip
of lot 46 barely
into Nelson S.34
DER CREEK WOODS

5.3
15.5 9 1/2 m

78-67365

35520'W
859.91'


4

22/

16/22/3 28-



3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☐ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Beiggst Steeton	5	None Found		1.5 inch discharge.

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. **Measurements:** No measurement in the field - pump has been pulled from the stream.

MICROFILMED

JUN 20 2001

HILLMAN
CREEK

34

35

PLACE
OF USE

Spring

BM 3052

Creek

Creek

Roadside Park

POINT OF
DIVERSION

BOULDER
CREEK


LITTLE
Salmon River

79-07365 T2IN RUES 3
DOMESTIC SWNW
R3 Indian NT(1963)
LOT 46 Boulder Cr Woods Sub.
17' x 4 inches

MICROFILMED
JUN 20 2001

BOULDER CREEK WOODS DEPENDENT RE-SURVEY

T 21N, R1E, SEC. 3 & T 22N, R1E, SEC. 34





PHOTOGRAPHER AND DATE OF PHOTOS M. Minicucci 10/07/1997

FILE NO. 78-07365 T21N R01E S.3 NENW (Govt Lot 3)



① pump + rotor
in storage in
applicant's
shed



② Point of
diversion from
Boulder Creek.

MICROFILMED

JUN 20 2001



PHOTOGRAPHER AND DATE OF PHOTOS M Minicucci 10/07/1997

FILE NO. 78-07365 T21N R01E S.3 NENW (GOUT LOT 3)



③ Place of use. Flat area 30' north of the road.

MICROFILMED

JUN 20 2001

State of Idaho
Department of Water Resources
Water Right License

WATER RIGHT NO. 78-07365

Priority: September 22, 1994

Maximum Diversion Rate: 0.04 CFS
Maximum Diversion Volume: 0.6 AF

It is hereby certified that RICHARD M MC NULTY And/Or MRS RICHARD M MC NULTY
1801 N 18TH ST
BOISE ID 83702 have complied with the terms and
conditions of the permit, issued pursuant to Application for Permit dated September 22, 1994; and have
submitted Proof of Beneficial Use on November 08, 1996. An examination indicates that the works have
a diversion capacity of 0.73 cfs of water from:

SOURCE

BOULDER CREEK

Tributary: LITTLE SALMON RIVER

and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>DIVERSION RATE</u>	<u>ANNUAL DIVERSION VOLUME</u>
DOMESTIC	01/01 to 12/31	0.04 CFS	0.6 AF

LOCATION OF POINT(S) OF DIVERSION:

BOULDER CREEK L3 SW¼NE¼NW¼ Sec. 3, Twp 21N, Rge 01E, B.M., ADAMS County

PLACE OF USE: DOMESTIC

Twp Rge Sec	NE				NW				SW				SE				Totals
	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
21N 01E 3					X												
					L3												

CONDITIONS OF APPROVAL

1. Point of diversion and place of use are located within Lot 46, Boulder Creek Woods Subdivision.
2. Domestic use is for 1 home and does not include lawn, garden, landscape, or other types of irrigation.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. The water right confirmed by this license is subject to all prior water rights and shall be used in accordance with Idaho law and applicable rules of the Department of Water Resources.


Signed and sealed this 26th day of MARCH, 2001.

MICROFILMED

JUN 20 2001

Acting for

KARL J. DREHER
Director



FOR OFFICE USE ONLY
Amt. of Fee \$: 50
Receipt No. W021708
Receipt By: gl
Date Received: 11/8/96

RECEIVED

NOV - 8 1996

WATER RESOURCES
WESTERN REGION

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

RECEIVED

JDW2

NOV 13 1996

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 78-07365 Telephone No. (208) 389-1387

2. Name(s) of Permit Holder(s): RICHARD MCNUITY

3. Mailing Address: 1801 N. 18TH ST. BOISE, ID. 83702

(ADAMS COUNTY)
4. Source of Water: BOULDER CREEK If GROUNDWATER (well), Date Drilled: mo. ____ / yr. ____

a. Well Driller: _____ Drilling Permit Number: ____ - ____ - ____ - ____

b. OPTIONAL:
Pump Horsepower: 1.5 Pressure (psi): 2.0 Dynamic pumping level (ft): 2 FT.

5. Use(s) (as authorized by the water right permit):

Domestic (No. of households): 1 Stockwater (No. and type of stock): _____

Irrigation (No. of acres): _____ Other: _____

6. Total rate of diversion and/or volume for which proof is submitted: 0.20 cfs OR _____ acre feet

7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)

(This question is not optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)

Measuring Device: Is a measuring device required? Yes ____ or No no

Has the measuring device been installed? Yes ____ or No ____

Flow Measurement Port: Is a flow measurement port required? Yes ____ or No ____

Has the measurement port been installed? Yes ____ or No ____

8. Fee Enclosed: \$ 50.00 (See Fee Schedule on back of the instructions for filing proof of beneficial use)

9. Person to contact to accompany the Department representative during field examination of the water system.

Name: RICHARD MCNUITY Telephone Number (208) 389-1387

Address: 1801 N. 18TH ST. BOISE, ID. 83702

10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder: Richard McNulty Date: 11-7-96
(include your title, if on behalf of company of organization)

MICROFILMED

JAN 10 1997

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 78-07365

Proposed Priority: September 22, 1994 Maximum Diversion Rate: 0.04 CFS

This is to certify, that **RICHARD M MC NULTY**
MRS RICHARD M MC NULTY
1801 N 18TH ST
BOISE ID 83702

has applied for a permit to appropriate water from:

BOULDER CREEK tributary of **LITTLE SALMON RIVER**

and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
DOMESTIC	01/01 to 12/31	0.04 CFS

LOCATION OF POINT(S) OF DIVERSION: Lot 3(SWNENW), Sec. 3, Township 21N, Range 01E
Lot 4(SENWNW), Sec. 3, Township 21N, Range 01E
ADAMS County

PLACE OF USE: DOMESTIC

TWN RGE SEC

21N 01E 3 Lot 3(NENW)

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **January 1, 1997**.
2. Subject to all prior water rights.
3. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which permit holder had no control.
4. A separate stream alteration permit from the IDWR is required for any activity in the stream channel other than construction and/or maintenance of the diversion structure. If the proposed construction or operation involves construction of an outfall or any other work in the stream channel other than a water diversion, the right holder contact the Department and obtain a Stream Channel Alteration permit prior to the start of construction.
5. Single point of diversion located on or near line between Lot 3 (SWNENW) and Lot 4 (SENWNW), S03, T21N, R01E.
6. Domestic use is for 1 home.
7. Point of diversion and place of use located within Lot 46, Boulder Creek Woods Subdivision.

MINOR CHANGES

FEB 17 1995


State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 78-07365

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

19th day of January, 1995

for 
R. Keith Higginson, Director

FEB 17 1995

RECEIVED
DEC 28 1994

Ident. No. 78-07365

Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name: MR & MRS RICHARD M MC NULTY 208-389-1387
Address: 1801 N 18 ST
BOISE ID 83702
 2. Source: BOULDER CREEK Trib. to: LITTLE SALMON RIVER
 3. Location of Point of Diversion: Lot 3 (SWNENW), Sec. 3, Township 21N, Range 01E
Lot 4 (SENWNW), Sec. 3, Township 21N, Range 01E
ADAMS County
 4. Water will be used for the following purposes:

Purpose	From	To	CFS	(or)	AF
DOMESTIC	01/01	12/31	0.040		
 5. Total quantity to be appropriated is:
0.040 CFS (and/or) AF
 6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc.
GRAVITY OR GAS POWERED MOTOR WITH PUMP, PIPELINE TO HOME/YARD
 - b. Height of storage dam feet; active reservoir capacity
acre-feet; total reservoir capacity acre-feet; period of
year when water will be diverted to storage: to inclusive.
 - c. Proposed well diameter is inches; proposed depth of well is
feet.
 - d. Is groundwater with a temperature greater than 85F being sought? NO
 - e. If well is already drilled, when?
Drilling Firm
Well was drilled for
 7. Time required for the completion of the works and application of
the water to the proposed beneficial use is 5 year(s).
 8. Place of Use: DOMESTIC
- TWN RGE SEC
21N 01E 3 Lot 3 (NENW)

RECEIVED
FEB 17 1995

9. a. Who owns the property at the point of diversion?
APPLICANT
b. Who owns the land to be irrigated or place of use?
APPLICANT
c. If the property is owned by a person other than the applicant,
describe the arrangement enabling the applicant to make this filing.

10. Remarks:

Single point of diversion located on or near line between Gov't.
Lot 3 (SWNENW) and Gov't. Lot 4 (SENWNW), S3, T21N, R01E.
Property also known as Lot 46, Boulder Creek Woods Subdivision.
Domestic use is for 1 home.

11. Map of proposed point of diversion and place of use attached? ☒

BE IT KNOWN that the undersigned hereby makes application for permit to
appropriate the public waters of the State of Idaho as herein set forth.

Richard McNulty
Applicant

Received by SL Date 9/22/94 Time 2:54 Preliminary check by Cyt

Fee \$ 50 Receipted by SL # 10018145 * Date 9/22/94

Publication prepared by SL Date 9-28-94 Published in The Record

Publication approved SL Date 12-2-94

* date entered - SL

RECORDED
FEB 17 1995

- See Comments -


Comments: Date: 9/22/1994 User-ID: SLESTER

Subject:
LOCATION AND MORATORIUM

Sub. Lot 46 located in NESW & SESW S34 plus NENW S3 but domestic
use will occur nearer the creek in NENW S3 only.

Domestic use exempted from Salmon River Moratorium.

RECEIVED
FEB 17 1995



REGISTRATION DISTRICT OF


d D 21N K c

EAST

Stanchard


12-11-11-1

RECORDED
FEB 17 1995



BOULDER CREEK WOODS DEPENDENT RE-SURVEY

T 21N, R1E, SEC. 3 & T 22N, R1E, SEC. 34





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Boise, ID 83706 - P.O. Box 83720, Boise, ID 83720-0098

Phone: (208) 327-7900 Fax: (208) 327-7866 Web Site: www.idwr.state.id.us

March 27, 2001

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

RICHARD M MC NULTY
MRS RICHARD M MC NULTY
1801 N 18TH ST
BOISE ID 83702

RE: License No. 78-7365 - Issuance of License

Dear Water Right Holder(s):

The Department of Water Resources has issued the enclosed Water Right License confirming that a water right has been established in accordance with your permit. Please be sure to thoroughly review the conditions of approval and remarks listed on your license.

The license is a PRELIMINARY ORDER issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action by the Department unless a party petitions for reconsideration or files an exception and/or brief within fourteen (14) days of the service date as described in the enclosed information sheet.

Please note that water right owners are required to report any change of water right ownership and/or mailing address to the Department within 120 days of the change. Failure to report these changes could result in a \$100 late filing fee. Contact any office of the Department or visit the Department's homepage on the Internet to obtain the proper forms and instructions.

If you have any questions, please contact me at 208-327-7946.

Sincerely,

Shelley W. Keen

Water Rights Supervisor

SWK:klt

Enclosure(s)

MICROFILMED


JUN 27 2001

CERTIFICATE OF MAILING

I hereby certify that on March 27, 2001 I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER(Approved License) to the person(s) listed below:

RE: WATER RIGHT NO. 78-7365

**RICHARD M MC NULTY
MRS RICHARD M MC NULTY
1801 N 18TH ST
BOISE ID 83702**


**Karl Lynn Townsend
Secretary**

MICROFILMED

JUN 20 2001

**EXPLANATORY INFORMATION
TO ACCOMPANY A
PRELIMINARY ORDER**

The accompanying order or approved document is a "Preliminary Order" issued by the department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department of Water Resources (department) unless a party petitions for reconsideration, files an exception and brief, or requests a hearing as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the department within fourteen (14) days of the service date of this order. The department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See Section 67-5243(3) Idaho Code.

EXCEPTIONS AND BRIEFS

Within fourteen (14) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding with the Director. Otherwise, this preliminary order will become a final order of the agency.

REQUEST FOR HEARING

Unless a right to a hearing before the department or the Idaho Water Resource Board (Board) is otherwise provided by statute, any person aggrieved by any final decision, determination, order or action of the Director of the department and who has not previously been afforded an opportunity for a hearing on the matter may request a hearing pursuant to section 42-1701A(3), Idaho Code. A written petition contesting the action of the Director and requesting a hearing shall be filed within fifteen (15) days after receipt of the denial or conditional approval.

ORAL ARGUMENT

If the Director grants a petition to review the preliminary order, the Director shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Director will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Director orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Director in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with IDAPA Rules 37.01.01302 and 37.01.01303 (Rules of Procedure 302 and 303).

FINAL ORDER

The Director will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Director may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

MICROFILMED
JUN 20 2001

LICENSE REVIEW CHECKLIST

Permit No. 78-73165 Date: 3-21-01 Reviewer: Kay Walker

Change/OK

Name/Address OK

Source OK
Point of Diversion: OK

Does change clarify original intended source? If no, void permit.
Change (P39/P49) Add (P45/P44) Feds (P40)

Place of Use OK

W32 (multiple in 1/4/1/4)

W36 (overlap)

W59 (subdivision description)

Change (P41/P49) Add (P41/P44) Feds (P43)

W60 (subdivision description)

W27 (ppu acre limit)

Overlaps: Right(s): none

File reviewed _____ Profile reports printed _____

P/D & P/U amend (P37) Feds (P48)

Rate of Diversion:

Permitted rate 0.04 cfs
Fee Limit _____ cfs
Measured _____ cfs
Theoretical 0.73 cfs

Recommended Total Diversion Rate 0.04

Water Uses OK

Change (P46)

Season of Use per new Standards

Irrigation _____ cfs _____ af
Stockwater _____ cfs _____ af
Domestic 0.04 cfs 0.16 af
_____ cfs _____ af
_____ cfs _____ af
Total 0.04 cfs 0.16 af

Irrigation - overlap (R58-R61, R62-R65, R66-R69)

supp. Gw (WB7/065/104)

overlap spec combined rts (W35)

<1 acre (W31)

Domestic (W01/Wb5/070/071/075)

Power (W42 or W43/025/027/R22 or R23)

Fish (042)

Fire (077)

Water Quality (081/R07)

Payette - (W22/047/27A)

Stockwater for US (R37)

Volume Determination

_____ cfs x 1.9835 x _____ days = _____ af (vs) _____ acres x _____ (FHR) = _____ af

Remarks: _____

Additional Conditions

☒ Watermaster Control
☒ GW Measurement/Measuring Device
☒ Other
☒ Trust R55 - remove 051
☒ Non-trust (048/049)

GW Dist? _____
Water Msmt. Dist? _____
Crit. GWMA? _____
GWMA? _____
Government Lots? yes

Advance Priority? yes If yes, explain why below.
no

SRBA Claim? N/A

Adjust memo (see above)

Amend Letters

P87, S06

Second Amendment Notice

S06

capacity = 0.73 cfs
(8.8)(5.0)(.70)
40 + (2.31x0)

Permit No. 78-07365

Current Address: 1801 N 187h Boise ID 83702

Address: Same Phone No.

Relationship to Permit Holder: Same

3. Source: Boulder Creek tributary to LITTLE Salmon River

1. Other water rights with the same place of use: None

2. Other water rights with the same point of diversion: None


1. Point(s) of Diversion:

[illegible]

Indicate Method of Determination

[illegible]

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☐ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Beiggst Steaton	5	None Found		1.5 inch discharge

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. **Measurements:** No measurement in the field - pump has been pulled from the stream.

MICROFILMED

JUN 20 2001

E. NARRATIVE/REMARKS/COMMENTS

Pump is gasoline powered portable unit which is moved between the applicants' properties (see 78-07366).

Use at this time is only for family camping - no structures have been built.

No irrigation - water is used for cooking, washing, etc.

Have conditions of permit approval been met? ☒ yes ☐ no

MICROFILMED

JUN 20 2001

F. FLOW CALCULATIONS

____ Additional Computation Sheets Attached

Measured Method:

$$\frac{(8.8)(.60)(.70)}{40 + (2.31 \times 0)} = \frac{.77}{.77} \text{ cfs}$$

open discharge

40' left from USGS topo

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \frac{\sim}{A}$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = \frac{N}{A}$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = \frac{\sim}{A}$$

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Domestic	01/01	12/31	.04	.6
Totals:			.04	.6

per Tank
Standards
-R 2/1/00

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATION

Field Examiner's Name John H. Henshaw Date 12/15/1997

Reviewer _____ Date _____

SEAL
MICROFILMED
JUN 20 2001

A topographic map of the Hillman Creek area. The map features a grid with letters A through J along the top and numbers 1 through 10 along the right side. Elevation contours are drawn at 10-foot intervals, with labels for 480, 490, 500, 510, 520, 530, 540, 550, 560, 570, 580, 590, 600, 610, 620, 630, 640, 650, 660, 670, 680, 690, 700, 710, 720, 730, 740, 750, 760, 770, 780, 790, 800, 810, 820, 830, 840, 850, 860, 870, 880, 890, 900, 910, 920, 930, 940, 950, 960, 970, 980, 990, 1000, 1010, 1020, 1030, 1040, 1050, 1060, 1070, 1080, 1090, 1100, 1110, 1120, 1130, 1140, 1150, 1160, 1170, 1180, 1190, 1200, 1210, 1220, 1230, 1240, 1250, 1260, 1270, 1280, 1290, 1300, 1310, 1320, 1330, 1340, 1350, 1360, 1370, 1380, 1390, 1400, 1410, 1420, 1430, 1440, 1450, 1460, 1470, 1480, 1490, 1500, 1510, 1520, 1530, 1540, 1550, 1560, 1570, 1580, 1590, 1600, 1610, 1620, 1630, 1640, 1650, 1660, 1670, 1680, 1690, 1700, 1710, 1720, 1730, 1740, 1750, 1760, 1770, 1780, 1790, 1800, 1810, 1820, 1830, 1840, 1850, 1860, 1870, 1880, 1890, 1900, 1910, 1920, 1930, 1940, 1950, 1960, 1970, 1980, 1990, 2000, 2010, 2020, 2030, 2040, 2050, 2060, 2070, 2080, 2090, 2100, 2110, 2120, 2130, 2140, 2150, 2160, 2170, 2180, 2190, 2200, 2210, 2220, 2230, 2240, 2250, 2260, 2270, 2280, 2290, 2300, 2310, 2320, 2330, 2340, 2350, 2360, 2370, 2380, 2390, 2400, 2410, 2420, 2430, 2440, 2450, 2460, 2470, 2480, 2490, 2500, 2510, 2520, 2530, 2540, 2550, 2560, 2570, 2580, 2590, 2600, 2610, 2620, 2630, 2640, 2650, 2660, 2670, 2680, 2690, 2700, 2710, 2720, 2730, 2740, 2750, 2760, 2770, 2780, 2790, 2800, 2810, 2820, 2830, 2840, 2850, 2860, 2870, 2880, 2890, 2900, 2910, 2920, 2930, 2940, 2950, 2960, 2970, 2980, 2990, 3000, 3010, 3020, 3030, 3040, 3050, 3060, 3070, 3080, 3090, 3100, 3110, 3120, 3130, 3140, 3150, 3160, 3170, 3180, 3190, 3200, 3210, 3220, 3230, 3240, 3250, 3260, 3270, 3280, 3290, 3300, 3310, 3320, 3330, 3340, 3350, 3360, 3370, 3380, 3390, 3400, 3410, 3420, 3430, 3440, 3450, 3460, 3470, 3480, 3490, 3500, 3510, 3520, 3530, 3540, 3550, 3560, 3570, 3580, 3590, 3600, 3610, 3620, 3630, 3640, 3650, 3660, 3670, 3680, 3690, 3700, 3710, 3720, 3730, 3740, 3750, 3760, 3770, 3780, 3790, 3800, 3810, 3820, 3830, 3840, 3850, 3860, 3870, 3880, 3890, 3900, 3910, 3920, 3930, 3940, 3950, 3960, 3970, 3980, 3990, 4000, 4010, 4020, 4030, 4040, 4050, 4060, 4070, 4080, 4090, 4100, 4110, 4120, 4130, 4140, 4150, 4160, 4170, 4180, 4190, 4200, 4210, 4220, 4230, 4240, 4250, 4260, 4270, 4280, 4290, 4300, 4310, 4320, 4330, 4340, 4350, 4360, 4370, 4380, 4390, 4400, 4410, 4420, 4430, 4440, 4450, 4460, 4470, 4480, 4490, 4500, 4510, 4520, 4530, 4540, 4550, 4560, 4570, 4580, 4590, 4600, 4610, 4620, 4630, 4640, 4650, 4660, 4670, 4680, 4690, 4700, 4710, 4720, 4730, 4740, 4750, 4760, 4770, 4780, 4790, 4800, 4810, 4820, 4830, 4840, 4850, 4860, 4870, 4880, 4890, 4900, 4910, 4920, 4930, 4940, 4950, 4960, 4970, 4980, 4990, 5000, 5010, 5020, 5030, 5040, 5050, 5060, 5070, 5080, 5090, 5100, 5110, 5120, 5130, 5140, 5150, 5160, 5170, 5180, 5190, 5200, 5210, 5220, 5230, 5240, 5250, 5260, 5270, 5280, 5290, 5300, 5310, 5320, 5330, 5340, 5350, 5360, 5370, 5380, 5390, 5400, 5410, 5420, 5430, 5440, 5450, 5460, 5470, 5480, 5490, 5500, 5510, 5520, 5530, 5540, 5550, 5560, 5570, 5580, 5590, 5600, 5610, 5620, 5630, 5640, 5650, 5660, 5670, 5680, 5690, 5700, 5710, 5720, 5730, 5740, 5750, 5760, 5770, 5780, 5790, 5800, 5810, 5820, 5830, 5840, 5850, 5860, 5870, 5880, 5890, 5900, 5910, 5920, 5930, 5940, 5950, 5960, 5970, 5980, 5990, 6000, 6010, 6020, 6030, 6040, 6050, 6060, 6070, 6080, 6090, 6100, 6110, 6120, 6130, 6140, 6150, 6160, 6170, 6180, 6190, 6200, 6210, 6220, 6230, 6240, 6250, 6260, 6270, 6280, 6290, 6300, 6310, 6320, 6330, 6340, 6350, 6360, 6370, 6380, 6390, 6400, 6410, 6420, 6430, 6440, 6450, 6460, 6470, 6480, 6490, 6500, 6510, 6520, 6530, 6540, 6550, 6560, 6570, 6580, 6590, 6600, 6610, 6620, 6630, 6640, 6650, 6660, 6670, 6680, 6690, 6700, 6710, 6720, 6730, 6740, 6750, 6760, 6770, 6780, 6790, 6800, 6810, 6820, 6830, 6840, 6850, 6860, 6870, 6880, 6890, 6900, 6910, 6920, 6930, 6940, 6950, 6960, 6970, 6980, 6990, 7000, 7010, 7020, 7030, 7040, 7050, 7060, 7070, 7080, 7090, 7100, 7110, 7120, 7130, 7140, 7150, 7160, 7170, 7180, 7190, 7200, 7210, 7220, 7230, 7240, 7250, 7260,

PLACE
OF USE

POINT OF DIVERGENCE

Boulder
Creek


LITTLE
Salmon River

79-07365 T2IN RATES 3
SWNW
DOMESTIC RG Indiana DT (1963)
LOT 46 Boulder Cr Woods Sub.
1714 in 4 inches

MICROFILMED
JUN 20 2001

BOULDER CREEK WOODS DEPENDENT RE-SURVEY


T 21N, R1E, SEC. 3 & T 22N, R1E, SEC. 34





PHOTOGRAPHER AND DATE OF PHOTOS MMWUCCCL 10/07/1997

FILE NO. 78-07365 T21N R01E S.3 NENW (Govt LOT 3)



① pump + motor
in storage in
applicant's
shed



② Point of
diversion from
Boulder Creek.

MICROFILMED

JUN 20 2001



PHOTOGRAPHER AND DATE OF PHOTOS M Minicucci 10/07/1997
FILE NO. 78-07365 T21N R01E S.3 NE NW (GOUT LOT 3)



③ Place of use. Flat area 30' north of
the road.

MICROFILMED

JUN 20 2001

**ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE**

Permit No. 78-07365 Reviewed by [Signature] Date 11/14/94

GENERAL CONSIDERATIONS

yes Name same as permit?
yes Address same as permit?
yes Proof timely received?
If not, complete calculation below.

TYPES OF USE

dorm.

Correct Uses? yes

SOURCE OF WATER

☒ Surface water source

☐ Ground water source

☒ Drilling permit required?

☒ Copy in the file? Drilling Permit No. _____

☒ Amount paid for permit _____ Correct?

☒ Well log in the file?

LICENSE EXAMINATION FEE

yes Required?
50 Amount Submitted
yes Correct?

MEASURING DEVICE

no Required?
/ Installed?
/ Waiver requested?

PRIORITY CALCULATION

Date proof received	_____	<u>/</u>
Date proof due	_____	
No. of days late	_____	
Priority Date	_____	
New Priority Date	_____	

DEFICIENCIES OR ACTION ITEMS

*Advise that permit only authorized a diversion of 004
Proof acceptable.*

DATA ENTRY

New Address [Signature] Proof Made 11/8/94



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

November 19, 1996

RICHARD MCNULTY
MRS RICHARD MCNULTY
1801 N 18TH ST
BOISE ID 83702

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NOS. 78-07365 & 78-07366

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use forms submitted for the above referenced permits. The next step in the process of developing the water rights is for the department to conduct a field examination to determine and confirm the use being made of the water.

Please be aware that the maximum rate of diversion of each permit is 0.04 cfs and not the 0.20 cfs you indicated on the proofs. You are not authorized to divert more than 0.04 cfs on each permit.

Be advised that Section 42-248, Idaho Code, which became effective on July 1, 1996, requires you or the owner of this water right to maintain current ownership and address records on file with the department. Please contact any office of the department for the proper form to file a change of ownership of a water right and/or a change in the address of the owner. Failure to maintain current records with the department could result in the assessment of a monetary penalty.

If you have questions concerning the field examination, contact the **WESTERN** Regional Office in Boise, at (208)334-2190.

Sincerely,

JULIE L. YARBROUGH
Senior Secretary

c: IDWR - Region

MICROFILMED
JAN 10 1997

October 31, 1996

RICHARD M MC NULTY
MRS RICHARD M MC NULTY
1801 N 18TH ST
BOISE ID 83702

PROOF DUE NOTICE

RE: PERMIT NO. 78-07365

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before January 1, 1997. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.


SINCERELY,

JULIE L. YARBROUGH
Senior Secretary

Enclosures

MICROFILMED

JAN 10 1997





State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

January 20, 1995

RICHARD M MC NULTY
MRS RICHARD M MC NULTY
1801 N 18TH ST
BOISE ID 83702

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 78-07365

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. Please be sure to thoroughly review the "CONDITIONS/REMARKS:" listing on the permit.

As a permit owner you must commence the excavation or construction of the diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The date shown under condition no. 1 is the date when the project must be completed.

The Department will send you a "Proof Due Notice" approximately 60 days prior to the above referenced date requesting you to file either a Proof of Beneficial Use form or a Request for Extension of Time form.

Sincerely,

A handwritten signature in cursive script that reads 'Shelley W. Keen'.

Shelley W. Keen
Water Rights Supervisor

SK:rl

Enclosures

A handwritten signature in cursive script, likely 'R. Keith Higginson', written over a dark, rectangular stamp.

FEB 17 1995

**APPLICATION FOR PERMIT
STATE OFFICE REVIEW**
by Cindy Zimmerman

No.: 78-7365 Name: McNulty Date: 1/4/95
Correct Fee? ☒ Receipt #: W018145 Priority: 9/22/94

AREA OF CONCERN? - No/Yes S/C ^{-from example} GWMA Trust/Non-trust
PROTESTED: - 020(Prehearing agreement)/W19(See Order)

SYSTEM COMPLETED:

Yes	- NA (proof filed)
1 year/no proof	- P16
+1 year	- 26A-P17

GROUNDWATER:

+ 0.2 cfs <FLO-CH>	- 01G (new), 01K (existing), No MD
- 0.2 cfs	- No MD <FLOW CHART>

Drilling Permit:
Included w/permit - Permit No. _____, P99
Existing well - NA (pre 7/1/87)
No WD permit? - 046-46A(Irr)-46B-P23 (post 7/1/87)

SURFACE WATER:
Not in WD - ~~01K~~ (+.2 w/pump), No MD <FLOW CHART>
Water District(~~dem~~) - WD No. _____ <SEE MAP & LISTING>
*Surface water - 005 (req) 01J-P08 (-.2 w/pump) <FLOW CHART>
(doesn't sink) or 01H-P01 (+.2) <FLOW CHART>; No MD
GW irr. in WD - P05 (new well)

~~RIVER BASINS~~ (*Surface water):

Snake R(01/02/03)	-	11A-P04 (01), 061-P07 (02/03 No WD Cond.), NA
Boise R(63)	-	05A (if WD), 11E (non-domestic use), NA
Payette R(65)	-	064(consump. use), 047-P04(Payette Lake), NA

USE:

Domestic (surface)	-	021(Boise R ↑ L Peak), 064(Payette R), NA
Fish Propagation	-	07A-042 (req) & 010/06A/09E(WQ)-P10 044 (N 1000 Spr)
Irrigation	-	03A/057, 803(if GW use SW 1st)(+5A PU comp), NA
Mining	-	054 (req) & 06A/010/09E-P10
Power	-	08A-17K-025-027(req); 01F(MD)-P19; 09E(WQ)-P10; +25 cfs-P18; 17G(FERC) or 17M(FERE); 18B-P09
Storage(✓ 3 compo.)	-	18A(multi MD in WD), 18B-P09 (+10' dam), NA

LOCATION:

Boise Front (63)	-	058 (-85° GW temp only)
Drainage Districts	-	024 (region recommend)
Flood Control Dist.	-	063 (region recommend)
In-stream	-	030 (stream channel alteration)
Irr Dist/Canal Co.	-	023 (Twin Falls area)
Swan Falls Flag	-	<u>B</u> <SEE CONDITION CODE CHART>
Trust	-	051-052-053-P74 (Consumptive Uses), NA
Non Trust <1>	-	048-049 (Consumptive Uses), NA

OWNERSHIP:
Non land owner - 004 (PD/PU)

OTHER CONDITIONS:

REMARKS: - ① W91/1 ② W33 ③ P/O & P/U / LT 46, Boulder Cr. Woods Subd

BENEFICIAL USE DUE: - 1-1-1997

COMMENTS:

WR0749NP
No. P78-07365

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT

DATE: 01/04/95
PAGE: 1

OWNER		PRIORITY	WATER USE	USE PERIOD		DIVERSION	DIVERSION
CODE	NAME & ADDRESS	DATE		FROM	TO	RATE	VOLUME
C	RICHARD M MC NULTY	09/22/1994	DOMESTIC	01-01	12-31	0.04 CFS	
C	MRS RICHARD M MC NULTY						
	1801 N 18TH ST						
	BOISE ID 83702						
	(208) 389-1387						
TOTAL DIVERSION:						0.04 CFS	

Water Source: BOULDER CREEK

Tributary to: LITTLE SALMON RIVER

Stage: PERMIT

Point(s) of Diversion: T21N R01E S03 Lot 03(SWNNW) Lot 04(SENWNW)

ADAMS County

Place of use Legal Description for: DOMESTIC

NE				NW				SW				SE			
NENE NENE SENE				NENE NENE SENE				NENE NENE SENE				NENE NENE SENE			
T	R	S	: Lt Ac Lt Ac Lt Ac Lt Ac	: Lt Ac Lt Ac Lt Ac Lt Ac	: Lt Ac Lt Ac Lt Ac Lt Ac	: Lt Ac Lt Ac Lt Ac Lt Ac	: Lt Ac Lt Ac Lt Ac Lt Ac	: Lt Ac Lt Ac Lt Ac Lt Ac	: Lt Ac Lt Ac Lt Ac Lt Ac	: Lt Ac Lt Ac Lt Ac Lt Ac	: Lt Ac Lt Ac Lt Ac Lt Ac	: Lt Ac Lt Ac Lt Ac Lt Ac	: Lt Ac Lt Ac Lt Ac Lt Ac	: Lt Ac Lt Ac Lt Ac Lt Ac	: Lt Ac Lt Ac Lt Ac Lt Ac
21N	01E	3	:	:	:	:	:	:	:	:	:	:	:	:	:
			:	:	:	:	:	:	:	:	:	:	:	:	:
			:	:	:	:	:	:	:	:	:	:	:	:	:

Pou County: ADAMS

Conditions of Approval:

- 26A - Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which permit holder had no control.
- 030 - A separate stream alteration permit from the IDWR is required for any activity in the stream channel other than construction and/or maintenance of the diversion structure. If the proposed construction or operation involves construction of an outfall or any other work in the stream channel other than a water diversion, the right holder contact the Department and obtain a Stream Channel Alteration permit prior to the start of construction.

Remarks: Single point of diversion located on or near line between Lot 3 (SWNNW) and Lot 4 (SENWNW), S03, T21N, R01E.
Domestic use is for 1 home.
Point of diversion and place of use located within Lot 46, Boulder Creek Woods Subdivision.

Dates: App. Received: 09/22/1994 Priority Date: 09/22/1994
Proof Due Date: 01/01/1997 Proof Made Date:
Exam Made Date: Exam Sent to S.O.:
Licensed Date:

Misc: Water District Number: Field Exam Fee:

WR0749NP
No. P78-07365

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT

DATE: 01/04/95
PAGE: 2

=====

Comments: Date: 09/22/1994 User-ID: SLESTER Subject: LOCATION AND MORATORIUM
Sub. Lot 46 located in NESW & SESW S34 plus NENW S3 but domestic
use will occur nearer the creek in NENW S3 only.

Audit: 01/04/95 CZIMMER

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

INITIAL REVIEW BY: CJH DATE: 9/27/94 APPLICATION: 78-07365

REQUIRED INFORMATION

☐	Name: (If applicant is a corporation or partnership, names and addresses for the director, officers, and other partners must be included.)	
☐	Address:	
☐	Source: (See USGS Quad for names of water sources)	
☐	Point of Diversion: (10 acres for spring, lot & block descriptions for subdivisions, local name)	
☐	County:	
☐	Quantity: (flow and/or volume)	
☐	Period of use:	Gov't. Lots: ☐ P/D
☐	Nature of proposed use: (Include description of use)	☒ P/U
☐	Description of diverting works:	
☐	Time required for beneficial use of water:	
☐	Place of use or acres irrigated:	
☐	Map:	
☐	Signature: (If applicant is corp., partnership, or municipality, title of signatory is required)	
☐	Fee:	
☐	Yes ☐ No* In form to receipt:	

ADDITIONAL INFORMATION

YES	NO	
☐	☒	Overlapping place of use: (Describe source & relationship to present application on the back.)
☒	☐	Overlapping point of diversion:
☐	☐	Field check required: Field check by: _____
☐	☐	Field report attached:
☐	☒	Critical groundwater area:
☒	☐	Groundwater management area:
☐	☐	1992 moratorium <u>Salmon R - exempt</u>
☐	☐	Copy to SCA staff (perennial stream, non-pump diversion):
☐	☐	Send dam safety information:
☐	☐	Send power requirement letter:
☐	☐	Send fish farm requirement letter:
☐	☐	Power residency affidavit:
☐	☐	Power efficiency form:
☐	☐	Within trust water boundary: (If yes, attach Trust Water Supplementary Analysis Sheet.)
☐	☐	Diversion greater than 5 cfs or 500 af or irrigation greater than 200 acres: (If yes, attach Large Diversion supplementary analysis sheet.)
☐	☐	<u>*REQUEST ADDITIONAL INFORMATION FROM THE APPLICANT</u>

DATE REQUESTED: _____

Additional information on reverse side: _____

RECEIVED
DEC 28 1994

Department of Water Resources

PROCESSING

APPLICATION NO. 78-07365

YES NO

☒	☐
☒	☐
☒	☐

In form for advertising:

Statewide advertising: (> 10 cfs &/or 1000 af)

Fee amount, receipt number and date recorded on application:

SEND COPIES TO

YES NO

☐	☒
☐	☒
☐	☒
☐	☒

I.D. Health and Welfare

I.D. Fish and Game

I.D. Lands

Adjudication Bureau

YES NO

☐	☒
☐	☒
☐	☒
☐	☒

U.S. BLM

U.S. Forest Svc.

Water Dist. # _____

Other _____

FINAL REGIONAL PROCESSING REVIEW

YES NO

☒	☐
☒	☐

Affidavit of publication received:

Application published correctly: If not, record action taken.

☐	☒
☐	☒
☐	☒
☐	☒
☐	☒
☐	☒
☐	☒
☒	☐

Publication dates and paper recorded on application:

Protests received. Final date for protest 10-24-94

Protest dates, resolution of protest recorded on application:

Recommendations attached: approve, DW

Measuring device required:

Measuring port required:

Water delivered by water master? District # _____

Special conditions of approval or cover letter: _____

26A (Allow 2 years)

See below for additional information

Recommended Date or Priority 9/22/1994

Recommended by: DW Date 12/20/1994

STATE OFFICE REVIEW

See below for additional information. By _____ Date _____

ADDITIONAL INFORMATION

PD overlap, different Source, different owner.

LEGAL NOTICE

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

03-07057

ARMACOST, DORIS
ARMACOST, BRET
PO BOX 159/IDAHO SIDE
OXBOW, OR 97840

Source: SNAKE RIVER Tributary: COLUMBIA RIVER

Diversion Pt: LOT 3 (NWNENW) Sec 23 T 20N R 04W in ADAMS County.

Use: IRRIGATION (.150 CFS)
DOMESTIC (.040 CFS)
Total Diversion: (.190 CFS)

Date Filed: 9/ 8/1994

In: ADAMS County
T20N R04W S14 Lot 4(SESW)
S23 Lot 3(NENW)

5.0 ACRES TOTAL

67-07976

HEART DIAMOND INC
HC 79 BOX 87A
MELBA, ID 83641

Source: GROUNDWATER

Diversion Pt: SENENW Sec 21 T 15N R 01W in ADAMS County.

Use: IRRIGATION (.200 CFS)
Total Diversion: (.200 CFS)

Date Filed: 9/16/1994

In: ADAMS County
T15N R01W S21 NENW

10.0 ACRES TOTAL

78-07365

MC NULTY, RICHARD M
MC NULTY, MRS RICHARD M
1801 N 18TH ST
BOISE, ID 83702

Source: BOULDER CREEK Tributary: LITTLE SALMON RIVER

Diversion Pt: LOT 3 (SWNENW) Sec 3 T 21N R 01E in ADAMS County.
LOT 4 (SENWNW) Sec 3 T 21N R 01E in ADAMS County.

Use: DOMESTIC (.040 CFS)
Total Diversion: (.040 CFS)

Date Filed: 9/22/1994

In: ADAMS County
T21N R01E S03 Lot 3(NENW)

78-07366

MC NULTY, RICHARD M
MC NULTY, MRS RICHARD M
1801 N 18TH ST
BOISE, ID 83702

Source: BOULDER CREEK Tributary: LITTLE SALMON RIVER

Diversion Pt: SWNW Sec 3 T 21N R 01E in ADAMS County.

Use: DOMESTIC (.040 CFS)
Total Diversion: (.040 CFS)

Date Filed: 9/22/1994

In: ADAMS County
T21N R01E S03 SWNW

Permits will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code. Any protest against the approval of this application must be filed with the Director, Dept of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 together with a protest fee of \$25.00 on or before OCTOBER 24, 1994. The protestant must also send a copy of the protest to the applicant.

R. KEITH HIGGINSON, Director

LEGAL NOTICE

OFFICE OF ELECTION

OF

SOIL CONSERVATION DISTRICT SUPERVISORS
to be held for the

ADAMS SOIL CONSERVATION DISTRICT

To all qualified electors residing within the boundaries of the District, notice is hereby given that on the 8th day of November, 1994, between the hours of 8:00 a.m. and 8:00 p.m., an election will be held for the election of two Supervisors of the Adams District of the State of Idaho.

Polling places for the election are as follows:

Senior Citizens Center, New Meadows
Indian Valley Community Center/Post Office
Adams County Courthouse

Adams Soil Conservation District. S/Ferrel Crossley, Chairman

Dated 11th day of October, 1994.

Published in The Record 10/13/94 and 10/20/94

LEGAL NOTICE

Council School District No. 13 is accepting bids for one Viking sewing machine model #10 and one Bernina sewing machine model #811 with a minimum bid of \$50 each, and one Hotpoint refrigerator, 17 cubic feet, with a minimum bid of \$100.

Sealed bids must be submitted to the district clerk's office or mailed to Council School District No. 13, P.O. Box 468, Council, ID 83612, by 4 p.m. on Friday, November 11, 1994, and will be opened at the regular school board meeting on November 14, 1994. Council School District No. 13 reserves the right to reject any or all bids.

For more information, contact Jodi Cook or Keith Trappett at 208-253-4217.

The items for bid may be viewed at the high school during normal business hours.

S/Cathy L. Lakey

Published in The Record 10/13/ and 10/20/94

LEGAL NOTICE

CRP GRAZING EXTENDED;
GRAZING FEES ADJUSTED

Grazing of CRP acres has been authorized for extension through November 30. Approval for Adams and Washington County to graze CRP acres was granted due to the drought conditions. The grazing fee was also reduced from 25% per acre rental rate to a prepaid 8 percent. To qualify, the producer must have suffered a 40% loss in feed for 1994, which is determined at the ASCS office. For additional information, please contact the Adams/Washington county ASCS office at 1-800-481-0103 or (208)-549-0069.

Published in The Record
10/13/94



Grapes grow in clusters of as few as six to as many as 300 berries.

Volunteer!

THERE'S NOTHING
BROTHER THAN THE SWORD

AMERICAN
CANCER

LEGAL NOTICE

Legal Notice

The hearing scheduled for 2:00 P.M. October 17, 1994 by the Board of Adams County Commissioners on the conditional use permit for Seubert Excavators has been canceled.

Board of Adams County
Commissioners

Published in The Record
10/13/94



Four-tined forks came into common use in American homes around 1800. Before that, two- or three-tined forks had been more customary.

PEOPLE'S THEATRE

211 Illinois Ave.
Council, Id. 253-4839
Box Office Open
7:30 p.m.
Admission:
Adults - \$4.00
Seniors - \$2.00
Under 12 - \$2.00

Sat & Sun Oct. 15 - 16

78-07365

MC NULTY, RICHARD M
MC NULTY, MRS RICHARD M
1801 N 18TH ST
BOISE, ID 83702

Source: BOULDER CREEK

Tributary: LITTLE SALMON RIVER

Diversion Pt: LOT 3 (SWNENW) Sec 3 T 21N R 01E in ADAMS County.
LOT 4 (SENWNW) Sec 3 T 21N R 01E in ADAMS County.

Use: DOMESTIC (.040 CFS)
Total Diversion: (.040 CFS)

Date Filed: 9/22/1994

In: ADAMS County
T21N R01E S03 Lot 3 (NENW)

FEB 17 1995