




78-7363

23NIE


29

P/U

P/D

PROPERTY 7-77
DEC 20 1991

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.




Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Marshall Wayne Mayoung Engler
(Applicant)

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = None

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☐ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

No Aerial Photo Available for this area.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
<u>Small Pump</u>		<u>3/4</u>		<u>Grunfos</u>	
<u>Large Pump</u>		<u>5</u>		<u>Grunfos</u>	

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS


1.

No flow measuring devices in system.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: None - operating pressure; 35-65 PSI

MICROFILMED
JAN 31 2000



No Gov. Lots
Grouse Creek

T23N
R1E
Sec. 29

Pld. well
78-07363


Pld. River Pump
P/u. stock Trough
78-07357

P/u. Irrigation
78-07363

P/u. stock
Trough
78-07363

Domestic well
E Home

MICROFILMED
78-07363
78-07357
JAN 3 1980



P/u, Irrigation
78-07363

Tract A 8.43 Ac.

Tract B 6.78 Ac.

Tract C 1.64 Ac.

16.85 Ac.

[Copied off
owner's Survey
Plat]

P/D, River Pump
P/u Stock Trough
78-07357

Domestic
Well
+ Home

Fire
#142-1
@ Lane
to Home

MICROFILMED
JAN 31 2000

78-07357

78-07363

8. POSSIBLE CONTAMINATION SOURCES:

Is there evidence of Chernigation? ☐ Yes ☒ No

If yes, is there a check-valve present? ☐ Yes ☐ No

Is there a possible source of contamination nearby? ☐ Yes ☒ No

If yes, what Type? _____

How far away from the well is this source? _____

9. REMARKS:

This well is for 15 Hr. of irrigation, stock water, and one small cabin at the well site. The owner also has a domestic well at their home site. The two systems are not interconnected. The well has a 3/4 HP, and a 5 HP pump in it.

Don Tomich Water Rights Examiner

Signature of Dept. Representative & Title

2-24-99

Inspection Date

PHOTOS, DRAWINGS, OTHER ATTACHMENTS:



MICROFILMED

JAN 31 2000

1 of 3

P/D

Well in
Well House

Large Pipe
is for
5 HP Pump,
and Small
Pipe is
for 3/4 HP
Pump.



P/D

Well House
is small
Green roof
building.

Plu, Cabin
on left of
Well House

Plu
Main line +
Sprinkler
laterals



MICROFILMED

JAN 31 2000

78-07363

2 of 3



P/u

Main line +

Sprinkler

lateral

in

irrigated

pasture.



Plu

stock

Trough

off

of

main line,

2" lateral

+ hose.

MICROFILMED

JAN 31 2000

78-07363

3 of 3



Plu

Typical

Mainline

Sprinkler

+

Lateral

Pipe



Plu

Typical

Lateral

Sprinkler

Pipe

MICROFILMED
JAN 31 2000


78-07363

Marshall & Man... Dryden
PO Box 187 Pollock Id Wat & Right # 78-07363
Drilling permit # 78-95-0006

Domestic,
Irrigation, Stock water.

Well drilled by Uhlenkott Drilling
7mm Id.

ATTN John Carlson



T 23N Sec 29 R1E SE 1/4


* well
Property to irrigate

- U.S. Highway 95
- County Road
- Little Salmon River

AFFIDAVIT OF PUBLICATION


STATE OF IDAHO
County of Idaho - ss.

Andrew J. McNab, being
first duly sworn, says he is the Publisher
of the IDAHO COUNTY FREE PRESS, a weekly newspaper published
and issued weekly at Grangeville, Idaho county, State of Idaho, and is
of general circulation in said county and state, that the said notice, of
which the one hereto attached is a true copy, was published in said
paper for two weeks, being published two
times, the first publication being on the 14th day of
September, 19 94, and the last
publication on the 21st day of September, 19 94;
and that the said notice was published in the newspaper proper and not
a supplement; that said newspaper has been continuously and uninter-
ruptedly published in said county during a period of seventy-eight
consecutive weeks prior to the publication of said notice or advertise-
ment.



STATE OF IDAHO }
COUNTY OF } IDAHO

On this 21st day of September in the year of 1994,
Before me, a Notary Public, personally appeared
Andrew J. McNab, known or identified to me
to be the person whose name subscribed to the within instrument, and
being by me first duly sworn, declared that the statements therein are
true, and acknowledged to me that he executed the same.


Notary Public for Idaho
Residing at Grangeville, ID
My commission expires: 10-8-99

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been
filed to appropriate the public waters of
the State of Idaho:

78-07363

MARJORY & MARSHALL DRYDEN
P.O. BOX 187

POLLOCK, ID 83547

Source: GROUNDWATER

Diversion Pt: SWNWSE Sec. 29 T 23N

R 01E in IDAHO County. NWSWSE

Sec. 29 T 23N R 01E in Idaho County.

Use: IRRIGATION (.300 CFS)

STOCKWATER (.030 CFS)

Total Diversion: (.330 CFS)

Date Filed: 8/30/1994

In: IDAHO County

T23N R01E S29 NWSW SWSE

15 ACRES TOTAL

79-07226

ARMANDO MASTAGNI

P.O. BOX 367

LUCILE, ID 83542

Source: ELFERS CREEK

Tributary: SALMON RIVER

Diversion Pt: NESE Sec. 9 T 25N R 01E

in IDAHO County. SESE Sec 9 T 25N R

01E in IDAHO County. SWNW Sec. 10

T 25N R 01E in IDAHO County. SENW

Sec. 10 T 25N R 01E in IDAHO County.

Use: STOCKWATER (.030 CFS)

Total Diversion: (.030 CFS)

Date Filed: 8/25/1994

In: IDAHO County

T25N R01E S09 NESE SESE

S10 SWNW SENW NWSW

Stockwater use is for instream
stockwatering for 100 range cattle on
Elfers Creek.

Permits will be subject to all prior water
rights. Protests may be submitted based
on the criteria of Sec. 42-203A, Idaho
Code. Any protest against the approval
of this application must be filed with the
Director, Dept. of Water Resources,
Western Region, 2735 Airport Way,
Boise, Idaho 83705 together with a
protest fee of \$25.00 on or before
OCTOBER 3, 1994. The protestant
must also send a copy of the protest to
the applicant.

R. KEITH HIGGINSON, Director
S14-21

RECEIVED

OCT 03 1994.

WATER RESOURCES
WESTERN REGION

RECEIVED

DEC 20 1994

State of Idaho
Department of Water Resources
Water Right License

WATER RIGHT NO. 78-07363

Priority: August 30, 1994

Maximum Diversion Rate:

0.30 CFS

Maximum Diversion Volume:

60.7 AF

This is to certify, that MARSHALL DRYDEN
MARJORY DRYDEN

PO BOX 187

POLLOCK ID 83547-0187

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated August 30, 1994; and has submitted Proof of Beneficial Use on October 16, 1998. An examination indicates that the works have a diversion capacity of 0.300 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	02/15 to 11/30	0.30 CFS	60.0 AF
STOCKWATER	01/01 to 12/31	0.03 CFS	0.7 AF
	Totals	0.30 CFS	60.7 AF

LOCATION OF POINT(S) OF DIVERSION:

NWSE , Sec. 29, Township 23N, Range 01E
IDAHO County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
23N	01E	29	NWSE 11	SWSE 4		15

Total number of acres irrigated: 15


PLACE OF USE:

STOCKWATER, same as IRRIGATION use

CONDITIONS OF APPROVAL AND REMARKS

1. This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 4.0 afa per acre at the field headgate for irrigation of the lands above.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. The water right confirmed by this license is subject to all prior water rights and shall be administered in accordance with Idaho law and applicable rules of the Department of Water Resources. Signed and sealed this 25TH day of JANUARY, 2000.


Acting for KARL J. DREHER, Director MICROFILMED

JAN 31 2000

RECEIVED

OCT 16 1998

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Department of Water Resources

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 78-07363 Telephone No. 208-628-3450
2. Name(s) of Permit Holder(s): Marjory Marshall Dryden
3. Mailing Address: P.O. Box 187 Pallock Idaho 83547
4. Source of Water: ground water If GROUNDWATER (well), Date Drilled: mo. / yr.
 - a. Well Driller: Uhlenkott Drilling Permit Number: 78-95-C-0006-000
 - b. OPTIONAL:
Pump Horsepower: 5 hp Pressure (psi): 45 Dynamic pumping level (ft): 32 ft
5. Use(s) (as authorized by the water right permit):
Domestic (No. of households): Stockwater (No. and type of stock): 100 hd.
Irrigation (No. of acres): 15 acc. Other:
6. Total rate of diversion and/or volume for which proof is submitted: 0.33 cfs OR acre feet
7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)
(This question is not optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)

Measuring Device:	Is a measuring device required?	Yes <u> </u>	or	No <u>X</u>
	Has the measuring device been installed?	Yes <u> </u>	or	No <u>X</u>
Flow Measurement Port:	Is a flow measurement port required?	Yes <u> </u>	or	No <u>X</u>
	Has the measurement port been installed?	Yes <u> </u>	or	No <u>X</u>
8. Fee Enclosed: \$ 100.00 (See Fee Schedule on back of the instructions for filing proof of beneficial use)
9. Person to contact to accompany the Department representative during field examination of the water system.
Name: Marjory Dryden Telephone Number: 208-628-3450
Address: P.O. Box 187 - Hiram 95142-1 Pallock, Idaho 83547
10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder: Marjory Dryden
(include your title, if on behalf of company or organization)

Date: 10/14/1998
MICROFILMED

NOV 27 1998

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

REQUEST FOR EXTENSION OF TIME
TO PROVIDE ADDITIONAL TIME IN WHICH TO SUBMIT PROOF OF
BENEFICIAL USE FOR A WATER RIGHT PERMIT

RECEIVED

OCT 08 1996

Department of Water Resources

The Idaho Department of Water Resources will consider this form as a request that the permit holder(s) be granted an additional period of time under the provisions of Section 42-204, Idaho Code in which to complete development of a water right.

Permit No. 78-7363 well

Name(s) of Permit Holder: Marshall Marjory Dryden

Mailing Address: PO Box 187 Pollock Idaho 83547

Date Proof is Due: Sept-1 1996 (-Extended-1998) Telephone No. 208-628-3450

Describe what work has been completed toward the development of this water right:

(This must be filled out! If no work has been completed, show "none".)

127' well- 5Hp pump-at 45psi ^{irrigation} Main line 4" permatase - 3" lines
Serving now approx 5 acers. Have enough pipe to do another Acre.
Using 3 gallon heads do 10 ^{heads at a time} settings. and rotate. There is
a small domestic pump for Cabir used year around Costing \$ 6,500.
Had pipe from 1981

The permit holder(s) has been unable to complete the remainder of the work for the following reasons:

Time - one year not enough time to develop to full Average
Our age 69 & 80 we are working and buying more
pipe. Have worked this year and bought 15-40' 3 inch line & flares elbow & ect.

Permit holder(s) request an extension to Sept 1, 19 98.

FEE: \$50.00

(Signature)*

*If other than permit holder, Power of Attorney must be supplied.

MICROFILMED

ACTION OF THE DEPARTMENT OF WATER RESOURCES

IT IS HEREBY ORDERED that the above request for extension of time be APPROVED and the time within which to submit proof of beneficial use is extended to December 1, 1998.

Signed this 5th day of November, 19 96

Chief, Water Allocation Bureau

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 78-07363

Proposed Priority: August 30, 1994

Maximum Diversion Rate:

0.33 CFS

This is to certify, that **MARJORY DRYDEN**
MARSHALL DRYDEN
PO BOX 187
POLLOCK ID 83547-0187

has applied for a permit to appropriate water from: **GROUNDWATER**

and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	03/01 to 11/30	0.30 CFS
STOCKWATER	01/01 to 12/31	0.03 CFS
	Totals	0.33 CFS

LOCATION OF POINT(S) OF DIVERSION:

SWNWSE , Sec. 29, Township 23N, Range 01E
NWSWSE , Sec. 29, Township 23N, Range 01E
IDAHO County

PLACE OF USE: IRRIGATION

<u>TWN RGE SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
23N 01E 29	NWSE 8	SWSE 7		15

Total number of acres irrigated: 15

PLACE OF USE: STOCKWATER, same as IRRIGATION use

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **December 1, 1996**.
2. Subject to all prior water rights.
3. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which permit holder had no control.
4. The right holder shall provide a means of measurement acceptable to the Department from all authorized points of diversion which will allow determination of the total rate of diversion.
5. The rate of diversion of water for irrigation under this right and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.
6. Single point of diversion located on or near line between SWNWSE and NWSWSE S29, T23N, R01E.
7. Stockwater is for 100 range cattle.

DEC 20 1994

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 78-07363

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

7th day of December, 1994

R. Keith Higginson
for R. Keith Higginson, Director

DEC 20 1994

RECEIVED
OCT 25 1994

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

Ident. No. 78-7363

RECEIVED
AUG 30 1994

WATER RESOURCES
WESTERN REGION

Department of Water Resources To appropriate the public waters of the State of Idaho

1-208-634-4338

Phone 208 638-3450

1. Name of applicant

Marshall & Marjory Dryden

Post office address

P.O. Box 187 Pollock, ID 83547

2. Source of water supply

Ground Water

which is a tributary of

3. Location of point of diversion is

NW

1/4 of

SW

1/4 of

SE

1/4, Govt. Lot

Sec. 29

Township

23 N

Range

1 E

B.M.

Idaho

County; additional

points of diversion if any:

SNNWSE Sec 29 (Single point on tract line)

4. Water will be used for the following purposes:

Determination based on applicant map Cyt.

Amount

.30

for

Irrigation

purposes from

4/1

to 9/30

(both dates inclusive)

Amount

.03

for

Stock

purposes from

1/1

to 12/30

(both dates inclusive)

Amount

for

purposes from

to

(both dates inclusive)

Amount

for

.33

purposes from

to

(both dates inclusive)

5. Total quantity to be appropriated is (a)

.33

and/or (b)

cubic feet per second

acre feet per annum

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc.

drilled well, pump,

Sprinkler pipe - Stock tank.

b. Height of storage dam

feet; active reservoir capacity

acre-feet; total

reservoir capacity

acre-feet; period of year when water will be diverted to storage:

to

inclusive.

c. Proposed well diameter is

12

inches; proposed depth of well is

55

feet.

d. Is ground water with a temperature of greater than 85°F being sought?

NO

e. If well is already drilled, when?

Drilling

permit #

78-93-W-0033-000

Well was drilled for (well owner)

7. Time required for the completion of the works and application of the water to be proposed Beneficial use is

5

years (minimum 1 year).

DEC 20 1994

8. Description of proposed uses (if irrigation only, go to item 9):

- Hydropower; show total feet of head and proposed capacity in KW. _____
- Stockwatering; list number and kind of livestock. 100 hd Cows
- Municipal; show name of municipality. _____
- Domestic; show number of households. _____
- Other; describe fully. _____

9. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
23N	R1E	29													8	7			15
															8	FS			

Total number of acres to be irrigated 15

10. Describe any other water rights used for the same purposes as described above. _____

- Who owns the property at the point of diversion? Marshall L. & Manjouy Dryden
- Who owns the land to be irrigated or place of use? Marshall L. Dryden Manjouy Dryden
- If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: _____

DEC 20 1994

HEAVENS GATE

17

16

15

T. 23 N

T. 22 N

14

13

19

20

22

78-7363

Prospect
RM
2314

Pollock
RM
2352

TRAIL

JEOP

Hol

Ranyhan Gulch

Slaughter Gulch

29

P/U
P/D

23N1E

Denn
2376


DEC 26 1939

WYOMON

RIVER

Ind
Hill

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Marshall Wayne Mayoy Daylen
(Applicant)

Received by VR Date 8-30-94 Time 11:45am Preliminary check by CJH
Fee \$ 100- Received by VR # W018013 Date 8-30-94
Publication prepared by St Date 9-7-94 Published in Star News
Publication approved St Date 10-5-94

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other:



DEC 20 1994



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

January 25, 2000

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

MARSHALL DRYDEN
MARJORY DRYDEN
PO BOX 187
POLLOCK ID 83547-0187

RE: WATER RIGHT NO. 78-07363

Dear Water Right Holder(s):

The Department of Water Resources (the Department) has issued the enclosed license confirming that a water right has been established in accordance with the permit referenced above. The license is a preliminary order issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department unless a party petitions for reconsideration or files an exception and/or brief as described in the enclosed information sheet.

Also, please note that water right owners are required to report any change of water right ownership and/or change of mailing address to the department within 120 days of the change. Failure to report these changes could result in a \$100 late filing fee. Contact any office of the department or visit the department's homepage on the Internet to obtain the proper reporting form.

If you have any questions, please call me at 208-327-7946.

Sincerely,

A handwritten signature in cursive script that reads 'Shelley W. Keen'.

Shelley W. Keen
Water Rights Supervisor

SK:klt

Enclosure

MICROFILMED


JAN 31 2000

CERTIFICATE OF MAILING

I hereby certify that on the **25th** day of **January, 2000**, I mailed a true and correct copy, postage prepaid, of the foregoing **PRELIMINARY ORDER (Approved License)** to the person(s) listed below:

Water Right No. 78-07363

MARSHALL DRYDEN
MARJORY DRYDEN
PO BOX 187
POLLOCK ID 83547-0187


Kari Lynn Townsend
Secretary

MICROFILMED

JAN 31 2000

Responding to Preliminary Orders Issued by the Idaho Department of Water Resources

The Idaho Department of Water Resources (Department) issues water right permits, licenses, and transfers as preliminary orders pursuant to section 67-5243, Idaho Code. A preliminary order can and will become a final order without further action of the department unless a party petitions for reconsideration or files an exception and/or brief as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of the order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from a preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, a preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to a preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

ORAL ARGUMENT

If the Department grants a petition to review a preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with a preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

MICROFILMED

JAN 31 2000

LICENSE REVIEW CHECKLIST

Permit No. 78-07363 Date: 1-24-2000 Reviewer: Kay Walker

*changed
irrig. season
per new
map.*

Change/OK

Name/Address OK

Source OK
Point of Diversion: OK

Does change clarify original intended source? If no, void permit.
Change (P39/P49) Add (P45/P44) Feds (P43)

W32 (multiple in 1/4/1/4)
W36 (overlap)
W59 (subdivision description)

Place of Use OK

Change (P41/P49) Add (P41/P44) Feds (P43)

W60 (subdivision description)
W27 (ppu acre limit)

Overlaps: Right(s): 78-07357 (stock only.)
File reviewed OK Profile reports printed OK

*also in
license
process*

P/D & P/U amend (P37) Feds (P48)

Rate of Diversion: Permitted rate 0.33 cfs
Fee Limit 0.33 cfs
Measured 0.30 cfs
Theoretical 0.30 cfs

Recommended Total Diversion Rate 0.30

Water Uses OK

Change (P46)

Irrigation 0.3 cfs 60.0 af
Stockwater 0.03 cfs 0.7 af
Domestic cfs af
 cfs af
 cfs af
Total 0.30 cfs 60.7 af

(Irrigation - overlap (R58-R61, R62-R65, R66-R69))
supp. Gw (WB7/065/079)
overlap spec combined rts (W35)
>1 acre (W31)
Domestic (W01/wb5/070/071/075)
Power (W42 or W43/025/027/R22 or R23)
Fish (042)
Fire (077)
Water Quality (081/R07)
Payette - (W22/047/27A)

Volume Determination
30 cfs x 1.9835 x 290 days = 172.6 af (vs) 15 acres x 4.0 (FHR) = 60.0 af

Remarks: _____

Additional Conditions NO Watermaster Control
NO GW Measurement/Measuring Device
NO Other
Trust (052/R55 - remove 051)
Non-trust (048/049)

Government Lots? NO

R64

Advance Priority? yes If yes, explain why below.
no

SRBA Claim? Not req'd

Adjust memo NO

Amend Letters P87, S06 Second Amendment Notice S06

(WATER RIGHT NUMBERS THAT BEGIN WITH AN '*' ARE ADJUDICATION CLAIMS)
(QUARTER-QUARTERS WITH A '?' HAVE DIFFERENT ACREAGE AMOUNTS--CHECK THE DATA BASE RECORDS)

WR-NUMBER	SOURCE	NE				NW				SW				SE				SUM
		NE		NW		SW		SE		NE		NW		SW		SE		
		Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	
L7807343	T238 R91E 429 GROUNDWATER	:						:										15
A7800260A	HAT CREEK	:	09			12		:										21
7800261	HAT CREEK	:	I	I		I	I	:										
A7800261A	HAT CREEK	:				02	02	:										4
7804023	DENNY CREE	:				I		:										
A7804023	DENNY CREE	:				01		:										1
7804091	LITTLE SAL	:				01		:										1
A7804091	LITTLE SAL	:				01		:										1
7804107	SPRINGS	:						:		06								6
A7804107C	SPRINGS	:						:		06								6
7804116	HAT CREEK	:	07					:										7
7804127	LITTLE SAL	:				02		:										2
A7804127	LITTLE SAL	:				02		:										2
7804162	DENNY CREE	:				03		:										3
A7804162	DENNY CREE	:				03		:										3
7804164	DENNEY CRE	:		01				:										1
A7804164	DENNEY CRE	:				01		:										1
7807018	DENNY CREE	:		01				:										1
7807023	DENNY CREE	:				02		:										2
A7807023	DENNY CREE	:				02		:										2
7807055	SPRING	:					01	:										1
7807081	GROUNDWATE	:				02		:										2
A7807081	GROUNDWATE	:				02		:										2
7807096	LITTLE SAL	:				05		:										5
A7807096	LITTLE SAL	:		01		04		:										5
7807138	LITTLE SAL	:		0				:										
A7807138	LITTLE SAL	:		0			0	:										
7807174	DENNEY CRE	:				01		:										1
A7807174	DENNY CREE	:				01		:										1
7807184	LITTLE SAL	:					01	:										1
A7807184	LITTLE SAL	:					01	:										1
7807313	SPRINGS	:						:		02	02							4
7807344	LITTLE SAL	:						:										15
7807363	GROUNDWATE	:						:										15
7807373	LITTLE SAL	:				0		:										

application for
permit - no O.L.

WR0749NP
No. L78-07357

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT

DATE: 01/24/00
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	MARSHALL DRYDEN	03/23/1994	STOCKWATER	01/01 12/31	0.030 CFS	0.70 AFA
C	MARJORY DRYDEN					
TOTAL DIVERSION:					0.030 CFS	0.70 AFA

Water Source: LITTLE SALMON RIVER

Tributary to: SALMON RIVER

Stage: LICENSE

Point(s) of Diversion Capacity: 0.200 CFS

Point(s) of Diversion: T23N R01E S29 SWSE IDAHO County

Place of use Legal Description for: STOCKWATER

NE				NW				SW				SE			
NENE	NWNE	SWNE	SENE	NENW	NWNW	SWNW	SENW	NESW	NWSW	SWSW	SESW	NESE	NWSE	SWSE	SESE
T	R	S		Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac
23N	01E	29												S	

Pou County: IDAHO

Other Water Rights with Same Point(s) of Diversion with Stage (Includes All Sources):

78-04307 78-07356 78-07357

Other Water Rights Listing Overlapping Place(s) of use:

78-07356 78-07363 L78-07363

Conditions of Approval:

- 029 - The right holder shall comply with all fish screening requirements of the Idaho Department of Fish and Game.

Dates: App. Received: 03/23/1994 Priority Date: 03/23/1994
Proof Due Date: 09/01/1998 Proof Made Date: 10/08/1996
Exam Made Date: 02/24/1999 Exam Sent to S.O.: 03/22/1999
Licensed Date:

Misc: Water District Number: Field Exam Fee: R (Received)

RECEIVED
MAR 22 1999

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

MAR 22 1999

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 78-07363

1. Owner: Marjory & Marshall Dryden Phone No. (208) 628-3450

Current Address: P.O. Box 187, Pollock, ID 83542-0187

2. Accompanied by: Marjory & Dean Dryden EXAM DATE: 2-24-99

Address: (Same) Phone No. 628-3450

Relationship to Permit Holder: Owner + Son

3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with the same place of use: 78-07357 (Stockwater only)

2. Other water rights with the same point of diversion: None

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
					<u>29</u>	<u>23N</u>	<u>1E</u>	<u>Idaho</u>	<u>Site Visit, Mar</u>

2. Place(s) of Use:


Indicate Method of Determination Site Visit, Mar

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
<u>23N</u>	<u>1E</u>	<u>29</u>														<u>10.8</u>	<u>4.2</u>	<u>5</u>	<u>15.0 Ac</u>

MICROFILMED

JUN 3 1 2000

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe I.D. as applicable.



Scale: 1" = None

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☐ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4. No Aerial Photo Available for this area.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
<u>Small Pump</u>		<u>3/4</u>		<u>Grunfos</u>	
<u>Large Pump</u>		<u>5</u>		<u>Grunfos</u>	

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1. No flow measuring devices in system

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: None - operating pressure; 35-65 PSI

MICROFILMED

JAN 31 2000

7. WR 78-07357 is a separate system that pumps stockwater from the river. The owner's home also

E. NARRATIVE/REMARKS/COMMENTS

has a domestic well which is a separate system for the house + yard

1. This permit is for Irrigation of 15 Ac. for livestock pasture and stockwater. The well also serves a small cabin adjacent to the well site.
 2. The well serves an irrigated pasture through 4" + 3" Aluminum mainline placed on top of the ground. The mainline have sprinklers placed on them at 25' spacing, and also serve handline laterals. The handline have sprinklers at 25' spacing and are moved around to cover the pasture area that is not covered by the mainline sprinklers.
 3. The mainline pipe also serves one stock trough through a 2" lateral.
 4. The acreage was copied from the owner's Survey plat which showed 3 tracts of land for a total of 16.85 Acres. About 90% of the land is irrigated, or 15.2 Ac. Allow the 15 Ac. in permit.
 5. The domestic water for the cabin is used by one of the owner's relatives when they are visiting. The stockwater is for 100 head of range cattle in the winter/spring, and 5 ~~horses~~ horses for 12 months/yr.
- Have conditions of permit approval been met? ☐ yes ☒ no No flow measuring device in the system.
- JAN 31 2000
6. The well has a 5 HP pump used for irrigation, stockwater, + domestic at the cabin; and a 3/4 HP pump for domestic at the cabin during the winter

F. FLOW CALCULATIONS

Additional Computation Sheets Attached

Measured Method: None: Theoretical (Cal.)

$$Q = \frac{(8.8)(514p)(7002)}{24' + (35' \text{ psi}) \left(\frac{74'}{14.7 \text{ psi}} \right)} = 0.29 \text{ cfs} \approx \underline{0.30 \text{ cfs}}$$

$$\text{Allowed: Irrigation} = (0.02 \frac{\text{cfs}}{\text{Ac.}})(15 \text{ Ac.}) = 0.30 \text{ cfs}$$

$$\text{Stockwater} = (100 \text{ Head}) = 0.03 \text{ cfs}$$

$$\text{Max. div. Rate is } 0.30 \text{ cfs. Total } 0.33 \text{ cfs}$$

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = (15 \text{ Ac.})(4.0 \frac{\text{AF}}{\text{Ac.}}) = 60.0$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = (0.30)(275)(1.9835) = 163.64$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = \underline{60.0}$$

2. Volume Calculations for Other Uses:

Stockwater: 100 Head - spring/winter
5 Head - all year (Horses)

$$\text{Vol.} = \left[\left(\frac{12 \text{ GPD}}{\text{Head}} \right) \left(\frac{100 \text{ Head}}{1} \right) \left(\frac{180 \text{ Day}}{\text{Ann.}} \right) + \left(\frac{12 \text{ GPD}}{\text{Head}} \right) \left(\frac{5 \text{ Horses}}{1} \right) \left(\frac{180 \text{ Day}}{\text{Ann.}} \right) \right] \frac{\text{AF}}{325,850 \text{ Gal.}} = \underline{0.70 \text{ AFA}} \quad (\text{Rest of year})$$

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
<u>Irrigation</u>	<u>03/01</u>	<u>11/30</u>	<u>0.30</u>	<u>60.0</u>
<u>Stockwater</u>	<u>01/01</u>	<u>12/31</u>	<u>0.03</u>	<u>0.7</u>
Totals:			<u>0.30</u>	<u>60.7</u>

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

1) P/D is only NWSE.

2) Max Div. rate is 0.30 cfs.

I. AUTHENTICATION


Field Examiner's Name John Zarnoch Date 2-26-99

Reviewer _____ Date _____

SEAL

MICROFILMED

JAN 31 2000



5020
20' 18

5019

5018

5017

5016

5015

5014

2774 IV SW
(HEAVENS GATE)

17'30"

T. 23 N.

T. 22 N.

No Gov. Lats

Grouse Creek

T23N
R1E
Sec. 29

Prospect X
BM
2314

Poilok
BM
2352

Ranyhan Gulch

Slaughter Gulch

P/u Irrigation
78-07363

P/u Stock
Trough
78-07363

P/O Well
78-07363

P/O, River Pump
P/u, stock Trough
78-07357

Domestic Well
E Home

MICROFILMED
78-07363
78-07357

LITTLE
RIVER

LITTLE
CREEK

SALMON
CREEK

NATIONAL FOREST

Hat

Spring

Denny

E Home

4165



Little
Salmon
River

P/u, Cabin
(on well)

P/D, well &
Well House
78-07363

P/u, Irrigation
78-07363

Tract A 8.43 Ac.

Tract B 6.78 Ac.

Tract C 1.64 Ac.

16.85 Ac.

[Copied off
owner's Survey
Plat

U.S.
95

Sprinkler
Hand lines

P/u Stock
Trough
78-07363

P/D, River Pump
P/u, Stock Trough
78-07357

Domestic
Well
& Home

File
142-1
@ Lane
to Home

MICROFILMED
JAN 31 2000

78-07357

78-07363

IDAHO DEPARTMENT OF WATER RESOURCES

WELL INSPECTION FORM

1. DRILLING PERMIT NO: 78-95-0006-000 OTHER APPLICABLE NO: 78-07363

2. OWNER: Marshall + Marjory Dryden Phone: (208) 628-3450
Address: P.O. Box 187, Pollock, ID 83547

3. WELL LOCATION: Twp 23N, Rge. 1E, Sec. 29, NW 1/4 SE 1/4
County Idaho (Provide sketch map and photo on reverse.)

4. DRILLER: Uhlenhoff Drilling Lic. No. 125
When Drilled? 4-10-95 to 4-11-95

5. WELL CONSTRUCTION:

Casing Diameter 6 inches Water tight cap? ☒ Yes ☐ No Access Port: ☒ Yes ☐ No

Casing $\geq$ 12 inches above ground? ☒ Yes ☐ No - Describe _____

Depth of Casing 127 ft. Method Drilled Air Rotary

Condition of Well Casing: ☒ Good ☐ Fair ☐ Poor Describe _____

Control Valve? ☒ Yes ☐ No Pressure Gauge: ☒ Yes ☐ No

Condition of Piping and Valving Good

Auger to a depth of _____ ft. Evidence of Annular Seal ☒ Yes ☐ No

Are there obvious construction problems that may be a source for contamination or waste of water?
☐ Yes ☒ No (Describe in Remarks and Attach Photo - On Reverse)

6. HYDROLOGIC INFORMATION:

Depth to Static Water 24 ft. Water Temperature Cold °F

Flowing Artesian ☐ Yes ☒ No Pressure: _____ (psi)

Water Sample Taken? ☐ Yes ☒ No If yes, describe purpose _____

Water Quality Measurements/Observations (Describe) _____

7. WELL USE:

☒ Domestic Cabin ☒ Irrigation ☒ Stock

☐ Test ☐ Municipal ☐ Industrial

☐ Abandoned ☐ Waste Disposal/Injection ☒ Not Used

☐ Other: _____

MICROFILMED
JAN 21 2003

8. POSSIBLE CONTAMINATION SOURCES:

Is there evidence of Chemigation? ☐ Yes ☒ No

If yes, is there a check-valve present? ☐ Yes ☐ No

Is there a possible source of contamination nearby? ☐ Yes ☒ No

If yes, what Type? _____

How far away from the well is this source? _____

9. REMARKS:

This well is for 15 AC. of irrigation
stock water, and one small cabin at the
well site. The owner also has a
domestic well at their home site. The
two systems are not interconnected.
The well has a 3/4 HP, and a 5 HP pump
in it.

Don Tomich Water Rights Examiner
Signature of Dept. Representative & Title

2-24-99
Inspection Date

PHOTOS, DRAWINGS, OTHER ATTACHMENTS:



MICROFILMED

SEP 3 1 2000

1 of 3

P/D

well in

well House

Large Pipe
is for
5 HP Pump,
and small
Pipe is
for 3/4 HP
Pump.




P/D

well House

is small
Green roof
building.

Plu, Cabin
on left of
well House

Plu
Mainline +
Sprinkler
laterals



APR 19 1978

JAN 1 1978

78-07363

2 of 3



P/u

Main line +

Sprinkler

Lateral

in

irrigated

pasture.



P/u

Stock

Trough

off

of

main line,

2" lateral

+ hose.

MICROFILM

3 1 200

78-07363

3 of 3

P/u

Typical

Main line

Sprinkler

+

Laterel

Pipe



P/u

Typical

Laterel

Sprinkler

Pipe



MICROFILMED

JAN 31 2000

78-07363

**ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE**

Permit No. 78-07363 Reviewed by [Signature] Date 11-10-98

GENERAL CONSIDERATIONS

yes Name same as permit?
yes Address same as permit?
yes Proof timely received?
If not, complete calculation below.

TYPES OF USE

Irr. stock
yes Correct Uses?

SOURCE OF WATER

 Surface water source
✓ Ground water source
yes Drilling permit required?
yes Copy in the file? Drilling Permit No. 78 95 C-0000-000
200- Amount paid for permit yes Correct?
yes Well log in the file?

LICENSE EXAMINATION FEE

yes Required?
100- Amount Submitted
yes Correct?

MEASURING DEVICE

NO Required?
+ Installed?
 Waiver requested?

PRIORITY CALCULATION

Date proof received	<u> </u>
Date proof due	<u> </u>
No. of days late	<u> </u>
Priority Date	<u> </u>
New Priority Date	<u> </u>

DEFICIENCIES OR ACTION ITEMS

Proof Acceptable

DATA ENTRY

New Address X Proof Made 10-16-98



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

November 10, 1998

Marjory and Marshall Dryden
Po Box 187
Pollock ID 83547

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 78-07363

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

Be advised that Section 42-248, Idaho Code, requires you or the owner of this water right to maintain current ownership and address records on file with the department. Forms to file a change of ownership of a water right and/or a change in the address of the water right owner are available from any department office.

If you have questions concerning the field examination, please contact the **WESTERN** Regional Office of the department in Boise at (208)334-2190.

Sincerely,

JULIE L. YARBROUGH

Senior Secretary, Water Allocation Bureau

c: IDWR - Regional Office

MICROFILMED

MAY 27 1998

September 30, 1998

MARJORY DRYDEN
MARSHALL DRYDEN
PO BOX 187
POLLOCK ID 835470187

PROOF DUE NOTICE

RE: PERMIT NO. 78-07363

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before December 1, 1998.

(See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.


SINCERELY,

JULIE L. YARBROUGH
Senior Secretary

Enclosures

MICROFILMED

NOV 27 1998





State of Idaho
DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705-5082 - (208) 334-2190
FAX (208) 334-2348

July 17, 1997

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

MARSHALL & MARJORY DRYDEN
PO BOX 187
POLLOCK ID 83547-0187

RE: FIELD EXAM REQUESTS FOR PERMITS 78-07357 AND 78-07363

Dear Permit Holders:

This office received your request several months ago to conduct licensing field examinations on the above referenced water right permits. The request was relayed via the department's Coeur D'Alene office.

Permit 78-07357 covers river water for stock water use. Proof of beneficial use for this permit was filed last autumn. The proof filing indicates that development of the surface water system has been completed and is ready for examination.

Permit 78-07363 includes ground water for irrigation and stock water uses. An extension of time was approved to allow development of the ground water system to be completed by December 1, 1998. You may file the proof of beneficial use for this system once it is fully completed -- the proof filing should be completed by the December 1998 deadline since another extension of time would be difficult to obtain.

A field examiner from this office will contact you once the proof of beneficial use for permit 78-07363 is filed. In that manner, both of your water systems can be examined and licensed together. However, if other field work is scheduled in your area before then, the examiner might contact you to complete the field work on the river system before the ground water system is completed and ready for inspection.

Please contact this office if you have any questions about the process I have described. Also note that a proof of beneficial use form is included for your convenience if you choose to file that form before December, 1998 for permit 78-07363.

Sincerely,

Steve Lester
Water Rights Supervisor

Enclosure

RECORDED

JUL 21 1998

ANALYSIS SHEET FOR EXTENSION OF TIME

Permit No. 78 0736-3 Reviewed by Jy Date 11 5 96

BASIC INFORMATION

10 8 96 Date stamp received
yes Extension received timely
yes Fee received and receipted
yes Name and signature same as permit
no Address Change

BASIS FOR EXTENSION REQUEST

yes Has adequate work been completed to demonstrate due diligence?

_____ Has the permit been involved in litigation?
Is supporting documentation needed to complete the file? _____ Requested? _____

_____ Is delay by a government agency?
Is supporting documentation needed to complete the file? _____ Requested? _____

_____ Is the project more than 25,000 acre feet for irrigation or 10,000 acre feet for a reservoir?

ACTION TAKEN *Recommend extend to December 1, 1998, on basis of due diligence.*

PRIORITY CALCULATION

Date extension received	_____	=	_____
Proof due date	_____	=	_____
Number of days late	_____	=	_____
Priority date	_____	=	_____
New Priority Date	_____	=	_____

DATA ENTRY

New Address X
Change Proof Due Date 12-1-98
Change Priority Date X



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

November 6, 1996

Marshall & Marjory Dryden
P.O. Box 187
Pollock, ID 83547

RE: Permit No. 78-07363

Dear Permit Holder:

Enclosed is a copy of the approved request for extension of time submitted in connection with the above referenced permit. The time within which to submit proof of beneficial use is extended to **December 1, 1998**. Please note that the department has granted this extension based on **due diligence**. It is important that you work diligently toward the completion of the development during the construction period allowed since the department **will not** be able to grant additional extensions based on due diligence.

Please be advised that Section 42-248, Idaho Code, which became affective on July 1, 1996, requires you or the owner of this water right to maintain current ownership and address records on file with the department. Please contact any office of the department for the proper form to file a change of ownership of a water right and/or a change in the address of the owner. Failure to maintain current records with the department could result in the assessment of a monetary penalty.

Please contact me at (208)327-7953 if you have any questions regarding this matter

Sincerely,

JULIE L. YARBROUGH
Senior Secretary

Enclosure

C: IDWR - Regional Office

MICROFILMED
JAN 10 1997

September 30, 1996

MARJORY DRYDEN
MARSHALL DRYDEN
PO BOX 187
POLLOCK ID 835470187

PROOF DUE NOTICE

RE: PERMIT NO. 78-07363

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before December 1, 1996. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.


Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

JULIE L. YARBROUGH
Senior Secretary

Enclosures

MICROFILMED
JAN 10 1997



SD-0409
MODIFY RECORD

Idaho Department of Water Resources
Well Drilling Permit Remarks Screen

Date: 04/12/95
Time: 12:48:13

Drilling Permit Number: 78-95-C-0006-000

Remarks: This permit issued on 4/10/95 to Tim Uhlenkott for Dom. use only. On 4/12/95 Mr. Uhlenkott called back and indicated that the owner has a W.R. Permit and as the production of this well is sufficient for the Irr. use proposed they would like to change the permit to Irr. from Dom. This was discussed with Cindy and Mark, and the owner was called back with the instruction to have the driller so indicated this on the D.P. and Well Report and submit with \$200.00. D.P. changed on computer to reflect the above. Also the legal description should be verified as it does not match the W.R. If this is the case the W.R. may have to be amended. jdc 4/12/95.

(GOLD2=Update)

(Enter=Exit)

(GOLD8=Cancel)

Alt-Z FOR HELP | VT102 | FDX | 9600 N81 | LOG CLOSED | PRINT OFF | OFF-LINE

MD0731NP
(00-0731)

DEPARTMENT OF WATER RESOURCES
WELL DRILLING PERMIT NUMBER INDEX

DATE: 04/12/95
PAGE: 1

PERMIT
NUMBER
78-95-C-0006-000

OWNER
CODE

NAME & ADDRESS

0 MARSHALL DRYDEN
0 MARGE DRYDEN
PO BOX 187
POLLOCK, ID 83547
(208) 628-3450

TWP RGE SEC TRACT LOT
23N 01E 29 SW NE

COUNTY
IDAHO

Subdivision Location and Description:

Subdivision Name:
Well Site Address: 143-1 HWY 95
City, State: POLLOCK, ID

Lot(s):
Block(s):

Geographic Location:
Accuracy Code:
Lat: : : N
Long: : : W

Proposed Use of Well: Irrigation
Anticipated Bottom Hole Temperature: 85F or Less

Proposed Casing Diameter: 6 In.
Proposed Depth: 120 Ft.

Well Use Comments:

Driller License No: 0125

Firm Name: UHLENKOTT WELL DRILLING
Official: RAYMOND UHLENKOTT

Permit Status: Verbal Permit

Verbal Issue Date:	04/10/1995	Receipt No.	Receipt Date	Fee
Date Received:			NOT ON FILE	
Date Approved:			NOT ON FILE	
Proposed Start Date:	04/10/1995		NOT ON FILE	
Extension Date:			NOT ON FILE	
Extension Expiration:			NOT ON FILE	

Specific Conditions:

Permit Remarks: This permit issued on 4/10/95 to Tim Uhlenkott for Dom. use only.
On 4/12/95 Mr. Uhlenkott called back and indicated that the owner has a W.R. Permit and as the production of this well is sufficient for the Irr. use proposed they would like to change the permit to Irr. from Dom. This was discussed with Cindy and Mark, and the owner was called back with the instruction to have the driller so indicated this on the D.P. and Well Report and submit with \$200.00. D.P. changed on computer to reflect the above. Also the legal description should be verified as it does not match the W.R. If this is the case the W.R. may have to be amended. jdc 4/12/95.

Conditions of Approval: This drilling permit is valid for two (2) months from the approval date for the start of construction and is valid for one (1) year from the approval date for completion of the well unless an extension has been granted.

This permit does not constitute an approval of the District Health Department or the Idaho Department of Health and Welfare which may be required prior to construction of this well. The local Health Department should be contacted for septic tank/drainfield locations. Domestic wells must not be drilled closer than 100' from any drainfield and 50' from any

MICROFILMED

APR 10 1997

WELL DRILLING PERMIT NUMBER INDEX: Permit No. 78-95-C-0006-000 (cont'd)

Conditions of approval: septic tank.

The well shall be constructed by a driller currently licensed in the state of Idaho who must maintain a copy of the drilling permit at the drilling site.

Approval of this drilling permit does not authorize trespass on the land of another party.

This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.

This drilling permit does not represent a right to divert and use the water of the State of Idaho.

If the bottom hole temperature of 85 Degrees F (29.44 OC) or greater is encountered, well construction shall cease and the well driller and the well owner shall contact the Department immediately.

Idaho Code, S 55-2201 - 55-2210 requires the applicant and/or his contractors to contact "Digline" (Dig Line is a locator service) not less than 3 working days prior to the start of any excavation for this project. The "Dig Line" Number for your area is 1-800-342-1585.

The use of water from this well is for Domestic purposes only which includes irrigation of up to 1/2 acre of land with all combined uses not to exceed 13,000 gallons per day (42-111[A]), or for Domestic uses other than for homes, organization camps, public campgrounds or livestock where the diversion rate and volume does not exceed .04 cfs and 2500 gpd (42-111[B]).

WELL DRILLER'S LOG REPORT

Drilling Permit No: 78-95-C-0006-000

Water Right No: 78-07363

Injection Permit No:

Nature of Work:

Construction Method:

Number of Monitor Wells:

Casing Diameter:

In.

Static Water Level:

Ft.

Actual Start Date:

Depth of Casing:

Ft.

Temperature:

F.

Well Finish Date:

Total Depth:

Ft.

Production Rate:

GPM

Log Received Date:

Screen Installed?

Certification Date:

Inspector:

Violation Flag:

Field Inspection Date:

Inspector:

Well Log Remarks:

MICROFILMED

JAN 10 1997



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098
Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

April 20, 1995

Marshall & Marge Dryden
P.O. Box 187
Pollock, ID 83547

Dear Mr. & Ms. Dryden:

Enclosed are two copies of the approved Drilling Permit No. 78-95-C-0006-000 for the well to be drilled in NW $\frac{1}{4}$ SE $\frac{1}{4}$ Sec. 29, T23N, R1E. The conditions of the permit (on back page) must be adhered to. Also enclosed is Departmental Receipt No. C032503 for the \$200 which you remitted for the Drilling Permit Fee.

Please give one copy of the permit to your driller as he is required to have a copy of the permit on site when drilling.

Sincerely,

MARK SLIFKA, Manager
Groundwater Protection Section

MS:ldt

Enclosures

MICROFILMED

JAN 10 1997

Ident. No. 78-95-C-0006-000
Water Right No. 78-07363

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR DRILLING PERMIT

1. Name: MARSHALL DRYDEN O 208-628-3450
Address: PO BOX 187
POLLOCK ID 83547

Name: MARGE DRYDEN O 208-628-3450
Address: PO BOX 187
POLLOCK ID 83547

2. Proposed Well Location: Township 23N, Range 01E, Sec. 29, NWSE
IDAHO County

Street Address of Well Site: 143-1 HWY 95
POLLOCK ID

3. Proposed Use of Well: Non-Domestic Irrigation

4. Well Construction Information:

- A. New Well
 - B. Proposed Surface Diameter 6 In. Proposed Maximum Depth 120 Ft.
 - C. Anticipated Bottom Hole Temperature: 85 F or less (Cold water well)
- (NOTE: Construction diagrams and/or other information may be requested for monitor, low temperature geothermal, municipal and artesian wells.)

5. Construction Start Date: 4/10/1995

6. Anticipated Well Driller: UHLENKOTT WELL DRILLING (No. 0125)
NOTE: The actual well driller must be identified prior to drilling.

7. Applicant's Signature _____ Date _____

Title _____
(Owner, Firm Representative, Other)

Fee \$ 200.00 Received by _____ No. C032503 Date 4/18/1995

78-95-C-0006-000
JAN 10 1997

(Continued)

ACTION OF THE DEPARTMENT OF WATER RESOURCES

This verbal permit issued on 4/10/1995 by _____

NOTE:

This permit was authorized based on a verbal conversation or other information provided by the driller. If this information is incorrect, the driller is responsible for notifying the proper IDWR Office with the correct information.

This final permit is Approved Date: 4-20-95

If approved, this permit authorizes the construction or modification of a well subject to the following conditions. READ CAREFULLY!

CONDITIONS OF APPROVAL:

1. This drilling permit is valid for two (2) months from the approval date for the start of construction and is valid for one (1) year from the approval date for completion of the well unless an extension has been granted.
2. This permit does not constitute an approval of the District Health Department or the Idaho Department of Health and Welfare which may be required prior to construction of this well. The local Health Department should be contacted for septic tank/drainfield locations. Domestic wells must not be drilled closer than 100' from any drainfield and 50' from any septic tank.
3. The well shall be constructed by a driller currently licensed in the state of Idaho who must maintain a copy of the drilling permit at the drilling site.
4. Approval of this drilling permit does not authorize trespass on the land of another party.
5. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.
6. This drilling permit does not represent a right to divert and use the water of the State of Idaho.
7. If the bottom hole temperature of 85 Degrees F (29.44 oC) or greater is encountered, well construction shall cease and the well driller and the well owner shall contact the Department immediately.
8. Idaho Code, S 55-2201 - 55-2210 requires the applicant and/or his contractors to contact "Digline" (Dig Line is a locator service) not less than 3 working days prior to the start of any excavation for this project. The "Dig Line " Number for your area is 1-800-342-1585.

Mark B. Smith
Signature of Authorized Dept. Representative

Sec. Mgr.
Title

EXTENSION OF DRILLING PERMIT

Extension Approved by: _____

Approval Date: _____

Expires On: _____

MICROFILMED
JAN 10 1997

Drilling Permit No. 18-95-C-0006-000
 Water Right Permit No. 78-07363
 Injection Permit No. _____

WELL DRILLER: PLEASE COMPLETE FOR VERBALS

IDWR Employee Issuing Verbal: _____

Verbal Issued Date: _____ Time: _____

State of Idaho
 Department of Water Resources

APPLICATION FOR DRILLING PERMIT
 (FOR THE CONSTRUCTION OF A WELL)

RECEIVED**APR 18 1995**

Department of Water Resources

1. Applicant (please print): Marshall or Marge Dryden
2. Mailing Address: P.O. Box 187
 City & State Pollock Zip Code 83547 Telephone 628-3750
☐ Well Owner ☐ Well Operator ☐ Contractor or Other, specify _____
3. Proposed Well Location: Twp. 23N, Rge. 1E, Sec. 29, NW 1/4 SE 1/4
 Gov't Lot No. _____ County IDAHO
 Street Address of Well Site 143-1 Hwy 95 City Pollock
Give at least name of road + Distance to Road or Landmark
 Lot, block and subdivision _____

4. Proposed Use of Well:

- ☐ DOMESTIC: The use of water for homes, organization camps, public campgrounds, livestock (1,000 head or less) and for any other purpose in connection therewith, including irrigation of up to 1/2 acre of land, if the total use is not in excess of 13,000 gpd; or any other uses, if the total use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.

Domestic does not include water for multiple ownership subdivisions, mobile home parks, commercial or business establishments, unless the use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.

NON-DOMESTIC: ☒ Irrigation Stock (Over 1,000 Head) ☐ Municipal Test ☐ Industrial Other _____ (Describe)

☐ INJECTION

- ☐ MONITORING: A well bore schematic and map is required for each blanket permit.
 No. of proposed wells: _____

5. Well Construction Information:

- A. ☒ New well ☐ Modify ☐ Replace
- B. Proposed Casing Diameter 6 inch Proposed Maximum Depth 120 feet
- C. Anticipated bottom hole temperature:
☒ 85°F or less (Cold Water Well) ☐ 85°F to 212°F (Low Temp. Geo. Well) ☐ 212°F or more (Geothermal Well)

6. Construction Start Date: _____

7. Anticipated Well Driller: UHLER/KOTI Drilling Driller's Lic. No. 125
 NOTE: The actual well driller must be identified prior to drilling.

8. Applicant's Signature Marshall Dryden Date 4-10-95

Title OWNER
 (Owner, Firm Representative, Other)

ACTION OF THE DEPARTMENT OF WATER RESOURCES

This Permit is _____ Date _____

If approved, this permit authorizes the construction or modification of a well subject to the following conditions. READ CAREFULLY!

GENERAL CONDITIONS:

1. This drilling permit is valid for two (2) months from the above approval date for the start of construction and is valid for one (1) year from the approval date for completion of the well unless an extension has been granted.
2. This permit does not constitute an approval of the District Health Department or the Idaho Department of Health and Welfare which may be required before construction of this well. All wells must be drilled a minimum distance of 100 feet from a drain field. Domestic and Public Water Supply wells must be drilled a minimum of 50 feet and 100 feet respectively from a septic tank.
3. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
4. Approval of this drilling permit does not authorize trespass on the land of another party.
5. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.
6. This drilling permit does not represent a right to divert and use the water of the State of Idaho.
7. If a bottom hole temperature of 85° or greater is encountered, well construction shall cease and the well driller and the well owner shall contact the Department immediately.

SPECIFIC CONDITIONS:

Signature of Authorized Department Representative _____

Title _____

Receipt No. C032503 Received by Jw Fee 200.00 Date 4-18-95

EXTENSION OF DRILLING PERMIT

Extension approved by _____ Approval Date _____

This extension expires: _____

MICROFILM
JAN 10 1997

April 14 1995
PO Box 187
Gollock Id
83547

RECEIVED
APR 18 1995
Department of Water Resources

ATTN.
John Carlson

Sir:

This is to replace a previous Approved
Permit to appropriate water #78-07363 - issued Dec 5-94
Maximum diversion Gate 0.33 CFS. to develop ground
water.

Irrigation 3/01 to 11/30 30 CFS
Stock water 1/01 to 12/31 .03 CFS

We need a domestic -

Acres are 8 Ac in NW-SE approximately
7 Ac in SW-SE

The drilling permits 78-95-C-0006

Thank you


Mrs. Marjory Engstrom

P.S.
Map inclosed. also enclosed
\$800.00 Check

Marshall & Manly to Dunder
 Pol Bar 187 Pollock's 2nd & 8th # 78-07363
 Drilling permit # 78-95-0076
 Domestic,
 Irrigation, Stock water.

Well drilled by Uhlenkott Drilling
 Fern Id.

Attn John Carlson



T 23N Sec 29 R1E SE 1/4

* well
 Property to irrigate

- U.S. Highway 95
- County Road
- Little Salmon River

Wm. F. Anglin
Marion Anglin
100 West 187
Columbia St
St. Louis 8
83547



SP. 200111.30



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

December 5, 1994

MARJORY DRYDEN
MARSHALL DRYDEN
PO BOX 187
POLLOCK ID 83547-0187

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 78-07363

Dear Permit Holder:

Enclosed is a copy of your approved application for permit.
Please be sure to thoroughly review the "CONDITIONS/REMARKS:"
listing on the permit.

As a permit owner you must commence the excavation or
construction of the diverting works within one year of the date
the permit was issued, and you must proceed diligently until the
project is completed. The date shown under condition no. 1
is the date when the project must be completed.

The Department will send you a "Proof Due Notice" approximately
60 days prior to the above referenced date requesting you to file
either a Proof of Beneficial Use form or a Request for Extension
of Time form.

Sincerely,

A handwritten signature in black ink, appearing to read 'Jim Johnson', with a horizontal line extending to the right.

JIM JOHNSON, Manager
Water Right Permits Section

JJ:dc

Enclosures

DEC 20 1994

APPLICATION FOR PERMIT
STATE OFFICE REVIEW
by Cindy Zimmerman

No.: 78-7363 Name: Dryden Date: 11/23/94 Correct Fee? ✓

AREA OF CONCERN? - No/Yes s/c Mor GWMA Trust/Non-trust

SYSTEM COMPLETED:

No

Complete in 1 year

Yes

Proof not submitted

Proof submitted

GROUNDWATER:

+ 0.2 cfs <FLO-CH>

- 0.2 cfs

Drilling Permit:

Included w/permit

Existing well

No WD permit?

SURFACE WATER: not in WD

LOCATION:

Water District(~~dem~~)

*Surface water

(doesn't sink)

Groundwater

In stream channel

Irr Dist/Canal Co.

Drainage Districts

Flood Control Dist.

Boise Front (63)

Swan Falls Flag

Trust

Non Trust <1>

RIVER BASINS (*Surface water):

Boise R(63)

Payette R(65)

Snake R(01/02/03)

USE:

Fish Propagation

Irrigation

Power

Mining

Storage(✓ 3 compo.)

Domestic (surface)

OWNERSHIP:

Non land owner

PROTESTED:

OTHER CONDITIONS:

REMARKS:

BENEFICIAL USE DUE:

COMMENTS:

- No/Yes s/c Mor GWMA Trust/Non-trust
- 26A-P17 - gw exempt
- P16
- P16
- NA
- 01G (new), 01K (existing), No MD
- No MD <FLOW CHART>
- Permit No. 78-93-W-0033-000, P99
- NA (pre 7/1/87)
- 046-46A(Irr)-46B-P23 (post 7/1/87)
- T17 (+.2 w/pump), No MD <FLOW CHART>
- WD No.
- 005 (req) 01J-P08 <FLOW CHART>
- or 01H-P01 <FLOW CHART>; No MD
- P05 (new irrigation well)
- 030 (stream channel alteration)
- 023 (Twin Falls area)
- 024
- 063
- 058 (-85° GW temp only)
- B <SEE CONDITION CODE CHART>
- 051-052-053-P74 (Consumptive Uses), NA
- 048-049 (Consumptive Uses), NA
- 05A (if WD), 11E (non-domestic use), NA
- 064(consump. use), 047-P04(Payette Lake), NA
- 11A-P04 (01), 061-P07 (02/03 No WD Cond.), NA
- 07A-042 (req) & 010/06A/09E(WQ)-P10
- 044 (N 1000 Spr)
- 03A/057, 803(if GW use SW 1st)(+5A PU comp), NA
- 08A-17K-025-027(req); 01F(MD)-P19; 09E(WQ)-P10;
- +25 cfs-P18; 17G(FERC) or 17M(FERC); 18B-P09
- 054 (req) & 06A/010/09E-P10
- 18A(multi MD in WD), 18B-P09 (+10' dam), NA
- 021(Boise R ↑ L Peak), 064(Payette R), NA
- 004 (PD/PU)
- 020(Prehearing agreement)/W19(See Order)
- D.W02/100 RC
- W33
- 12-1-1996

WR0749NP
No. P78-07363

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT

DATE: 11/23/94
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	MARJORY DRYDEN	08/30/1994	IRRIGATION	03-01 11-30	0.30 CFS	
C	MARSHALL DRYDEN		STOCKWATER	01-01 12-31	0.03 CFS	
	PO BOX 187					
	POLLOCK ID 83547-0187			TOTAL DIVERSION:	0.33 CFS	
	(208) 634-4338					

Water Source: GROUNDWATER

Tributary to:

Stage: PERMIT

Point(s) of Diversion: T23N R01E S29 SNNWSE NWSWSE IDAHO County

Place of use Legal Description for: IRRIGATION

				NE				NW				SW				SE						
T	R	S	:	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	:	SUM			
23N	01E	29	:															:	15.0			
																		:	08	07	:	15.0
																		:	TOTAL ACRES		:	15.0

Place of use location for STOCKWATER is the same location as described for: IRRIGATION

Pou County: IDAHO

Other Water Rights with Same Point(s) of Diversion and Source:
78-07363

Other Water Rights Listing Overlapping Place(s) of use:
78-07356 78-07363

Conditions of Approval:

- 26A - Project construction shall commence within one year from the
 - date of permit issuance and shall proceed diligently to
 - completion unless it can be shown to the satisfaction of the
 - Director of the Department of Water Resources that delays were
 - due to circumstances over which permit holder had no control.
- 01K - The right holder shall provide a means of measurement acceptable
 - to the Department from all authorized points of diversion which
 - will allow determination of the total rate of diversion.
- 03A - The rate of diversion of water for irrigation under this right
 - and all other water rights on the same land shall not exceed 0.02
 - cubic feet per second for each acre of land.

Remarks: Single point of diversion located on or near line between SNNWSE
and NWSWSE S29, T23N, R01E.
Stockwater is for 100 range cattle.

Dates: App. Received: 08/30/1994 Priority Date: 08/30/1994
Proof Due Date: 12/01/1996 Proof Made Date:
Exam Made Date: Exam Sent to S.O.:
Licensed Date:

Misc: Water District Number: Field Exam Fee:

WR0749NP
No. P78-07363

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT

DATE: 11/23/94
PAGE: 2

=====

Comments: Date: 09/06/1994 User-ID: CHODGES Subject: OTHER RIGHTS
78-07356 filed by applicants for 15 acres irrigation from Little
Salmon River. This application on hold in Salmon River morator-
ium. Likely same acres. 78-07357 also filed for stockwater use
from Little Salmon and is currently being permitted.

Audit: 11/23/94 CZIMMERM

.....

[illegible]

HD5803NP
(CO-5803)

DEPARTMENT OF WATER RESOURCES
WELL DRILLING PERMIT NUMBER INDEX

DATE: 11/23/94
PAGE: 1

PERMIT NUMBER	OWNER CODE	NAME & ADDRESS	TWP	RGE	SEC	TRACT	LOT	COUNTY
78-94-W-0033-000	0	SOUTH COAST LUMBER CO. BOX 670 BROOKINGS, OR 97415 (503) 469-2136	21N	01E	33	NW	NW	ADAMS

Subdivision Location and Description:
Subdivision Name: CIRCLE C SUB
Well Site Address: ROUND VALLEY RD
City, State:

lot(s): 30
Block(s):

Geographic Location:
Accuracy Code:
Lat: : : N
Long: : : W

Injection Permit No. No. of Proposed Monitor Wells:

Well Construction Information: New Well Anticipated Bottom Temp: [X] 85F or less
Proposed Use of Well: Domestic Proposed Casing Diameter: 6 in. Proposed Depth: 150 ft.

Well Use Comments:

Driller License No: 0391

Firm Name: MENASCO DRILLING
Official: ALBERT S MENASCO 111

Permit Status: Verbal Permit

Verbal Issued Date: 10/11/1994 | Receipt No. Receipt Date
Verbal Issued Time: 08:37:31 Fee

Specific Conditions:

Permit Remarks:

Well Remarks:

Conditions of Approval: This drilling permit is valid for two (2) months from the approval date for the start of construction and is valid for one (1) year from the approval date for completion of the well unless an extension has been granted.

This permit does not constitute an approval of the District Health Department or the Idaho Department of Health and Welfare which may be required prior to construction of this well. The local Health Department should be contacted for septic tank/drainfield locations. Domestic wells must not be drilled closer than 100' from any drainfield and 50' from any septic tank.

The well shall be constructed by a driller currently licensed in the state of Idaho who must maintain a copy of the drilling permit at the drilling site.

Approval of this drilling permit does not authorize trespass on the land of another party.

This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.

DEC 20 1994

WD5803NP
(00-5803)

DEPARTMENT OF WATER RESOURCES
WELL DRILLING PERMIT NUMBER INDEX

DATE: 11/23/94
PAGE: 2

=====

WELL DRILLING PERMIT INDEX: Permit No. 78-94-W-0033-000 (cont'd)

Conditions of Approval: This drilling permit does not represent a right to divert and use the water of the State of Idaho.

If the bottom hole temperature of 85 Degrees F (29.44 oC) or greater is encountered, well construction shall cease and the well driller and the well owner shall contact the Department immediately.

DEC 29 1994

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

INITIAL REVIEW BY: Cy4 DATE: 7/6/94 APPLICATION: 78-7363

REQUIRED INFORMATION

Name: (If applicant is a corporation or partnership, names and addresses for the director, officers, and other partners must be included.)
Address:
Source: (See USGS Quad for names of water sources)
Point of Diversion: (10 acres for spring, lot & block descriptions for Subdivisions, local name)
County:
Quantity: (flow and/or volume)
Period of use:
Nature of proposed use: (Include description of use)
Description of diverting works:
Time required for beneficial use of water:
Place of use or acres irrigated:
Map:
Signature: (If applicant is corp., partnership or municipality, title of signatory is required)
Fee:
Yes ___ No* In form to receipt:

Gov't. Lots:

P/D

P/U

RECEIVED
OCT 25 1994

ADDITIONAL INFORMATION

Department of Water Resources

YES NO

✓ ___ Overlapping place of use: (Describe source & relationship to present application on the back.)
✓ ___ Overlapping point of diversion:
___ ___ Field check required: Field check by: _____
___ ___ Field report attached:
___ ___ Critical groundwater area:
___ ___ Groundwater management area:
___ ___ 1992 moratorium
___ ___ Copy to SCA staff (perennial stream, non-pump diversion):
___ ___ Send dam safety information:
___ ___ Send power requirement letter:
___ ___ Send fish farm requirement letter:
___ ___ Power residency affidavit:
___ ___ Power efficiency form:
___ ___ Within trust water boundary: (If yes, attach Trust Water Supplementary Analysis Sheet.)
___ ___ Diversion greater than 5 cfs or 500 af or irrigation greater than 200 acres: (If yes, attach Large Diversion supplementary analysis sheet.)
___ ___ *REQUEST ADDITIONAL INFORMATION FROM THE APPLICANT

DATE REQUESTED: _____

Additional information on reverse side:

PROCESSING

APPLICATION NO. 73-7363

YES NO

☒ ☐ In form for advertising:
☐ ☒ Statewide advertising: (> 10 cfs &/or 1000 af)
☒ ☐ Fee amount, receipt number and date recorded on application:

SEND COPIES TO

YES NO

☐ ☒ I.D. Health and Welfare
☐ ☒ I.D. Fish and Game
☐ ☒ I.D. Lands
☐ ☒ Adjudication Bureau

YES NO

☐ ☒ U.S. BLM
☐ ☒ U.S. Forest Svc.
☐ ☒ Water Dist. # _____
☐ ☒ Other _____

FINAL REGIONAL PROCESSING REVIEW

YES NO

☒ ☐ Affidavit of publication received:
☒ ☐ Application published correctly: If not, record action taken.

☐ ☒ Publication dates and paper recorded on application:
☐ ☒ Protests received. Final date for protest 10-3-94
☐ ☒ Protest dates, resolution of protest recorded on application:
☐ ☒ Recommendations attached: Approve, Dnr
☐ ☒ Measuring device required:
☐ ☒ Measuring port required:
☐ ☒ Water delivered by water master? District # _____
☒ ☐ Special conditions of approval or cover letter: _____

46, Allow 2 yrs (26A)☐ ☒ See below for additional informationRecommended Date or Priority 8/30/1994Recommended by: Dnr Date 10/20/94

STATE OFFICE REVIEW

☐ ☒ See below for additional information. By _____ Date _____


ADDITIONAL INFORMATION

P/D overlaps all surface water, mostly same owner
P/W overlaps all other uses except 78-07356, application for
irrigation of 15 (same?) acres fr. Little Salmon River, on
moratorium hold. 78-07357, same applicants, currently
being permitted for stockwater use fr. Little Salmon R.

AFFIDAVIT OF PUBLICATION


STATE OF IDAHO
County of Idaho - ss.

Andrew J. McNab, being
first duly sworn, says he is the Publisher
of the IDAHO COUNTY FREE PRESS, a weekly newspaper published
and issued weekly at Grangeville, Idaho county, State of Idaho, and is
of general circulation in said county and state, that the said notice, of
which the one hereto attached is a true copy, was published in said
paper for two weeks, being published two
times, the first publication being on the 14th day of
September, 19 94, and the last
publication on the 21st day of September, 19 94;
and that the said notice was published in the newspaper proper and not
a supplement; that said newspaper has been continuously and uninter-
ruptedly published in said county during a period of seventy-eight
consecutive weeks prior to the publication of said notice or advertise-
ment.



STATE OF IDAHO }
COUNTY OF } IDAHO

On this 21st day of September in the year of 1994.
Before me, a Notary Public, personally appeared
Andrew J. McNab, known or identified to me
to be the person whose name subscribed to the within instrument, and
being by me first duly sworn, declared that the statements therein are
true, and acknowledged to me that he executed the same.


Notary Public for Idaho
Residing at Grangeville, ID
My commission expires: 10-8-99

RECEIVED
OCT 03 1994.
WATER RESOURCES
WESTERN REGION

DEC 20 1994

NOTICE OF WATER RIGHTS
The following applications have been
filed to appropriate the public waters of
the State of Idaho:

75-07283
MARJORY & MARSHALL DRYDEN
PO BOX 187
POLLOCK, ID 83547
Source: GROUNDWATER
Division Pt. SW 1/4 Sec. 22 T 23N
R 01E in IDAHO County, MYNEMBE
Sec. 22 T 23N R 01E in Idaho County
Use: IRRIGATION
Total Diversion: (100 CFS)

Date Filed: 8/25/1994
In: IDAHO County
T25N R01E NE 1/4 NE 1/4
11 ACRES TOTAL

75-07284
ARMANDO NEWMAN
PO BOX 367
LUGLE, ID 83542
Source: ELPERS CREEK
Tributary: SALT CREEK
Division Pt. NW 1/4 Sec. 10 T 25N
R 01E in IDAHO County, NE 1/4 Sec. 10
T 25N R 01E in IDAHO County, NE 1/4
Sec. 10 T 25N R 01E in IDAHO County
Use: STOCKWATER (100 CFS)
Total Diversion: (100 CFS)

Date Filed: 8/25/1994
In: IDAHO County
T25N R01E NE 1/4 NE 1/4

810 SWNW SENW NW 1/4
Stockwater use is for instream
habitat for 700 trout in an
Elfers Creek.
Protest will be subject to all prior water
rights. Protest may be submitted based
on the terms of Sec. 42-203A, Idaho
Code. Any protest against the approval
of this application must be filed with the
Director, Dept. of Water Resources,
Western Region, 2700 Airport Way,
Boise, Idaho 83706 together with a
protest fee of \$25.00 on or before
OCTOBER 3, 1994. The protestant
must also send a copy of the protest to
the applicant.

A. KERN-HIGDON, Director
WATER RESOURCES
WESTERN REGION

78-07363

DRYDEN, MARJORY
DRYDEN, MARSHALL
PO BOX 187
POLLOCK, ID 83547

Source: GROUNDWATER

Diversion Pt: SWNWSE Sec 29 T 23N R 01E in IDAHO County.
 NWSWSE Sec 29 T 23N R 01E in IDAHO County.

Use: IRRIGATION (.300 CFS)
 STOCKWATER (.030 CFS)
 Total Diversion: (.330 CFS)

Date Filed: 8/30/1994

In: IDAHO County
 T23N R01E S29 NWSE SWSE

15.0 ACRES TOTAL

DEC 20 1994