






3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☒ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS


1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

MICROFILMED

DEC 11 1997



ished by
GS
tric meth
field check
North Am
daho coord
verse Merc

Permit No. 78-07350
P/D: T21N R01E S28 SWNESE
R-8 + R-58 7.5 USGS Topo.

S.H.

78-7350
4/25/96 S.H.

P/D:

Culvert goes
under the road &
directly into the
pond

P/u:

Pond

50' X 100' X 6'

Fire Protection
Storage,

Aesthetic, &

Aesthetic Storage

direct flow
through continuing
down the stream
over the
spill way

MICROFILMED
DEC 11 1997

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 78-07350

Priority: September 7, 1993

Maximum Storage Volume:

0.7 AF

This is to certify, that MARY BOONE
A BURCH BOONE

PO BOX 296

NEW MEADOWS ID 83654

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated September 7, 1993; and has submitted Proof of Beneficial Use on October 11, 1994. An examination indicates that the works have a storage capacity of 0.700 af of water from:

UNNAMED STREAM

tributary to ROUND VALLEY CREEK

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
FIRE PROTECTION STORAGE	01/01 to 12/31		0.7 AF
AESTHETIC STORAGE	01/01 to 12/31		0.7 AF
	Totals		0.7 AF

LOCATION OF POINT(S) OF DIVERSION:

NESE , Sec. 28, Township 21N, Range 01E
ADAMS County

PLACE OF USE: FIRE PROTECTION STORAGE

TWN RGE SEC

21N 01E 28

NESE

CONDITIONS OF APPROVAL AND REMARKS

1. This water right is appurtenant to the described place of use.
2. This right is subject to all prior water rights and may be forfeited by five years of non-use.
3. Modifications to or variance from this license shall be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 23rd day of OCTOBER, 1997.

MICROFILMED
DEC 11 1997


Acting for KARL J. DREHER, Director

RECEIVED

OCT 11 1994

WATER RESOURCES
WESTERN REGION

**STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES**

RECEIVED

OCT 13 1994

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 78-07350 Telephone No. (208) 347-2786
2. Name(s) of Permit Holder(s): A. BURCH EMARY L BOONE
3. Mailing Address: P.O. BOX 296, NEW MEADOWS ID 83654
4. Source of Water: Unnamed Stream. If GROUNDWATER (well), Date Drilled: mo. _____ / yr. _____
- a. Well Driller: _____ Drilling Permit Number: _____ - _____ - _____ - _____
- b. **OPTIONAL:**
Pump Horsepower: _____ Pressure (psi): _____ Dynamic pumping level (ft): _____
5. Use(s) (as authorized by the water right permit):
Domestic (No. of households): _____ Stockwater (No. and type of stock): _____
Irrigation (No. of acres): _____ Other: FIRE PROTECTION, AESTHETIC STORAGE
6. Total rate of diversion and/or volume for which proof is submitted: .2 cfs OR 20 acre feet
7. **Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)**
(This question is not optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)
- | | | | | |
|-------------------------------|--|-----------|----|-------------|
| Measuring Device: | Is a measuring device required? | Yes _____ | or | No <u>X</u> |
| | Has the measuring device been installed? | Yes _____ | or | No <u>X</u> |
| Flow Measurement Port: | Is a flow measurement port required? | Yes _____ | or | No <u>X</u> |
| | Has the measurement port been installed? | Yes _____ | or | No <u>X</u> |
8. Fee Enclosed: \$ 50.00 (See Fee Schedule on back of the instructions for filing proof of beneficial use)
9. Person to contact to accompany the Department representative during field examination of the water system.
Name: BURCH BOONE Telephone Number: (208) 347-2786
Address: 2975 SMOKEY BOULDER RD, NEW MEADOWS ID 83654
10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder:

Blue Room

(include your title, if on behalf of company or organization)

Date _____

10/6/64

DEC 06 1994

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 78-07350

Proposed Priority: September 7, 1993

Maximum Diversion Rate:

0.20 CFS

Maximum Diversion Volume:

1.0 AF

This is to certify, that **MARY BOONE**
A BURCH BOONE
PO BOX 2013
1652 TIMBER CR
MC CALL ID 836382013
has applied for a permit to appropriate water from:

UNNAMED STREAM

tributary of **ROUND VALLEY CREEK**

and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
FIRE PROTECTION STORAGE	01/01 to 12/31		1.0 AF
AESTHETIC	01/01 to 12/31	0.20 CFS	
AESTHETIC STORAGE	01/01 to 12/31		1.0 AF
	Totals	0.20 CFS	1.0 AF

LOCATION OF POINT(S) OF DIVERSION:

SWNESE , Sec. 28, Township 21N, Range 01E
ADAMS County

PLACE OF USE: FIRE PROTECTION STORAGE

TWN RGE SEC

21N 01E 28

NESE


PLACE OF USE: AESTHETIC, same as FIRE PROTECTION STORAGE use

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before November 1, 1994.
2. Subject to all prior water rights.
3. Aesthetic use is for a pond.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

26th day of October, 1993

for 
R. Keith Higgins, Director

OCT 28 1993

RECEIVED
OCT 22 1993

Ident. No. 78-07350

Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name: A BURCH BOONE 208-634-2385
Address: PO BOX 2013
1652 TIMBER CR
MC CALL ID 83638

AND/OR

Name: MARY BOONE 208-634-2385
Address: PO BOX 2013
1652 TIMBER CR
MC CALL ID 83638

2. Source: UNNAMED STREAM Trib. to: ROUND VALLEY CREEK
3. Location of Point of Diversion: SWNESE Sec. 28, Township 21N, Range 01E
ADAMS County

4. Water will be used for the following purposes:

Purpose	From	To	CFS	(or)	AF
FIRE PROTECTION STORAGE	01/01	12/31			1.00
AESTHETIC	01/01	12/31	0.200		
AESTHETIC STORAGE	01/01	12/31			1.00

5. Total quantity to be appropriated is:
0.200 CFS (and/or) 1.00 AF

6. Proposed diverting works:

- Description of ditches, flumes, pumps, headgates, etc.
ON-STREAM IMPOUNDMENT
- Height of storage dam 8 feet; active reservoir capacity 1.00
acre-feet; total reservoir capacity 1.00 acre-feet; period of
year when water will be diverted to storage: 1/01 to 12/31 inclusive.
- Proposed well diameter is inches; proposed depth of well is
feet.
- Is groundwater with a temperature greater than 85F being sought? NO
- If well is already drilled, when?
Drilling Firm
Well was drilled for

7. Time required for the completion of the works and application of
the water to the proposed beneficial use is 1 year(s).

RECEIVED

OCT 28 1993

8. Place of Use: FIRE PROTECTION STORAGE

TWN RGE SEC
21N 01E 28 NESE

Place of Use: AESTHETIC, same as FIRE PROTECTION STORAGE use

9. a. Who owns the property at the point of diversion?
APPLICANT
b. Who owns the land to be irrigated or place of use?
APPLICANT
c. If the property is owned by a person other than the applicant,
describe the arrangement enabling the applicant to make this filing.

10. Remarks:
Aesthetic use is for a pond.

11. Map of proposed point of diversion and place of use attached? ☒

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Burt Boone
Applicant

Received by CJT Date 9/7/93 Time 1330 Preliminary check by g

Fee \$ 30.00 Receipted by CJT #W016698 Date 9/7/1993

Publication prepared by st Date 9-23 Published in Adams City Leader

Publication approved st Date 10-6-93

RECORDED

OCT 28 1993

Comments: Date: 9/ 7/1993 User-ID: HODGES


Subject:
ADDITIONAL INFO

Actual pond size 50 x 100 x 6. Surface area <0.5 acre.

Application exempted from conditions of Salmon Moratorium.

RECORDED

OCT 28 1993



0 500

ACCUR

IDAHC
COL E

50

51

52

20'

53

54


the Geological Survey
on with the U.S. Forest Service

aph prepared from 1:80,000-scale
graphs taken July 8, 1981

nd 10,000-foot grid ticks: Idaho coordinate
zone (Transverse Mercator)
niversal Transverse Mercator grid,
27 North American datum

transformed by scanning techniques
roduce double or mismatched images;
of image positions for map point

SCALE 1:24 000



THIS MAP COMPLIES WITH NATIONAL MAP ACCUR.

**OZALID PRINTS MAY BE PURCHASED FROM IDAHC
BUREAU OF TECHNICAL SERVICES, 801 CAPITOL E**

POND $100 \times 50 \times 6' = .7 \text{ AF}$
(5000 ft² surface)

RECEIVED

OCT 28 1993

M E M O R A N D U M

DATE: January 7, 1998

TO: FILES 78-07350/78-07361/78-07387

FROM: Kari Lynn Townsend

RE: Address Change

=====

Western Region office forwarded a change of address notification they had received from the right holders. The routing slip "special notes" stated **no AJ claims** and listed the water right numbers as shown above.

I have made the corrections to each file in the WR2 screen.

RECEIVED

DEC 26 1997

WATER RESOURCES
WESTERN REGION

RECEIVED

JAN 05 1998

December 1, 1997

Department of Water Resources

Idaho Department of Water Resources/Western Region
1901 N. Orchard Street
P.O. Box 83720
Boise, Idaho 83720-0098

Re: Mailing Address

Please be advised that we have not changed our place of residence in New Meadows, Idaho. We have however changed our postal box to a drawer. Please note the change in your mailing database and/or any appropriate records.

Burch and Mary Boone
P.O. Drawer T
New Meadows, Idaho 83654

Thank you,



Burch Boone



Mary Boone



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. BOX 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

October 23, 1997

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

MARY BOONE
A BURCH BOONE
PO BOX 296
NEW MEADOWS ID 83654

RE: WATER RIGHT NO. 78-07350

Dear Water Right Holder(s):

The Department of Water Resources (the Department) has issued the enclosed license confirming that a water right has been established in accordance with the permit referenced above. The license is a preliminary order issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department unless a party petitions for reconsideration or files an exception and/or brief as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of this order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, this preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to this preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

ENCLOSURE
DEC 11 1997

ORAL ARGUMENT

If the Department grants a petition to review the preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The Department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.


APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen". The signature is written in dark ink and is positioned above the typed name and title.

Shelley W. Keen
Water Rights Supervisor

SK:klt


Enclosure

CERTIFICATE OF MAILING

I hereby certify that on the 23rd day of October, 1997, I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER (Approved License) to the person(s) listed below:

Water Right No. 78-07350

MARY BOONE
A BURCH BOONE
PO BOX 296
NEW MEADOWS ID 83654


Kari Lynn Townsend
Secretary

DEC 1 1997

MEMORANDUM

TO: File 78-07350

FROM: Sharla

DATE: October 9, 1997

RE: Recommendation Adjustment(s)

The final license recommendations for Permit No. 78-07350 are based on the following:

H. RECOMMENDATIONS

Fire Prot. Storage	1/1 - 12/31	0.7 afa
Aesthetic Storage	1/1 - 12/31	0.7 afa
TOTALS		0.7 afa

The storage is on-stream, a direct flow component for aesthetic is not applicable. The storage facility totals 0.7 af ($50' \times 100' \times 6' = 30,000 \text{ cf} / 43,560 = 0.688 \text{ af}$, rounded to 0.7 af)

Examiner: Sandy Hemenway
Exam Date: April 25, 1996

FILED
OCT 11 1997

LICENSE REVIEW CHECKLIST

PERMIT NO. 78-07350

DATE 10/2/97

REVIEWER: SHARLA

NAME	Change <u>—</u>	OK <u>✓</u>	Address Change <u>bla form - New Meadows</u>
SOURCE	<u>—</u>	<u>✓</u>	Is change clarification of originally intended source? <u>—</u>
POINT OF DIV	<u>—</u>	<u>✓</u>	If not, prepare Notice of Intent to Void <u>—</u>
PLACE OF USE	<u>—</u>	<u>✓</u>	Amendment required <u>NO</u>

Does map agree with written description? ✓ yes — no

OVERLAPS — P/D — P/U

RATE OF DIV

Permitted Rate	<u>.20</u> cfs	<u>1.0 af</u>
Fee limit	<u>.20</u> cfs	<u>\$5000</u>
Measured	<u>5.44</u> cfs	
Theoretical	<u>—</u> cfs	

Recommended Total Div Rate .7 af cfs

ANNUAL VOLUME/
NATURE OF USES —

Use	cfs	Volume Calc
<u>Reservoir</u>	<u>N/A</u>	<u>.7</u> af
<u>fire stor.</u>	<u>N/A</u>	<u>.7</u> af
<u>—</u>	<u>—</u>	<u>—</u> af
<u>—</u>	<u>—</u>	<u>—</u> af
SUBTOTAL	<u>—</u>	<u>.7</u> af

Flow rate — cfs X — days X 1.98 = — af

Total volume recommended — af

(SUBTOTAL or Flow Rate, whichever is less)

REMARKS

—
—
—

CONDITIONS — Watermaster Control WD# —

— GW Measurement/Measuring Device OBO N/A - onstream

— Overlap

— Use-specific conditions

Advancement of Priority Date Required — yes ✓ no

SRBA Claim Filed N/A

1st Amend Letter N/A

Adjustment Memo ON stream - no flow

2nd Amend Letter N/A

storage facility = .7 af

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
MAY 11 1996
Department of Water Resources

A. GENERAL INFORMATION

Permit No. 78-07350

1. Owner: Mary +/or A. Burch Boone Phone No. (208) 347-2786

Current Address: PO Box 296 New Meadows Id 83654

2. Accompanied by: Burch Boone EXAM DATE: 4/25/96

Address: PO Box 296 New Meadows Id 83654 Phone No. (208) 347-2786

Relationship to Permit Holder: self

3. Source: unnamed stream tributary to Round Valley Creek

B. OVERLAP REVIEW

1. Other water rights with the same place of use: 78-04301
78-07361, 78-02011, 78-04272
2. Other water rights with the same point of diversion: 78-02011, 78-04272, 78-04301

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		SW	NE	SE	28	21N	1E	Adams	Exam, & USGS Topo.


2. Place(s) of Use:

Indicate Method of Determination Exam, & USGS Topo.

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
21N	1E	28																FS	
																		J	
																		JS	

DEC 11 1997

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

☒ Copy of USGS Quadrange Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☒ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: _____

RECORDED

DEC 11 1937

E. NARRATIVE/REMARKS/COMMENTS

- No govt. lots were found.
- Overlaps for P/D were other sources; overlaps for P/U were other land &/or other uses.
- Note, some distortion in size of section due to splicing two topo. maps together to form the section.
- Physical address is: 2975 Smokey Boulder Rd.
New Meadows, Id. 83654
- Other water sources available: Domestic well.
- Use is for fire protection storage, aesthetic storage & aesthetic (50'x100'x6' pond).
- The system consists of a unnamed stream with direct flow in & out of a 50'x100'x6' pond, & continuing on down the stream over the spill way.

Have conditions of permit approval been met? ☒ yes ☐ no

DEC 11 1987

F. FLOW CALCULATIONS

☒ Additional Computation Sheets Attached

Measured Method:

Open Channel Discharge Measurement (see attachment) = 5.44 cfs
at unusually high flow, due to additional precipitation
(rainfall) + snow-melt run-off.

Allow 1.20 cfs as permitted.

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \underline{\hspace{2cm}}$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = \underline{\hspace{2cm}}$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = \underline{\hspace{2cm}}$$

2. Volume Calculations for Other Uses:

Pond: (Fire Protection Storage, & Aesthetic Storage —
same water, only different use)

50' X 100' X 6'

$$\text{Surface area (S.A.)} = \frac{W \times L}{43,560} = \frac{50' \times 100'}{43,560} = .115 = .12 \text{ acres}$$

$$\text{Capacity} = (\text{S.A.}) \times \text{max. depth} = .12 \text{ acres} \times 6' = .688 = .70 = \boxed{1.0 \text{ Af}}$$

H. RECOMMENDATIONS

Aesthetic:

1. Recommended Amounts

$$.20 \text{ cfs} \times 365 \text{ days} \times 1.9835 = 144.79 = 144.8$$

Allow 1.0 Afa.

Beneficial Use

Period of Use

Rate of Diversion Q (cfs)

Annual Volume V (afa)

Fire Protection Storage

From 1/1

To 12/31

1.0

Aesthetic

1/1

12/31

.20

1.0

Aesthetic Storage

1/1

12/31

1.0

Totals:

.20

1.0

2. Recommended Amendments

☐ Change P.D. as reflected above

☐ Add P.D. as reflected above

☒ None

☐ Change P.U. as reflected above

☐ Add P.U. as reflected above

☐ Other

I. AUTHENTICATION

Field Examiner's Name

Andy Hemminger

Date

5/3/96


Reviewer

Date

SEAL

RECORDED

DEC 11 1997



ished by
GS
etric meth
-ield check
North An
daho coord
verse Merc

Permit No. 78-07350
P/D: T21N R01E S28 SWNESE
R-8 + R-58 7.5 USGS Topo.

78-7350

4/25/96 S.H.



P/D:

Culvert goes
under the road &
directly into the
pond



P/u:

Pond

50' X 100' X 6'

Fire Protection
Storage,

Aesthetic, &

Aesthetic Storage

— direct flow
through continuing
down the stream
over the
spill way

OPEN CHANNEL DISCHARGE MEASUREMENT NOTES (cjh 1/5/92)

1. Name of stream or ditch: Unnamed stream
2. Location: T21N R01E S28 SWNESE
3. Person conducting measure: Sandy Hemenway
4. Date and time of measure: 04/25/96 1318-1346
5. Accompanied by: Sandy Hemenway
6. Measuring device size and ID: Pygmy Meter 090175
7. Spin test OK? Before: Yes After: Yes
8. Purpose of measure: Beneficial Use Exam

DIST FROM LEW (feet)	WIDTH (feet)	DEPTH (feet)	OBS DEPTH	REVS	TIME (secs)	VELOCITY (ft/sec)	DISCHARGE (cfs)
1.2							
2.0	1.05	0.4	0.6	57	40	1.42	0.52
2.5	0.40	0.5	0.6	80	40	1.98	0.40
2.8	0.35	0.5	0.6	73	40	1.81	0.32
3.2	0.35	0.6	0.6	74	40	1.84	0.39
3.5	0.35	0.6	0.6	76	41	1.84	0.35
3.9	0.35	0.7	0.6	87	42	2.05	0.50
4.2	0.35	0.7	0.6	104	40	2.57	0.63
4.6	0.40	0.5	0.6	105	41	2.53	0.51
5.0	0.60	0.6	0.6	89	41	2.15	0.77
5.4	1.00	0.5	0.6	85	40	2.10	1.05
6.2							

TOT WIDTH 5.2

TOTAL DISCHARGE: 5.44

4/25/96 per Burch Boone, the amount of water in the stream is unusually high right now from additional precipitation (rainfall) + snow melt run-off. -- (It was raining at time exam was conducted.)

① Permit: Fire Protection Storage 1/1-12/31 78-07350 1.0 Af
 Aesthetic 1/1-12/31 .20 cfs
 Aesthetic Storage 1/1-12/31 1.0 Af
.20 cfs 1.0 Af

② B/U fee: \$50.00 10/11/94 pd. 0-.20 cfs 0-.20 Af

③ Measurement:

Open Channel Discharge Measurement
 (see attachment) = 5.44 cfs

@ unusually high flow due to
 additional precipitation (rainfall), +
 snow-melt run-off.

10/11/94
 RED 11/2/94

**ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE**

Permit No. 78-07350

Reviewed by Jeff

Date 11/2/94

GENERAL CONSIDERATIONS

yes Name same as permit?
no Address same as permit?
yes Proof timely received?
If not, complete calculation below.

TYPES OF USE

fire prot., storage

Correct Uses? yes

SOURCE OF WATER

☒ Surface water source

☐ Ground water source

☐ Drilling permit required?

☐ Copy in the file? Drilling Permit No. _____

☐ Amount paid for permit

_____ Correct?

☐ Well log in the file?

LICENSE EXAMINATION FEE

yes Required?
\$0.00 Amount Submitted
yes Correct?

MEASURING DEVICE

no Required?
☐ Installed?
☐ Waiver requested?

PRIORITY CALCULATION

Date proof received	☐		☐
Date proof due	☐	-	☐
No. of days late	☐	=	☐
Priority Date	☐	+	☐
New Priority Date	☐		☐

DEFICIENCIES OR ACTION ITEMS

Proof acceptable

DATA ENTRY

New Address P.O. Box 296
new meadows rd 83654

Proof Made 10/11/94



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

November 2, 1994

MARY & A BURCH BOONE
P O BOX 296
NEW MEADOWS ID 83654

PROOF ACKNOWLEDGEMENT LETTER

RE: PERMIT NO. 78-07350

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit.

The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise, at (208)334-2190.

Sincerely,

JULIE L. YARBROUGH
Senior Secretary

c: IDWR - Region

DEC 06 1994

August 31, 1994

MARY BOONE
A BURCH BOONE
PO BOX 2013
1652 TIMBER CR
MC CALL ID 836382013

PROOF DUE NOTICE

RE: PERMIT NO. 78-07350

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before November 1, 1994. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.


If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

JULIE L. YARBROUGH
Senior Secretary

Enclosures





State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

October 27, 1993

MARY BOONE
A BURCH BOONE
PO BOX 2013
1652 TIMBER CR
MC CALL ID 836382013

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 78-07350

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. Please be sure to thoroughly review the "CONDITIONS/REMARKS:" listing on the permit.

Enclosed is a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed is a form entitled "Proof of Beneficial Use". If your project is already completed you should complete and submit this form immediately.

Sincerely,

A handwritten signature in black ink, appearing to read 'Jim Johnson'.

JIM JOHNSON
Water Rights Supervisor

JJ:dc

Enclosures

RECEIVED

8 1993

APPLICATION FOR PERMIT
STATE OFFICE REVIEW

Application #: 78-07350 Date: 10/22/93 Reviewer: Cindy Zimmerman

AREA OF CONCERN? - No/Yes SLC Mor
SYSTEM COMPLETED:
No - 26A-P17
Complete in 1 year - P16
Yes
Proof not submitted - P16
Proof submitted - N/A
GROUNDWATER:
+ 0.2 cfs <flo-ch> - 01G-P03 (new), 01C-P03 (existing), NMR
- 0.2 cfs - NMR <flow chart>
Drilling Permit:
Included w/permit - P99 Permit No. _____
Existing well - N/A (if drilled before 7/1/87)
No WD permit? - 046-46A<Irr>-46B-P23 (if drilled after 7/1/87)
SURFACE WATER: not in WD - 01C-P03 (+.2 w/pump), NMR <flow chart>
LOCATION:
Water District - WD No. _____
Surface water - 005 or 005-01J-P08 (+.2, or -.2 no pump)
or 005-01H-P01 (-.2 w/pump); NMR
Groundwater - P05 (if well has not been drilled)
In stream channel - 030 (stream channel alteration)
Irrigation Dist. - 023
Canal Co. Areas - 023
Drainage Districts - 024
Flood Control Dist. - 063
Boise Front (63) - 058 (Groundwater temperature)
Swan Falls Flag - B <See condition code chart>
Trust - 051-052-053-P74 (Consumptive Uses)
Non Trust <1> - 048-049
RIVER BASINS (Surface): Water District Control Condition (005) &....
Boise (63) - 05A (req), 11E (non-domestic use), NA
Payette (65) - 064(consump. use), 047-P04(Payette Lake), NA
Snake (01, 02 & 03) - 11A-P04 (01), 061-P07 (02/03 No W.D.Cond.), NA
USE:
Fish Propagation - 010/06A/09E-P10(WQ) & 07A-042-002-P06(MD) (req)
044 (N 1000 Spr)
Irrigation - 803(if GW use SW 1st)(+5A do POU comparison)
Power - 08A-17K-025-027 (req); 01F-P19; 09E-P10;
+25 cfs-P18; 17G(FERC) or 17M(FERE); 18B-P09
Mining - 06A/010/09E-P10 & 054 (req)
Storage(✓ 3 compo.) - 18A-for multi MD in WD, 18B-P09 (+10' high dam)NA
Domestic (surface) - 021(Boise R ↑ L Peak), 27A(Payette R)
OWNERSHIP:
Non land owner - 004 (P/D or P/U)
PROTESTED:
Prehearing agreement- 020
OTHER CONDITIONS: -
REMARKS: - ① Aesth. use for pond.
BENEFICIAL USE DUE: - 11 -1-1994
COMMENTS: - ① Mor Exempt ② Div desc.

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

INITIAL REVIEW BY: 6 DATE: 9/8/93 APPLICATION: 78-07350

REQUIRED INFORMATION

☒ Name: (If applicant is a corporation or partnership, names and addresses for the director, officers, and other partners must be included.)
☒ Address:
☒ Source: (See USGS Quad for names of water sources)
☒ Point of Diversion: (10 acres for spring, lot & block descriptions for Subdivisions, local name)
☒ County:
☒ Quantity: (flow and/or volume) Gov't. Lots:
☒ Period of use: ☒ P/D
☒ Nature of proposed use: (Include description of use) ☒ P/U
☒ Description of diverting works:
☒ Time required for beneficial use of water:
☒ Place of use or acres irrigated:
☒ Map:
☒ Signature: (If applicant is corp., partnership, or municipality, title of signatory is required)
☒ Fee:
☒ Yes ☐ No* In form to receipt:

ADDITIONAL INFORMATION

YES NO

☒ ☐ Overlapping place of use: (Describe source & relationship to present application on the back.)
☒ ☐ Overlapping point of diversion:
☐ ☐ Field check required: Field check by: _____
☐ ☐ Field report attached:
☐ ☒ Critical groundwater area:
☐ ☒ Groundwater management area:
☐ ☒ 1992 moratorium N/A L.S. ac
☐ ☒ Copy to SCA staff (perennial stream, non-pump diversion):
☐ ☒ Send dam safety information:
☐ ☒ Send power requirement letter:
☐ ☒ Send fish farm requirement letter:
☐ ☒ Power residency affidavit:
☐ ☒ Power efficiency form:
☐ ☒ Within trust water boundary: (If yes, attach Trust Water Supplementary Analysis Sheet.)
☐ ☒ Diversion greater than 5 cfs or 500 af or irrigation greater than 200 acres: (If yes, attach Large Diversion supplementary analysis sheet.)
☐ ☒ *REQUEST ADDITIONAL INFORMATION FROM THE APPLICANT

DATE REQUESTED: _____

☒ Additional information on reverse side:

RECEIVED
OCT 22 1993

Department of Water Resources

Statewide advertising: (> 10 cfs &/or 1000 af)

SEND COPIES TO

I.D. Fish and Game

Adjudication Bureau

_____ /

_____ /

_____ /

_____ /

U.S. Forest Svc.

Other

$\frac{\checkmark}{\checkmark}$	$\frac{\times}{\times}$
---------------------------------	-------------------------

Application published correctly: If not, record action taken.

Protests received. Final date for protest

Recommendations attached: Approve *AW*

Measuring port required:

Special conditions of approval or cover letter:

Recommended Date or Priority 9/7/1993

Recommended by: [Signature] Date 10/15/1993

See below for additional information. By _____ Date _____

overlaps - 78-02011 - Round Valley Cr
trail cr
- 04272 - Round Valley Cr
Spring
unnamed str
- 04301 - Round Valley Cr
unnamed str
Spring

78-07350

BOONE, A BURCH
BOONE, MARY
PO BOX 2013
1652 TIMBER CR
MC CALL, ID 83638

Source: UNNAMED STREAM

Tributary: ROUND VALLEY CREEK

Diversion Pt: SWNESE Sec 28 T 21N R 01E in ADAMS County.

Use: FIRE PROTECTION STORAGE	(1.00 AF)
AESTHETIC	(.200 CFS)
AESTHETIC STORAGE	(1.00 AF)
Total Diversion:	(.200 CFS) (1.00 AF)

Date Filed: 9/ 7/1993

In: ADAMS County
T21N R01E S28 NESE

RECORDED

OCT 28 1993

RECEIVED

SEP 27 1993

Department of Water Resources
Western Regional Office

Affidavit of Publication

State of Idaho, County of Adams, ss:

I, Bert J. Rogers, being first duly sworn upon my Oath, depose and say that I am the publisher of The Adams County

Leader, a newspaper; that a copy of the "Notice of Appli

67-07928 & 78-07350

as per clipping

hereto attached, was published in the regular and entire issue of said newspaper, and not in any supplement thereof, for

two (2) consecutive weeks, the first publication of the

same being made in the issue dated September 16, 1993

and the last in the issue dated September 23, 1993 that said newspaper is of general circulation in Adams County Idaho, printed and published weekly at Council therein and that said newspaper has been continuously and uninterruptedly published in said county during a period of more than seventy-eight consecutive weeks prior to the first publication of

"Notice"

said

as aforesaid.

Subscribed and sworn to before me this 23rd

day of September, 19 93

Notary Public for Idaho,
Residing at Council, Idaho

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

67-07928

MURPHY, DENYS
MURPHY, PAMELA

PO BOX

COUNCIL ID 83612

Source: GROUNDWATER

Diversion Pt:

SESE Sec 3 T 16N R 01W

In ADAMS County,

Use:

IRRIGATION (.340 CFS)

Total Diversion: (.340 CFS)

Date Filed: 8/24/1993

In ADAMS County

T16N R01W S03

SESE

17.0 ACRES TOTAL

78-07350

BOONE, A BURCH

BOONE, MARY

PO BOX 2013

1652 TIMBER CR

MC CALL, ID 83638

Source: UNNAMED STREAM

Tributary: ROUND VAL-

LEY CREEK

SWNESE Sec 28 T 21N R

01E In ADAMS County.

Use:

Diversion (.200 CFS)

FIRE PROTEC-

TION STOR-

AGE

(1.00 AF)

AESTHETIC (.200 CFS)

AESTHETIC

STORAGE

(1.00 AF)

Total

Diversion (.200 CFS)

(1.00 AF)

Date Filed: 9/7/1993

In: ADAMS County

T21N R01E S28

NESE

Permits will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise Idaho 83705 on or before OCTOBER 4, 1993.

R. KEITH HIGGINSON,

Director

Published 9/16/1993 &
9/23/1993

OCT 28 1993