



13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Peter H. Shubin
(Applicant)

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

N/A

Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
		1 1/2	Model # C48L2EC15	Seaga High Pressure	1"
			390-262551		serial # 1 F94

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS


1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: pressure gauge 1 (1/8" rain bird) = 22 psi

JAN 26 1996

R1E





78-07335
Aug. 11, 1995
S.H

P/D: 1" ABS
Sears High Pressure
1 1/2 HP
mod. # C48L2EC15
Serial # 1F94
model # 390-26551
1" hose (40' to
hose bib attachment)

1/8" rainbird
22 psi

P/u:
Domestic external
only: yard, garden
< .5 acre
(total acreage
owned is .5 acre)



P/u:
Domestic external
only: yard, garden
< .5 acre
(total acreage
owned is .5 acre)

WILSON BARN
JAN 26 1996

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 78-07335

Priority: August 5, 1992

Maximum Diversion Rate:

0.02 CFS

Maximum Diversion Volume:

0.6 AF

This is to certify, that PETER H SHUBIN
RUTH R SHUBIN

5436 HWY 95

NEW MEADOWS ID 83654

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated August 5, 1992; and has submitted Proof of Beneficial Use on November 24, 1993. An examination indicates that the works have a diversion capacity of 0.060 cfs of water from:

LITTLE SALMON RIVER

tributary to SALMON RIVER

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.02 CFS	0.6 AF

LOCATION OF POINT(S) OF DIVERSION:

NESW , Sec. 22, Township 22N, Range 01E
ADAMS County

PLACE OF USE: DOMESTIC

TWN RGE SEC

22N 01E 22

NESW

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Domestic use is for 1 home.

JAN 26 1996


State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 78-07335

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 15TH
day of NOVEMBER, 1995.


Acting for KARL J. DREHER, Director



NOV 15 1995

RECEIVED

NOV 24 1993

Department of Water Resources

RECEIVED

NOV 17 1993

Department of Water Resources

OFFICE USE ONLY

Amt. of Fee \$ 56.00

Date 11-24-93

Receipt No. 0029055

Receipt by JEC

No ✓

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 78-07335 Telephone No. 208-628-3585
2. Name(s) of Permit Holder(s): Peter H. & Ruth R. Shubin
3. Mailing Address: 5436 Hwy 95, New Meadows, ID, 83654
4. Source of Water: Little Salmon River

If **GROUNDWATER**, Well Driller's Name: _____ Date Drilled: _____

OPTIONAL:

Pump horsepower: _____ Pressure (psi): _____ Dynamic pumping level (ft.): _____

5. Extent of Use (as authorized by the permit):

Domestic _____ (No. of households) Stockwater _____ (No. and type of stock)

Irrigation .26 (No. of acres) Other _____

6. Total rate and/or volume for which proof is submitted .03 cfs OR _____ acre/feet
that is our lot size but we will only water 1/2 or less of that.

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? ____ Yes ____ No Installed? ____ Yes ____ No

OR

Flow Measurement Port: Required? ____ Yes ____ No Installed? ____ Yes ____ No

8. Fee Enclosed: \$ _____ (See License Fee Schedule on back of Instruction Sheet)

9. Person to contact to accompany the Department representative during field examination of the water system.

Peter H. Shubin 208-628-3585
Name Telephone No.

5436 Hwy 95 New Meadows, ID. 83654
Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

DEC 06 1993

11-2-93
Date

Ruth R. Shubin
Signature (and title, if on behalf of a company or organization)

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 78-07335

Proposed Priority: August 5, 1992 Maximum Diversion Rate: 0.04 CFS
This is to certify, that PETER H SHUBIN

RUTH R SHUBIN
5436 HWY 95
NEW MEADOWS ID 83654

has applied for a permit to appropriate water from:

LITTLE SALMON RIVER tributary of SALMON RIVER

and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
DOMESTIC	01/01 to 12/31	0.04 CFS

LOCATION OF POINT(S) OF DIVERSION: NESW , Sec. 22, Township 22N, Range 01E
ADAMS County

PLACE OF USE: DOMESTIC
TWN RGE SEC


22N 01E 22 NESW

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before December 1, 1993.
2. Subject to all prior water rights.
3. Domestic use is for 1 home.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

18th day of November, 1992


for R. Keith Higginson, Director

NOTED

DEC 10 1992

AUG 06 1992

Ident. No. 78-07335

RECEIVED

AUG 05 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Western Regional Office
APPLICATION FOR PERMIT

Department of Water Resources To appropriate the public waters of the State of Idaho

1. Name of applicant Peter H. +/or Ruth R. Shubin Phone 628-3585
Post office address 5436 Hwy 95, New Meadows, ID 83654
2. Source of water supply Little Salmon River which is a tributary of Salmon River
3. Location of point of diversion is _____ ¼ of NE ¼ of SW ¼, Govt. Lot _____
Sec. 22 Township 22N Range 01E B.M. Adams County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
Amount .04 for DOMESTIC purposes from 4-1 to 10-31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) .04 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc. pump, pipeline to sprinklers
 - b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
 - c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
 - d. Is ground water with a temperature of greater than 90°F being sought? _____
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
1 years (minimum 1 year).

DEC 10 1992

8. Description of proposed uses (if irrigation only, go to item 9):

- Hydropower; show total feet of head and proposed capacity in KW. _____
- Stockwatering; list number and kind of livestock. _____
- Municipal; show name of municipality. _____
- Domestic; show number of households. Small home IRR / yard + garden < 1/2 acre
- Other; describe fully. _____

9. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
22N	01E	22									D								D

Total number of acres to be irrigated _____

10. Describe any other water rights used for the same purposes as described above. NONE


11. a. Who owns the property at the point of diversion? Applicants

b. Who owns the land to be irrigated or place of use? Applicants

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: Due to drought + moratorium conditions applicants want to supplement current use of domestic well with surface water for IRR of yard + garden. Use qualifies under DOM description under 42-11 ID code.

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Peter H. Schubert
(Applicant)

Received by MM 8-6-92 1:34 PM
Date 8-5-92 Time 3:00 PM Preliminary check by CS
Fee \$ 30.00 Received by CS # 0025147 Date 8-5-92
Publication prepared by GG Date 8/26/92 Published in Adams County Leader
Publication approved ST Date 9-24-92
9/2 & 9/9/92

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other:

RECORDED

DEC 10 1992



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

November 16, 1995

PETER H SHUBIN
RUTH R SHUBIN
5436 HWY 95
NEW MEADOWS ID 83654

RE: WATER RIGHT NO. 78-07335

Dear Water Right Holder(s):

Enclosed is a copy of the Water Right License issued on the above referenced permit. If you have any questions, please contact me within 10 days of receipt of this license.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:rl

Enclosure

RECORDED

JAN 26 1996

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

OCT 17 1995

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 78-07335

1. Owner: Peter H. & Ruth R. Shubin Phone No. (208) 628-3585

Current Address: 5436 Hwy 95 New Meadows, Id 83654

2. Accompanied by: Ruth Shubin EXAM DATE: Aug. 11, 1995

Address: 5436 Hwy 95 New Meadows, Id 83654 Phone No. (208) 628-3585

Relationship to Permit Holder: Self

3. Source: Little Salmon River tributary to Salmon River

B. OVERLAP REVIEW

1. Other water rights with the same place of use: 78-07367, 78-04175, 78-07306

2. Other water rights with the same point of diversion: 78-04175, 78-07222, 78-07223, 78-07306
78-07367

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			NE	SW	22	22N	1E	Adams	USGS Topo., + exam

2. Place(s) of Use:


Indicate Method of Determination

USGS Topo. + exam

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
22N	1E	22									D								

JAN 26 1996

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate well size/ditch size/pipe I.D. as applicable.



Scale: 1" = _____

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☒ Aerial Photo Attached
(required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
		1 1/2	Model # C48L2EC15	Seaga High Pressure	1"
			390-262551		Serial # 1 F94

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: pressure gauge 1 (1/8" rainbird) = 22 psi

JAN 26 1993

E. NARRATIVE/REMARKS/COMMENTS

- No govt. lots were found.
- No other WR; no other water uses.
- Other water source, available is domestic well for internal use.
- Use is Domestic external only for lawn + garden of 1 home + rental on the same property ($< \frac{1}{2}$ acre, since total acreage owned is $\frac{1}{2}$ acre).
- The system consists of a $1\frac{1}{2}$ HP Sears High Pressure pump in the Little Salmon River, with $\frac{1}{2}$ " ~~hose~~ hose to hose bib attachment + hoses with misc. sprinklers to lawn + garden $< .5$ acre.
- Overlaps for P/D are other sources; overlap for P/U are other land +/or other uses.

Have conditions of permit approval been met? ☒ yes ☐ no

APPROVED
JUN 26 1996

F. FLOW CALCULATIONS

☒ Additional Computation Sheets Attached

Measured Method:

Pumpback Computation Spreadsheet (see attachment) = .06 cfs
Allow .02 cfs D/I Domestic external use only ($\leq .5$ acre)

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

Allow .6 Af for D/I Domestic external use only ($\leq .5$ acre)

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Domestic	1/1	12/31	.02	.6
Totals:			.02	.6

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATION

Field Examiner's Name Snaf Hemmway Date 8/22/95

Reviewer _____ Date _____

SEAL

JAN 23 1996

① Permit: Domestic 1/1 - 12/31 .04 cfs

78-07335

② B/U fee: \$50.00 11/24/93 pd .03 cfs

↳ approved amt. 0 - 0.2 cfs

③ Max. allowable:

.02 cfs domestic external only
up to 1/2 acre

④ Pumpback Computation spreadsheet = .06 cfs
(see attachment)

pressure gauge measurement = 22 psi

NOV 21 1993
1993

Pumpback Computation Spreadsheet (DRT 1/24/1995)

Data Entered By: Sandy Hemenway
08/22/95

Project: Flow Computation for Permit No. 78-07335

Given: See Data Table

Compute head losses with the Williams and Hazen Formula:

$$f = 0.2083 * (100 / \text{roughness})^{1.85} * (\text{cfs} * 448.8)^{1.852} / \text{ID}^4 * \text{Length} / 100$$

To Find: Compute Rate of Flow for a Pumpback System

Data Table

Vertical Lift: 30.00 feet

Pressure Req'd: 22.00 psi (from nozzle taken w/ pressure gauge)

Required Head: 80.82 feet

Pump Horsepower: 1.50 horsepower

Pipe Roughness: 140.00 Note: pvc = 150, smooth and straight pipe = 140
aluminum - joint length 20' = 125, joint length
30' = 130, joint length 40' = 132, joint length
50' = 134, new riveted steel = 100
old riveted steel = 100, old cast iron = 95,
old pipes in poor condition = 60 to 80

Inside Diameter in Inches	Equivalent Length in Feet	Unit Head Loss	Total Friction Head Loss from Pipe Friction
0.75	40.00	80.73	
1.00	0.00	0.00	
1.00	0.00	0.00	

80.73

Initial Estimate of Rate of Flow:

0.060 CFS

Computation of Rate of Flow:

0.06

APPROVED
JAN 25 1996



78-07335
Aug. 11, 1995
S.H

P/D: 1" ABS

Sears High Pressure
1 1/2 HP
Mod. # C48L2EC15
Serial # 1F94

model # 390-26551

1" hose (40' to
hose bib attachment)

1/8" rainbird
22 psi

P/u:

Domestic external
only: yard, garden
< .5 acre

(total acreage
owned is .5 acre)



P/u:

Domestic external
only: yard, garden
< .5 acre

(total acreage
owned is .5 acre)

JAN 26 1996

December 1, 1993

PETER H SHUBIN
RUTH R SHUBIN
5436 HWY 95
NEW MEADOWS ID 83654

PROOF ACKNOWLEDGMENT LETTER


RE: PERMIT NO. 78-07335

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,



JULIE L. YARBROUGH
Senior Secretary

c: IDWR - Region

RECORDED

DEC 06 1993



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

November 19, 1993

Peter H. and Ruth R. Shubin
5436 Hwy 95
New Meadows ID 83654

Re: Permit No. 78-07335

Dear Permit Holders:

Returned is the Proof of Beneficial Use form submitted to this office in connection with the above referenced permit. Unfortunately, it is unacceptable as filed. It indicates the total rate of diversion of water to be 0.26 cfs.

When the total maximum rate of diversion is greater than 0.04 cfs, a license examination fee is required to be submitted with the proof. A license examination fee based on a rate of flow of 0.26 cfs is \$100. Note the back of the enclosed instruction sheet/fee schedule.

Since the permit will lapse on December 1, 1993, it is imperative that you return the original proof and the license exam fee as soon as possible. The permit will become null and void on February 1, 1994.

If you have any questions or if I can be of any further assistance, please feel free to contact me.

Sincerely,

for Rita Fleck
Julie Yarbrough
Secretary/Records Manager

Enclosures

RECEIVED

DEC 06 1993

September 30, 1993

PETER H SHUBIN
RUTH R SHUBIN
5436 HWY 95
NEW MEADOWS ID 83654

PROOF DUE NOTICE

RE: PERMIT NO. 78-07335

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before December 1, 1993. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.


If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Karen L. Gustafson
Secretary/Records Manager

Enclosures



RECEIVED

DEC 06 1993



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

November 19, 1992

PETER H SHUBIN
RUTH R SHUBIN
5436 HWY 95
NEW MEADOWS ID 83654

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 78-07335

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

Enclosed is a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed is a form entitled "Proof of Beneficial Use". If your project is already completed you should complete and submit this form immediately.

Sincerely,

BRENDA L. MILLER
Water Resource Agent

BLM:cz

Enclosures

RECEIVED

DEC 10 1992

SHUBIN, PETER H
SHUBIN, RUTH R
5436 HWY 95
NEW MEADOWS, ID 83654

Tributary: SALMON RIVER

Diversion Pt: NESW Sec 22 T 22N R 01E in ADAMS County.

```

Use: DOMESTIC          ( .040 CFS)
    Total Diversion: ( .040 CFS)

```

Date Filed: 8/ 5/1992

In: ADAMS County
T22N R01E S22 NESW

UNCLASSIFIED

DEC 10 1992