


13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.




Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Mrs. Russell Roff
(Applicant)

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☒ Aerial Photo Attached
(required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
		1/2		GE	1"
				model #	
				5KLC34CN1008K	

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS


1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

RECEIVED
JAN 26 1996


78-07300
T2IN1E



PERMIT 78-07300 INIT S.H.
T. R. S. Q/Q
P/D 12N 1E 24 SWNW
SCALE 7.5 USGS Topo.
PHOTO ID.

MTN.)
1 SE
24000
NEW MEADOWS 11 MI.
WEISER 91 MI.
17'30"

557
● INTERIOR—GEOLOGICAL SURVEY WASHINGTON, D. C.—1965
R. 1 E. R. 2 E. 558000m E. 116° 1'



VAL 40 FEET
N SEA LEVEL



QUADRANGLE LOCATION

ROAD CLASSIFICATION

Medium-duty ——— Light-duty ———
Unimproved dirt - - - - -
U. S. Route

JAN 26 1996

INDIAN MOUNTAIN, IDAHO
N4507.5—W11615/7.5


78-07300
8/5/94 S.H.

P/O: Spring
3' x 1'7" cemented
collection box

overflow

gravity flow
278' of 1" PVC to
1000 gallon buried
holding tank, then
40' of 1" PVC into house
to pump

Campbell gauge
GE pump
model # 5KE39CN1008K
56 psi
1/2 HP



P/u:

Domestic
internal + external
yard + garden

JAN 26 1996



State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 78-07300

Priority: July 18, 1988

Maximum Diversion Rate:

0.04 CFS

Maximum Diversion Volume:

1.2 AF

This is to certify, that RUSSELL L ROFF JR
HC 75 BOX 3470

NEW MEADOWS ID 83654 has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated July 18, 1988; and has submitted Proof of Beneficial Use on August 11, 1989. An examination indicates that the works have a diversion capacity of 0.040 cfs of water from:

SPRING

tributary to LITTLE SALMON RIVER

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.04 CFS	1.2 AF

LOCATION OF POINT(S) OF DIVERSION:

NWSWNW , Sec. 24, Township 21N, Range 01E
IDAHO County

PLACE OF USE: DOMESTIC

TWN RGE SEC

21N 01E 24

SWNW

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Domestic use is for 1 home.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 30th day of NOVEMBER, 1995.

Acting for

KARL J. DREHER, Director

261996

RECEIVED

AUG 11 1989

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

Department of Water Resources **PROOF OF BENEFICIAL USE**

For Office Use Only

Fee Received _____

Date _____

Receipt # _____

Receipt by _____

Reviewed by Ed

Sent to region 8-16-89

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 78-07300

Name(s) of Permit Holder: Russell L. Roff, Jr.

Post Office Address: HC 75 Box 3470, New Meadows, ID
83654 Telephone No. 628-3968

Source of Water: spring ✓

Extent of Use:

Domestic 1 ✓ (number of households) Stockwater _____ (number and type of stock)

Irrigation _____ (acres) Other/Remark _____

Total rate and/or volume for which proof is submitted .04 cfs _____ acre-feet

Show the date water was first diverted and beneficially used under this permit: 5-86 ✓

Measuring Device: Required? Yes X No
Installed? Yes X No Fee enclosed \$ _____
(See License Examination Fee Schedule)

Flow Measurement Port: Required? Yes X No
Installed? Yes X No

Person to contact to accompany the Department representative during the field examination:

same as above
(Name) (Telephone Number)

(Address)

The above information is my true statement of the extent to which the above numbered permit is being used and I relinquish any undeveloped portion of the permit to the state of Idaho.

MICROFILMED

SEP 14 1989

8-9-89
Date

Russell L. Roff, Jr.
Signature of Permit Holder (and title, if appropriate)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

APPROVED

1. Name of applicant Russell L. Roff, Jr. Phone 208-628-3968
Post office address HC 75 Box 3470, New Meadows, ID 83654
2. Source of water supply spring which is a tributary of Little Salmon River
- per phone conv. 7/26/88 SK
3. Location of point of diversion is SW NW $\frac{1}{4}$ of NW SW $\frac{1}{4}$ of NW $\frac{1}{4}$, Govt. Lot _____
Sec. 24 Township 21 N Range 1 East B.M. Idaho County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
Amount .04 for domestic purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) .04 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. holding tank & pumped to
the house by pipe

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
d. Is ground water with a temperature of greater than 90°F being sought? _____
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
1 year years (minimum 1 year).

MICROFILMED

DEC 16 1988

8. Description of proposed uses (if irrigation only, go to item 9):

- Hydropower; show total feet of head and proposed capacity in KW. _____
- Stockwatering; list number and kind of livestock. _____
- Municipal; show name of municipality. _____
- Domestic; show number of households. 1
- Other; describe fully. _____

9. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: *D* for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
21N	1E	24							D										

Total number of acres to be irrigated _____

10. Describe any other water rights used for the same purposes as described above. none


- Who owns the property at the point of diversion? applicant
- Who owns the land to be irrigated or place of use? "
- If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: _____

NOT RECORDED

DEC 16 1988

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Mrs. Russell Roff
(Applicant)

Proposed Priority 7/18/88

Received by RL Date 7-18-88 Time 12:00 Preliminary check by SL

Fee \$ 30.00 Receipted by SL # 10000496 Date 7-19-1988

Publication prepared by GG Date 7-27-88 Published in ID County Free Press

Publication approved SL Date 8/29/88 8/3 & 8/10/88

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 78-7300, and said application is hereby APPROVED

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.


b. Proof of construction of works and application of water to beneficial use shall be submitted on or before October 1, 19 89.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other:

Witness my hand this 27th day of September, 1988.


Director

MICROFILMED

DEC 16 1988



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

November 30, 1995

RUSSELL L ROFF JR
HC 75 BOX 3470
NEW MEADOWS ID 83654

RE: WATER RIGHT NO. 78-07300

Dear Water Right Holder(s):

Enclosed is a copy of the Water Right License issued on the above referenced permit. If you have any questions, please contact me within 10 days of receipt of this license.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:rl

Enclosure

RECEIVED

JAN 26 1996

MEMORANDUM

DATE: November 30, 1995

TO: File 78-07300

FROM: Shelley W. Keen *SWK*

RE: Overlap with SRBA claim A78-04184

=====
Right 78-07300 appears to cover the same use as claim A78-04184 filed in the SRBA. The claimed priority for beneficial use claim A78-04184 is 12/31/1949. If A78-04184 is decreed in the SRBA, right 78-07300 may need to be revoked under the provisions of Idaho Code §42-350.

RECEIVED
DEC 6 1996

LICENSE REVIEW CHECKLIST



PERMIT NO. 78-07300 DATE 11-29-95

NAME	Change OK ☒	Or Address Change? ☐
PRIORITY DATE	☒	Advance? ☐ Advanced to: ☐ Order to reinstate needed? ☐ Incorrect fee for rate recommended? <u>N/A at the time.</u>
SOURCE	☒	Changes or just clarification of originally intended source? ☐ Notice of Intent to Void necessary? ☐
POINT OF DIV	☒ <u>N/A</u>	Amendment needed? ☐ Overlaps? ☐
PLACE OF USE	☒ <u>N/A</u>	Amendment needed? ☐ Overlaps? ☐
DIV RATE	☒	Permit/fee limits: <u>.04 CFS</u> Meas Q = ☐ Theo Q = ☐ Recommend: <u>.04</u> <u>Internal + external uses.</u> Combined rates exceed capacity ☐
ANNUAL VOLUME	☒	Volume Limit: ☐ Season: <u>1-1 to 12-31</u> Calculations: <u>Int + ext uses</u> Flow limit: ☐ cfs x ☐ x 1.9835 = ☐ Combined volumes exceed capacity/allowable ☐
USES	☒	Change in Nature of Use or additional uses? ☐ Amendment necessary? ☐
ADDITIONAL INFO		Supplemental Groundwater ☐ PPU Scenario ☐ Irr/Dom Combination ☐ Shared G/W System ☐
NEW REMARKS	<u>WD</u>	Multiple p/d(s) in 1/4 1/4? ☐ Other <u>(1)</u>
NEW CONDITIONS	☒	Watermaster control - District ☐ Measuring/Locking Devices ☐ Irrigation Overlap ☐ Other ☐ Water Quality ☐ Heat/Cool/Fish verified ☐

COMMENTS: _____

RECOMMENDATION	CFS	VOLUME	SRBA Claim Filed	<u>ND</u>
<u>Domestic</u>	<u>.04</u>	<u>1.2</u>	Adjustment Memo Needed	<u>YES</u>
_____	_____	_____	LICENSE	☒
_____	_____	_____	1ST AMEND LETTER	_____
_____	_____	_____	2ND AMEND LETTER	_____

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

NOV 15 1995

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 78-07300

1. Owner: Russell L. Roff, Jr. Phone No. (208) 628-3968

Current Address: HC 75 Box 3470 New Meadows Id 83654

2. Accompanied by: Russell Roff EXAM DATE: 8/5/94

Address: HC 75 Box 3470 New Meadows, Id 83654 Phone No. (208) 628-3968

Relationship to Permit Holder: Self

3. Source: Spring tributary to Little Salmon River

B. OVERLAP REVIEW

1. Other water rights with the same place of use: 78-04184

2. Other water rights with the same point of diversion: 78-02050, 78-04184, 78-04304

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		NW	SW	NW	24	21N	1E	Idaho	per County assessors - see narrative USGS Topo. + exam


2. Place(s) of Use:

Indicate Method of Determination USGS Topo. + exam

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
21N	1E	24							7/1										

JAN 26 1996

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe I.d. as applicable.



Scale: 1" = _____

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☒ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
		1/2		GE	1"
				Model #	
				51C 39C N1008K	

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

JAN 26 1996

E. NARRATIVE/REMARKS/COMMENTS

- Confirmed per telephone Idaho County Assessors Office/Laura @ (208) 983-2742 on 6-14-94.
 - Shows: same owner/addr
 - 10 ac.
 - house on property
 - tax # 14
 - no lot, block # or subd.
- Overlap for P/D + P/u 78-04184 is their WR, but w/ different P/D but same land, other source P/D overlap 78-02050 + 78-04304 are other sources.
- Other WR: A 78-04184, 78-04184 statutory claim.
- No govt. lots were found.
- No other water sources for internal use.
- Use is Domestic D/I internal/external. Other uses wildlife from overflow to burned area w/ wood weir.
- The system consists of a spring w/ a 3'x1'7" cement collection area w/ a 2" ABS overflow that goes to a slightly burned area w/ a wood weir for overflow, from the collection area to a crocotton buried holding tank is 278' of 1" PVC (gravity flow) then 40' of 1" PVC into the basement of the house where there is a pressure tank + Campbell gauge. GE 1/2 HP pump. The system is a closed system.
- Recommend allowing .04 cfs 1.2 Afd Domestic D/I internal/external, since a measurement would not be realistic of the spring, but rather that of the holding tank.

Have conditions of permit approval been met? ☒ yes ☐ no

JAN 26 1996

F. FLOW CALCULATIONS

☒ Additional Computation Sheets Attached

Measured Method:

Allow D/I Domestic .04 cfs internal/external.

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{I.R} \text{ and } V_{D.R} =$ _____

2. Volume Calculations for Other Uses:

Allow D/I Domestic 1.2 Afa internal/external

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
* Domestic	1/1	12/31	.04	.6
Totals:			.04	.6

2. Recommended Amendments

___ Change P.D. as reflected above

___ Add P.D. as reflected above

☒ None

___ Change P.U. as reflected above

___ Add P.U. as reflected above

___ Other

I. AUTHENTICATION

Field Examiner's Name

Gandy Hemenway Date 10/31/95

Reviewer

Date

* See memo. BC



JAN 26 1996

MEMORANDUM

TO: File 78-07300 / Russell Roff
FROM: Brenda Chapman
DATE: November 29, 1995
RE: Recommendation Adjustment(s)

=====

The final licensing recommendations for Right 78-07300 are based on the information below:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use	Rate of Div	Annual Vol
Domestic	1-01 to 12-31	.04	1.2

The standard volume recommendation for domestic internal/external use of 1.2 af is being made.

78-07300-1
11/29/95
11/29/95

① Permit: Domestic 1/1-12/31 .0+cfs

② B/u fee: ~~0~~ 8/9/89 pd. 0 - 0.04 cfs

③ Max. Allowable:

Domestic D/I internal/external .04 cfs
1.2 Afa


④ Measurement:

No measurement since closed system
+ measurement would be unrealistic
of the spring itself, but would be
that of the holding tank.

Recommend allowing .04 cfs D/I
internal/external.

JAN 26 1996

78-07300
TAIN 1E



PERMIT 78-07300 INITS.H


T. R. S. Q/Q

P/D 12N 1E 24 SWNW

SCALE 7.5 USGS Topo.

PHOTO ID.

MTN.J
11 SE
24000



VAL 40 FEET
N SEA LEVEL



QUADRANGLE LOCATION

ROAD CLASSIFICATION
Medium-duty
Light-duty
Unimproved dirt
U.S. Route

JAN 26 1986

INDIAN MOUNTAIN, IDAHO
N4507.5-W11615/7.5

1963

MAP ACCURACY STANDARDS
ER 25, COLORADO OR WASHINGTON 25, D. C.
AND SYMBOLS IS AVAILABLE ON REQUEST



78-07300
8/5/94 S.H.

P/D: Spring
3' x 1' 7" cemented
collection box

— overflow

gravity flow
278' of 1" PVC to
1000 gallon buried
holding tank, then
40' of 1" PVC into house
to pump

Campbell gauge
GE pump
Model # 5KE39CN1008K
56 psi
1/2 HP



P/u:

Domestic
internal + external
yard + garden

JAN 26 1996

RUSSELL L. ROFF, JR.
HC75 BOX 3470
NEW MEADOWS, ID 83654

July 31, 1989

138504

PROOF DUE NOTICE

RE: PERMIT NO. 78-07300

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before October 1, 1989. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

MICROFILMED

SEP 14 1989

S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

Statehouse
Boise, Idaho 83720
(208) 334-7900
September 28, 1988

RUSSELL L. ROFF, JR.
HC75 BOX 3470
NEW MEADOWS, ID 83654

P E R M I T A P P R O V A L N O T I C E

RE: PERMIT NO. 78-07300

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of Beneficial Use" that must be submitted to the Department when your project is completed.

Sincerely,

Gary Spackman
Supervisor, Water Allocation Section

GS: SC
Enclosures

Microfilm

DEC 16 1988

**NOTICE OF APPLICATION
FOR WATER RIGHT**

The following application(s) have been
filed to appropriate the public waters of
the State of Idaho:

77-07266

E & E EXPLORATION; ED GILMER; ED
VANDEHEY; 33244 S. NEEDY RD.;
WOODBURN, OR 97071

Source: UNNAMED STREAM Tributary:
SUMMIT CREEK

Diversion Pt: SWSW Sec 18 T 25N R
04E

Use: MINING STORAGE (.50 AF) MIN-
ING FROM STORAGE (.50 AF)

Date Filed: 7/05/1988

In: T25N R03E S 13 SESE R04E S18
SWSW.

77-07267

E & E EXPLORATION; ED GILMER; ED
VANDEHEY; 33244 S. NEEDY RD.;
WOODBURN, OR 97071

Source: SAND CREEK Tributary:
MEADOW CREEK

Diversion Pt: SWSW Sec 18 T 25N R
04E

Use: MINING STORAGE (.50 AF) MIN-
ING FROM STORAGE (.50 AF) DIVER-
SION TO STORAGE (.500 CFS)

Date Filed: 7/05/1988

In: T25N R04E S18 SWSE.

77-07268

MAYES, AILEEN, 2846 N. 2ND; FRES-
NO, CA 93703

Source: WEBFOOT CREEK Tributary:
WARREN CREEK

Diversion Pt: NENE Sec 23 T, 22N R
06E SENW Sec 23 T 22N R 06E

Use: MINING (1,000 CFS) MINING
STORAGE (25.00 AF) MINING FROM
STORAGE (25.00 AF) DIVERSION TO
STORAGE (1,000 CFS)

Date Filed: 7/05/1988

In: T22N R06E S23 NENE SENW
NESW

77-07269

MAYES, AILEEN; 2846 N. 2ND ST.;
FRESNO, CA 93703

Source: MARTINEZ CREEK Tributary:
WEBFOOT CREEK

Diversion Pt: NESW Sec 23 T 22N R
06E

Use: MINING (1,000 CFS) MINING
STORAGE (25.00 AF) MINING FROM
STORAGE (25.00 AF) DIVERSION TO
STORAGE (1,000 CFS)

Date Filed: 7/05/1988

In: T22N R06E S23 NWSE

78-07300

ROFF, JR., RUSSELL L.; HC75 BOX
3470; NEW MEADOWS, ID 83654

Source: SPRING Tributary: LITTLE
SALMON RIVER

Diversion Pt: NW SWNW Sec 24 T 21N
R 01E

Use: DOMESTIC (.040 CFS)

Date Filed: 7/18/1988

In: T21N R01E S24 SWNW.

79-07175

BROTHERS, JOHN W.; BOX 55; GAY-
LORDSVILLE, CT 06755

Source: SPRING Tributary: SINKS

Diversion Pt: NWNWSW Sec 3 T 27N R
02E

Use: DOMESTIC (.020 CFS)

Date Filed: 7/08/1988

In: T27N R02E S04 SENE.

79-07177

KLOSTER, PAUL; KLOSTER, BONNIE
L.; RT. 4; COTTONWOOD, ID 83522

Source: SPRING Tributary: GETTA
CREEK

Diversion Pt: SENWNE Sec 21 T 28N R
01W

Use: IRRIGATION (.030 CFS) STOCK-
WATER (.020 CFS) DOMESTIC (.040
CFS)

Date Filed: 7/18/1988

In: T28N R01W S21 SWNE 1.0 ACRES
TOTAL

The permit(s) will be subject to all prior
water rights. Protests must be filed with
the Director, Dept. of Water Resources,
Western Region, 2735 Airport Way,
Boise, Idaho 83705 on or before
AUGUST 22, 1988.

R. KEITH HIGGINSON, Director
Published 8/03/1988 & 8/10/1988

A3-10

AFFIDAVIT OF PUBLICATION

Charlotte Sotin

being first duly

Bookkeeper

sworn, says he is the
of the IDAHO COUNTY FREE PRESS, a weekly newspaper which
is published and issued weekly at Grangeville, Idaho County,
State of Idaho, and which is of general circulation in said county
and state; that the said notice, of which the one hereto attached
is a true copy, was published in said paper for two weeks,
being published two times, the first publication being
on the 3rd day of August, 19 88,
and the last publication on the 10th day of
August, 19 88; and that the said notice
was published in the newspaper proper and not a supplement;
that said newspaper has been continuously and uninterruptedly
published in said county during a period of more than seventy-
eight consecutive weeks prior to the first publication of said
notice or advertisement.

Charlotte Sotin

Subscribed and sworn to before me this 10th day

of August, 19 88.

Notary Public

for State of Idaho, residing at Grangeville, Idaho.

RECEIVED
AUG 13 1988

Department of Water Resources
Western Regional Office

MICROFILMED
DEC 16 1988

78-07300

ROFF, JR., RUSSELL L.
HC75 BOX 3470
NEW MEADOWS, ID 83654

Source: SPRING

Tributary: LITTLE SALMON RIVER

Diversion Pt: NWSWN Sec 24 T 21N R 01E

Use: DOMESTIC (.040 CFS)

Date Filed: 7/18/1988

In: T21N R01E S24 SWNW

MICROFILMED

DEC 16 1988