


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Edwin D. Geiger
(Applicant)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION


Permit No. 78-7221
1. Owner: Edwin and Eileen Geiger Phone No. 347-2561
Current Address: P.O. Box 328 New Meadows Idaho 83654
2. Accompanied by: Edwin & Eileen Geiger EXAM. DATE: 7-27-87
Address: — Phone No. —
Relationship to Permit Holder: —
3. Source: Spring tributary to SINKS

B. OVERLAP REVIEW

1. Other water rights with same place of use: None ☐ Copies Attached
2. Other water rights with same point of diversion: None ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = _____.

2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☐ Aerial Photo Attached (required for irrigation of 10 acres or more)
☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).

MICROFILMED

SEP 22 1992

Place of use is
seen in background
of picture. This
picture looks north



Springs are found
in grass and willow
area in background
of picture. Perforated
Pipe extends from pond
to Spring Area



MICROFILMED

SEP 22 1992

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 78-07221

Priority: June 25, 1982

Maximum Diversion Rate:

0.04 CFS

Maximum Diversion Volume:

0.5 AF

This is to certify, that EDWIN GEIGER
EILEEN GEIGER

PO BOX 315

NEW MEADOWS ID 836540315

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated June 25, 1982; and has submitted Proof of Beneficial Use on August 26, 1985. An examination indicates that the works have a diversion capacity of .040 cfs of water from:

SPRING

tributary to SINKS

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION STORAGE	01/01 to 12/31		0.5 AF
IRRIGATION FROM STORAGE	06/01 to 09/30		0.5 AF
DIVERSION TO STORAGE	01/01 to 12/31	0.04 CFS	
	Totals	0.04 CFS	0.5 AF

LOCATION OF POINT(S) OF DIVERSION:

NENENW , Sec. 29, Township 19N, Range 02E
ADAMS County

PLACE OF USE: IRRIGATION STORAGE
TWN RGE SEC ACRES

ACRES

ACRES

TOTAL

Total number of acres irrigated: 2

PLACE OF USE: IRRIGATION FROM STORAGE, same as IRRIGATION STORAGE use

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.

MICROFILMED

SEP 22 1992


State of Idaho
Department of Water Resources

WATER RIGHT LICENSE
WATER RIGHT NO. 78-07221

CONDITIONS/REMARKS:

5. This right when combined with all other rights shall provide no more than .03 cfs per acre nor more than 3.0 afa per acre for the lands above.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code, Witness the seal and signature of the Director, affixed at Boise, this 16TH day of SEPTEMBER, 1992.


Acting for R. Keith Higginson, Director

REPRODUCED
SEP 22 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant Edwin &/or Eileen Geiger Phone 347-2551

Post office address P. O. Box 328 New Meadows, ID 83654

2. Source of water supply Spring which is a tributary of sinks

3. Location of point of diversion is NE $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 29 Township 19N

Range 2E B.M. Adams County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 2 AF for Storage for Irrigation purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum) Irrigation from

Amount 2 AF for Storage purposes from 6/1 to 9/30 (both dates inclusive)
(cfs or acre-feet per annum) Diversion to

Amount .04 for Storage purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. .04 cfs cubic feet per second and/or b. 2 af acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. dug pond for storage w/pump
& sprinkler system for irrigation

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 3 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M.


(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water _____

(5) If water is to be used for other purposes describe: _____

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Eduin D. Geiger
(Applicant)

Proposed Priority 6/25/1982

Received by EEB Date 25 June 82 Time 1:30
Preliminary check by 625 Fee \$ 30.00
Receipted by EEB Date 25 June 82 # 24010
Publication prepared by jp Date 7/1/82
Published in Adams County Leader
Publication dates 7/8 & 7/15/82
Publication approved SR Date 7/16/82
Protests filed by: 1 me

Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by DBS

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 78-7221, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before September 1, 19 85.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other: Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.

Witness my hand this 12th day of August, 1982.

J. Glen Saxton
Chief, Operations Bureau

Affidavit of Publication

State of Idaho, County of Adams, ss:

I, Bert J. Rogers, being first duly sworn upon my Oath, depose and say that I am the publisher of The Adams County

Leader, a newspaper; that a copy of the " Notice of Application fo

67-7573-67-7575-67-7576-78-7221

as per clipping

hereto attached, was published in the regular and entire issue of said newspaper, and not in any supplement thereof, for

two (2) consecutive weeks, the first publication of the

same being made in the issue dated July 8.1982

and the last in the issue dated July 15.1982 that said newspaper is of general circulation in Adams County Idaho, printed and published weekly at Council therein and that said newspaper has been continuously and uninterruptedly published in said county during a period of more than seventy-eight consecutive weeks prior to the first publication of

said " Notice " as aforesaid.

Subscribed and sworn to before me this 15th

day of July , 19 82

Notary Public for Idaho,
Residing at Council, Idaho

NOTICE OF APPLICATION
FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

67-7573

SPENCER, MR. E. G. &/or MRS. E. G.

RT. 1 AIRPORT RD., COUNCIL, ID 83612

Source: WEISER RIVER tributary to SNAKE RIVER

Date Filed: 06/28/1982

Amount: 0.24 CFS

Diversion Point: NENE Sec 09 T 16N R 01W, ADAMS Co.

Use: IRRIGATION (0.24 CFS) from 03/15 to 11/15

Place of Use: NWNW Sec 10 T 16N R 01W NENE Sec 09 T 16N R 01W FOR 12 ACRES

Diversion Means: PUMP & DITCHES

67-7575

RALEIGH, ROBERT F. &/or PAULINE C.

P.O. BOX 825, COUNCIL, ID 83612

Source: GROUNDWATER

Date Filed: 06/21/1982

Amount: 0.16 CFS

Diversion Point: SWNE Sec 11 T 16N R 01W, ADAMS Co.

Use: IRRIGATION (0.12 CFS) from 03/15 to 11/15

DOMESTIC (0.04 CFS) from 01/01 to 12/31

Place of Use: SWNE Sec 11 T 16N R 01W FOR 6 ACRES

Diversion Means: PUMP & SPRINKLER SYSTEM

67-7576

FREDRICKSON, ARNIE E. &/or EVELYN

11545 17TH N. E., SEATTLE, WN 98125

Source: WASTE WATER tributary to WEISER RIVER

Date Filed: 06/17/1982

Amount: 0.20 CFS

Diversion Point: SESW Sec 11 T 16N R 01W, ADAMS Co.

Use: IRRIGATION (0.20 CFS) from 03/15 to 11/15

STOCKWATER (0.02 CFS) from 03/15 to 11/15

Place of Use: SESW Sec 11 T 16N R 01W FOR 11 ACRES

Diversion Means: DITCHES

78-7221

GEIGER, EDWIN &/or EILEEN P.O. BOX 328, NEW MEADOWS, ID 83654

Source: SPRING tributary to SINKS

Date Filed: 06/25/1982

Amount: 0.04 CFS 2.0 AC-FT

Diversion Point: NENW Sec 29 T 19N R 02E, ADAMS Co.

Use: IRRIGATION STORAGE (2.0 AC-FT) from 01/01 to 12/31

IRRIGATION FROM STORAGE (2.0 AC-FT) from 06/01 to 06/30

DIVERSION TO STORAGE (0.04 CFS) from 01/01 to 12/31

Place of Use: NENW Sec 29 T 19N R 02E FOR 2 ACRES

Diversion Means: POND, PUMP & SPRINKLER SYSTEM

If issued, the permit(s) will be subject to all prior water rights.

Protests against the granting of any permit(s) must be filed with the Director of the Idaho Department of Water Resources, 602 S. Cole Road, Boise, Idaho 83709 on or before JULY 26, 1982.

A. KENNETH DUNN
Director

Published 7/8 & 7/15/82.

September 17, 1992

EDWIN GEIGER
EILEEN GEIGER
PO BOX 315
NEW MEADOWS ID 836540315

RE: WATER RIGHT NO. 78-07221

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

SEP 22 1992

MEMORANDUM

DATE: August 19, 1992
TO: File 78-07221
FROM: Cindy Zimmerman
SUBJECT: Address Correction

=====

Correspondence dated August 6, 1992 was returned 'Moved'.
Per telephone conversation with Adams County Assessor's
office, the correct address is as follows:

EDWIN GEIGER
EILEEN GEIGER
PO BOX 315
NEW MEADOWS ID 83654-0315

I am remailing the above referenced correspondence to the
correct address.

RECEIVED

SEP 22 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
1301 North Orchard Street
Boise, Idaho 83706-2237

MICROFILMED

SEP 2 1992

TO: [unclear]
FROM: [unclear]
SUBJECT: [unclear]
SENDER: [unclear]

- ☐ Moved, left no address
- ☐ No such number
- ☒ Moved, not forwardable
- ☐ Attempted Not known

POSTAGE
FIRST CLASS
BOISE
AUG 1992
IDAHO
0242

August 6, 1992

EDWIN GEIGER
EILEEN GEIGER
PO BOX 328
NEW MEADOWS ID 83654

RE: WATER RIGHT NO. 78-07221

Dear Water Right Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

MICROFILMED
SEP 22 1992

LICENSE REVIEW CHECKLIST

Permit # 78-07221

Date 08-04-92

	Yes	No	
NAME	☐	☒	Address Change?
PRIORITY DATE	☐	☒	Advance? _____
	☐	☒	Memo to Advance _____
	☐	☒	Order to Reinstate Needed? _____
TOTAL CFS	☐	☒	Incorrect Fee for rate recommended? _____
	☒	☐	Disagree with Actual Measurement? _____
			<u>.04 cfs (Div/STOR)</u>
	☒	☐	Disagree with Theoretical? <u>1 x 3.8 x .7 = .09</u>
	☐	☒	Limited by Capacity? <u>.04 cfs 10' + (2.31 x 25)</u>
TOTAL VOLUME			Rate/ac <u>3.0</u> AFA Irr. Season <u>B</u>
			<u>4-15 to 10-15</u> Standard Irr. Season
			<u>6-1 to 9-30</u> Per Permit Season Recommended
	☐	☒	Disagree with Examiner's Calculations? _____
			<u>2 x 3.0 = 6.0 / .546 (IRR F/STOR) + (IRR/STOR) pond capacity</u>
	☐	☒	Limited by Flow? <u>.04 x 183 x 1.9835 = 14.52.5</u>
SOURCE	☐	☒	Changes? Clarification of <u>Originally</u>
	☐	☒	<u>Intended</u> source _____
	☐	☒	Notice of Intent to Void. _____
P/D			Verify with Map _____
	☐	☒	Amendment Needed? _____
	☐	☒	Is Overlap Analysis a Consideration? _____
P/U			Verify with Map _____
	☐	☒	Amendment Needed? _____
	☐	☒	Is Overlap Analysis a Consideration? _____
USES	☐	☒	Change(s) in Nature of Use? _____
	☐	☒	Amendment Needed? _____
REMARKS	☐	☒	Multiple P/Ds in 1/4 1/4? _____
	☐	☒	Non-Irr. Uses _____
	☐	☒	Special Overlap Condition _____
	☐	☒	Other _____
CONDITIONS	☐	☒	Measuring Device _____
	☐	☒	W/Master Control _____
	☒	☐	Overlap _____
	☐	☒	Water Quality _____
			DATES/MISC
			☐ Water Dist.
			☒ App Rec'd
			☐ Exam Made
COMMENTS/MEMOS NEEDED:			<u>Reduced Storage</u>
			<u>Estimate 10' max lift / 25 psi small Irr estimate</u>
License	☐	☒	10-Day
	☐	☐	15-Day
	☐	☐	Special Correspondence _____

DATE: 08/04/92
PAGE: 1

Stage: LICENSE

Water Source: SPRING

0.04 CFS

ME EN NW

RIGATION STORAGE

SE

VIATION STORAGE

intv: ADAMS

Place(s) of use:

of Approval:

- This right when combined with all other rights shall provide no more than .03 cfs per acre nor more than 3.0 afa per acre for the
- lands above.

06/25/1982


(Not Required)

08/04/92 SKAGGS

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

78 7221
Permit No.

Staff Analysis Sheet
for
Beneficial Use Field Report



A. Prior to Conducting the Exam, the File Contains:

- ☒ Blank Field Report Form
- ☒ Copy of Permit
- ☒ Copies of any Amendments/Orders with conditions of approval
- ☒ Computer Data Proof Report
- ☒ Copy of U.S.G.S. Quad
- ☒ Check for Government Lots. If so, make a copy of Government Plat

Check of P/D index RAQ 7-30-87 (Initial and date)

Overlap? ☐ yes ☒ no If yes: ☐ copy of exam(s) attached?
Type of Overlap? ☐ Add acres or uses to existing system
☐ Increase rate of flow or volume
☐ Other: _____

Check of P/U index RAQ 7-30-87 (Initial and date)

Overlap? ☐ yes ☒ no If yes: ☐ copy of water right(s) attached?
Type of Overlap? ☐ Increase rate of flow or volume
☐ Add P/D's
☐ Increase number of acres within tracts
☐ Other: _____

Aerial Photo

Required? ☐ yes ☒ no If yes: ☐ copy attached?

Scheduling Letter sent? _____ (Initial and date)

☒ Appointment made and telephone conversation memo attached

B. After Conducting the Exam, the File Contains:

- ☒ Fully completed and signed Field Report Form
- ☒ Photographs of Point of Diversion and Place of Use
- ☒ Corrected Computer Data Proof Report with recommended license information, and date and signature of examiner.

C. Review and Processing:

Exam Completed Richard J. Joplin 7-30-87 (Signature of examiner and date)

Exam Reviewed by Senior Water Resource Agent JP 2/2/88 (Initial and date)

Exam Reviewed by Manager of Regional Office DW 2/29/88 (Initial and date)

Exam Date Entered in Computer _____ (Initial and date)

Exam sent to State Office RA 3/21/88 (Initial and date)

Copy of Staff Analysis Sheet sent to Manager of Regional Office and Original
Refiled in White File _____ (Initial and date)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

Permit No. 78-7221


1. Owner: Edwin and Eileen Geiger Phone No. 347-2551
Current Address: P.O. Box 328 New Meadows Idaho 83654
2. Accompanied by: Edwin & Eileen Geiger EXAM. DATE: 7-27-87
Address: Phone No.
Relationship to Permit Holder:
3. Source: Spring tributary to SINKS

B. OVERLAP REVIEW

1. Other water rights with same place of use: None
☐ Copies Attached
2. Other water rights with same point of diversion: None
☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" =

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required). ☐ Aerial Photo Attached
(required for irrigation of 10 acres or more)
- ☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater.)

MICROFILMED

SEP 22 1992

System Description (continued)

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

A spring area is drained using a 6" pipe which is perforated at the end so that spring water can be collected. The pipe is backfilled with gravel through most of its length. A 1 HP centrifugal pump (electric) pumps water from a small pond to 2 acres of irrigated lands.

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
POND PUMP	-	1	-	-	-

*Code to correspond with No. on map and aerial photo

5. **Point(s) of Diversion:**

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		NE	NE	NW	29	19N	2E	Adams	Topographic Maps

6. **Place(s) of Use:**

Indicate Method of Determination _____

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
19N	2E	29					2												2

MICROFILMED

SEP 22 1992

Do not use this space

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
N/A						

2. Measurements:

No measurements taken
Reported that system can run 5 sprinklers at a sufficiently high pressure.

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method: N/A

2. Alternate Method for Checking Purposes: N/A

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

N/A

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

STORAGE VOLUME

Length x width x height / 43560

$100 \times 75 \times 3 / 43560 = \sim 1 \text{ AF}$

REDUCE TO
 $100 \times 75 \times 3 = \frac{22,500}{43,560} = .5 \text{ AF}^*$

H. REMARKS AND OVERLAP REVIEW ANALYSIS

[illegible]

I. RECOMMENDATIONS

1. Recommended Amounts


Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Storage for Irrigation	1-1	12-31		.5 * AF
Irrigation for Storage	6-1	9-30		.5 * AF
Diversion to Storage	1-1	12-31	.04 cfs	
Totals:			.04 cfs	.5 * AF

2. Recommended Amendments

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

J. AUTHENTICATION

Field Examiner's Name Richard Gengerle
Signature Richard J Gengerle
Certification Date _____
Field Report Preparation Date 7-27-87




K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

MICROFILMED

SEP 22 1992

Place of use is
seen in background
of picture. This
picture looks north




Springs are found
in grass and willow
area in background
of picture. Perforated
Pipe extends from pond
to Spring Area



MICROFILMED

SEP 22 1992



SEP 22 1992

(NEW MEADOWS 1:62 500)

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES
Western Region

Statehouse
Boise, Idaho 83720
(208) 334-2190

DECEMBER 2, 1985

EDWIN GEIGER
P.O. BOX 328
NEW MEXICO ID 83654

RE: Permit No. 78-7221

Dear Permit Holder:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this department.

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office by phone at 334-2190 or in person in the third floor State Towers Building, 450 West State Street, Boise.

Sincerely,
Audrey Pense
Secretary

MICROFILMED

SEP 22 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
PROOF OF BENEFICIAL USE

RECEIVED
AUG 26 1985

Department of Water Resources

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed development under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below:

Permit No. 78-7221

Name(s) of Permit Holder: Edwin and/or Eileen Geiger

Post Office Address: P.O. Box 328 New Meadows, Ida 83654

Telephone No. 347-2551

Source of Water: SPRING

Extent of Use:

Domestic _____ (number of households)

Stockwater 1 HORSE (number and type of stock)

Irrigation 2 ACRES (acres)

Other/Remarks PORTABLE PUMP + ABOVE GROUND HOSE
and SPRINKLERS

Indicate the date water was first diverted and beneficially used under this permit: _____

Measuring Device: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☐ No

Flow Measurement Port: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☐ No

Person to contact to accompany the Department representative during the field examination:

Edwin or Eileen Geiger
(Name)

P.O. Box 328 New Meadows, Ida. 83654
(Address) (Telephone Number)


The above information is a true statement of the extent to which the above numbered permit has been developed.

8/22/85
Date

Edwin H. Geiger
Signature of Permit Holder (and Title, if appropriate)

MICROFILMED

E.D. Geiger
P.O. Box 328
New Meadows 83654



Idaho Department of Water Resources
Statehouse Mail
Boise, ID 83720

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

138157

GEIGER, EDWIN & EILEEN
P.O. BOX 328
NEW MEADOWS, ID 83654

PROOF DUE NOTICE

JUNE 30, 1985

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 78-7221 WAS THAT PROOF OF THE EXTENT OF YOUR BENEFICIAL USE MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE SEPTEMBER 01, 1985. (SEE LAST PAGE OF YOUR APPROVED PERMIT OR YOUR LAST APPROVED EXTENSION REQUEST). ENCLOSED IS A FORM WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU OR A PREVIOUS OWNER OF THIS PERMIT HAVE NOT RECEIVED A PRIOR EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME IF THE DELAY IS FOR REASONABLE CAUSE AS PROVIDED IN SECTION 42-204, IDAHO CODE. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED. AN EXTENSION OF TIME REQUEST FORM IS ENCLOSED FOR YOUR CONVENIENCE.

EITHER THE BENEFICIAL USE FORM OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE DESCRIBED PROOF DUE DATE. IF NEITHER IS RECEIVED, THE DEPARTMENT WILL SEND YOU A LAPSE NOTICE. WITHIN SIXTY (60) DAYS OF THE MAILING OF THE LAPSE NOTICE, THE PERMIT WILL NO LONGER BE OF ANY FORCE NOR EFFECT.

SINCERELY,

RITA FLECK
SECRETARY/RECORDS MANAGER

ENCLOSURES

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

GEIGER, EDWIN & EILEEN
P.O. BOX 328
NEW MEADOWS, ID 83654

AUGUST 31, 1982

RE: PERMIT NO. 78-7221

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

WE HAVE ENCLOSED A FORM ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

SINCERELY,

DAVID R. TOTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: GLS

APPLICATION NUMBER: 78-7201

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.

Field check by: _____

Date: _____

Comments: _____

- ☒ Yes ☒ No
☐ Yes ☒ No
☐ Yes ☒ No
☒ Yes ☒ No*

Field check required.

Critical groundwater area.

Request dam safety information. Sent by: _____ Date: _____

In form to receipt.

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: _____ Date: _____

PROCESSING:

- ☐ Yes ☐ No
☐ Yes ☒ No

Platted by: _____ Map No. _____

Other rights on same place of use. None

- ☒ Yes ☐ No*

In form for advertising.

Final date for protests: 7/26/82

- ☐ Yes ☐ No

Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 7/16/82
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application. 3009 24010
☒ Publication dates and paper, recorded on application. Adams County Leader
☒ Protests, dates, withdrawal, etc., recorded on application. 7/2 & 7/9/82
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____

6/25/82 Date of priority recommended.

Special conditions of approval or cover letter. _____

By: DBS

Date: 7/26/82

STATE OFFICE REVIEW:

SLW/LI2

26

- ☐ See attached sheet for more information.

By: Temp

Date: 8/10/82

RECEIVED

AUG 02 1982

POINT OF DIVERSION AND STREAM INDEX INFORMATION

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

IDAHO STREAM CODE INDEX

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

IDAHO STREAM CODE INDEX

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

IDAHO STREAM CODE INDEX

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

IDAHO STREAM CODE INDEX

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

IDAHO STREAM CODE INDEX

ZB-Z221

GEIGER, EDWIN &/or EILEEN

P.O. BOX 328, NEW MEADOWS, ID 83654

Source: SPRING tributary to SINKS

Date Filed: 06/25/1982

Amount: 0.04 CFS 2.0 AC-FT

Diversion Point: NENW Sec 29 T 19N R 02E, ADAMS Co.

Use: IRRIGATION STORAGE (2.0 AC-FT) from 01/01 to 12/31
IRRIGATION FROM STORAGE (2.0 AC-FT) from 06/01 to 09/30
DIVERSION TO STORAGE (0.04 CFS) from 01/01 to 12/31

Place of Use: NENW Sec 29 T 19N R 02E FOR 2 ACRES

Diversion Means: POND, PUMP & SPRINKLER SYSTEM