


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.




Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

DEPARTMENT OF AGRICULTURE

~~John A. Black~~
(Applicant)

76-774
T-23N R-1E
Sec-29





4.20.95





WATER RIGHT SUMMARY

<u>ACTION</u>	<u>RIGHT NO.</u>	<u>NAME</u>	<u>AMOUNT CFS</u>
Original Permit	78-7174	Pollock, John A. Mable M.	0.03
Full Assignment	78-7174	Norberg, Robin Alberta	0.03

MICROFILMED

MAR 03 1988

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 78-07174

Priority: June 15, 1981

Maximum Diversion Rate:

0.02 CFS

Maximum Diversion Volume:

4.0 AF

This is to certify, that ROBIN NORBERG
ALBERTA NORBERG

PO BOX 484

RIGGINS ID 83549-0484

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated June 15, 1981; and has submitted Proof of Beneficial Use on July 15, 1982. An examination indicates that the works have a diversion capacity of 0.020 cfs of water from:

DENNEY CREEK

tributary to LITTLE SALMON RIVER

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/01 to 11/30	0.02 CFS	4.0 AF

LOCATION OF POINT(S) OF DIVERSION:

SENE, Sec. 29, Township 23N, Range 01E
IDAHO County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
23N	01E	29	SWNE 1			1

Total number of acres irrigated: 1

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount that can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.0 afa per acre for the lands above.

MAR 29 1996

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 78-07174

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 31st
day of JANUARY, 1996.

Acting for


KARL J. DREHER, Director



[Faint, illegible text]

RECEIVED

JAN 30 1996

State of Idaho
Department of Water Resources

Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 78-07174

Date of Priority: June 15, 1981

Maximum Diversion Rate:

0.02 CFS

Maximum Diversion Volume:

4.0 AF

Comes now

ROBIN NORBERG
ALBERTA NORBERG

PO BOX 484

RIGGINS ID 83549-0484

and represents to the Director of the

Idaho Department of Water Resources:

That he is the owner and holder of Permit to Appropriate the Public Waters of the State of Idaho No. 78-07174, and requests that the permit be changed as follows:

Source: DENNEY CREEK

tributary to LITTLE SALMON RIVER

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/01 to 11/30	0.02 CFS	4.0 AF

LOCATION OF POINT(S) OF DIVERSION:

SENE , Sec. 29, Township 23N, Range 01E
IDAHO County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
23N	01E	29	SWNE	1		1

Total number of acres irrigated: 1

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at Riggins, Idaho, this 25 day of January, 1996.

Alberta Norberg
(Signature)

MAR 29 1996

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 78-07174

FOR DEPARTMENT USE ONLY

Preliminary check by _____ Fee = 50.00 Received by JW # C034693 Date 1-30-96

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, Karl J. Dreher, of the Department of Water Resources hereby approve the
above Application for Amendment for Permit No. 78-07174 with the following;

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount that can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.0 afa per acre for the lands above.

Witness my hand this 31st day of JANUARY, 1996

Acting for

Karl J. Dreher
KARL J. DREHER, Director

MAR 29 1996

RECEIVED

State of Idaho

NOV 04 1987 Department of Water Resources

RECEIVED

NOV 8 1987

ASSIGNMENT OF PERMIT

Department of Water Resources
Western Regional Office

Department of Water Resources

I, John Pollock, hereby assign to Robin + Alberta Nordberg
of Pollock, Idaho. — P.O. Box 484, Riggins, Idaho - 83349
Address

CHECK ONE

☒ All my right, title, and interest in and to Permit No. 78-7174
to appropriate the public waters of the State of Idaho.

☒ The following described portion of my right, title, and interest in and to Permit
No. 78-7174 to appropriate the public waters of the State of Idaho.

(Describe that portion of the permit being assigned by listing the acreage within
each 40 acre subdivision, the point of diversion and the amount of water in cubic
feet per second for direct diversion, or acre feet for storage)

Made this _____ day of _____, 19____.

John Pollock
Permit Holder

Mabel Pollock
Spouse of Permit Holder

State of Idaho)
County of Canyon) ss.

On this 29th day of October, 1987, personally
appeared before me the signer(s) of the above instrument, who duly acknowledged to me
that ~~he~~ she ~~they~~ executed the same.

seal

Dail A. Palmer

Notary Public residing at Boise

My commission expires 3-4-93

RECORDED

My commission expires:

3-4-93

MAR 03 1988

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant John A. &/or Mable M. Pollock Phone 465-0936
Post office address 908 S. 20th Nampa, ID 83651
2. Source of water supply Denney Creek which is a tributary of Little Salmon River
3. Location of point of diversion is SW $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 29 Township 23N
Range 1E B.M. Idaho County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount .03 for Irrigation purposes from 3/15 to 11/15 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. .03 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Gravity flow pipe from creek

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 1 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water _____.

(5) If water is to be used for other purposes describe: _____

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

[illegible]

Total number of acres to be irrigated 1

c. Describe any other water rights used for the same purposes as described above.


9. a. Who owns the property at the point of diversion Mr. Hasbrook

b. Who owns the land to be irrigated or place of use Applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing Legal Easment in Sale Contract

10. Remarks _____

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

X John A. Salbeck
(Applicant)

100

Proposed Priority 6/15/1981

92-7006

Received by JY Date 6-15-81 Time 1208

Preliminary check by JB Fee \$ 30.00

Receipted by Jeter Date 6/16/81 # 19369

Publication prepared by SP Date 6-25-81

Published in Cottonwood Chronicle

Publication dates 7/02/81 & 7/09/81

Publication approved SP Date 7-21-81

Protests filed by: None

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by DBS RC

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 78-7174, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before September 1, 1982.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. Other: The issuance of this permit in no way grants any right-of-way or easement across the land of another.

Witness my hand this 27th day of August, 19 81.

A. Glen Saylor
Chief, Operations Bureau

RECEIVED



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

January 31, 1996

ROBIN NORBERG
ALBERTA NORBERG
PO BOX 484
RIGGINS ID 835490484

RE: WATER RIGHT NO. 78-07174

Dear Water Right Holder(s):

Enclosed is a copy of the Water Right License issued on the above referenced permit along with a copy of your approved Application for Amendment.

Should you have any questions regarding these documents, please contact me.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:rl

Enclosure

MAR 29 1996



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

January 22, 1996

ROBIN NORBERG
ALBERTA NORBERG
PO BOX 484
RIGGINS ID 835490484

RE: WATER RIGHT NO. 78-07174

Dear Water Right Holder(s):

The above referenced water right is in the process of being licensed. However, before a license can be issued, your permit must be amended to depict your water right as it has actually been developed.

The enclosed Application for Amendment contains information that will be included on the license when it is issued. The amendment reflects a change in the location of the point(s) of diversion. Please review carefully and if you concur, sign the amendment and return with the \$50.00 filing fee within 14 days.

The last page of the Application for Amendment form contains a list of CONDITIONS/REMARKS proposed for the license when it is issued. These conditions/remarks may be modified upon further administrative review.

If you do not concur, or if you have any questions about this information, please contact me as soon as possible. My telephone number is (208) 327-7946.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:rl

Enclosure

MAR 29 1996

LICENSE REVIEW CHECKLIST

PERMIT NO. 78-07174 DATE 1-16-96



NAME Change OK ☒ Or Address Change? ☐

PRIORITY DATE Advance? ☒ Advanced to: Order to reinstate needed? Incorrect fee for rate recommended? NA

SOURCE Changes or just clarification of originally intended source? ☒ Notice of Intent to Void necessary? Amendment needed? Change to SENE 1/4 Overlaps? ☒

POINT OF DIV Amendment needed? Overlaps? ☒

PLACE OF USE Amendment needed? Overlaps? ☒

DIV RATE Permit/fee limits: .03 CFS / 1 acw Meas Q = .02 Theo Q = Recommend: .02 6 gae/bucket

ANNUAL VOLUME Volume Limit: NEW Season: 8/4.0 (3-1 to 11-30) Calculations: 1 acre @ 4 AF Flow limit: cfs x x 1.9835 = Combined volumes exceed capacity/allowable

USES Change in Nature of Use or additional uses? Amendment necessary? ☒

ADDITIONAL INFO Supplemental Groundwater PPU Scenario Irr/Dom Combination Shared G/W System

NEW REMARKS Multiple p/d(s) in 1/4 1/4? Other

NEW CONDITIONS Watermaster control - District Measuring/Locking Devices R3/ Irrigation Overlap Other Water Quality Heat/Cool/Fish verified

COMMENTS: Amend p/d

RECOMMENDATION	CFS	VOLUME	SRBA Claim Filed	Adjustment Memo Needed	LICENSE
<u>Irrigation</u>	<u>.02</u>	<u>4.0</u>	<u>YES</u>	<u>NO</u>	<u>1ST AMEND LETTER P39+P38</u>
					<u>2ND AMEND LETTER P47</u>

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

OCT 13 1995

Department of Water Resources

A. GENERAL INFORMATION


Permit No. 78-7174
1. Owner: Robin and/or Alberta Nordberg Phone No. 628-3983
Current Address: Box 484 Riggins, ID 83549
2. Accompanied by: Robin Nordberg EXAM. DATE: 8/19/89
Address: Same Phone No. _____
Relationship to Permit Holder: owner
3. Source: Denny Creek tributary to Little Salmon River

B. OVERLAP REVIEW

1. Other water rights with same place of use: None
☒ Copies Attached
2. Other water rights with same point of diversion: None
☒ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = 1/4 mi

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and place(s) of use (required). ☐ Aerial Photo Attached 9/1998
(required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

System Description (continued)

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

Concrete Collection box on stream w 3/4" plastic pipe x 1/4 mile buried to Faucets at place of use. Used to water land around home and to provide fire protection. Applicant also can place pipe directly in stream.

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size

*Code to correspond with No. on map and aerial photo

5. **Point(s) of Diversion:**

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks

6. **Place(s) of Use:**

Indicate Method of Determination

Twp.	Rge.	Sec.	NE1/4				NW1/4				SW1/4				SE1/4				Totals
			NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	
23N	1E	29			1														1

Do not use this space

AR 29 1996

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

Timed Volume measurement

6 gal. Fill in 42 sec.

$$\frac{6}{42} \times \frac{x}{60} \quad 42x = 360 \quad \rightarrow \quad 8.6 \text{ gpm}$$
$$x = 8.6 \quad .02 \text{ cfs}$$

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 1 \times 4 = 4 \text{ AFA}$

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .02 \times 275 \times 1.9835 = 10.9$

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

RECEIVED
MAY 29 1996

H. REMARKS AND OVERLAP REVIEW ANALYSIS

Amend P/D to show SE¹/₄ SE¹/₄ NE¹/₄, S. 27, T. 23N, R. 1E

Irrigated area estimated between 1/2 ac and 1 ac
Allow 1 ac irrig. Property is $\approx$ 1.5 ac

NOTE - SRBA Claim A78-07174 filed as required by prob
date < 11/1987. -82 9/15/95

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Irrigation	3/15	11/15	.02	4
Totals:			.02	

2. Recommended Amendments

☒ Change P.D. as reflected above

☐ Add P.D. as reflected above

☐ None

☐ Change P.U. as reflected above

☐ Add P.U. as reflected above

☐ Other

J. AUTHENTICATION

Field Examiner's Name

R Whitney

Signature

R Whitney

Certification Date

Field Report Preparation Date

8-22-89 and 4-24-95


CONSULTANT SEAL

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

RECEIVED


MAR 29 1996

78-774
T-23N R-1E
Sec-29
















P/D : P/u Photos

78-7174

Initial Exam conducted on 8-19-89

RE-Examined and additional info & photos
on 4-20-95

R. M. Miller

#1 Place of use

#2 Place of use

#3 Faucet @ P/u

#4 Flow meas by timed Volume From hose

#5 Pipeline From Collection Box - also can divert
From Stream @ this Pt. Same QQQ as P/D

collection Box

6 @ P/D

MAR 20 1995



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, ~~450 W. State Street~~, Boise, Idaho

CECIL D. ANDRUS

Governor

R. KEITH HIGGINSON

Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

December 22, 1987

RE: Permit Nos. 78-7174 & 78-7176

Robin & Alberta Norberg
Box 484
Riggins, ID 83549

Dear Permit Holders:

This office acknowledges receipt of the Assignment of the above referenced permits to you.

Enclosed for your records are copies of the permits. Be sure to note the special conditions of approval on the fourth pages that identify requirements necessary for developing the permits into licensed water rights.

In reviewing the permits, we find that the requirement for submitting proof of construction of works and application of water to beneficial use has been met. The next step towards licensing of the permits will be for our regional office to examine your water right system.

If you have any questions regarding this matter, please feel free to contact us.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc
Enclosures

MICROFILMED

MAR 03 1988



State of Idaho
DEPARTMENT OF WATER RESOURCES
WESTERN REGION, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-2190

Re:

Dear

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department.

☐

A field examination of your system has been scheduled for _____.

If this time and date is not convenient for you, please contact this office as soon as possible.

☐

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office.



Sincerely,

Judy Pense

Judy Pense
Secretary



John A. Billore
908 So. 20th St
Tampa, Ida 83651



RECEIVED



JUL 15 1982

Department of Water Resources

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

MICROFILMED

DEPARTMENT OF WATER RESOURCES

78-7174

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. ~~48-4496~~.

Name(s) of Permit Holder: John H. & Mabel M. Pollock

Post Office Address: 908 So. 20th Street

Nampa, Idaho 83651 Tel. No. 465-0936

Source of Water: Irrigation - For Acre, lawn + garden

Extent of Use: ☐ Domestic (number of households)
☐ Stockwater (number and type of stock)
☒ Irrigation .03 (acres)
☐ Other

Measuring Device: Required? ☐ Yes ☒ No Installed? ☐ Yes ☐ No

Access Port: Required? ☐ Yes ☒ No Installed? ☐ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

7-12-82

Date

John H. & Mabel M. Pollock
Signature of Permit Holder

11-11-68

S T A O F I D A H O
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

POLLOCK, JOHN A. & MABLE M.
908 S. 20TH
NAMPA, ID 83651

SEPTEMBER 01, 1981

RE: PERMIT NO. 78-7174

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

WE HAVE ENCLOSED A FORM ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE



**NOTICE OF APPLICATION
FOR WATER RIGHT**

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

78-7174

POLLOCK, JOHN A. &/or
MABLE M.
908 S. 20TH, NAMPA, ID
83651

Source: DENNEY CREEK
tributary to: LITTLE
SALMON RIVER

Date Filed: 06/15/1981

Amount: 0.03 CFS

Diversion Point: SWNE Sec
29 T 23N R 01E, IDAHO Co.

Use: IRRIGATION (0.03
CFS) from 03/15 to 11/15

Place of Use: SWNE Sec 29 T
23N R 01E FOR 1 ACRES

Diversion Means: GRAVITY
FLOW PIPE

78-7176

POLLOCK, JOHN A. &/or
MABLE M.
908 S. 20TH, NAMPA, ID
83651

Source: GROUNDWATER

Date Filed: 06/20/1981

Amount: 0.04 CFS

Diversion Point: SWNE Sec
29 T 23N R 01E SWNE Sec 29
T 23N R 01E, IDAHO Co.

Use: DOMESTIC (0.04 CFS)
from 01/01 to 12/31

Place of Use: SWNE Sec 29 T
23N R 01E

Diversion Means: WELL

77-7144

FULTON, HUGHL.
P.O. BOX 83, RIGGINS, ID
83549

Source: LITTLE FRENCH
CREEK tributary to
MILLER CREEK

Date Filed: 06/22/1981

Amount: 0.20 CFS

Diversion Point: NENW Sec
26 T 25N R 03E, IDAHO Co.

Use: MINING (0.20 CFS)
from 06/01 to 11/01

Place of Use: NENW Sec 26
T 25N R 03E

Diversion Means: PUMP &
PIPELINE

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 92 S. Cole Road, Boise, Idaho 83709 on or before JULY 20, 1981.

A. KENNETH DUNN

Director

Jyl-8

AFFIDAVIT OF PUBLICATION

Nona C. Donaldson being first duly sworn, says he is the Office Manager of the IDAHO COUNTY FREE PRESS, a weekly newspaper which is published and issued weekly at Grangeville, Idaho County, State of Idaho, and which is of general circulation in said county and state; that the said notice, of which the one hereto attached is a true copy, was published in said paper for two weeks, being published two times, the first publication being on the 1 day of July, 1981, and the last publication on the 8 day of July, 1981; and that the said notice was published in the newspaper proper and not a supplement; that said newspaper has been continuously and uninterruptedly published in said county during a period of more than seventy-eight consecutive weeks prior to the first publication of said notice or advertisement.

Nona C. Donaldson

Subscribed and sworn to before me this 9 day of July, 1981.

Marilyn J. Stalley, Notary Public
for State of Idaho, residing at Grangeville, Idaho.

RECEIVED

JUL 14 1981

Department of Water Resources
Western Regional Office

RECEIVED

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 92 S. Cole Road, Boise, Idaho 83709 on or before JULY 20, 1981.

A. KENNETH DUNN

Director

Published 7/2 & 7/9/81.

Z8-Z174.

POLLOCK, JOHN A. &/or MABLE M.

908 S. 20TH, NAMPA, ID 83651

Source: DENNEY CREEK tributary to LITTLE SALMON RIVER

Date Filed: 06/15/1981

Amount: 0.03 CFS

Diversion Point: SWNE Sec 29 T 23N R 01E, IDAHO Co.

Use: IRRIGATION (0.03 CFS) from 03/15 to 11/15

Place of Use: SWNE Sec 29 T 23N R 01E FOR 1 ACRES

Diversion Means: GRAVITY FLOW PIPE

06/15/1981