


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

R1E R2E

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

RECEIVED
DEC 21 1936

N. D. Geddes
(Applicant)
N. D. Geddes, Project Engineer
SIMPCO LANDS

Affidavit of Publication

State of Idaho, County of Adams, ss:

I, Bert J. Rogers, being first duly sworn upon my Oath, depose and say that I am the publisher of The Adams County

Leader, a newspaper; that a copy of the "Notice of Application for Water Right "

No. 78-7173 Simpco Lands & N D Geddes as per clipping

hereto attached, was published in the regular and entire issue of said newspaper, and not in any supplement thereof, for

two (2) consecutive weeks, the first publication of the

same being made in the issue dated May 14, 1981

and the last in the issue dated May 21, 1981 that said newspaper is of general circulation in Adams County Idaho, printed and published weekly at Council therein and that said newspaper has been continuously and uninterruptedly published in said county during a period of more than seventy-eight consecutive weeks prior to the first publication of

said " Notice " as aforesaid.

Subscribed and sworn to before me this 21st

day of May, 19 81

Bert J. Rogers
Notary Public for Idaho,
Residing at Council, Idaho

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

78-7173

SIMPCO LANDS
C/O N. D. GEDDES, PROJECT
ENG., P. O. BOX 1843, MC CALL,
ID 83638

Source: GROUNDWATER

Date Filed: 04/22/1981

Amount: 1.00 CFS

Diversion Point: NESE Sec 11 T
19N R 01E, ADAMS Co.

Use: DOMESTIC (1.00 CFS) from
01/01 to 12/31

Place of Use: NESE NWSE SW-
SE SESE NESW SESW Sec 02 T
19N R 01E NENE NWNE SWNE
SENE NENW SENW NWNW NE-
SE Sec 11 T 19N R 01E

Diversion Means: WELL, PUMP
& STORAGE TANK.

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 92 S. Cole Road, Boise, Idaho 83709 on or before JUNE 1, 1981.

A. KENNETH DUNN

Director

Published 5/14 & 5/21/81.

RECEIVED
DEC 17 1986

RECEIVED
MAY 22 1981

Department of Water Resources
Micro Regional Office

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 78-07173

Priority: May 15, 1981

Maximum Diversion Rate: 0.66 CFS
Maximum Diversion Volume:¹ 300.0 AF

This is to certify, that KIMBERLAND MEADOWS CO. INC.

P.O. DRAWER C

NEW MEADOWS, ID 836540000

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated April 22, 1981; and has submitted Proof of Beneficial Use on July 24, 1986. An examination indicates that the works have a diversion capacity of .670 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.66 CFS	300.0 AF

LOCATION OF POINT(S) OF DIVERSION:

NESE , Sec. 11, Township 19N, Range 01E
ADAMS County

PLACE OF USE: DOMESTIC

TWN RGE SEC

19N 01E	1	SWNW	NWSW	SWSW
	2	SENE	NESW	NWSW
		SWSW	SESW	NESE
		NWSE	SWSE	SESE
11		NENE	NWNE	SWNE
		SENE	NENW	NWNW
		SENE	NESE	NWSE

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with Right 78-7177 shall provide no more than 0.04 cfs or 1.2 afa per lot for domestic use.
6. Domestic use is for 250 units within Kimberland Meadows.


MAR 16 1990

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE
WATER RIGHT NO. 78-07173

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 8TH
day of FEBRUARY, 1991.

Acting for


R. Keith Higginson, Director

MICROFILMED

MAR 1 1990

State of Idaho
Department of Water Resources

RECEIVED
JAN 25 1990

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 78-07173

Department of Water Resources

Date of Priority: May 15, 1981

Maximum Diversion Rate: 0.66 CFS
Maximum Diversion Volume: 300.0 AF

Comes now B.A. PROPERTIES I INC.
P.O. DRAWER C
NEW MEADOWS, ID 836540000

and represents to the Director of the

Idaho Department of Water Resources:

That he is the owner and holder of Permit to appropriate the Public Waters of the State of Idaho No. 78-07173, and requests that the permit be changed as follows:

Source: GROUNDWATER

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.66 CFS	300.0 AF
<u>LOCATION OF POINT(S) OF DIVERSION:</u>		✓ NESE, Sec. 11, Township 19N, Range 01E ADAMS County	

PLACE OF USE: DOMESTIC

TWN RGE SEC

19N 01E	1	SWNW	NWSW	SWSW
	2	SENE	NESW	NWSW
		SWSW	SESW	NESE
		NWSE	SWSE	SESE
11		NENE	NWNE	SWNE
		SENE	NENW	NWNW
		SENW	NESE	NWSE

RECORDED
MAR 16 1990

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at Kimberland Meadows, this 11 day of January, 1990.
New Meadows, Id.

Meguid A. Phelps
(Signature)

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 78-07173

FOR DEPARTMENT USE ONLY

Preliminary check by KW Fee = \$20.00 ✓

Received by C. Wong Date 1/25/90

#C014208

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, R. Keith Higginson, of the Department of Water Resources hereby approve the above Application for Amendment for Permit No. 78-07173 with the following;

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to reflect cropping patterns or acceptable standards of water delivery efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with Right 78-7177 shall provide no more than 0.04 cfs or 1.2 afa per lot for domestic use.
6. Domestic use is for 250 units within Kimberland Meadows.

Witness my hand this 8TH day of FEBRUARY, 1990.

Norm E. Young
Acting for R. Keith Higginson, Director

RECORDED

MAR 16 1990

State of Idaho

Department of Water Resources

ASSIGNMENT OF PERMIT

RECEIVED
JAN 25 1990

Department of Water Resources

I, BA PROPERTIES-I INC., hereby assign to KIMBERLAND MEADOWS CO. INC.
of DRAWER C. NEW MEADOWS ID. 83654
Address

All my right, title, and interest in and to Permit No. 78-7173
to appropriate the public waters of the State of Idaho.

The following described portion of my right, title, and interest in and
to Permit No. to appropriate the public waters of the
State of Idaho.

(Describe that portion of the permit being assigned by listing the acreage
within each 40 acre subdivision, the point of diversion and the amount of
water in cubic feet per second for direct diversion, or acre feet for storage)

Made this _____ day of _____, 19____.


Margaret A. Phelps
Permit Holder

Spouse of Permit Holder

State of Idaho)
County of Adams) ss

On this 14 day of January, 1990, personally
appeared before me the signer(s) of the above instrument, who duly acknowledged
to me that he (she) (they) executed the same.

seal



Bruce D. Cordery
Notary Public residing at
New Meadows, Idaho

My commission expires:

8-12-93

NOT FILMED

MAR 10 1990

WATER RIGHT SUMMARY

ACTION	RIGHT NO.	NAME	AMOUNT CFS
Original Permit	78- 7173	Simpco Lands	1.0
Full Assignment	78-7173	B.A. Properties I, Inc.	1.0

MICROFILMED

MAR 16 1988

State of Idaho
Department of Water Resources

RECEIVED

JAN 27 1988

ASSIGNMENT OF PERMIT

Department of Water Resources
Western Regional Office

I, Larry Simonson of
Simpco Lands, hereby assign to B.A. Properties I, Inc.
of P.O. Drawer C, New Meadows, ID. 83654
Address

CHECK ONE



All my right, title, and interest in and to Permit No. 78: 7173 & 7177 &
to appropriate the public waters of the State of Idaho. 7238 & 7262



The following described portion of my right, title, and interest in and to Permit
No. _____ to appropriate the public waters of the State of Idaho.

(Describe that portion of the permit being assigned by listing the acreage within
each 40 acre subdivision, the point of diversion and the amount of water in cubic
feet per second for direct diversion, or acre feet for storage)

Made this 20 day of Jan., 19 88.

Larry Simonson
Permit Holder

Larry Simonson
Spouse of Permit Holder

State of Idaho

County of Valley ss.

On this 20th day of January, 19 88, personally
appeared before me the signer(s) of the above instrument, who duly acknowledged to me
that he (she) (they) executed the same.

Seal

Debra L Dye
Notary Public residing at Mccall, Idaho

My commission expires: 11-29-92

RECORDED
MAR 16 1988

RECEIVED

JAN 28 1988

Department of Water Resources

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 78-7173 IN THE
NAME OF SIMPCO LANDS

)
) ORDER OF REINSTATEMENT
)
)

WHEREAS, the Department has issued the above-captioned permit with the condition that proof of construction of works and application of water to beneficial use (proof of beneficial use) be submitted on or before July 1, 1986; and,

WHEREAS, the Department notified the permit holder by certified mail that proof was due and instructed the permit holder of the steps to be taken to submit the proof of beneficial use; and,

WHEREAS, the Department has notified the permit holder that the permit has lapsed for failure of the permit holder to submit the proof of beneficial use; and,

WHEREAS, Section 42-218a of the Idaho Code provides that a permit may be reinstated upon a showing of reasonable cause within sixty days of the date of the notice of lapsing; and,

WHEREAS, the permit holder has provided a reasonable showing why the permit should be reinstated by submitting proof of beneficial use on July 24, 1986;

IT IS, THEREFORE, HEREBY ORDERED that Permit No. 78-7173 be REINSTATED and the priority advanced to May 15, 1981.

Dated this 13th day of November, 1986.

RECEIVED
DEC 17 1986


L. GLEN SAXTON
Chief, Operations Bureau

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant SIMPCO LANDS Phone 208/634-7912

Post office address P.O. Box 1843, McCall, Idaho 83638

2. Source of water supply ground water which is a tributary of _____

3. Location of point of diversion is NE $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 11 Township 19N

Range 1E B.M. Adams County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 1 cfs for domestic purposes from Jan. 1 to Dec. 31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 1 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. submersible pump from well
to an above ground storage tank.

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir
capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is 6-8 inches; proposed depth of well is 500 feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial
use is ± 5 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is **not** for irrigation:

(1) Give the place of use of water: SE $\frac{1}{4}$, E $\frac{1}{2}$ SW $\frac{1}{4}$ Sec 2 NE $\frac{1}{4}$, E $\frac{1}{2}$ NW $\frac{1}{4}$, NWW $\frac{1}{4}$, NESE
Sec 11 T19N R1E
portions Sections 2 & 11

$\frac{1}{4}$ of $\frac{1}{4}$ of Section _____ Township 19N

Range 1E B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.


(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water 250

(5) If water is to be used for other purposes describe: _____

RECORDED

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



T 20 N
T 19 N

Scale: 2 inches equal 1 mile.

R1E R2E

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

RECORDED
DEC 17 1936

N. D. Geddes
(Applicant)
N. D. Geddes, Project Engineer
SIMPCO LANDS

Proposed Priority 4/22/81

Received by SKN Date 4/22/81 Time 4:20 PM.

Preliminary check by CEM Fee \$ 45.00 # 18860

Received by HA Date 4/22/81

Publication prepared by WEL Date 5/7/81

Published in Adams Co. Leader

Publication dates 5/14 & 5/21/81

Publication approved WEL Date 6/1/81

Protests filed by: None

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by DBS JK

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 78-7173, and said application is hereby approved.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before July 1, 19 86.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other: An access port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.

Witness my hand this 16th day of July, 19 81.

Norman Young
Administrator, Resources Admin. Div.

RECORDED

DEC 17 1986

Affidavit of Publication

State of Idaho, County of Adams, ss:

I, Bert J. Rogers, being first duly sworn upon my Oath, depose and say that I am the publisher of The Adams County

Leader, a newspaper; that a copy of the "Notice of Application for Water Right "

No. 78-7173 Simpcos Lands & N D Geddes as per clipping

hereto attached, was published in the regular and entire issue of said newspaper, and not in any supplement thereof, for

two (2) consecutive weeks, the first publication of the

same being made in the issue dated May 14, 1981

and the last in the issue dated May 21, 1981 that said newspaper is of general circulation in Adams County Idaho, printed and published weekly at Council therein and that said newspaper has been continuously and uninterruptedly published in said county during a period of more than seventy-eight consecutive weeks prior to the first publication of

said " Notice " as aforesaid.

Subscribed and sworn to before me this 21st

day of May, 1981

Notary Public for Idaho,
Residing at Council, Idaho

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

78-7173

SIMPCO LANDS
C/O N. D. GEDDES, PROJECT
ENG., P. O. BOX 1243, MC CALL,
ID 83638

Source: GROUNDWATER

Date Filed: 04/22/1981

Amount: 1.00 CFS

Diversion Point: NESE Sec 11 T
19N R 01E, ADAMS Co.

Use: DOMESTIC (1.00 CFS) from
01/01 to 12/31

Place of Use: NESE NWSE SW-
SE SESE NESW SESW Sec 02 T
19N R 01E NENE NWNE SWNE
SENE NENW SENW NWNW NE-
SE Sec 11 T 19N R 01E
Diversion Means: WELL, PUMP
& STORAGE TANK.

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 92 S. Cole Road, Boise, Idaho 83709 on or before JUNE 1, 1981.

A. KENNETH DUNN

Director

Published 5/14 & 5/21/81.

RECEIVED

DEC 17 1986

RECEIVED

MAY 23 1981

Department of Water Resources
Western Regional Office

February 8, 1990

KIMBERLAND MEADOWS CO. INC.
P.O. DRAWER C
NEW MEADOWS, ID 836540000

RE: PERMIT NO. 78-07173

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit along with a copy of your approved application for amendment.

Should you have any questions regarding these documents, please feel free to contact our office.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

MAR 16 1990

November 8, 1989

B.A. PROPERTIES I INC.
P.O. DRAWER C
NEW MEADOWS, ID 836540000

RE: PERMIT NO. 78-07173

Dear Permit Holder(s):

The above referenced water right is in the process of being licensed. However, before a license can be issued, your permit must be amended to correspond with the findings of the Department's field examiner.

The enclosed application for amendment contains information that will be included on the license when it is issued. Please review carefully and if you concur, sign the amendment and return with the \$20.00 filing fee within 30 days.

If you do not concur with these findings or if you have any questions, please contact us within the 30-day period.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

REPROFILMED

MAR 16 1990

POINT OF DIVERSION OVER

WR-NUMBER	TWP	RNG	SC	TRACT			LT	#SOURCE	#NAME
				1\4	1\4	1\4			
7807173	19N	01E	11		NE	SE		GROUNDWATER	SIMPCO LANDS
7807262								GROUNDWATER	SIMPCO LANDS

MicroFILMED

MAR 16 1990

pu = pu of 18-1111

PD

19N

1E

S. 11

NESE

pu

S. 1

SWNW, W 1/2 SW

S. 2

SENE, S 1/2

S. 11

NE 1/4, N 1/2 NW, SE 1/4, N 1/2 SE

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

78-7173
Permit No.

Staff Analysis Sheet
for
Beneficial Use Field Report

RECEIVED
MAR - 1 1988

A. Prior to Conducting the Exam, the File Contains:

- ☒ Blank Field Report Form
- ☒ Copy of Permit
- ☒ Copies of any Amendments/Orders with conditions of approval
- ☒ Computer Data Proof Report
- ☒ Copy of U.S.G.S. Quad
- ☒ Check for Government Lots. If so, make a copy of Government Plat

Check of P/D index SL 9/15/87 (Initial and date)

Overlap? ☒ yes ☐ no If yes: ☐ copy of exam(s) attached? N/A

Type of Overlap? ☐ Add acres or uses to existing system
☐ Increase rate of flow or volume
☒ Other: _____

Check of P/U index SL 9/15/87 (Initial and date)

Overlap? ☒ yes ☐ no If yes: ☒ copy of water right(s) attached? See 7177

Type of Overlap? ☐ Increase rate of flow or volume
☒ Add P/D's 7177
☐ Increase number of acres within tracts
☒ Other: _____

Aerial Photo

Required? ☐ yes ☒ no If yes: ☐ copy attached?

Scheduling Letter sent? N/A (Initial and date)

☒ Appointment made and telephone conversation memo attached

B. After Conducting the Exam, the File Contains:

- ☒ Fully completed and signed Field Report Form
- ☒ Photographs of Point of Diversion and Place of Use
- ☒ Corrected Computer Data Proof Report with recommended license information, and date and signature of examiner.

C. Review and Processing:

Exam Completed Steve Lester 9/16/87 (Signature of examiner and date)

Exam Reviewed by Senior Water Resource Agent BD 2/11/88 (Initial and date)

Exam Reviewed by Manager of Regional Office DNR 2/11/88 (Initial and date)

Exam Date Entered in Computer _____ (Initial and date)

Exam sent to State Office BD 2/21/88 (Initial and date)

Copy of Staff Analysis Sheet sent to Manager of Regional Office and Original
Refiled in White File _____ (Initial and date)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

Permit No. 78-7173
1. Owner: BA Properties I, Inc. Phone No. 347-2162
Current Address: P.O. Drawer C New Meadows, ID 83654
2. Accompanied by: Brad Pearson & Dave Geddes EXAM. DATE: 9/16/87
Address: Same Phone No. Same
Relationship to Permit Holder: Project Maint. Mng. & Property Owners Assoc. Maint. Foreman, respectively
3. Source: Groundwater tributary to

B. OVERLAP REVIEW

1. Other water rights with same place of use: 78-7177 and those shown in 78-7177
☒ Copies Attached See 78-7177
2. Other water rights with same point of diversion: 78-7262
☐ Copies Attached N/A ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached

See 78-7177

MicroFILMED

MAR 16 1990

Scale: 1" = NOT TO SCALE

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and place(s) of use (required).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).
☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).

See 78-7177

* I do not see the need to include irrigation
System Description (continued) under this right.

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

See 78-7177; this well ties into the common system.

7173 is a 502' deep well with 10" casing and 6" main that leads 2100' N. to booster bldg. Again, a booster pump (40 hp) contributes to system. The 6" outflow line, shown in top left of system diagram on 7177 diagram, will lead to another storage tank currently under construction. Meanwhile, the water is channeled to mainline in 7177 and goes to storage tank previously described. One could argue that this well therefore helps irrigate the 5 acres discussed under 78-7177, but this is a temporary situation to be resolved when other storage tank is completed. Because domestic demand is not very high, 7173 serves more of a back-up role now (fill.

- * See Remarks on page 4 for continuation

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size	Storage Tank
well pump	Submersible Gould	20	no Tag	Submersible Gould	no Tag; 6" main	
booster pump	GE	40	Gould	Gould	265 B22713; 4" main	
			516286AL115C			

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			NE	SE	11	19N	1E	Adams	USGS 7 1/2' Quad and Project map

6. Place(s) of Use:

Indicate Method of Determination AS IN P/P

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
19N	1E	1							D			D	D						—
		2					D				D	D	D	D	D	D	D	D	—
		11	D	D	D	D	D	D		D					D	D			—

MICROFILMED

MAR 16 1990

Do not use this space

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
NONE						

2. Measurements:

NONE - Broken McCrometer flowmeter. Note that flowmeter in 7177 measured that well's water upstream from addition by 7173.
 PSI AT 6" entering Bldg is 50; PSI downstream from booster is 160.
 Static level is unknown, and Z is estimated at 100'.

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method: NONE but note that / 2a) MAIN pump, $hp = 20$, $eff = .8$
 Domestic chart for 250 units is approx. .66 cfs. $Q = \frac{(8.8)(.8)(20)}{(2.31 \times 50) + 100} = .65 \text{ cfs}$
 2. Alternate Method for Checking Purposes:
 HP equation as in 78-7177 2b) MAIN pump plus booster, assuming higher psi, reduced efficiency, somewhat larger Z value. Here $hp = 20 + 40$
 $Q = \frac{(8.8)(.6)(60)}{(2.31 \times 160) + 100} = .67 \text{ cfs}$

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)
 Total Head: (1) + (2) = _____ (3); Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)
 Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)
 Meter Input HP: (6) x 1.34 = _____ (7)
 Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)
 Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation: N/A

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____
 $V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____
 $V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

Domestic...

250 units, int + ext
 (Property covenant limits yards to 2000 ft² ea.)

409 lots total
 but 250 lots as permit allows

250 x 1.2 = 300.0 AF

v. (66)(365)(1.9835) = 477.8 AF

See Remarks

MAR 16 1990

H. REMARKS AND OVERLAP REVIEW ANALYSIS

Measuring device requirement waiver attached. Diversion rate rec'd as .66 cfs based on domestic chart and hp. equations as shown. The permit assumed .004 cfs/unit ($1.00 \div 250$ units). The rec'd rate, when combined with .58 cfs of 7177, would allow ^{cfs} 1.24 cfs for 409 units, which should be very adequate. Int. & ext. demands on water should be light (per unit) in this recreational context where limited yards etc. are found.

Overlap

P/O 78-7262 is another well, proof not submitted at this time.
P/u 78-7177 is another well providing domestic water to same development.
The other rights do not involve Kimbarkland meadows domestic use.
Lic condition - This right, combined with 78-7177, should provide no more than .04 cfs or 1.2 AFA per lot for domestic use.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Domestic	1/1	12/31	.66	300.0
Totals: _____				

2. Recommended Amendments

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None
☐ Change P.U. as reflected above ☒ Add P.U. as reflected above ☐ Other
NOT AN EXPANSION

J. AUTHENTICATION


Field Examiner's Name Steve Lester BD
Signature Steve Lester 2/11/88
Certification Date _____
Field Report Preparation Date 9/16/87 CONSULTANT SEAL

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

for 12/16/88

MICROFILMED

MAR 16 1990



9/16/87

I request that the measuring device requirement
on 78-7193 be removed. The maximum rate of diversion
for 250 domestic units is less than 0.70 cfs.

signed Brian A. H.

title Project maint. manager

Witnessed by
title

John Lester
Water Resource Agent

RECORDED & INDEXED

MAR 16 1990

State of Idaho
Department of Water Resources

Probably 78-7173

903
Copy to
Roger

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

[illegible]

USE ADDITIONAL SHEETS IF NECESSARY

FORWARD THE WHITE COPY TO THE DEPARTMENT

Form 235-1
6/87

Drilling Permit No. 28-87-W-002
Water Permit No. 78-7173 (THIS IS A REPLACEMENT WELL)
Injection Permit No. _____

OCT 23 1987

State of Idaho
Department of Water Resources
DRILLING PERMIT

78-7173
RECEIVED

OCT 19 1987

Department of Water Resources

(Authorizing Construction of a Well)*

Department of Water Resources
Western Regional Office

1. Applicant KIMBERLAND MEADOWS
2. Address P.O. DRAWER C
NEW MEADOWS, ID. 83654
- (☒ Well Owner () Well Operator () Other, specify _____)
3. Water right permit no. 78-7173; Injection well permit no. _____
4. Proposed well location NE 1/4 SE 1/4 1/4, or Gov't lot No. _____,
Sec. 11, Twp. 19N, Rge. 1E, County ADAMS, Co.,
Lot, block and subdivision KIMBERLAND MEADOWS PARCEL "A"
5. Proposed use of well: (Check all that apply)
(☒ Domestic () Stockwater () Monitoring
() Irrigation () Industrial () Municipal
() Injection () Other, Specify _____)
6. Well construction information:
() New well () Deepen (☒ Replace
Proposed surface diameter 8" Proposed depth 500'
Anticipated bottom hole temperature: _____
(☒ 85°F or less (Cold water well) MAR 16 1990
() 85°F to 212°F (Low temp. geothermal well)
() 212°F or more (Geothermal well)
7. Anticipated construction start date NOVEMBER 1, 1987
8. Well Driller (if known) NOT KNOWN AT THIS TIME Bob Austin
Address got Bill will commence immediately 10/30/87
Date 8/15/87 Applicant's signature Richard Cordery
Title Development Director

* After other pre-requisite approvals have been obtained.

ACTION OF IDWR

☒ Approved☐ Denied

The approval of this permit authorizes the construction of a well as described on this application subject to the conditions on this permit.

GENERAL CONDITIONS:

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation, injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from its date of issuance for the start of construction and is valid for one (1) year from the date of issuance for completion of the well unless an extension has been granted.
3. The permit holder or his representative shall notify the Department ten (10) days prior to the start of construction unless good cause for later notification can be shown.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Issuance of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.

SPECIFIC CONDITIONS:

Dated this 19th day of October, 1987.

Signed

Jan Shulte

Title

Dr. Water Resource Agent

Received by

[Signature]

Fee

100.00

Date

10-19-87

MICROFILMED

Receipt No.

43973

Construction start date

11-1-87

Construction start extension to

MAR 16 1990

Extension approved by

To: 78-87-W-002 12/2
78-7173

From: John Beal.

Bob Beston (Well Driller)
was in to discuss well
abandonment Etc.

They have 2 wells on this
system (other right is 78-7177 on Northwell)

South well is to be abandoned
and replaced by the
new well drilled under 78-87W-2

Old well to be back-filled
with gravel to 50' - Then 50'
concrete plug from 50' to 1.5
New well is 30-40' south of
the to-be abandoned well.

Bob believes that if he
puts cement below 50' it will
migrate to new well.

RECEIVED

MAR 16 1990

and
(Operator) Robert W. Lestrin

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources, within 30 days after the completion or abandonment of the well.

RECEIVED
USE TYPEWRITER
BALLPOINT PEN
JAN 22 1966

JAN 06 1988

[illegible]



State of Idaho
DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 1301 North Orchard Street Boise, Idaho 83706-2237 • (208) 334-4440

CECIL D. ANDRUS
Governor

R. KEITH HIGGINSON
Director

March 8, 1988

RE: Permit Nos. 78-7173/7177/7238/7262

B.A. Properties I, Inc.
P.O. Drawer C
New Meadows, ID 83654

Dear Permit Holders:

This office acknowledges receipt of the Assignment of the above referenced permits to you.

Enclosed for your records are copies of the permits. Be sure to note the special conditions of approval on the fourth pages that identify requirements necessary for developing the permits into licensed water rights.

In reviewing the permits, we find that the requirement for submitting proof of construction of works and application of water to beneficial use has been met. The next step towards licensing of the permits will be for our regional office to examine your water right system.

If you have any questions regarding this matter, please feel free to contact us.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc
Enclosures

RECEIVED

MAR 16 1988

Permit No. 78-7173

78-7177

78-7238

78-7262

ASSIGNMENT REVIEW CHECK LIST

1. Signature of Permit Holder? *Yes*
2. Notary? *Yes*
3. a. Full Assignment? *Yes*
b. Partial Assignment?
4. "No assignment" condition on permit? *NO*
5. Commencement of Works received? *Yes B/u 'rec'd*
 - a. Commencement of works requested?
 - b. Show Cause Order drafted & sent?
 - c. Cancellation necessary?
6. Affidavit of residency required? *NO*
7. Extension granted due to litigation? *N/A*
(If yes, commencement of works is not required.)

1. Type permit summary sheet. ✓
2. Coding sheet. ✓
3. Acknowledgement letter type.
4. Copy to region. ✓

Shavla

#1 ap

Date 2-29-88

Employee *Jean Johnson*

To: 78-87-W-002

12/2

78-7173

From Joh Beal.

Bob Gestin (well driller)
was in to discuss well
abandonment Etc.

They have 2 wells on this
system (other right is 78-7177 on Northwell)

South well is to be abandoned
and replaced by the
new well drilled under 78-87W-2

Old well to be back-filled
with gravel to 50' - Then 50'
concrete plug from 50 to l.s.
New well is 30-40' south of
the to-be abandoned well.

Bob believes that if he
puts cement below 50' it will
migrate to new well.

RECORDED

MAR 16 1988

RECEIVED
OCT 23 1987

State of Idaho
Department of Water Resources

DRILLING PERMIT

RECEIVED
OCT 19 1987

Department of Water Resources

(Authorizing Construction of a Well)*

Department of Water Resources
Western Regional Office

1. Applicant KIMBERLAND MEADOWS
2. Address P.O. DRAWER C
NEW MEADOWS, ID. 83654
- (☒ Well Owner () Well Operator () Other, specify _____)
3. Water right permit no. 78-7173; Injection well permit no. _____
4. Proposed well location NE 1/4 SE 1/4 1/4, or Gov't lot No. _____
Sec. 11, Twp. 19N, Rge. 1E, County ADAMS, Co.
Lot, block and subdivision KIMBERLAND MEADOWS PARCEL A
5. Proposed use of well: (Check all that apply)
(☒ Domestic () Stockwater () Monitoring
() Irrigation () Industrial () Municipal
() Injection () Other, Specify _____)
6. Well construction information:
() New well () Deepen (☒ Replace
Proposed surface diameter 8" Proposed depth 500'
Anticipated bottom hole temperature:
(☒ 85°F or less (Cold water well)
() 85°F to 212°F (Low temp. geothermal well)
() 212°F or more (Geothermal well)
7. Anticipated construction start date NOVEMBER 1, 1987
8. Well Driller (if known) NOT KNOWN AT THIS TIME Bob Heston
Address got Bid will convene immediately 10/30/87
Date 8/15/87 Applicant's signature Richard Cordery
Title Development Director

RECEIVED

MAR 16 1988

ACTION OF IDWR

☒ Approved☐ Denied

The approval of this permit authorizes the construction of a well as described on this application subject to the conditions on this permit.

GENERAL CONDITIONS:

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation, injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from its date of issuance for the start of construction and is valid for one (1) year from the date of issuance for completion of the well unless an extension has been granted.
3. The permit holder or his representative shall notify the Department ten (10) days prior to the start of construction unless good cause for later notification can be shown.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Issuance of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.

SPECIFIC CONDITIONS:

Dated this 19th day of October, 1987.

Signed

Title

Jan Shute
Water Resource Agent

Received by

Fee

100.00

Date

10-19-87

Receipt No.

43973

Construction start date

11-1-P MAR 16 1988

Construction start extension to


Extension approved by

USE TYPEWRITER OR
BALL POINT PEN

State of Idaho
Department of Water Resources

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

1. WELL OWNER Name <u>Staco Land Co.</u> Address <u>New Meadows, Id 83654</u> Owner's Permit No. <u>28-7173</u>		7. WATER LEVEL Static water level <u>0</u> feet below land surface Flowing? ☐ Yes ☒ No G.P.M. flow _____ Temperature _____ ° F. Quality _____ Artesian closed-in pressure _____ p.s.i. Controlled by ☐ Valve ☐ Cap ☐ Plug																																																																																			
2. NATURE OF WORK ☒ New well ☐ Deepened ☐ Replacement 1) Abandoned (Describe method of abandoning) _____		8. WELL TEST DATA ☒ Pump ☐ Bailor ☐ Other Discharge G.P.M. <u>300</u> Draw Down _____ Hours Pumped _____																																																																																			
3. PROPOSED USE ☐ Domestic ☐ Irrigation ☒ Test ☐ Other (Specify type) _____ ☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection		9. LITHOLOGIC LOG <table border="1"><thead><tr><th rowspan="2">Hole Diam.</th><th colspan="2">Depth</th><th rowspan="2">Material</th><th colspan="2">Water</th></tr><tr><th>From</th><th>To</th><th>Yes</th><th>No</th></tr></thead><tbody><tr><td>8</td><td>0</td><td>1</td><td>Overburden</td><td></td><td>X</td></tr><tr><td></td><td>1</td><td>120</td><td>Fractured basalt</td><td></td><td>X</td></tr><tr><td></td><td>120</td><td>131</td><td>Softer fractured basalt</td><td></td><td>X</td></tr><tr><td></td><td>131</td><td>144</td><td>Harder black basalt</td><td>X</td><td></td></tr><tr><td></td><td>144</td><td>152</td><td>Hard gray basalt</td><td></td><td>X</td></tr><tr><td></td><td>152</td><td>169</td><td>Fractured basalt</td><td></td><td>X</td></tr><tr><td></td><td>169</td><td>175</td><td>Hard greenish basalt</td><td></td><td>X</td></tr><tr><td></td><td>175</td><td>183</td><td>Fractured basalt (more water)</td><td></td><td>X</td></tr><tr><td></td><td>183</td><td>192</td><td>Red cinder rock</td><td></td><td>X</td></tr><tr><td></td><td>192</td><td>250</td><td>Hard gray black basalt</td><td></td><td>X</td></tr><tr><td></td><td>250</td><td>406</td><td>Broken Basalt & Ebnassam</td><td></td><td>X</td></tr><tr><td></td><td>406</td><td>502</td><td>Med Hard 7000 lbs Basalt</td><td></td><td>X</td></tr></tbody></table>		Hole Diam.	Depth		Material	Water		From	To	Yes	No	8	0	1	Overburden		X		1	120	Fractured basalt		X		120	131	Softer fractured basalt		X		131	144	Harder black basalt	X			144	152	Hard gray basalt		X		152	169	Fractured basalt		X		169	175	Hard greenish basalt		X		175	183	Fractured basalt (more water)		X		183	192	Red cinder rock		X		192	250	Hard gray black basalt		X		250	406	Broken Basalt & Ebnassam		X		406	502	Med Hard 7000 lbs Basalt		X
Hole Diam.	Depth		Material		Water																																																																																
	From	To		Yes	No																																																																																
8	0	1	Overburden		X																																																																																
	1	120	Fractured basalt		X																																																																																
	120	131	Softer fractured basalt		X																																																																																
	131	144	Harder black basalt	X																																																																																	
	144	152	Hard gray basalt		X																																																																																
	152	169	Fractured basalt		X																																																																																
	169	175	Hard greenish basalt		X																																																																																
	175	183	Fractured basalt (more water)		X																																																																																
	183	192	Red cinder rock		X																																																																																
	192	250	Hard gray black basalt		X																																																																																
	250	406	Broken Basalt & Ebnassam		X																																																																																
	406	502	Med Hard 7000 lbs Basalt		X																																																																																
4. METHOD DRILLED ☐ Cable ☒ Rotary ☐ Dug ☐ Other																																																																																					
5. WELL CONSTRUCTION D. meter of hole <u>8</u> inches Total depth <u>500</u> feet Lining schedule ☒ Steel ☐ Concrete Thickness Diameter From To <u>250</u> inches <u>8 5/8</u> inches <u>2</u> feet <u>25</u> feet <u>160</u> PSI inches <u>6</u> inches <u>200</u> feet <u>500</u> feet inches inches feet feet inches inches feet feet inches inches feet feet Was casing drive shoe used? ☐ Yes ☒ No Was a packer or seal used? ☐ Yes ☒ No Perforated? ☒ Yes ☐ No How perforated? ☐ Factory ☒ Knife ☐ Torch Size of perforation <u>1/8</u> inches by <u>1</u> inches Number From To <u>8</u> perforations <u>140</u> feet <u>500</u> feet perforations feet feet perforations feet feet Well screen installed? ☐ Yes ☒ No Manufacturer's name _____ Type _____ Model No. _____ Diameter Slot size Set from feet to feet Diameter Slot size Set from feet to feet Gravel packed? ☐ Yes ☒ No Size of gravel _____ Placed from feet to feet Surface seal depth <u>24</u> Material used in seal ☐ Cement grout ☒ Pudding clay ☐ Well cuttings Sealing procedure used ☐ Slurry pit ☐ Temporary surface casing ☐ Overbore to seal depth																																																																																					
6. LOCATION OF WELL Sketch map location must agree with written location.  Subdivision Name _____ Lot No. _____ Block No. _____ County <u>Ada</u> <u>SW 1/4 Sec. 11, T. 14 N., R. 1 E.</u> USE ADDITIONAL SHEETS IF NECESSARY		10. Work started <u>June 23, 1981</u> finished <u>July 20, 1981</u> 11. DRILLER'S CERTIFICATION Firm Name <u>UNLKNOTT WELL DRILLING</u> Firm No. <u>125</u> Address <u>Rt. 1, Box 20, Penn, Id</u> Date <u>5/26/82</u> Signed by (Firm Official) <u>[Signature]</u> and <u>[Signature]</u> Department <u>[Signature]</u>																																																																																			

FORWARD THE WHITE COPY TO THE DEPARTMENT


MAR 16 1988

USE TYPEWRITER OR
BALL POINT PEN

State of Idaho
Department of Water Resources

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

1. WELL OWNER Name <u>Simco Land Development</u> Address <u>New Meadows, ID 83654</u> Owner's Permit No. <u>78-7177</u>		7. WATER LEVEL Static water level <u>0</u> feet below land surface Flowing? ☐ Yes ☒ No G.P.M. flow _____ Temperature _____ ° F. Quality _____ Artesian closed-in pressure _____ p.s.i. Controlled by ☐ Valve ☐ Cap ☐ Plug																																																																				
2. NATURE OF WORK ☒ New well ☐ Deepened ☐ Replacement ☐ Abandoned (describe method of abandoning) _____		8. WELL TEST DATA ☐ Pump ☐ Bailor ☒ Other (air test) Discharge G.P.M. _____ Draw Down _____ Hours Pumped _____																																																																				
3. PROPOSED USE ☐ Domestic ☐ Irrigation ☒ St ☐ Other (specify type) _____ ☒ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection		9. LITHOLOGIC LOG <table border="1"><thead><tr><th rowspan="2">Hole Diam.</th><th colspan="2">Depth</th><th rowspan="2">Material</th><th rowspan="2">Water Yes. No</th></tr><tr><th>From</th><th>To</th></tr></thead><tbody><tr><td>8</td><td>0</td><td>23</td><td>Clay overburden</td><td>X</td></tr><tr><td></td><td>23</td><td>40</td><td>Soft broken basalt</td><td>X</td></tr><tr><td></td><td>40</td><td>158</td><td>Medium hard broken basalt</td><td>X</td></tr><tr><td></td><td>158</td><td>207</td><td>Brown shale and scoria</td><td>X</td></tr><tr><td></td><td>207</td><td>215</td><td>Soft red cinder rock</td><td>X</td></tr><tr><td></td><td>215</td><td>272</td><td>Medium soft broken basalt</td><td>X</td></tr><tr><td></td><td>272</td><td>279</td><td>Scoria</td><td>X</td></tr><tr><td></td><td>279</td><td>329</td><td>Medium soft broken basalt</td><td>X</td></tr><tr><td></td><td>329</td><td>338</td><td>Soft scoria</td><td>X</td></tr><tr><td></td><td>338</td><td>470</td><td>Hard fractured basalt</td><td>X</td></tr><tr><td></td><td>470</td><td>490</td><td>Sandstone with basalt</td><td>X</td></tr><tr><td></td><td>490</td><td>503</td><td>Sevendevils basalt</td><td>X</td></tr></tbody></table>		Hole Diam.	Depth		Material	Water Yes. No	From	To	8	0	23	Clay overburden	X		23	40	Soft broken basalt	X		40	158	Medium hard broken basalt	X		158	207	Brown shale and scoria	X		207	215	Soft red cinder rock	X		215	272	Medium soft broken basalt	X		272	279	Scoria	X		279	329	Medium soft broken basalt	X		329	338	Soft scoria	X		338	470	Hard fractured basalt	X		470	490	Sandstone with basalt	X		490	503	Sevendevils basalt	X
Hole Diam.	Depth		Material		Water Yes. No																																																																	
	From	To																																																																				
8	0	23	Clay overburden	X																																																																		
	23	40	Soft broken basalt	X																																																																		
	40	158	Medium hard broken basalt	X																																																																		
	158	207	Brown shale and scoria	X																																																																		
	207	215	Soft red cinder rock	X																																																																		
	215	272	Medium soft broken basalt	X																																																																		
	272	279	Scoria	X																																																																		
	279	329	Medium soft broken basalt	X																																																																		
	329	338	Soft scoria	X																																																																		
	338	470	Hard fractured basalt	X																																																																		
	470	490	Sandstone with basalt	X																																																																		
	490	503	Sevendevils basalt	X																																																																		
4. METHOD DRILLED Cable ☒ Rotary ☐ Dug ☐ Other _____																																																																						
5. WELL CONSTRUCTION Diameter of hole <u>8 5/8</u> inches Total depth <u>503</u> feet Casing schedule: ☒ Steel ☐ Concrete Thickness Diameter From To <u>250</u> inches <u>8 5/8</u> inches <u>2</u> feet <u>48</u> feet <u>160</u> PSI inches <u>EVC 6</u> inches <u>3</u> feet <u>503</u> feet inches inches feet feet inches inches feet feet inches inches feet feet Was casing drive shoe used? ☒ Yes ☐ No Was a packer or seal used? ☒ Yes ☐ No Perforated? ☒ Yes ☐ No How perforated? ☐ Factory ☒ Knife ☐ Torch Size of perforation <u>1/8</u> inches by <u>4</u> inches Number From To <u>8</u> perforations <u>443</u> feet <u>503</u> feet perforations feet feet perforations feet feet Well screen installed? ☐ Yes ☒ No Manufacturer's name _____ Type _____ Model No. _____ Diameter _____ Slot size _____ Set from _____ feet to _____ feet Diameter _____ Slot size _____ Set from _____ feet to _____ feet Gravel packed? ☐ Yes ☒ No Size of gravel _____ Placed from _____ feet to _____ feet Surface seal depth <u>25</u> Material used in seal ☐ Cement grout ☒ Pudding clay ☐ Well cuttings Sealing procedure used ☐ Slurry pit ☐ Temporary surface casing ☐ Overbore to seal depth																																																																						
6. LOCATION OF WELL Sketch map location must agree with written location.  Subdivision Name _____ Lot No. _____ Block No. _____ County <u>Blaine</u> <u>NW 1/4 NE 1/4 Sec. 11, T. 19N, R. 1E</u> USE ADDITIONAL SHEETS IF NECESSARY		10. Work started <u>May 26, 1981</u> finished <u>June 17, 1981</u> 11. DRILLERS CERTIFICATION Firm Name <u>UHLERKOTT WELL DRILLING</u> Firm No. <u>125</u> Address <u>Rt. 1, box 20: Penn. ID</u> Date <u>5/26/82</u> Signed by (Firm Official) <u>Ray J. Uhlerekott</u> and <u>Jim J. Uhlerekott</u> Director																																																																				

FORWARD THE WHITE COPY TO THE DEPARTMENT

MAR 16 1982



State of Idaho
DEPARTMENT OF WATER RESOURCES
Western Region

CECIL D. ANDRUS
Governor

2735 Airport Way
Boise, Idaho 83705
(208) 334-2190

R. KEITH HIGGINSON
Director

Simpco Lands
Mr. Larry Simonson
Rt. 1, P.O. Box 101D
McCall, ID. 83638

Dec. 28, 1987

Re: Permits 65-7209, 12256, 12257; 78-7173, 7177, 7238, 7262

Dear Mr. Simonson:

After meeting with you in early October, gathering field data, and reviewing the above water right files, I realize that additional steps are needed. The storage rights for Brown Reservoir on Laffinwell Creek east of Donnelly are 65-7209 and 12257. The maximum reservoir size is 99 acre-feet as measured by the recent dam safety field inspection. A license may be issued for this amount under permit 65-7209, which holds a priority date of 6/16/71. The other permit provides 70 acre-feet and has a priority of 7/16/79. Because we cannot license something without an additional beneficial use occurring, permit 65-12257 serves no purpose and is recommended for relinquishment. This leaves you with one water right for the maximum reservoir volume with an earlier priority date. The storage uses would remain fully protected.

Another storage permit is 65-12256 for 170 acre-feet downstream in section 20. No development occurred under this right and, under water right statutes, the permit has reached a dead end and is no longer valid. 65-12256 and 12257 will be cancelled. Under such circumstances, permit owners are asked to relinquish the rights to provide more efficient action. Please complete and return the enclosed Relinquishment form.

The remaining business concerns four permits for Kimberland Meadows (78-7173, 7177, 7238, 7262). I conducted licensing field exams on the first three permits and learned that Simpco Lands sold its Kimberland Meadows interests to BA Properties I, Inc.. Permits are personal property to be transferred to new property owners before water right licenses may be issued. Please complete the attached Assignment of Permit form and note that it must be notarized. Return this and the above discussed Relinquishment form to this office.

RECEIVED
MAR 16 1988

Please respond within 30 days to insure prompt action and to minimize any problems associated with the seven permits. I will be glad to help in any way.

Sincerely,

Steve Lester
Water Resource Agent

Sl:enc

MICROFILMED

MAR 16 1988



State of Idaho
DEPARTMENT OF WATER RESOURCES
Western Region

Cecil D. Andrus
Governor

2735 Airport Way
Boise, Idaho 83705
(208) 334-2190

May 8, 1987

78-7173
SIMPCO LANDS
C/O N. D. GEDDES, PROJECT ENG.
P.O. BOX 1843
MC CALL, ID 83638

Dear Applicant(s):

We acknowledge receipt of your statement of proof of beneficial use for the above-referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office.

Sincerely,

Judy Pense
Secretary

/jp

MICROFILMED

MAR 16 1988

^ALCULATION OF NEW PRIORITY DATE

FROM: RITA FLECK

TO: FILE # 78-7173

DATE: 11-13-1986

Date proof received

205

July 24, 1986

Proof due

-182

July 1, 1986

Number of day proof late

23

Priority date

+112

Apr. 22, 1981

New priority date

135

May 15, 1981

Remarks:

MICROFILMED

DEC 17 1986

Form 217
03/86

RECEIVED
JUL 24 1988

STATE OF IDAHO

Department of Water Resources

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

For Office Use Only 100
Fee Received ~~75.00~~
Date 7-24-86
Receipt # 38845
Receipt by 147
Reviewed by 147
Sent to region 1010

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 78-7173

Name(s) of Permit Holder: Simpco Lands

Post Office Address: P.O. Drawer C New Meadows, ID 83654

Telephone No. (208)347-2158

Source of Water: Well

Extent of Use:

Domestic 250 (number of households) Stockwater _____ (number and type of stock)

Irrigation _____ (acres) Other/Remark _____

Total rate and/or volume for which proof is submitted 1 cfs _____ acre-feet

Show the date water was first diverted and beneficially used under this permit: 4/8

Measuring Device: Required? ☐ Yes ☐ No
Installed? ☐ Yes ☐ No

Fee enclosed \$ 100.00
(See License Examination Fee Schedule)

Flow Measurement Port: Required? ☒ Yes ☐ No
Installed? ☐ Yes ☐ No

Person to contact to accompany the Department representative during the field examination:

Paul K. Trahan Consultant to the Partners
(Name)

(208)347-2158
(Telephone Number)

P.O. Drawer C New Meadows, ID 83654

(Address)

MICROFILMED

DEC 17 1980

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

Larry L. Lamm (Partner) Director of Operations
(and title, if appropriate)

INTER-DEPARTMENT MEMO — 1

FROM Glen


DATE 7-23-86

TO 78-7173

~~SUBJECT~~ - On this date, I advised Paul Trehan (347-2158) that the his exam fee is \$100⁰⁰ to be submitted w/ the proof.

MICROFILMED

DEC 17 1986



SIGNATURE

DATE 7-17-1986

FROM Rita Luck


TO File 78-7173

SUBJECT Returned B/l Notice

The Adams County Assessor's Office has an address of P.O. Drawer C, New Meadows, Id 83654. I'm forwarding the notice to this address.

MICROFILMED

DEC 17 1986


SIGNATURE

WARNING

CANCELLED OR LAPSED

This permit has been officially CANCELLED or LAPSED.

Ninety days following the date of official action this file will be DESTROYED.

RECEIVED
JAN 10 1964

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
JULY 13, 1986

SIMPCO LANDS
C/O N. D. GEDDES, PROJECT ENG.
P.O. BOX 1843
MC CALL, ID 83638

P. O. Drawer C
New Meadows, ID 83654

LAPSE NOTICE

RE: PERMIT NO. 78-7173

DEAR PERMIT HOLDER:

YOU ARE HEREBY NOTIFIED THAT UNDER THE PROVISIONS OF SECTION 42-218A, IDAHO CODE, THE ABOVE REFERENCED WATER PERMIT HAS LAPSED. THIS OFFICE DID NOT RECEIVE EITHER AN ACCEPTABLE PROOF OF BENEFICIAL USE SUBMITTAL OR AN ACCEPTABLE REQUEST FOR AN EXTENSION OF TIME. YOU WERE PROVIDED THE PROPER FORMS IN OUR PROOF DUE NOTICE TO YOU DATED APRIL 30, 1986.

YOUR PERMIT CANNOT BE REINSTATED UNLESS YOU SUBMIT PROOF OF BENEFICIAL USE OR SUBMIT AN EXTENSION OF TIME REQUEST SHOWING REASONABLE CAUSE FOR DELAY. EITHER THE COMPLETED PROOF OF BENEFICIAL USE SUBMITTAL (INCLUDING THE EXAMINATION FEE OR A COMPLETED FIELD EXAMINATION REPORT) OR THE EXTENSION REQUEST FORM TOGETHER WITH THE \$15 FEE MUST BE RECEIVED BY THIS DEPARTMENT WITHIN SIXTY DAYS OF THE DATE OF MAILING OF THIS LAPSE NOTICE OR THE PERMIT WILL NO LONGER BE OF ANY FORCE OR EFFECT.

A PROOF OF BENEFICIAL USE FORM AND A REQUEST FOR EXTENSION OF TIME FORM ARE AGAIN ENCLOSED FOR YOUR USE. PLEASE NOTE THAT ONLY ONE EXTENSION OF TIME CAN BE GRANTED UNLESS THE PROJECT HAS NOT BEEN COMPLETED BECAUSE OF LACK OF A NECESSARY APPROVAL BY A GOVERNMENTAL AGENCY OR BY LITIGATION WHICH MIGHT BRING TITLE TO THE WATER IN QUESTION.

L. GLEN SAXTON
CHIEF, OPERATIONS BUREAU

ENCLOSURES

LGS:RF

MICROFILMED

DEC 17 1986

CERTIFICATION OF MAILING

I hereby certify that on 7-18-1986
a copy/an original of this document was
deposited in the United States mail,
postage prepaid addressed to the
individual(s) named above.

[Signature]

FROM

Pete Fleck

DATE

7-17-1986

TO

78-7173


SUBJECT

Returned B/u Notice

*The Adams County Assessor's Office has
an address of P.O. Braver C, New Meadows,
Id 83654. I'm forwarding the B/u Notice
& Loss Notice to this address*

RECEIVED

DEC 17 1986


SIGNATURE

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Statehouse
Boise, Idaho 83720

DEC 17 1980

MAIL ROOM

RECEIVED
MAY 21 1980

Detached from
PS Form 3849-A
Oct 1980

5/17/86
RETURN
5/8/86
IND NOTICE

5/2/86
DATE
1ST NOTICE

☐ HOLD

5092285
NO.
CLAIM CHECK

RECEIVED
MAY 21 1980

Department of Water Resources

Certified Mail

No. 138394

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL
APRIL 30, 1986

138394

SIMPCO LANDS
C/O N. D. GEDDES, PROJECT ENG.
P.O. BOX 1843
MC CALL, ID 83638

PROOF DUE NOTICE

RE: PERMIT NO. 78-7173

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF THE ABOVE REFERENCED WATER PERMIT WAS THAT PROOF OF THE EXTENT OF YOUR BENEFICIAL USE MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE JULY 1, 1986. (SEE LAST PAGE OF YOUR APPROVED PERMIT OR YOUR LAST APPROVED EXTENSION REQUEST.) ENCLOSED IS A FORM WHICH WHEN ACCOMPANIED BY THE LICENSE EXAMINATION FEE OR A COMPLETED FIELD EXAMINATION REPORT PREPARED BY A CERTIFIED WATER RIGHT EXAMINER MAY BE USED TO SUBMIT THE REQUIRED PROOF.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU OR A PREVIOUS OWNER OF THIS PERMIT HAVE NOT RECEIVED A PRIOR EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME IF THE DELAY IS FOR REASONABLE CAUSE AS PROVIDED IN SECTION 42-204, IDAHO CODE. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION WHICH MIGHT BRING TITLE TO THE WATER IN QUESTION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED. AN EXTENSION OF TIME REQUEST FORM IS ENCLOSED FOR YOUR CONVENIENCE.

EITHER AN ACCEPTABLE PROOF OF BENEFICIAL USE SUBMITTAL OR AN ACCEPTABLE REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE DESCRIBED PROOF DUE DATE. IF NEITHER IS RECEIVED, THE DEPARTMENT WILL SEND YOU A LAPSE NOTICE. WITHIN SIXTY (60) DAYS OF THE MAILING OF THE LAPSE NOTICE, THE PERMIT WILL NO LONGER BE OF ANY FORCE NOR EFFECT.

SINCERELY,

RITA FLECK
SECRETARY/RECORDS MANAGER

ENCLOSURES

RECEIVED

DEC 17 1986

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

SIMPCO LANDS
C/O N. D. GEDDES, PROJECT ENG.
P.O. BOX 1843
MC CALL, ID 83638

JULY 29, 1981

RE: PERMIT NO. 78-7173

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

BE SURE TO NOTE THE SPECIAL CONDITION REQUIRING YOU TO INSTALL A MEASURING DEVICE, OR AN ACCESS PORT TO PROVIDE FOR THE INSTALLATION OF MEASURING EQUIPMENT BY THE DEPARTMENT. ENCLOSED PLEASE FIND A LIST OF MEASURING DEVICE OPTIONS, AND SPECIFICATIONS FOR THE INSTALLATION OF THE ACCESS PORT.

WE HAVE ENCLOSED A FORM ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

MICROFILMED
DEC 17 1980

WATER RIGHT NUMBER 78-1173

WATER RIGHTS EDIT REPORT

07/24/81

PAGE 55

ACT

LOW

L STAGE - PERMIT

L

PROOF DUE - 07-01-1986 PERMIT/DENIED - 07-16-1981

COND. OF APPROV - DIC L03

WRD417

WATER RIGHTS PROOF READING REPORT

06/25/81

PAGE

1

WATER RIGHT NUMBER 78-7173

OWNER LAST NAME - SIMPCO LANDS

FIRST NAME -

ORIG OWNER -

ADDRESS LINE 1 - C/O N. D. GEDDES, PROJECT ENG. ADDRESS LINE 2 - P.O. BOX 1843

CITY - MC CALL

STATE - ID ZIP CODE - 83638

SOURCE - GROUNDWATER

STATUS -

TRIBUTARY OF -

STAGE - APPLICATION

STATUS -

PRIORITY -

COUNTY - ADAMS

RIGHT BASIS -

TOTAL DIV. RATE - 1.0000 -CFS

TOTAL DIV. VOLUME -

.00 AFA

TRR/AMEND -

WATER DIST. -

DUE/CAREY ACT -

RIGHT BASIS -

TOTAL DIV. RATE - 1.0000 -CFS

FROM - 01-01-70 - 12-31 USE - DOMESTIC

USE DIV. RATE -

1.0000 CFS

USE DIV. VOLUME -

.00 AFA

USE - DOMESTIC

PLACE OF USE -

TWN 19N R1G 01E SEC 02

TRACT NESE LOT

TRACT NESE LOT

TRACT NESE LOT

USE - DOMESTIC

PLACE OF USE -

TWN 19N R1G 01E SEC 11

TRACT NENE LOT

TRACT NENE LOT

TRACT NENE LOT

DEGREE NAME -

DATE -

TRACT NENE LOT

TRACT NENE LOT

REMARKS -

NOV 1981 USE - D/ 250 HOMES.

DATE -

TRACT NENE LOT

TRACT NENE LOT

OTHER RIGHTS FOR SAME USE -

PERMIT/DENIED -

PROTESTED -

HEARING -

OLD NO. -

TOTAL ACRES

PROOF DUE -

PERMIT/DENIED -

PROTESTED -

HEARING -

OLD NO. -

TOTAL ACRES

PROOF MADE -

PERMIT/DENIED -

PROTESTED -

HEARING -

OLD NO. -

TOTAL ACRES

DIVERSION MEANS - WELL, PUMP & STORAGE TANK

PERMIT/DENIED -

PROTESTED -

HEARING -

OLD NO. -

TOTAL ACRES

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: Cem

APPLICATION NUMBER: 78-7172
Simpson Jends

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☒ Yes ☒ No Field check required.
☒ Yes ☒ No Critical groundwater area.
☒ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☒ No In form to receipt.

Field check by: _____
Date: _____
Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☒ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: NA Date: 6/1/81

requested
comments by
6/15/81

PROCESSING:

- ☐ Yes ☐ No Platted by: _____ Map No. _____
☐ Yes ☐ No Other rights on same place of use. _____
☒ Yes ☐ No* In form for advertising.
Final date for protests: 6/1/81 ✓
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 5/22/81 ✓
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____
4/22/81 Date of priority recommended.
☒ Special conditions of approval or cover letter. _____

By: DBS Date: 6/15/81

STATE OFFICE REVIEW:

SL/LO3 OIC

☐ See attached sheet for more information.
By: [Signature] Date: 7/2/81

MICROFILMED
DEC 17 1986

RECEIVED
JUN 15 1981
Department of Water Resources

3/79

IDENT. NO. 78-7173

I D A H O D E P A R T M E N T O F W A T E R R E S O U R C E S

WATER RIGHT
DATA ENTRY LOG

[illegible]

CONVERSATION MEMORANDUM

DATE 4/30/91

FILE _____

NAME OF PARTY N. D. Bodder

EMPLOYEE J. K. N.

RE: Quantity of water on application for
permit; a applicant wants amount to
remain at 1 cfs until licensing.

MICROFILMED

DEC 17 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Western Region

92 South Cole Road
Boise, Idaho 83709
(208) 334-2190

MAY 8, 1981

Adams County Leader
Box 23
Council, ID 83612

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. We have allowed ample time for you to submit a galley proof to this office for review before the first publication date. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before JUNE 1, 1981.

Yours truly,

HELEN L. HARRINGTON
Secretary

Encl.

MICROFILMED
DEC 17 1986

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 92 S. Cole Road, Boise, Idaho 83709 on or before JUNE 1, 1981.

A. KENNETH DUNN

Director

Published 5/14 & 5/21/81.

RECEIVED
JUN 1 1981

28-7173_

SIMPCO LANDS

C/O N. D. GEDDES, PROJECT ENG., P.O. BOX 1843, MC CALL, ID 83638

Source: GROUNDWATER

Date Filed: 04/22/1981

Amount: 1.00 CFS

Diversion Point: NESE Sec 11 T 19N R 01E, ADAMS Co.

Use: DOMESTIC (1.00 CFS) from 01/01 to 12/31

Place of Use: NESE NWSE SWSE SESE NESW SESW Sec 02 T 19N R 01E NENE NNNE SWNE
SENE NENW SENW NWNW NESE Sec 11 T 19N R 01E

Diversion Means: WELL, PUMP & STORAGE TANK.

DEC 17 1985