



11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.


(Applicant)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

Permit No. 78-7170

1. Owner: Eugene B. and/or Estella J. Laughlin

Phone No. 628-3816

HC 2 Current Address: Box 547 Pollock, Id.

83547

2. Accompanied by: Eugene B. Laughlin

EXAM. DATE: 10/23/87

Address: _____ Same _____

Phone No. Same

Relationship to Permit Holder: Co-owner

3. Source: Little Salmon River tributary to Salmon River

B. OVERLAP REVIEW

1. Other water rights with same place of use: 78: 7049, 7065, 7090, 7133, 7272

☐ Copies Attached — copies not needed


2. Other water rights with same point of diversion: same AS IN PLY except for 78:7049

☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached

☐ Alternative diagram attached




INTAKE pipe VARIES from 22' to 50'
depending on River water levels.

Little
Salmon
River

MICROFILMED

JUL 08 1988



ORCHARD } Buried 1" Lines in W. part of yard have
GARDEN } several 3/4" standpipes for hoses.
YARD - Buried 1" Lines in E. part of yard have
21 ~~heads~~ sprinklers (3 groups of 7 each).

Scale: 1" = NOT TO SCALE

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).

☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater.)

76-7170
T-23N R1E
Sec 32

S. 32
No Lots

MILEPOST
185
BARN
ROAD

T. 23 N.

T. 22 N.

5014

5015


5016

5017


5018

5019

2774 IV SW
(HEAVENS GATE)



78-7170



In pump house 20'
East of Point of
Diversion, located 1 1/2
miles South of Pollock

Looking West at
pump house; Little Salmon
River runs L. to R.
in middle of picture.



Typical sample of
yard irrigation at
site.



RECEIVED

JUL 08 1988

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 78-7170

Priority: April 20, 1981 Amount: .03 CFS 3.6 AFA

This is to certify, that J. E. DRABBLE
DOROTHY DRABBLE

POLLOCK, ID 83547 has complied with the terms and conditions of the permit issued pursuant to Application for Permit dated April 20, 1981, and has submitted proof to the Department of Water Resources on May 5, 1982, that water has been applied to a beneficial use; an examination by the Department indicates that the works have a diversion capacity of .03 cfs of water from;

LITTLE SALMON RIVER tributary to SALMON RIVER

and that a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>VOLUME</u>
Irrigation	03/15 to 10/31	.03 cfs	3.6 afa

LOCATION OF POINT OF DIVERSION(S): SWNE , Sec. 32, Township 23N, Range 1E
Idaho County

PLACE OF USE: Irrigation

TWN RGE SEC

23N 1E 32 SWNE

CONDITIONS/REMARKS:

1. The right to the use of the water hereby confirmed is limited to the amount which can actually be beneficially used and is restricted and appurtenant to the lands or place of use and to the purpose herein described, as provided by the laws of Idaho.
2. This right is subject to all prior water rights and may be forfeited by five years of non-use.
3. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
4. Actual acres irrigated = 0.9.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 13th day of June, 1988.

MICROFILMED

Director

JUL 08 1988

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant J.E. AND/OR DOROTHY DRABBLE Phone 628-3821

Post office address Pollock, ID 83547

2. Source of water supply Little Salmon River which is a tributary of Salmon River

3. Location of point of diversion is SW $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 32 Township 23N

Range 1E B.M. Idaho County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 0.04 for irrigation purposes from 3/15 to 10/31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 0.04 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. 2 hp pump to 2" main to
sprinkler system

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir
capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial
use is 1 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is **not** for irrigation:

(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water _____.

(5) If water is to be used for other purposes describe: _____

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
23N	1E	32			1														1

Total number of acres to be irrigated 1

c. Describe any other water rights used for the same purposes as described above. None

9. a. Who owns the property at the point of diversion Applicant


b. Who owns the land to be irrigated or place of use Applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

10. Remarks Application if for .04 cfs for 1 acre due to 2 hp pump and small acreage involved.

02-23-2011

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

11-10-1971
J. H. Smith
11-10-1971

J. H. Smith

(Applicant)

Proposed Priority 4/20/81

Received by CEB Date 20 April 1981 Time 10:30 AM

Preliminary check by en Fee \$ 30.00

Receipted by CEB Date 20 April 1981 No. 326

Publication prepared by WHA Date 4/30/81

Published in Idaho Co. Free Press

Publication dates 5/7 & 5/14/81

Publication approved WHA Date 5/27/81

Protests filed by: none

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by DBS

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 78-7170, and said application is hereby approved.

- 1. Approval of said application is subject to the following limitations and conditions:
 - a. SUBJECT TO ALL PRIOR WATER RIGHTS.
 - b. Proof of construction of works and application of water to beneficial use shall be submitted on or before July 1, 19 82.
 - c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
 - d. Other:

Witness my hand this 22nd day of June, 1981.

J. Glen Saxton
Chief, Operations Bureau

MAILED
JUN 22 1981

**NOTICE OF APPLICATION
FOR WATER RIGHT**

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

77-7134

CARLSON, GUS
P.O. BOX 76, RIGGINS, ID
83549

Source: SPRING tributary
to SALMON RIVER

Date Filed: 04/20/1981

Amount: 0.06 CFS

Diversion Point: NESW Sec
14 T 24N R 03E, IDAHO Co.

Use: IRRIGATION (0.04
CFS) from 03/15 to 10/31;
DOMESTIC (0.02 CFS) from
01/01 to 12/31

Place of Use: NESW Sec 14 T
24N R 03E FOR 2 ACRES

Diversion Means:
SPRINGBOX & PIPELINE.

77-7135

MORGAN, FOSTER B.
713 S. A ST.,
GRANGEVILLE, ID 83530

Source: BLACK SAND
CREEK tributary to WIND
RIVER (SALMON) HI YU
CREEK tributary to Wind
River (Salmon)

Date Filed: 04/22/1981

Amount: 1.00 CFS

Diversion Point: NENW
SESW SWNW Sec 25 T 25N R
03E, IDAHO Co.

Use: MINING (1.00 CFS)
from 01/01 to 12/31; POWER
(1.00 CFS) from 01/01 to
12/31; DOMESTIC (0.04
CFS) from 01/01 to 12/31

Place of Use: NENW Sec 25
T 25N R 03E

Diversion Means: DAM,
COLLECTION BOX &
GRAVITY PIPELINE.

78-7169

DICE, HOWARD &/or
WINIFRED
P.O. BOX 193, POLLOCK, ID
83547

Source: LITTLE SALMON
RIVER tributary to
SALMON RIVER

Date Filed: 04/20/1981

Amount: 0.04 CFS

Diversion Point: SWSW Sec
09 T 23N R 01E, IDAHO Co.

Use: IRRIGATION (0.04
CFS) from 03/15 to 10/31

Place of Use: NESE Sec 08 T
23N R 01E FOR 1 ACRES

Diversion Means: PUMP &
SPRINKLERS.

78-7170

DRABBLE, J. E. &/or
DOROTHY
POLLOCK, ID 83547

Source: LITTLE SALMON
RIVER tributary to
SALMON RIVER

Date Filed: 04/20/1981

Amount: 0.04 CFS

Diversion Point: SWNE Sec
32 T 23N R 01E, IDAHO Co.

Use: IRRIGATION (0.04
CFS) from 03/15 to 10/31

Place of Use: SWNE Sec 32 T
23N R 01E FOR 1 ACRES

Diversion Means: PUMP &
SPRINKLER SYSTEM.

78-7171

WILLIAMS, DELBERT
&/or PAT
BOX 251, POLLOCK, ID
83547

Source: LITTLE SALMON
RIVER tributary to
SALMON RIVER

Date Filed: 04/20/1981

Amount: 0.04 CFS

Diversion Point: SESE Sec
20 T 23N R 01E, IDAHO Co.

Use: IRRIGATION (0.04
CFS) from 03/15 to 10/31

Place of Use: SESE Sec 20 T
23N R 01E FOR 2 ACRES

Diversion Means: PUMP.

AFFIDAVIT OF PUBLICATION

Nona Donaldson being first duly

sworn, says he is the office manager of the IDAHO COUNTY FREE PRESS, a weekly newspaper which is published and issued weekly at Grangeville, Idaho County, State of Idaho, and which is of general circulation in said county and state; that the said notice, of which the one hereto attached is a true copy, was published in said paper for 2 weeks, being published 2 times, the first publication being on the 6th day of May, 19 81, and the last publication on the 13th day of May, 19 81 and that the said notice was published in the newspaper proper and not a supplement; that said newspaper has been continuously and uninterruptedly published in said county during a period of more than seventy-eight consecutive weeks prior to the first publication of said notice or advertisement.

Nona Donaldson

Subscribed and sworn to before me this 13th day of May, 19 81

Notary Public
for State of Idaho, residing at Grangeville, Idaho.

78-7172

HOGAN, PHILLIP
BOX 126, RIGGINS, ID 83549

Source: SPRING tributary
to SHINGLE CREEK

Date Filed: 04/22/1981

Amount: 0.04 CFS

Diversion Point: LOT 07
(SWSW) Sec 06 T 23N R 01E,
IDAHO Co.

Use: DOMESTIC (0.04 CFS)
from 01/01 to 12/31

Place of Use: LOT 07
(SWSW) Sec 26 T 23N R 01E

Diversion Means:
PIPELINE, TANK &
PUMP.

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 92 S. Cole Road, Boise, Idaho 83709 on or before MAY 25, 1981.

A. KENNETH DUNN
Director

Published 5/6 & 5/13/81.

M6-13

Department of Water Resources
Western Regional Office

RECEIVED
MAY 18 1981

June 13, 1988

J. E. DRABBLE
DOROTHY DRABBLE
POLLOCK, ID 83547

RE: PERMIT NO. 78-07170

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

JUL 08 1988

May 3, 1988

J. E. & DOROTHY DRABBLE
POLLOCK, ID 83547

RE: Permit No. 78-7170

Dear Permit Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

JUL 08 1988

PD 23N 1E S. 32 SWNE
RECEIVED

MAR - 1 1988

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

78-7170
Permit No.

Staff Analysis Sheet
for

Department of Water Resources Beneficial Use Field Report

A. Prior to Conducting the Exam, the File Contains:

- ☒ Blank Field Report Form
- ☒ Copy of Permit
- ☒ Copies of any Amendments/Orders with conditions of approval
- ☒ Computer Data Proof Report
- ☒ Copy of U.S.G.S. Quad
- ☒ Check for Government Lots. If so, make a copy of Government Plat

Check of P/D index SL 10/19/87 (Initial and date)

Overlap? ☒ yes ☐ no If yes: ☐ copy of exam(s) attached?

Type of Overlap? ☐ Add acres or uses to existing system

☐ Increase rate of flow or volume

☐ Other: _____

Check of P/U index SL 10/19/87 (Initial and date)

Overlap? ☒ yes ☐ no If yes: ☐ copy of water right(s) attached?

Type of Overlap? ☐ Increase rate of flow or volume

☐ Add P/D's

☐ Increase number of acres within tracts

☐ Other: _____

Aerial Photo

Required? ☐ yes ☒ no If yes: ☐ copy attached?

Scheduling Letter sent? N/A (Initial and date)

☒ Appointment made and telephone conversation memo attached

B. After Conducting the Exam, the File Contains:

- ☒ Fully completed and signed Field Report Form
- ☒ Photographs of Point of Diversion and Place of Use
- ☒ Corrected Computer Data Proof Report with recommended license information, and date and signature of examiner.

C. Review and Processing:

Exam Completed Stavides 10/23/87 (Signature of examiner and date)

Exam Reviewed by Senior Water Resource Agent BD 1/22/88 (Initial and date)

Exam Reviewed by Manager of Regional Office AMS 2/16/88 (Initial and date)

Exam Date Entered in Computer ✓ (Initial and date)

Exam sent to State Office nl 2-24-88 (Initial and date)

Copy of Staff Analysis Sheet sent to Manager of Regional Office and Original
Refiled in White File _____ (Initial and date)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

Permit No. 78-7170

Phone No. 628-3816

HC 2 Current Address: Box 547 Pollock Id. 83547

2. Accompanied by: Eugene B. Langhlin EXAM. DATE: 10/23/87

Address: same Phone No. same

Relationship to Permit Holder: Co-owner

3. Source: Little Salmon River tributary to Salmon River


B. OVERLAP REVIEW

1. Other water rights with same place of use: 78: 7049, 7065, 7090, 7133, 7272

2. Other water rights with same point of diversion: same AS IN PLY except for 78:7049 ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = NOT TO SCALE

2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☐ Aerial Photo Attached (required for irrigation of 10 acres or more). *21 photos 3x4 inches (5 groups of 7 each).*
- ☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

A 2 hp pump draws water through 2" intake pipe and discharges water ~~through~~ ^{one} 2" pipe to east part of yard or through two 1" lines to west part of yard. The west part of yard (orchard) is watered with several outlets for garden hoses. The east portion uses Rainbird sprinklers. ~~2~~ ¹ Rainbird are present, but normal operation includes 7 hds. at once (thus, 3 groups of 7 hds. are used, one group at a time).

Rainbird sprinklers are small yard heads not covered by our sprinkler charts. They best approximate model 25", 5/32" nozzles.

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Payton	2	SK4760	Teel	M Tag; 2" pipe

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			SW	NE	32	23N	1E	Idaho	USGS 7 1/2' QUAN

6. Place(s) of Use:

Indicate Method of Determination USGS 7 1/2' QUAN

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
23N	1E	32			.9														.9

MAKROFILMED

JUL 08 1988

Do not use this space

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
NONE						

2. Measurements:

NONE - Season shut down for winter
 Dimensions of irrigated areas
 W. part = 50' x 230' = 11500 ft.² 39500 = .91 ac.
 E. part = 140' x 200' = 28000 ft.² 43560
 TOTAL = 39500 ft.²

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method: NONE - maximum allowed flow is: $.03 \times .9 = .027 = .03$ cfs

2. Alternate Method for Checking Purposes:

HP eq. where $H_p = 2$ eff = .8
 $\text{psi} = 80$ $z = 22' \text{ to } 50'$

$$Q = \frac{(8.8)(.8)(2)}{(2.31 \times 80) + 22} = \frac{14.08}{160.6} = .087 = .09 \text{ cfs}$$

psi and eff. are assumed IF z is 50', $Q = \frac{14.08}{188.6} = .07 \text{ cfs}$

F. PUMP EFFICIENCY DATA (Optional) N/A

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3); Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = (.9)(4.0) = 3.6$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = (.03 \times 230 \times 1.9835) = 13.7$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 3.6$$

2. Volume Calculations for Other Uses:

MICROFILMED

JUL 08 1988

H. REMARKS AND OVERLAP REVIEW ANALYSIS

System provides water to Laughlin's property only.

Overlap: NO CONFLICT.

P/D - 4 different P/D's, 3 using L. Salmon R. 5/4/87 using a spring.

P/U - 5 different places.

Assignment form sent to Drabbes 12/2/87 Disregard SL 12/9/87

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Irrigation	3/15	10/31	.03	3.6
Totals:				

2. Recommended Amendments


- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above

☒ None

☐ Other

J. AUTHENTICATION

Field Examiner's Name Steven Lester
Signature Steven Lester
Certification Date _____
Field Report Preparation Date 10/23/87



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

MICROFILMED

JUL 08 1988

78-7170
T-23N R1E
Sec 32

5.32
No Lots

Milepost
185
BARN
ROAD

T. 23 N.

T. 22 N.

5014

5015


5016

5017

5018

5019

2774 IV SW
(HEAVENS GATE)



78-7170



In pump house 20'
East of Point of
Diversion, located 1 1/2
miles South of Polloc.



Looking West at
pump house; Little Salmon
River runs L. to R.
in middle of picture.

Typical sample of
yard irrigation at
site.

JED

08 1988



State of Idaho

DEPARTMENT OF WATER RESOURCES

WESTERN REGION, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-2190

December 7, 1982

J.F. Drabble &/or Dorothy Drabble
Pollock, Idaho 83547

Re: 78-7170

Dear Mr. and Mrs. Drabble:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department.

☐

A field examination of your system has been scheduled for _____.

If this time and date is not convenient for you, please contact this office as soon as possible.

☒

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office.

Sincerely,

Judy Pense

Judy Pense
Secretary

RECEIVED
DEC 10 1982
STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 78-7170.

Name(s) of Permit Holder:

J E Hubble for Dorothy Hubble

Post Office Address:

Pullman, Idaho 83547

Tel. No. 628-3821

Source of Water:

Little Salmon River

Extent of Use:

- ☐ Domestic _____ (number of households)
☐ Stockwater _____ (number and type of stock)
☒ Irrigation One - (acres)
☐ Other _____

Measuring Device:

Required?

☐ Yes

☒ No

Installed?

☐ Yes

☐ No

Access Port:

Required?

☐ Yes

☒ No

Installed?

☐ Yes

☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

5-3-82

Date

J E Hubble
 Signature of Permit Holder

John L. Black
Black, John L.
83547

MEADOWS
MAY 4 1982
83547



RECEIVED
MAY 11 1982



IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

2

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

138904

DRABBLE, J. E. & DOROTHY
POLLOCK, ID 83547

APRIL 30, 1982

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 78-7170 WAS THAT EVIDENCE OF THE EXTENT OF DEVELOPMENT MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE JULY 01, 1982. (SEE LAST PAGE OF YOUR APPROVED PERMIT). ENCLOSED IS A POST CARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF OF BENEFICIAL USE.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU HAVE NOT PREVIOUSLY RECEIVED AN EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME PROVIDED THE DELAY IS FOR REASONABLE CAUSE AS INDICATED IN SECTION 42-204, IDAHO CODE, AMENDED. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED.

EITHER THE BENEFICIAL USE POST CARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE MENTIONED DATE, OTHERWISE, THE PERMIT WILL LAPSE AND BE OF NO FURTHER FORCE OR EFFECT WITHIN 60 DAYS.

SINCERELY,

RITA FLECK
SR. SECRETARY

ENC: 1

RECEIVED
MAY 11 1982

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

DRABBLE, J. E. & DOROTHY
POLLOCK, ID 83547

JUNE 30, 1981

RE: PERMIT NO. 78-7170

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

WE HAVE ENCLOSED A FORM ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

MICROFILMED

State of Idaho
Department of Water Resources

2/30/81 OK

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: Cem

APPLICATION NUMBER: 78-7170
Drabble

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No* In form to receipt.

Field check by: _____
Date: _____
Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department. Copies sent by: _____ Date: _____
☐ Idaho Fish and Game Department. _____
☐ Idaho Department of Lands. _____
☐ U.S. Bureau of Land Management. _____
☐ U.S. Forest Service. _____
☐ Other _____

PROCESSING:

- ☐ Yes ☐ No Platted by: _____ Map No. _____
☒ Yes ☐ No Other rights on same place of use. 78-7090, 7133
☒ Yes ☐ No* In form for advertising.
Final date for protests: 5/25/81 ✓
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 5/18/81 ✓
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____
4/20/81 Date of priority recommended.
Special conditions of approval or cover letter. _____


By: DBS Date: 5/28/81

STATE OFFICE REVIEW:

5/26/81 cond

- ☐ See attached sheet for more information.

By: [Signature] Date: 6/8/81



Department of Water Resources

RECEIVED

I D A H O D E P A R T M E N T O F W A T E R R E S O U R C E S

WATER RIGHT
DATA ENTRY LOG

[illegible]

DRABBLE, J. E. &/or DOROTHY

POLLOCK, ID 83547

Source: LITTLE SALMON RIVER tributary to SALMON RIVER

Date Filed: 04/20/1981

Amount: 0.04 CFS

Diversion Point: SWNE Sec 32 T 23N R 01E, IDAHO Co.

Use: IRRIGATION (0.04 CFS) from 03/15 to 10/31

Place of Use: SWNE Sec 32 T 23N R 01E FOR 1 ACRES

Diversion Means: PUMP & SPRINKLER SYSTEM.

RECORDED