


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Howard L. Bossart
(Applicant)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
DEC 13 1990

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 78-7140

1. Owner: HOWARD & MILORED BOSSART
Current Address: P.O. Box 248, POLLOCK, ID 83547

Phone No. 628-3371

2. Accompanied by: HOWARD BOSSART EXAM. DATE: 9/23/87

Address: SAME Phone No. 628-3371

Relationship to Permit Holder: SAME

3. Source: LITTLE SALMON R. tributary to SALMON RIVER

B. OVERLAP REVIEW

1. Other water rights with same place of use: NONE KRC (78-7073, 7038, 0260)


☐ Copies Attached N/A

2. Other water rights with same point of diversion: NONE KRC

☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☒ Photo of Diversion and System Attached

(required for all but single household domestic groundwater, and stockwater.


☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).

MICROFILMED
MAY 21 1992

C - Sec 20
R-1E

78-07146

T23N
R1E
S.20



T. 23 N.
T. 22 N.

PICTURE # 1

This shows the pump and river facing northwest.



PICTURE # 2

View of home facing south. Trees irrigated can be seen to the left and shrubs on the right. River lies to the right of the home.



RECORDED
MAY 21 1992

PICTURE # 3

The garden area is shown. This garden extends to the left and above garden is also irrigated. These are grapes, trees, and orchard above.



RECEIVED
MAY 21 1992

State of Idaho
Department of Water Resources

AMENDED

WATER RIGHT LICENSE

AMENDED

WATER RIGHT NO. 78-07146

Priority: May 22, 1980

Maximum Diversion Rate:

0.03 CFS

Maximum Diversion Volume:

3.2 AF

This is to certify, that HOWARD BOSSART
MILDRED BOSSART

PO BOX 248

POLLOCK ID 83547

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated May 22, 1980; and has submitted Proof of Beneficial Use on May 29, 1985. An examination indicates that the works have a diversion capacity of .050 cfs of water from:

LITTLE SALMON RIVER

tributary to **SALMON RIVER**

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/01 to 12/01	0.03 CFS	3.2 AF

LOCATION OF POINT(S) OF DIVERSION:

NESE , Sec. 20, Township 23N, Range 01E
IDAHO County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
23N	01E	20	NESE	0.8		0.8

Total number of acres irrigated: 0.8

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than 4.0 afa per acre for the lands above.

RECEIVED

FEB 08 1993

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 78-07146

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 28TH
day of DECEMBER, 19 92.

Acting for Norman C Young
R. Keith Higginson, Director

FEB 08 1993

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 78-07146

Priority: May 22, 1980

Maximum Diversion Rate:

0.03 CFS

Maximum Diversion Volume:

3.2 AF

This is to certify, that HOWARD BOSSART
MILDRED BOSSART

PO BOX 248

POLLOCK ID 83547

has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated May 22, 1980; and
has submitted Proof of Beneficial Use on January 1, 1980. An examination indicates
that the works have a diversion capacity of .050 cfs of water from:

5-29-85

LITTLE SALMON RIVER

tributary to SALMON RIVER

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/01 to 12/01	0.03 CFS	3.2 AF

LOCATION OF POINT(S) OF DIVERSION:

NESE , Sec. 20, Township 23N, Range 01E
IDAHO County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
23N	01E	20	NESE	0.8		0.8

Total number of acres irrigated: 0.8

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than 4.0 afa per acre for the lands above.

RECORDED

MAY 21 1992

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 78-07146

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 21ST
day of April, 1992

Acting for R. Keith Higginson, Director

RECEIVED
MAY 21 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant HOWARD &/or MILDRED BOSSART Phone 375-7841

Post office address 9710 Halstead Dr., Boise, ID 83704

2. Source of water supply Little Salmon River which is a tributary of Salmon River

3. Location of point of diversion is NE $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 20 Township 23N

Range 1E B.M. Idaho County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 0.06cfs for irrigation purposes from 5/1 to 10/1 (both dates inclusive)
(cfs or acre-feet per annum)

Amount 0.02cfs for stockwater purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 0.08 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Pump to gravity irrigate

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years (minimum 1 year – maximum 5 years).

8. Description of proposed uses:

a. If water is **not** for irrigation:

(1) Give the place of use of water: NE $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 20 Township 23N

Range 1E B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water _____

(5) If water is to be used for other purposes describe: _____

MICROFILMED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

[illegible]

Total number of acres to be irrigated 2

c. Describe any other water rights used for the same purposes as described above. _____

9. a. Who owns the property at the point of diversion Applicant


b. Who owns the land to be irrigated or place of use Applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

10. Remarks _____

[illegible]

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Howard L. Bossart
(Applicant)

Proposed Priority 5/22/80

Received by CWB Date 5/22/80 Time 4:00pm

Preliminary check by GLS Fee \$ 20.00 # 16316

Received by nn Date 5/22/80 # 16316

Publication prepared by HLH Date _____

Published in Idaho Co. Free Press

Publication dates 6/4 & 11/80

Publication approved HLH Date 6/23/80

Protests filed by: none

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by DBS Jim

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 78-7146, and said application is hereby approved.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before June 1, 19 85.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other: _____

Witness my hand this 30th day of June, 19 80.

A. Glen Saylor
Chief, Operations Bureau

**NOTICE OF APPLICATION
FOR WATER RIGHT**

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

78-7145

SERGEANT, RAYMOND
&/or JAMES &/or ELLEN
P.O. BOX 153, RIGGINS, ID
83549

Source: LITTLE SALMON
RIVER tributary to
SALMON RIVER

Date Filed: 05/16/1980

Amount: 0.03 CFS

Diversion Point: NENW Sec
04 T 22N R 01E, IDAHO Co.

Use: IRRIGATION (0.03
CFS) from 03/15 to 11/15

Place of Use: NENW Sec 04
T 22N R 01E FOR 1 ACRES

Diversion Means: PUMP
AND SPRINKLER
SYSTEM.

78-7146

BOSSART, HOWARD &/or
MILDRED

9710 HALSTEAD DR.,
BOISE, ID 83704

Source: LITTLE SALMON
RIVER tributary to
SALMON RIVER

Date Filed: 05/22/1980

Amount: 0.06 CFS

Diversion Point: NESE Sec
20 T 23N R 01E, IDAHO Co.

Use: IRRIGATION (0.06
CFS) from 05/01 to 10/01

STOCKWATER (0.02 CFS)
from 01/01 to 12/31

Place of Use: NESE Sec 20 T
23N R 01E FOR 2 ACRES

Diversion Means: PUMP
AND GRAVITY.

If issued, the permit(s)
will be subject to all prior
water rights. Protests
against the granting of any
permit must be filed with the
Director of the Idaho
Department of Water
Resources, 98 S. Cole Road,
Boise, Idaho 83709 on or
before JUNE 23, 1980.

C. STEPHEN ALLRED

Director

Published 6/4 & 6/11/80.

Jn4-11

AFFIDAVIT OF PUBLICATION

..... Robert Stolley being first duly
sworn, says he is the Publisher
of the IDAHO COUNTY FREE PRESS, a weekly newspaper which
is published and issued weekly at Grangeville, Idaho County,
State of Idaho, and which is of general circulation in said county
and state; that the said notice, of which the one hereto attached
is a true copy, was published in said paper for 2 weeks,
being published 2 times, the first publication being
on the 4th day of June 1978, and
the last publication on the 11th day of
..... June 1978; and that the said notice
was published in the newspaper proper and not a supplement;
that said newspaper has been continuously and uninterruptedly
published in said county during a period of more than seventy-
eight consecutive weeks prior to the first publication of said
notice or advertisement.

Subscribed and sworn to before me this 11 day
of June 1978.

..... Marilyn J. Stalley Notary Public
for State of Idaho, residing at Grangeville, Idaho.

RECEIVED
JUN 16 1980
Department of Water Resources
Western Regional Office
MICROFILMED



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

December 28, 1992

HOWARD BOSSART
MILDRED BOSSART
PO BOX 248
POLLOCK ID 83547-0248

RE: Water Right No. 78-07146

Dear Water Right Holder(s):

During an unrelated review of water rights, a computer generated error was identified on your license. The date you submitted proof of beneficial use was listed incorrectly. We have corrected the error and have issued you an amended license. This correction in no way effects or changes the water right as originally licensed.

I have enclosed a copy of the amended license for your records.

If you have any questions, please feel free to contact me at
(208) 327-7943.

Sincerely,

A handwritten signature in cursive script that reads 'Pamela Skaggs'.

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

MAILED

FEB 08 1993

April 22, 1992

HOWARD BOSSART
MILDRED BOSSART
PO BOX 248
POLLOCK ID 83547

RE: WATER RIGHT NO. 78-07146

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

SHARLA CURTIS
Water Resource Agent

SC:clh

Enclosure

RECEIVED
MAY 21 1992

March 25, 1992

HOWARD BOSSART
MILDRED BOSSART
PO BOX 248
POLLOCK ID 83547

RE: WATER RIGHT NO. 78-07146

Dear Water Right Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

SHARLA CURTIS
Water Resource Agent

SC:clh

Enclosure

RECEIVED
MAY 21 1992

LICENSE REVIEW CHECKLIST

Date 03-10-92

Permit # 78-7146

28

	Yes	No	
NAME	☐	☒	Address Change? <i>already updated</i>
PRIORITY DATE	☐	☒	Advance?
	☐	☒	Memo to Advance
	☐	☒	Order to Reinstate Needed?
TOTAL CFS	☐	☒	Incorrect Fee for rate recommended?
	☒	☐	Disagree with Actual Measurement?
	☒	☐	Disagree with Theoretical? $Q = \frac{1 \times 7 \times 8.8}{30 + 40 \times .31} = .05 \text{ cfs}$
	☐	☐	Limited by Capacity? (.05 cfs)
TOTAL VOLUME	☒	☐	Rate/ac <u>4.0</u> AFA (Irrigation) $V_{IR} = .8 \times 4.0 = 3.2 \text{ AFA}$
	☐	☒	Disagree with Examiner's Calculations?
	☐	☒	Limited by Flow? $V_{DR} = .02 \times 275 \times 1.9835 = 10.9 \text{ AFA}$
SOURCE	☐	☒	Changes? Clarification of <u>Originally Intended</u> source is the only <u>Change</u> allowed. Any other change results in Notice of Intent to Void.
P/D	☐	☒	Verify with Map
	☐	☒	Amendment Needed?
	☐	☒	Is Overlap Analysis a Consideration?
P/U	☐	☒	Verify with Map
	☐	☒	Amendment Needed?
	☐	☒	Is Overlap Analysis a Consideration?
USES	☒	☐	Changes required in the <u>Period of Use</u> for each Use to be compatible with Maps, Data Entry Standards, etc?
	☒	☐	Change(s) in Nature of Use? <u>Drop Stockwater</u>
	☐	☒	Amendment Needed?
REMARKS	☐	☒	Multiple P/Ds in 1/4 1/4?
	☐	☒	Non-Irrigation Uses
	☐	☒	Special Overlap Condition
	☐	☒	Other _____
CONDITIONS	☐	☒	Measuring Device
	☐	☒	W/Master Control
	<u>R26</u>	☐	Overlap < 1 Acre
	☐	☒	Water Quality
	☐	☒	Other
	☐	☒	DATES/MISC
	☐	☒	Water Dist.
	☐	☒	App Rec'd
	☐	☒	Exam Made
	☐	☒	Other

COMMENTS/MEMOS NEEDED:

[Signature]

License 10-Day ☒ 15-Day Special Correspondence

WR0749WP
No. L78-07146

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)

DATE: 03/16/92
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	HOWARD BOSSART	05/22/1980	IRRIGATION	03-01 12-01	0.02 CFS	3.2 AFA
C	MILDRED BOSSART					
	PO BOX 248					
	POLLOCK ID 83547					
	(208) 628-3371					
				TOTAL DIVERSION:	0.02 CFS	3.2 AFA

Water Source: LITTLE SALMON RIVER

Tributary to: SALMON RIVER

Stage: LICENSE

Point(s) of Diversion Capacity: 0.05 CFS

Point(s) of Diversion: T23N R01E S20 NE SE

Place of use Legal Description for: IRRIGATION

				NE				NW				SW				SE					
T	R	S	:	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	:	SUM
23N	01E	20	:																	:	0.8
																			TOTAL ACRES	0.8	

Pou County: IDAHO

Other Water Rights with Same Point(s) of Diversion and Source:
78-07037 78-07146

Other Water Rights Listing Overlapping Place(s) of use:
78-00260 78-07037 78-07146

Conditions of Approval:

R26 - This right when combined with all other rights shall provide no
- more than 4.0 afa per acre for the lands above.

Dates: App. Received: 05/22/1980 Priority Date: 05/22/1980
Proof Due Date: 06/01/1985 Proof Made Date: 01/01/1900
Exam Made Date: 09/23/1987 Exam Sent to S.O.:
Licensed Date:

Misc: Water District Number: Field Exam Fee: R (Received)

Audit: 03/16/92 SKAGGS

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

78-7146
Permit No.

Staff Analysis Sheet
for
Beneficial Use Field Report

A. Prior to Conducting the Exam, the File Contains:

- ☐ Blank Field Report Form
 - ☒ Copy of Permit
 - ☒ Copies of any Amendments/Orders with conditions of approval
 - ☒ Computer Data Proof Report
 - ☒ Copy of U.S.G.S. Quad
 - ☒ Check for Government Lots. If so, make a copy of Government Plat
- Check of P/D index 1-9-90 KKC (Initial and date)
- Overlap? ☐ yes ☒ no If yes: ☐ copy of exam(s) attached?
- Type of Overlap? ☐ Add acres or uses to existing system
☐ Increase rate of flow or volume
☐ Other: _____

Check of P/U index 1-9-90 KKC (Initial and date)

Overlap? ☒ yes ☐ no If yes: ☐ copy of water right(s) attached?

Type of Overlap? ☐ Increase rate of flow or volume
☐ Add P/D's
☐ Increase number of acres within tracts
☒ Other: diff system in same Q

Aerial Photo

Required? ☐ yes ☒ no If yes: ☐ copy attached?

Scheduling Letter sent? 9/10/87 JP (Initial and date)

☒ Appointment made and telephone conversation memo attached

B. After Conducting the Exam, the File Contains:

- ☒ Fully completed and signed Field Report Form
- ☒ Photographs of Point of Diversion and Place of Use
- ☒ Corrected Computer Data Proof Report with recommended license information, and date and signature of examiner.

C. Review and Processing:

Exam Completed 5/2/88 JP (Signature of examiner and date)

Exam Reviewed by Senior Water Resource Agent JK 12/7/90 (Initial and date)

Exam Reviewed by Manager of Regional Office DK 12/13/90 (Initial and date)

Exam Date Entered in Computer ✓ st (Initial and date)

Exam sent to State Office 12-13-90 st (Initial and date)

Copy of Staff Analysis Sheet sent to Manager of Regional Office and Original
Refiled in White File _____ (Initial and date)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
DEC 13 1990

Department of Water Resources

A. GENERAL INFORMATION


1. Owner: HOWARD & MILURED BOSSART Permit No. 78-7073 Phone No. 628-3371
Current Address: P.O. Box 248, Pollock, ID 83547
2. Accompanied by: HOWARD BOSSART EXAM. DATE: 9/23/87
Address: SAME Phone No. 628-3371
Relationship to Permit Holder: SAME
3. Source: LITTLE SALMON R. tributary to SALMON RIVER

B. OVERLAP REVIEW

1. Other water rights with same place of use: NONE KRC (78-7073, 7038, 0260) ☐ Copies Attached *N/A*
2. Other water rights with same point of diversion: NONE KRC ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☐ Aerial Photo Attached (required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).

RECEIVED
MAY 21 1992

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

2" INTAKE W/ 1" OUTLET. APPROX. 3' LIFT & 1" OUTLET
GOES UP TO HOME ABOUT 10' LIFT. APPROX. 3/4 AC.
IRRIGATION. 3 SPRINKLER HEADS CAN RUN AT ONCE
NORMALLY. LIFTS AGAIN UP APPROX. 10" - TOTAL
LIFT 25-30'. 3/4 AC IS SPREAD OUT AROUND HOME WITH
GARDEN AREA (LARGE) SOME LAWN, THEN ORCHARD TREES SCATTERED
AROUND AREA.
NO STOCKWATER USE.

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	COULD NOT READ	1	6K80	COULD NOT READ	1"

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			NE	SE	20	23N	1E	IDAHO	TOPOGRAPHIC MAP & PERMIT HOLDER

6. Place(s) of Use:

Indicate Method of Determination

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
23N	1E	20													1				1
																			1

Do not use this space

MAY 21 1992

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
		N/A				

2. Measurements:

NONE MADE - ESTIMATED ONLY. CALCULATION (THEORETICAL)
MADE TO VERIFY AMOUNT RECOMMENDED.

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

2. Alternate Method for Checking Purposes:

$$\frac{1 \text{ HP} \times .8 \times 8.8}{30' + (40 \times 2.5)} = \frac{7.04}{122} = 0.06 \text{ CFS}$$

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) : Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 1 \text{ AC} \times \frac{4.0}{4.5} = 4.5 \text{ AF/ANN.}$

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .03 \times 154 \times 1.9835 = 9.2 \text{ AF/ANN.}$

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 4.5 \text{ AF/ANN.}$

2. Volume Calculations for Other Uses:

MICROFILMED
MAY 21 1992

* 23N 1E - IOWA chart 4.0 A.F. req'd

82 12/7/90

H. REMARKS AND OVERLAP REVIEW ANALYSIS

NO OVERLAP FOUND

& 78-7037 HAS SAME P/U IN SAME Q/Q BUT P/D IS
IN A DIFF Q/Q. THE LAND IRRIGATED IS DIFFERENT.
(KKQ)

* 78-07037 Little Salmon River. See above.

- 07038 groundwater } other land.
- 00260 Hot CK }

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
<u>IRRIGATION</u>	<u>5/1</u>	<u>10/1</u>	<u>0.03 CFS</u>	<u>4.5 AFA</u>
Totals:			<u>0.03 CFS</u>	<u>4.5 AFA</u>

2. Recommended Amendments

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above

☒ None

☐ Other

J. AUTHENTICATION

Field Examiner's Name

Signature

Certification Date

Field Report Preparation Date


Jan Shurte
JAN SHURTE

5/2/88

Kelly K. Christensen
1-9-90
checked overlap & for Gov. Let.

CONSULTANT SEAL

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.




MAY 21 1992

2-1E
- Sac 20

78-07146

T23N
R1E
S.20



PICTURE # 1

This shows the pump and river facing northwest.



PICTURE # 2

View of home facing south. Trees irrigated can be seen to the left and shrubs on the right. River lies to the right of the home.



MAY 21 1992
MICROFILMED

PICTURE # 3

The garden area is shown. This garden extends to the left and above garden is also irrigated. These are grapes, trees, and orchard above.



MAY 21 1992

4/86
RECEIVED

MAY 29 1987

Department of Water Resources
Western Regional Office

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

EXAMINATION FEE INFORMATION

ATTACHED OK BD

For Office Use Only

Fee Received \$ 50.00

Date 6-3-87

Receipt # 44898

Receipt by H.A.

Sent to S.O. 6/8/87 - H

RECEIVED

JUN 18 1987

1. Permit No. 8-7146

ONE OF THE FOLLOWING BOXES SHOULD BE MARKED TO DESIGNATE YOUR CHOICE: Department of Water Resources

☒ I choose to have the department make the field examination of this permit; attached is the examination fee. (If this box is marked, complete items 1 thru 8.)

2. Permit Holder: HOWARD L BOSSART

3. Post Office Address: P.O. Box 248 Pollock, ID 83047

Telephone No. 208-628-3371

4. Source of Water: LITTLE SALMON RIVER

5. Extent of Use:

Domestic _____ (No. of households) Stockwater _____ (No. and type of stock)

Irrigation 1.5 (acres) Other/Remark Irrigate fruit trees, plants & shrubbery starting 4/15 ending 10/11 (approx ending Oct 1)

6. Total rate &/or volume for which proof is submitted .06 cfs _____ acre-feet

7. Show the date water was first diverted and beneficially used under this permit:

5/20/83 Irrigate garden & fruit trees

8. Person to contact to accompany the department representative for the field examination:

HOWARD L. BOSSART

(Name)

MAY 21 1992

P.O. Box 248

Pollock, Id

(Address)

208-628-3371

(Telephone Number)

☐ I choose to have the field examination conducted by a certified water right examiner. Attached is a statement from the certified examiner I have selected verifying that he has been retained to conduct the examination. (If this box is marked, complete items 1 thru 7.)

Date _____

Signature of Permit Holder (and title, if appropriate) _____

State of Idaho
Department of Water Resources

LICENSE EXAMINATION FEE SCHEDULE

(c.f.s. = cubic feet per second
AF = acre feet)

cfs	AF	Fee
0 - 0.04	0 - 4	\$ 0
.05 - 0.20	5 - 20	50.00
.21 - 1.0	21 - 100	100.00
1.01 - 2.0	101 - 200	125.00
2.01 - 3.0	201 - 300	150.00
3.01 - 4.0	301 - 400	175.00
4.01 - 5.0	401 - 500	200.00
5.01 - 6.0	501 - 600	225.00
6.01 - 7.0	601 - 700	250.00
7.01 - 8.0	701 - 800	275.00
8.01 - 9.0	801 - 900	300.00
9.01 - 10.0	901 - 1000	325.00
10.01 - 11.0	1001 - 1100	350.00
11.01 - 12.0	1101 - 1200	375.00
12.01 - 13.0	1201 - 1300	400.00
13.01 - 14.0	1301 - 1400	425.00
14.01 - 15.0	1401 - 1500	450.00
15.01 - 16.0	1501 - 1600	475.00
16.01 - 17.0	1601 - 1700	500.00
17.01 - 18.0	1701 - 1800	525.00
18.01 - 19.0	1801 - 1900	550.00
19.01 - 20.0	1901 - 2000	575.00
20.01 & over	2001 & over	600.00

Checks should be made payable to the
Department of Water Resources

No fee is required for single family
domestic use or stockwater use.



State of Idaho
DEPARTMENT OF WATER RESOURCES
Western Region

Cecil D. Andrus
Governor

2735 Airport Way
Boise, Idaho 83705
(208) 334-2190

78-7146
BOSSART, HOWARD
BOSSART, MILDRED
P.O. BOX 248
POLLOCK, ID 83547

138381

April 10, 1987

CERTIFIED MAIL

EXAMINATION FEE NOTICE

Dear Permit Holder:

Department records show that proof of beneficial use has been submitted for the above-referenced permit, but that a field examination has not yet been conducted to determine the extent of beneficial use of the water for licensing purposes.

House Bill 671 (effective April 4, 1986) enacted by the 1986 Idaho Legislature requires the payment of a fee before this department can conduct the field examination needed to issue a license confirming use of water under the permit. This letter is notification that the license examination fee is due within sixty (60) days of the date of this letter. The examination fee information sheet (enclosed) must be returned with the fee.

As an alternative to submitting the fee, the department will accept a field examination report completed by a certified water right examiner from the private sector. If you choose to have the examination done by a certified water right examiner, you need not submit the license examination fee to the department, but you must within sixty (60) days of the date of this letter return to the department, the examination fee information sheet showing appropriate information together with a statement from the certified examiner to verify that you have retained a certified examiner to conduct the field examination. If you choose this alternative, a completed field examination report must be submitted within one year of the date of this letter. You cannot later change your decision to use this alternative and submit the fee needed for the department to conduct the field examination, but you may change to another certified examiner.

MAY 21 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Western Region

Statehouse
Boise, Idaho 83720
(208) 334-2190

OCTOBER 10, 1985

HOWARD BOSSART
P.O. BOX 248
POLLOCK ID 83547

RE: Permit No. 78-7146

Dear Permit Holder:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this department.

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office by phone at 334-2190 or in person in the third floor State Towers Building, 450 West State Street, Boise.

Sincerely,
s/Judy Pense
Secretary

MAILED 10/11/85

MAY 21 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
PROOF OF BENEFICIAL USE

RECEIVED
MAY 29 1985

Department of Water Resources

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed development under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below:

Permit No. 78-7146

Name(s) of Permit Holder: HOWARD and/or MILDRED BOSSART

P.O. Box 248 (Change from 235)

Post Office Address: POLLOCK, ID 83547

Telephone No. 628-3371

Source of Water: LITTLE SALMON RIVER

Extent of Use:

Domestic _____ (number of households)

Stockwater _____ (number and type of stock)

Irrigation 1 1/2 _____ (acres)

Other/Remarks garden and fruit and nut trees and flowers scattered on land - pressure system no gravity

Indicate the date water was first diverted and beneficially used under this permit: MAY 1, 1983

Measuring Device: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☐ No

Flow Measurement Port: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☐ No

Person to contact to accompany the Department representative during the field examination:

HOWARD L. BOSSART
(Name)

P.O. Box 248 (US 95 mile marker 187) POLLOCK, ID 628-3371
(Address) (Telephone Number)

The above information is a true statement of the extent to which the above numbered permit has been developed.


May 26, 1985
Date

Howard L. Bossart
Signature of Permit Holder (and Title, if appropriate)

MICROFILMED

[Handwritten mark]

N.L. Bossart
P.O. Box 248
Pollock, Id 83547



Idaho Department of Water Resources
Statehouse Mail
Boise, ID 83720

INTER-DEPARTMENT MEMO — 1

DATE 5-23-1985

FROM

Rita Lusk

TO

File 78-7146

SUBJECT

Returned B/L Notice
The Idaho County Assessor has an
address of P.O. Box 235, Pollock, Idaho
83547 as the address of record.
The notice has been sent to this address.

MICROFILMED

[Signature]

SIGNATURE

STATEHOUSE
BOISE, IDAHO 83720

Order of Service

1015

APR 3 1965

Department of Water Resources

CLAIM CHECK
NO.

907006

☐ HOLD

DATE _____

1ST NOTICE

2ND NOTICE

RETURN

Detached from
PS Form 3848-A
Oct. 1980

CERTIFIED MAIL

五

138877

MICRO MED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

138877

BOSSART, HOWARD & MILDRED
9710 HALSTEAD DR.
BOISE, ID 83704

PROOF DUE NOTICE

MARCH 31, 1985

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 78-7146 WAS THAT PROOF OF THE EXTENT OF YOUR BENEFICIAL USE MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE JUNE 01, 1985. (SEE LAST PAGE OF YOUR APPROVED PERMIT OR YOUR LAST APPROVED EXTENSION REQUEST). ENCLOSED IS A FORM WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU OR A PREVIOUS OWNER OF THIS PERMIT HAVE NOT RECEIVED A PRIOR EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME IF THE DELAY IS FOR REASONABLE CAUSE AS PROVIDED IN SECTION 42-204, IDAHO CODE. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED. AN EXTENSION OF TIME REQUEST FORM IS ENCLOSED FOR YOUR CONVENIENCE.

EITHER THE BENEFICIAL USE FORM OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE DESCRIBED PROOF DUE DATE. IF NEITHER IS RECEIVED, THE DEPARTMENT WILL SEND YOU A LAPSE NOTICE. WITHIN SIXTY (60) DAYS OF THE MAILING OF THE LAPSE NOTICE, THE PERMIT WILL NO LONGER BE OF ANY FORCE NOR EFFECT.

SINCERELY,

RITA FLECK
SECRETARY/RECORDS MANAGER

ENCLOSURES

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

BOSSART, HOWARD & MILDRED
9710 HALSTEAD DR.
BOISE, ID 83704

JULY 10, 1980

RE: PERMIT NO. 78-7146

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

WE HAVE ENCLOSED A FORM ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

100-100000-100000

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: 665

APPLICATION NUMBER: 78-7146

CHECK:

Bonsort

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☐ Yes ☒ No* In form to receipt.

Field check by: _____

Date: _____

Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☒ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: _____

Date: _____

PROCESSING:

- ☐ Yes ☐ No Platted by: _____ Map No. _____
☐ Yes ☒ No Other rights on same place of use. _____
☒ Yes ☐ No* In form for advertising.
Final date for protests: 6-23-80
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 6/16/80
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☐ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____
5/22/80 Date of priority recommended.
Special conditions of approval or cover letter. _____

By: DBS

Date: 6/23/80

STATE OFFICE REVIEW:

- sh.w/o cond
☐ See attached sheet for more information.

By: Jim

Date: 6/26/80

78-7038 78-0260
78 7037



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Western Region

92 South Cole Road
Boise, Idaho 83709
(208) 334-2190

MAY 29, 1980

Idaho County Free Press
Box 267
Grangeville, ID 83530

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. We have allowed ample time for you to submit a galley proof to this office for review before the first publication date. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before JUNE 23, 1980.

Yours truly,

HELEN L. HARRINGTON
Secretary

Encl.

44-110-300

28-2146-

BOSSART, HOWARD &/or MILDRED

9710 HALSTEAD DR., BOISE, ID 83704

Source: LITTLE SALMON RIVER tributary to SALMON RIVER

Date Filed: 05/22/1980

Amount: 0.08 CFS

Diversion Point: NESE Sec 20 T 23N R 01E, IDAHO Co.

Use: IRRIGATION	(0.06 CFS)	from 05/01 to 10/01
STOCKWATER	(0.02 CFS)	from 01/01 to 12/31

Place of Use: NESE Sec 20 T 23N R 01E FOR 2 ACRES

Diversion Means: PUMP AND GRAVITY.