


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Donald C. Eckford
(Applicant)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
MAY 25 1990

Department of Water Resources

A. GENERAL INFORMATION


1. Owner: DONALD C. ECKFORD Permit No. 78-7138
Current Address: STAR ROUTE, POLLOCK, ID 83547 Phone No. 628-3261
2. Accompanied by: MRS. ECKFORD EXAM. DATE: 9/22/87
Address: SAME Phone No. 628-3261
Relationship to Permit Holder: WIFE
3. Source: LITTLE SALMON R. tributary to SALMON R.

B. OVERLAP REVIEW

1. Other water rights with same place of use: NONE KKC
☐ Copies Attached
2. Other water rights with same point of diversion: NONE KKC
☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION


1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



MICROFILMED
MAY 21 1992

Scale: 1" = _____

2. ☐ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required). ☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).
☐ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).



PICTURE # 1

Pump under old Pollack store with river in front. Store is on small supports to prevent damage to building during flooding.



PICTURE # 2

Portion of garden area with store behind and river behind store. Sprinkler head can be seen in the middle and other line was to the left of this picture.



RECEIVED
MAY 21 1992

PICTURE # 3

This picture shows lawn irrigation which is to the right of picture # 2 and on the north side of home portion of building. Sprinkler heads can be seen.



MICROFILMED
MAY 21 1992

State of Idaho
Department of Water Resources

AMENDED

WATER RIGHT LICENSE

AMENDED

WATER RIGHT NO. 78-07138

Priority: January 11, 1980

Maximum Diversion Rate:

0.03 CFS

Maximum Diversion Volume:

2.0 AF

This is to certify, that DONALD C ECKFORD

STAR ROUTE

POLLOCK ID 83547

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated January 11, 1980; and has submitted Proof of Beneficial Use on January 9, 1981. An examination indicates that the works have a diversion capacity of .110 cfs of water from:

LITTLE SALMON RIVER

tributary to SALMON RIVER

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/01 to 12/01	0.03 CFS	2.0 AF

LOCATION OF POINT(S) OF DIVERSION:

NWNE , Sec. 29, Township 23N, Range 01E
IDAHO County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
23N	01E	29	NWNE	0.5		0.5

Total number of acres irrigated: 0.5

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.

Microfilm


FEB 08 1993

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 78-07138

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 28TH
day of DECEMBER, 19 92.


Acting for R. Keith Higginson, Director


FEB 08 1993

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 78-07138

Priority: January 11, 1980

Maximum Diversion Rate:

0.03 CFS

Maximum Diversion Volume:

2.0 AF

This is to certify, that DONALD C ECKFORD

STAR ROUTE

POLLOCK ID 83547

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated January 11, 1980; and has submitted Proof of Beneficial Use on January 1, 1980. An examination indicates that the works have a diversion capacity of .110 cfs of water from:

1-6-81

LITTLE SALMON RIVER

tributary to SALMON RIVER

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/01 to 12/01	0.03 CFS	2.0 AF

LOCATION OF POINT(S) OF DIVERSION:

NWNE , Sec. 29, Township 23N, Range 01E
IDAHO County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
23N	01E	29	NWNE	0.5		0.5

Total number of acres irrigated: 0.5

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.

RECORDED

MAY 21 1992


State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 78-07138

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 22TH
day of APRIL, 1992.

Acting for


R. Keith Higginson, Director


MAY 21 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant Donald C. Eckford Phone 628-3261
Post office address Star Route Pollock, Idaho 83547
2. Source of water supply Little Salmon River which is a tributary of Salmon River
3. Location of point of diversion is NW $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 29 Township 23N
Range 1E B.M. Idaho County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount .03 cfs for Irrigation purposes from Mar. 1 to Nov. 1 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. .03 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. pump from river to sprinkler system

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 1 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____

Range _____ B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water _____.

(5) If water is to be used for other purposes describe: _____

REPROFILED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
23N	1E	29		.5			.5												1.0
Total number of acres to be irrigated																			1.0

c. Describe any other water rights used for the same purposes as described above. none


9. a. Who owns the property at the point of diversion Applicant

b. Who owns the land to be irrigated or place of use Applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____

10. Remarks _____

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Donald C. Eckford
(Applicant)

Proposed Priority 1/11/80

Received by CEB Date 11 Jan 80 Time 11:00

Preliminary check by ELS Fee \$ 20.00

Receipted by ab Date 1-11-80 Rec # 257

Publication prepared by YK Date 1/17/80

Published in Ida City Free Press

Publication dates 1/23 & 1/30/80

Publication approved YK Date 2/1/80

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by DBS

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 78-7138, and said application is hereby approved.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before March 1, 19 81.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other: _____

Witness my hand this 22nd day of February, 19 80.

L. Glen Saxton
Chief of Bureau

NOTICE OF APPLICATION
FOR WATER RIGHT

Notice is hereby given
that the following
application(s) have been
submitted for permit to
appropriate the public
waters of the State of Idaho:

78-7110

LOWE, TRESSIE &/or
LESTER

RIGGINS, ID 83549

Source: UNNAMED

SPRINGS tributary to
HILLMAN CREEK

Date Filed: 01/11/1980

Amount: 0.24 CFS

Diversion Point: NENW Sec
33 T 22N R 01E, IDAHO Co.

Use: DOMESTIC (0.04 CFS)
from 01/01 to 12/31

IRRIGATION (0.20 CFS)
from 04/01 to 10/31

Place of Use: NENW Sec 33
T 22N R 01E FOR 10 ACRES

Diversion Means:
COLLECTION BOX

W/PIPELINE

78-7139

OWEN, BRUCE D. &/or
OPAL C.

BOX 503, RIGGINS, ID 83549

Source: LITTLE SALMON
RIVER

Date Filed: 01/11/1980

Amount: 0.03 CFS

Diversion Point: SWSW Sec
09 T 23N R 01E, IDAHO Co.

Use: IRRIGATION (0.03
CFS) from 03/01 to 11/01

Place of Use: SWSW Sec 09 T
23N R 01E FOR 1 ACRES

Diversion Means: PUMP &
SPRINKLER SYSTEM

78-7138

ECKFORD, DONALD C.

STAR ROUTE, POLLOCK,
ID 83547

Source: LITTLE SALMON
RIVER tributary to

SALMON RIVER

Date Filed: 01/11/1980

Amount: 0.03 CFS

Diversion Point: NWNE Sec
29 T 23N R 01E, IDAHO Co.

Use: IRRIGATION (0.03
CFS) from 03/01 to 11/01

Place of Use: NWNE NENW
Sec 29 T 23N R 01E FOR 1

ACRES

Diversion Means: PUMP &
SPRINKLER SYSTEM

78-7137

HERMAN, ROBERT C. &/or
LORETTA J.

POLLOCK, ID 83547

Source: GROUNDWATER

Date Filed: 01/10/1980

Amount: 0.16 CFS

Diversion Point: NENE Sec
32 T 23N R 01E, IDAHO Co.

Use: DOMESTIC (0.04 CFS)
from 01/01 to 12/31

IRRIGATION (0.12 CFS)
from 03/01 to 12/01

Place of Use: NENE Sec 32 T
23N R 01E FOR 4 ACRES

Diversion Means: WELL &
PUMP

AFFIDAVIT OF PUBLICATION

Nona Donaldson

being first duly

sworn, says he is the Office Manager.....
of the IDAHO COUNTY FREE PRESS, a weekly newspaper which
is published and issued weekly at Grangeville, Idaho County,
State of Idaho, and which is of general circulation in said county
and state; that the said notice, of which the one hereto attached
is a true copy, was published in said paper for 2..... weeks,
being published 2..... times, the first publication being
on the 23..... day of JANUARY....., 1980.....,
and the last publication on the 30..... day of
.....January..... 19 80.; and that the said notice
was published in the newspaper proper and not a supplement;
that said newspaper has been continuously and uninterruptedly
published in said county during a period of more than seventy-
eight consecutive weeks prior to the first publication of said
notice or advertisement.

Nona Donaldson

Subscribed and sworn to before me this 1..... day
February....., 1980....

Marilyn J. Stolley Notary Public
for State of Idaho, residing at Grangeville, Idaho.

HERMAN, ROBERT C. &/or
LORETTA J.

POLLOCK, ID 83547

Source: LITTLE SALMON
RIVER tributary to

SALMON RIVER

Date Filed: 01/10/1980

Amount: 0.12 CFS

Diversion Point: NWNE Sec
32 T 23N R 01E, IDAHO Co.

Use: IRRIGATION (0.12
CFS) from 03/01 to 12/01

Place of Use: NWNE Sec 32
T 23N R 01E FOR 4 ACRES

Diversion Means: PUMP &
SPRINKLER SYSTEM

77-7083

FILER, PAUL

BOX 376, RIGGINS, ID 83549

Source: UNNAMED

STREAM tributary to

JUMBO CREEK

Date Filed: 01/10/1980

Amount: 0.24 CFS

Diversion Point: NWSW Sec
23 T 26N R 06E, IDAHO Co.

Use: DOMESTIC (0.24 CFS)
from 01/01 to 12/31

Place of Use: SWNW SENW
NWSW SWSW Sec 23 T 26N R

06E

Diversion Means:
PIPELINE & STORAGE

TANK

If issued the permit(s)

will be subject to all prior

water rights. Protests

against the granting of any

permit must be filed with the

Director of the Idaho

Department of Water

Resources, 92 S. Cole Road,

Boise, Idaho 83709 on or

before FEBRUARY 11, 1980.

C. STEPHEN ALLRED

Director

Published 1/23 & 1/30/80

J 23 30



Department of Water Resources
Western Regional Office



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

December 28, 1992

DONALD C ECKFORD
STAR RT
POLLOCK ID 83457

RE: Water Right No. 78-07138

Dear Water Right Holder(s):

During an unrelated review of water rights, a computer generated error was identified on your license. The date you submitted proof of beneficial use was listed incorrectly. We have corrected the error and have issued you an amended license. This correction in no way effects or changes the water right as originally licensed.

I have enclosed a copy of the amended license for your records.

If you have any questions, please feel free to contact me at (208) 327-7943.

Sincerely,

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

RECEIVED

FEB 08 1993

April 28, 1992

DONALD C ECKFORD
STAR ROUTE
POLLOCK ID 83547

RE: WATER RIGHT NO. 78-07138

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

SHARLA CURTIS
Water Resource Agent

SC:clh

Enclosure

UNRECORDED

MAY 21 1992



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

March 31, 1992

RE: Permit No. 78-7138

Robert D. &/or Nancy C. Black
HC 2, Box 500
Pollock, ID 83547

Dear Mr. and Mrs. Black:

I have received your letter concerning ownership of the above referenced permit. In Idaho, a permit is considered personal property; therefore, only the permit holder of record can take action on the right.

In order for us to be able to change our records and issue the license in your name, the permit must be assigned to you. I have enclosed a partially completed form for this purpose. Donald C. Eckford (the right holder of record) needs to sign the form and have it notarized.

I will hold action on the permit for 20 days to allow you to obtain the assignment. If you have any questions, feel free to give me a call.

Sincerely,

A handwritten signature in cursive script that reads "Sharla Curtis".

SHARLA CURTIS
Water Resource Agent

Enclosure

RECEIVED

MAY 21 1992

Dear Sharle Curtis -

RECEIVED
MAR 23 1992

Department of Water Resources

We need the water resource
put into our name, we purchased
the property about 3 years ago.

Water right no. 78-07138

Robert D. Black
Nancy C. Black

R & R Outdoors Inc.

HC 2 Box 500
Pollock Id. 83547
1208-628-3830

Sharle Yole

Nancy Black

RECEIVED

MAY 21 1992

March 11, 1992

DONALD C ECKFORD
STAR ROUTE
POLLOCK ID 83547

RE: WATER RIGHT NO. 78-07138

Dear Water Right Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

SHARLA CURTIS
Water Resource Agent

SC:clh

Enclosure

MICROFILMED

MAY 21 1992

LICENSE REVIEW CHECKLIST

Date 03-09-92

Permit # 78-7138

28

	<u>Yes</u>	<u>No</u>	
NAME	<u> </u>	<u>✓</u>	Address Change?
PRIORITY DATE	<u> </u>	<u>✓</u>	Advance?
	<u> </u>	<u>✓</u>	Memo to Advance
	<u> </u>	<u>✓</u>	Order to Reinstate Needed?
TOTAL CFS	<u> </u>	<u>✓</u>	Incorrect Fee for rate recommended?
	<u>NA</u>	<u>✓</u>	Disagree with Actual Measurement?
	<u> </u>	<u>✓</u>	Disagree with Theoretical?
	<u> </u>	<u>✓</u>	Limited by Capacity? (0.11 c/s)
TOTAL VOLUME	<u>✓</u>	<u> </u>	Rate/ac <u>4.0</u> AFA (Irrigation) $V_{IR} = .5 \times 4.0 = 2.0$ AFA
	<u> </u>	<u>✓</u>	Disagree with Examiner's Calculations?
	<u> </u>	<u>✓</u>	Limited by Flow? $V_{DR} = .03 \times 275 \times 1.9835 = 16.4$
SOURCE	<u> </u>	<u>✓</u>	Changes? Clarification of <u>Originally Intended</u> source is the only <u>Change</u> allowed. Any other change results in Notice of Intent to Void.
P/D	<u> </u>	<u>✓</u>	Verify with Map
	<u> </u>	<u>✓</u>	Amendment Needed?
	<u> </u>	<u>✓</u>	Is Overlap Analysis a Consideration?
P/U	<u> </u>	<u>✓</u>	Verify with Map
	<u> </u>	<u>✓</u>	Amendment Needed?
	<u> </u>	<u>✓</u>	Is Overlap Analysis a Consideration? <u>Drop NEW / Reduce to .5 ac</u>
USES	<u>✓</u>	<u> </u>	Changes required in the <u>Period of Use</u> for each Use to be compatible with Maps, Data Entry Standards, etc?
	<u> </u>	<u>✓</u>	Change(s) in Nature of Use?
	<u> </u>	<u>✓</u>	Amendment Needed?
REMARKS	<u> </u>	<u>✓</u>	Multiple P/Ds in 1/4 1/4?
	<u> </u>	<u>✓</u>	Non-Irrigation Uses
	<u> </u>	<u>✓</u>	Special Overlap Condition
	<u> </u>	<u>✓</u>	Other <u> </u>
CONDITIONS	<u> </u>	<u>✓</u>	Measuring Device
	<u> </u>	<u>✓</u>	W/Master Control
	<u> </u>	<u>✓</u>	Overlap <u>< 1 ac</u>
	<u> </u>	<u>✓</u>	Water Quality
	<u> </u>	<u>✓</u>	Other
			DATES/MISC
		<u>✓</u>	Water Dist.
		<u>✓</u>	App Rec'd
		<u>✓</u>	Exam Made
		<u>✓</u>	Other

COMMENTS/MEMOS NEEDED:

License 10-Day ✓ 15-Day Special Correspondence

DATE: 03/09/92
PAGE: 1

Misc: Water District Number: Field Exam Fee: N (Not Required)

Audit: 03/09/92 SKAGGS

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

78-7138
Permit No.

Staff Analysis Sheet
for
Beneficial Use Field Report

A. Prior to Conducting the Exam, the File Contains:

- ☒ Blank Field Report Form
☒ Copy of Permit
☒ Copies of any Amendments/Orders with conditions of approval
☒ Computer Data Proof Report
☒ Copy of U.S.G.S. Quad
none found ☒ Check for Government Lots. If so, make a copy of Government Plat

Check of P/D index 1-9-90 KKC (Initial and date)

Overlap? ☐ yes ☒ no If yes: ☐ copy of exam(s) attached?
Type of Overlap? ☐ Add acres or uses to existing system
☐ Increase rate of flow or volume
☐ Other: _____

Check of P/U index 1-9-90 KKC (Initial and date)

Overlap? ☐ yes ☒ no If yes: ☐ copy of water right(s) attached?
Type of Overlap? ☐ Increase rate of flow or volume
☐ Add P/D's
☐ Increase number of acres within tracts
☐ Other: _____

Aerial Photo

Required? ☐ yes ☒ no If yes: ☐ copy attached?

Scheduling Letter sent? 9/10/87 Jp (Initial and date)

☒ Appointment made and telephone conversation memo attached

B. After Conducting the Exam, the File Contains:

- ☒ Fully completed and signed Field Report Form
☒ Photographs of Point of Diversion and Place of Use
☒ Corrected Computer Data Proof Report with recommended license information, and date and signature of examiner.

C. Review and Processing:

Exam Completed Don Shurt 5/2/88 (Signature of examiner and date)
Exam Reviewed by Senior Water Resource Agent _____ (Initial and date)
Exam Reviewed by Manager of Regional Office Don 5/17/90 (Initial and date)
Exam Date Entered in Computer ✓ (Initial and date)
Exam sent to State Office at 5/25-90 (Initial and date)
Copy of Staff Analysis Sheet sent to Manager of Regional Office and Original
Refiled in White File _____ (Initial and date)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

MAY 25 1988
Department of Water Resources

A. GENERAL INFORMATION


1. Owner: DONALD C. ECKFORD Permit No. 78-7138
Current Address: STAR ROUTE, POLLOCK, ID 83547 Phone No. 628-3261
2. Accompanied by: MRS. ECKFORD EXAM. DATE: 9/22/87
Address: SAME Phone No. 628-3261
Relationship to Permit Holder: WIFE
3. Source: LITTLE SANNON R tributary to SANNON R

B. OVERLAP REVIEW

1. Other water rights with same place of use: NONE ^{KCC}
_____ ☐ Copies Attached
2. Other water rights with same point of diversion: NONE ^{KCC}
_____ ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = _____

2. ☐ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and place(s) of use (required).
☐ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater.)
☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).

REPRODUCTION
MAY 21 1992

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

1 1/2 HP MOTOR & PUMP UNDER OLD POLLACK STORE (SEE PICTURE)
WITH 2" INLET & SCREEN IN L. SALMON. 2" OUTLET UP TO LAWN
AREA WHERE PIPE SPLITS WITH 1" LINES TO GARDEN AREA & LAWN. 1 LINE
TO LAWN ON NORTHSIDE OF HOME & 2 1" LINES TO GARDEN AREA. APPROX.
1/2 ACRE IRRIGATION. HOME HAS A DOMESTIC WELL FOR IN-HOUSE USE.
LIFT IS APPROX. 5' TO IRRIGATED AREA.

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	DAYTON	1 1/2	5K475E	TEEL	SP553A
				(CENTRIFUGAL)	

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			NW	NE	29	23N	1E	IDAHO	TOPOGRAPHIC MAP & PERMIT HOLDER

6. Place(s) of Use:

Indicate Method of Determination

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
23N	1E	29	1/2																1/2
																			1/2

Do not use this space

MAY 21 1992

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
	NONE					

2. Measurements:

NONE REQ'D.

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

2. Alternate Method for Checking Purposes: $\frac{1.5 \text{ HP} \times .8 \times .88}{5' + (40 \times 2.3)} = \frac{10.56}{97} = 0.11 \text{ CFS}$

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3); Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \frac{1}{2} \text{ AC} \times 4.5 = 2.3 \text{ AF/ANN.}$

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 9.7 \text{ AF/ANN.}$

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 2.3 \text{ AF/ANN.}$

2. Volume Calculations for Other Uses:

MAY 21 1992

H. REMARKS AND OVERLAP REVIEW ANALYSIS

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
IRRIGATION	MAR. 1	NOV. 1	0.02 CFS	2.3 AFA
Totals:			0.02 CFS	2.3 AFA

2. Recommended Amendments

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other


J. AUTHENTICATION

Field Examiner's Name JAN SHURTE
Signature *Jan Shurte*
Certification Date _____
Field Report Preparation Date 5/2/88

GOV LOTS & OVERLAP
CHECKED 1-9-90
Kelly R. Christensen

CONSULTANT SEAL

- K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.



INDEXED

MAY 21 1992

5019

5018

5017

5016

17°30"

5015

5014

2016

T. 23 N.

T. 22 N.

2774 IV SW
(HEAVENS GATE)

30

29

33

5

19

20

21

28

27

26

25

24

23

22

21

20

18

17

16

15

14

13

12

11

10

9

8

7

6

5

4

3

2

1

0

-1

-2

-3

-4

-5

-6

-7

-8

-9

-10

-11

-12

-13

-14

-15

-16

-17

-18

-19

-20

-21

-22

-23

-24

-25

-26

-27

-28

-29

-30

-31

-32

-33

-34

-35

-36

-37

-38

-39

-40

-41

-42

-43

-44

-45

-46

-47

-48

-49

-50

-51

-52

-53

-54

-55

-56

-57

-58

-59

-60

-61

-62

-63

-64

-65

-66

-67

-68

-69

-70

-71

-72

-73

-74

-75

-76

-77

-78

-79

-80

-81

-82

-83

-84

-85

-86

-87

-88

-89

-90

-91

-92

-93

-94

-95

-96

-97

-98

-99

-100

-101

-102

-103

-104

-105

-106

-107

-108

-109

-110

-111

-112

-113

-114

-115

-116

-117

-118

-119

-120

-121

-122

-123

-124

-125

-126

-127

-128

-129

-130

-131

-132

-133

-134

-135

-136

-137

-138

-139

-140

-141

-142

-143

-144

-145

-146

-147

-148

-149

-150

-151

-152

-153

-154

-155

-156

-157

-158

-159

-160

-161

-162

-163

-164

-165

-166

-167

-168

-169

-170

-171

-172

-173

-174

-175

-176

-177

-178

-179

-180

-181

-182

-183

-184

-185

-186

-187

-188

-189

-190

-191

-192

-193

-194

-195

-196

-197

-198

-199

-200

-201

-202

-203

-204

-205

-206

-207

-208

-209

-210

-211

-212

-213

-214

-215

-216

-217

-218

-219

-220

-221

-222

-223

-224

-225

-226

-227

-228

-229

-230

-231

-232

-233

-234

-235

-236

-237

-238

-239

-240

-241

-242

-243

-244

-245

-246

-247

-248

-249

-250

-251

-252

-253

-254

-255

-256

-257

-258

-259

-260

-261

-262

-263

-264

-265

-266

-267

-268

-269

-270

-271

-272

-273

-274

-275

-276

-277

-278

-279

-280

-281

-282

-283

-284

-285

-286


PICTURE # 1

Pump under old Pollack store with river in front. Store is on small supports to prevent damage to building during flooding.



PICTURE # 2

Portion of garden area with store behind and river behind store. Sprinkler head can be seen in the middle and other line was to the left of this picture.



MAY 21 1962

PICTURE # 3

This picture shows lawn irrigation which is to the right of picture # 2 and on the north side of home portion of building. Sprinkler heads can be seen.



RECEIVED
MAY 21 1982



State of Idaho

DEPARTMENT OF WATER RESOURCES

WESTERN REGION, 92 South Cole Road, Boise, Idaho 83709

JOHN V. EVANS
Governor

(Office at the corner of
Franklin and Cole Roads)

C. STEPHEN ALLRED
Director

(208) 384-2190

January 20, 1981

Donald C. Eckford
Star Route
Pollock, Idaho 83547

RE: Permit No. 78-7138

Dear Mr. Eckford:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department.

☐ A field examination of your system has been scheduled for

If this time and date is not convenient for you, please contact this office as soon as possible.

☒ A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office.

Sincerely,

Kay Walker
Secretary

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 78-7138.

Name(s) of Permit Holder: Donald C. Eckford

Post Office Address: Star Rt.

Pollock, Idaho 83547 Tel. No. 628-3265

Source of Water: Little Salmon River

Extent of Use: ☐ Domestic (number of households)
☐ Stockwater (number and type of stock)
☒ Irrigation 3/4 (acres)
☐ Other

Measuring Device: Required? ☐ Yes ☒ No Installed? ☐ Yes ☐ No
 Access Port: Required? ☐ Yes ☒ No Installed? ☐ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

Jan. 5, 1981
Date

Donald C. Eckford
Signature of Permit Holder

Donald C. Eckford

Star Rt.

Pollock, Ida. 83547



IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

ECKFORD, DONALD C.
STAR ROUTE
PULLOCK, ID 83547

108811

DECEMBER 31, 1980

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 78-7138 WAS THAT EVIDENCE OF THE EXTENT OF DEVELOPMENT MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE MARCH 01, 1981. (SEE LAST PAGE OF YOUR APPROVED PERMIT). ENCLOSED IS A POST CARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF OF BENEFICIAL USE.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU HAVE NOT PREVIOUSLY RECEIVED AN EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME PROVIDED THE DELAY IS FOR REASONABLE CAUSE AS INDICATED IN SECTION 42-204, IDAHO CODE, AMENDED. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED. A REQUEST FOR EXTENSION OF TIME FORM IS ENCLOSED FOR YOUR CONVENIENCE. PLEASE NOTE THAT A FEE OF \$15.00 MUST BE SUBMITTED WITH THIS FORM.

EITHER THE BENEFICIAL USE POST CARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE MENTIONED DATE, OTHERWISE, THE PERMIT WILL LAPSE AND BE OF NO FURTHER FORCE OR EFFECT WITHIN 60 DAYS.

SINCERELY,

RITA FLECK
SR. SECRETARY

ENCLOSURES

MICROFILMED



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

C. STEPHEN ALLRED

Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

February 22, 1980

Donald C. Eckford
Star Route
Pollock, Idaho 83547

Dear Mr. Eckford,

RE: Permit No. 78-7138

Enclosed is a copy of your approved Application for Permit. We direct your attention to the conditions of approval as listed on the fourth page.

Sincerely,

A handwritten signature in cursive script that reads "David R. Tuthill, Jr." is written over the typed name.

DAVID R. TUTHILL, JR.
Supervisor, Water Allocations Section

DRT:mr

Enclosure

MICROFILMED

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: GLS

APPLICATION NUMBER: 18-7138

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No* In form to receipt.

Field check by: _____

Date: _____

Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department. Copies sent by: _____ Date: _____
☐ Idaho Fish and Game Department. _____
☐ Idaho Department of Lands. _____
☐ U.S. Bureau of Land Management. _____
☐ U.S. Forest Service. _____
☐ Other _____

PROCESSING:

- ☐ Yes ☐ No Platted by: _____ Map No. _____
☐ Yes ☐ No Other rights on same place of use. _____
☒ Yes ☐ No* In form for advertising.
Final date for protests: 2/10/80
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: _____
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☐ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____
1/11/80 Date of priority recommended.
Special conditions of approval or cover letter. _____

By: DBS Date: 2/11/80

STATE OFFICE REVIEW:

- Shond letter up card
☐ See attached sheet for more information.
By: Jen Date: 2/20/80

MICROFILMED

Z8-Z138

ECKFORD, DONALD C.

STAR ROUTE, POLLOCK, ID 83547

Source: LITTLE SALMON RIVER tributary to SALMON RIVER

Date Filed: 01/11/1980

Amount: 0.03 CFS

Diversion Point: NWNE Sec 29 T 23N R 01E, IDAHO Co.

Use: IRRIGATION (0.03 CFS) from 03/01 to 11/01

Place of Use: NWNE NENW Sec 29 T 23N R 01E FOR 1 ACRES

Diversion Means: PUMP & SPRINKLER SYSTEM

MICROFILMED