


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

James H. Greaves
(Applicant)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

Permit No. 78-7126
Phone No. 901-424-3788
Current Address: 166 Fiberglass Road Jackson, TN. 38301
EXAM. DATE: 10/23/87
Phone No. _____


1. Owner: James N. Crews
2. Accompanied by: No one available
Address: _____
Relationship to Permit Holder: _____
3. Source: springs tributary to Boulder Creek

B. OVERLAP REVIEW

1. Other water rights with same place of use: _____ ☐ Copies Attached
2. Other water rights with same point of diversion: _____ ☐ Copies Attached ☐ Copies of Field Exam's Attached


C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = NOT TO SCALE

2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).
☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).
☐ Aerial Photo Attached (required for irrigation of 10 acres or more).



No located points

Improved gravel/dirt Road

Boulder Creek Turnoff

GATES

78-7126

ROAD

78-7125

21N 15 S 3 (Lots N 1/2 N 1/2)

MICROFILMED

MAR 16 1960



State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 78-07126

Priority: July 2, 1979

Maximum Diversion Rate: 0.03 CFS
Maximum Diversion Volume:¹ 3.6 AF

This is to certify, that JAMES N. CREWS
166 FIBERGLASS RD.
JACKSON, TN 38301

has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated July 2, 1979; and
has submitted Proof of Beneficial Use on March 9, 1981. An examination indicates
that the works have a diversion capacity of .030 cfs of water from:

SPRINGS tributary to BOULDER CREEK

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 to 10/31	0.01 CFS	3.0 AF
DOMESTIC	01/01 to 12/31	0.02 CFS	0.6 AF
	Totals	0.03 CFS	3.6 AF

LOCATION OF POINT(S) OF DIVERSION: NWSWNW , Sec. 3, Township 21N, Range 01E
ADAMS County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
21N	01E	3	SWNW	1		1

Total number of acres irrigated: 1

PLACE OF USE: DOMESTIC, same as IRRIGATION use

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.

MICROFILMED

MAR 16 1990

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 78-07126

CONDITIONS/REMARKS:

5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 3.0 afa per acre for the lands above.
6. Domestic use is for 1 home.
7. 2 points of diversion located in NWSWNW, S3, T21N, R1E.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 10TH day of JANUARY, 1990.

Acting for

R. Keith Higginson, Director

MICROFILMED

MAR 16 1990

State of Idaho
Department of Water Resources

RECEIVED
DEC 5 1989

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 78-07126

Date of Priority: July 2, 1979

Maximum Diversion Rate: 0.03 CFS
Maximum Diversion Volume: 3.6 AF

Comes now JAMES N. CREWS

166 FIBERGLASS RD.

JACKSON, ~~87~~ 38301

TN*

and represents to the Director of the

Idaho Department of Water Resources:

That he is the owner and holder of Permit to Appropriate the Public Waters of the State of Idaho No. 78-07126, and requests that the permit be changed as follows:

Source: SPRINGS

tributary to BOULDER CREEK

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 to 10/31	0.01 CFS	3.0 AF
DOMESTIC	01/01 to 12/31	0.02 CFS	0.6 AF
	Totals	0.03 CFS	3.6 AF

LOCATION OF POINT(S) OF DIVERSION:

NWSWNW, Sec. 3, Township 21N, Range 01E
ADAMS County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
21N	01E	3	SWNW	1		1

Total number of acres irrigated: 1

PLACE OF USE: DOMESTIC, same as IRRIGATION use

MICROFILMED

MAR 16 1990

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at Place of residence, this 29 day of NOVEMBER, 1989.

James N. Crews
(Signature)

+kw 12/11/89

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 78-07126

FOR DEPARTMENT USE ONLY

Preliminary check by _____ Fee = \$20.00 ✓ Received by DK Date 12-5-89 C613257

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, R. Keith Higginson, of the Department of Water Resources hereby approve the above Application for Amendment for Permit No. 78-07126 with the following;

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to reflect cropping patterns or acceptable standards of water delivery efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Domestic use is for 1 home.
6. 2 points of diversion located in NWSWNW, S3, T21N, R1E.

Witness my hand this 10TH day of January, 1990.

Norman C. Young
Acting for R. Keith Higginson, Director

RECEIVED

MAR 16 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

APPROVED

1. Name of applicant JAMES M. CRENS ^{State of} Idaho Phone

Post office address STAR Route #1 New Meadows IDAHO 83654

2. Source of water supply GROUND WATER which is a tributary of BOULDER Creek

3. Location of point of diversion is NW $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 3 Township 21N

Range 1E B.M. ADAMS County, additional points of diversion if any:

4. Water will be used for the following purposes:

Amount 0.02 for DOMESTIC purposes from JAN. 1 to DEC. 31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount 0.01 for IRRIGATION purposes from APRIL 1 to DEC. 31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount for purposes from to (both dates inclusive)
(cfs or acre-feet per annum)

Amount for purposes from to (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 0.03 cubic feet per second and/or b. acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. 2FT. X 5FT. X 3FT. CEMENT
holding TANK WITH 3/4 inch PLASTIC PIPE

b. Height of storage dam feet, active reservoir capacity acre-feet; total reservoir
capacity acre-feet, materials used in storage dam:

Period of year when water will be diverted to storage to inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is inches; proposed depth of well is feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial
use is 2 years (minimum 1 year - maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: NW $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 3 Township 21N

Range 1E B.M.

(2) Amount of power to be generated: horsepower under feet of head.

(3) List number of each kind of livestock to be watered

(4) Name of municipality to be served , or number of families to be
supplied with domestic water 1.

(5) If water is to be used for other purposes describe:

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

[illegible]

Total number of acres to be irrigated 1

c. Describe any other water rights used for the same purposes as described above.


9. a. Who owns the property at the point of diversion JAMES N. CREWS

b. Who owns the land to be irrigated or place of use JAMES N. CREWS

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

10. Remarks

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

James H. Greaves
(Applicant)

Proposed Priority 7/2/79
Received by kw Date 7/2/79 Time 10:45 am
Preliminary check by _____ Fee \$ 20.00
Receipted by kw Date 7/2/79 #14427
Publication prepared by KK Date 7/5/79
Published in Adams County Leader
Publication dates 7/12 - 7/19/79
Publication approved KK Date 7/30/79
Protests filed by: _____

Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by V.G. J.S.
2 Aug 79

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 78-7126 , and said application is hereby approved .

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before September 1 , 19 81 .
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other: _____

Witness my hand this 28th day of August , 19 79.

A. Glen Saxton
Chief, Operations Bureau

Affidavit of Publication

State of Idaho, County of Adams, ss:

I, Bert J. Rogers, being first duly sworn upon my Oath, do-
pose and say that I am the publisher of The Adams County

Leader, a newspaper; that a copy of the "Notice of Application

as per clipping
hereto attached, was published in the regular and entire issue
of said newspaper, and not in any supplement thereof, for
two (2) consecutive weeks, the first publication of the

same being made in the issue dated July 12, 1979

and the last in the issue dated July 19, 1979
that said newspaper is of general circulation in Adams County
Idaho, printed and published weekly at Council therein and
that said newspaper has been continuously and uninterrupted-
ly published in said county during a period of more than sev-
enty-eight consecutive weeks prior to the first publication of

said "Notice" as aforesaid.

Subscribed and sworn to before me this 20th

day of July, 1979

Notary Public for Idaho,
Residing at Council, Idaho

NOTICE OF APPLICATION FOR
WATER RIGHT

Notice is hereby given that the
following application(s) have
been submitted for permit to ap-
propriate the public waters of the
State of Idaho:

78-7124

HIGH COUNTRY RANCHES
P. O. BOX 338, NEW MEADOWS,
ID 83654

Source: GROUNDWATER

Date Filed: 06/22/1979

Amount: 5.00 CFS

Diversion Point: SWSW Sec 25 T

20N R 01E, ADAMS Co.

Use: HEATING (5.00 CFS) from

09/01 to 06/30

FISH PROP. (5.00 CFS)

from 01/01 to 12/31

RECREATION (5.00 CFS)

from 01/01 to 12/31

Place of Use: NENE Sec 35 T 20N
R 01E

Diversion Means: SUBMERSI-
BLE PUMP, WELL, PIPELINE &
DISTRIBUTION SYSTEM

78-7125

CREWS, JAMES N.
ROUTE 1, NEW MEADOWS, ID
83654

Source: UNNAMED STREAM

tributary to BOULDER CREEK

Date Filed: 07/02/1979

Amount: 0.04 CFS

Diversion Point: NWNW Sec 03 T

21N R 01E, ADAMS Co.

Use: DOMESTIC (0.02 CFS) from

01/01 to 12/31

IRRIGATION (0.02 CFS)

from 04/01 to 10/31

Place of Use: NWNW Sec 03 T
21N R 01E SENW Sec 03 T 21N R

01E FOR 2 ACRES

Diversion Means: ROCK DAM,
PIPELINE

78-7126

CREWS, JAMES N.
STAR ROUTE NO. 1, NEW MEA-
DOWS, ID 83654

Source: GROUNDWATER

Date Filed: 07/02/1979

Amount: 0.03 CFS

Diversion Point: NWNW Sec 03 T

21N R 01E, ADAMS Co.

Use: DOMESTIC (0.02 CFS) from

01/01 to 12/31

IRRIGATION (0.01 CFS)

from 04/01 to 10/31

Place of Use: NWNW Sec 03 T

21N R 01E SWNW Sec 03 T 21N

R 01E FOR 1 ACRES

Diversion Means: TANK WITH
PIPELINE

If issued, the permit(s) will be
subject to all prior water rights.
Protests against the granting of
any permit must be filed with the
Director of the Idaho Department
of Water Resources, 92 S. Cole
Road, Boise, Idaho 83709 on or be-
fore JULY 30, 1979.

C. STEPHEN ALLRED

Director

Published 7/12 & 7/19/79.

Department of Water Resources
Western Regional Office

RECEIVED

January 11, 1990

JAMES N. CREWS
166 FIBERGLASS RD.
JACKSON, TN 38301

RE: PERMIT NO. 78-07126

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit along with a copy of your approved application for amendment.

Should you have any questions regarding these documents, please feel free to contact our office.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

MAR 16 1990

November 8, 1989

JAMES N. CREWS
166 FIBERGLASS RD.
JACKSON, ~~TX~~ 38301

*TN - kw
12/11*

RE: PERMIT NO. 78-07126

Dear Permit Holder(s):

The above referenced water right is in the process of being licensed. However, before a license can be issued, your permit must be amended to correspond with the findings of the Department's field examiner.

The enclosed application for amendment contains information that will be included on the license when it is issued. Please review carefully and if you concur, sign the amendment and return with the \$20.00 filing fee within 30 days.

If you do not concur with these findings or if you have any questions, please contact us within the 30-day period.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

MAR 16 1990

MEMORANDUM

TO:FILE #78-7126

FROM:ROXANNE MCCARTHY

RE: PRE-LICENSE REVIEW

DATE: 30-MAR-1989

The legal description of this right is correct on the Permit;
the places of use are both in Sec. 3, not Sec. 31 as noted on
the exam.

After reviewing the Permit and the field exam, it seems that
the source is more correctly described as a spring rather than
groundwater. This change should not require an amendment as
the intent appears clear on the Permit.

NOT FILMED

MAR 16 1990

POINT OF DIVERSION OVERLAP REVIEW

WR-NUMBER	TWP	RNG	SC	TRACT			LT	#SOURCE	#NAME
				1\4	1\4	1\4			
7807126	21N	01E	3	NW	NW			GROUNDWATER	CREWS, JAMES N

RECORDED

MAY 1 5 1990

PO: 21-N 1E 5.3 } SWNW -
pu

78-7126

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Staff Analysis Sheet
for
Beneficial Use Field Report

78-7126
Permit No.

RECEIVED

MAR -1 1988

A. Prior to Conducting the Exam, the File Contains:

- ☒ Blank Field Report Form
- ☒ Copy of Permit
- ☒ Copies of any Amendments/Orders with conditions of approval
- ☐ Computer Data Proof Report
- ☒ Copy of U.S.G.S. Quad
- ☒ Check for Government Lots. If so, make a copy of Government Plat

Department of Water Resources

Check of P/D index SL 10/19/87 (Initial and date)

Overlap? ☐ yes ☒ no If yes: ☐ copy of exam(s) attached?

Type of Overlap? ☐ Add acres or uses to existing system
☐ Increase rate of flow or volume
☐ Other: _____

Check of P/U index SL 10/19/87 (Initial and date)

Overlap? ☐ yes ☒ no If yes: ☐ copy of water right(s) attached?

Type of Overlap? ☐ Increase rate of flow or volume
☐ Add P/D's
☐ Increase number of acres within tracts
☐ Other: _____

Aerial Photo

Required? ☐ yes ☒ no If yes: ☐ copy attached?

Scheduling Letter sent? N/A (Initial and date)

☒ Appointment made and telephone conversation memo attached

B. After Conducting the Exam, the File Contains:

- ☒ Fully completed and signed Field Report Form
- ☒ Photographs of Point of Diversion and Place of Use
- ☒ Corrected Computer Data Proof Report with recommended license information, and date and signature of examiner.

C. Review and Processing:

Exam Completed Steve Lester 10/23/87 (Signature of examiner and date)

Exam Reviewed by Senior Water Resource Agent BD 1/22/88 (Initial and date)

Exam Reviewed by Manager of Regional Office DAK 2/19/88 (Initial and date)

Exam Date Entered in Computer _____ (Initial and date)

Exam sent to State Office CP 2/24/88 (Initial and date)

Copy of Staff Analysis Sheet sent to Manager of Regional Office and Original
Refiled in White File _____ (Initial and date)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION


Permit No. 78-7126
1. Owner: James N. Crews Phone No. 901-424-3788
Current Address: 166 Fiberglass Road Jackson, TN. 38301
2. Accompanied by: NO ONE AVAILABLE EXAM. DATE: 11/23/87
Address: _____ Phone No. _____
Relationship to Permit Holder: _____
3. Source: SPRINGS tributary to Boulder Creek

B. OVERLAP REVIEW

1. Other water rights with same place of use: _____ ☐ Copies Attached
2. Other water rights with same point of diversion: _____ ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. Diversion System Diagram: Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



MICROFILMED

MAR 16 1990

Scale: 1" = NOT TO SCALE

2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☐ Aerial Photo Attached (required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

Two springs near a cabin provide internal domestic water and/or irrigation water for 1 acre of trees, shrubs, and pasture located on north bank of Boulder Creek. Spring #1 on N. side of road employs 40' of 1 1/2" pipe, ending in a valve that allows hose hook-up or flood irrigation. A 3/4" branch line can hook to cabin intake pipe for domestic water. The second spring, found below the road and W. of cabin, has 20' of 1" line, then 60' of 3/4" line. This also ends in a valve that allows flood irrigation or hose hook-up for irrigation or domestic use. The cabin is approx. 150' N. of Boulder Creek and 800' SW of cabin covered in 78-7125.

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
		N/A			

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
1		NW	SW	NW	3	21N	1E	Adams	USGS 7 1/2' Quad; 2 springs.
2		NW	SW	NW	3	21N	1E	Adams	

6. Place(s) of Use:

Indicate Method of Determination

(USGS 7 1/2' Quad)

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
21N	1E	3							D										—

NOT FILMED

Do not use this space

MAR 16 1990

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
NONE						

2. Measurements:

NONE POSSIBLE, flow is almost absent at this point in this dry year.

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method: NONE - flow limited to .03 cfs based on permit and uses found.
(.02 domestic
.01 irrigation)
2. Alternate Method for Checking Purposes: NONE

F. PUMP EFFICIENCY DATA (Optional) N/A

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3); Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = (1)(3.0) = 3.0$

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = (.01)(213)(1.9835) = 4.2$

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 3.0$

2. Volume Calculations for Other Uses:

Domestic, 1 unit, int. use = .6

MICROFILMED

MAR 16 1990

H. REMARKS AND OVERLAP REVIEW ANALYSIS

Note that sources are two springs (not groundwater) and that domestic & irrigation use both occur in SWNW instead of in separate $\frac{1}{4}$ $\frac{1}{4}$'s.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Domestic	1/1	12/31	.02	0.6
Irrigation	4/1	10/31	.01	3.0
Totals:			.03	3.6

2. Recommended Amendments

☒ Change P.D. as reflected above

☐ Add P.D. as reflected above

☐ None

☐ Change P.U. as reflected above

☐ Add P.U. as reflected above

☐ Other

J. AUTHENTICATION

Field Examiner's Name

Steven Lester

BD

Signature

Steven Lester

1/22/88

Certification Date

Field Report Preparation Date


10/23/87


CONSULTANT SEAL

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

MICROFILMED

MAR 16 1990





MICROFILMED

MAY 16 1960

PERMIT NO. 78-7128

PERMIT NO. 78-7126
SPRING # 2



-78-7126 -

P/D SPRING #1

Spring originates 5'
behind cement spring box

Approx. 1 1/4 miles SW
of mouth of Boulder
Creek.

P/D Spring #2

Spring found 10' below
road at base of
fillslope.

P/U

Looking North;
springs are above & to
left of cabin.

MICROFILMED
MAR 10 1980

5-9 88

JIM JOHNSON
WATER RIGHTS SUPERVISOR

Received draft copy of License proposal
for CLAIM NO. 78-7125. IT LOOKS ALRIGHT.

Please Advise us ON STATUS of CLAIM NO.
78-7126.

We received Telephone call Oct. 1987
from field INSPECTOR prior to visiting
These 2 sites To verify Their useage.

I TALKED TO A "JIM", AFTERNOON OF 4-26-88
AND WAS TOLD THAT THE FORMS NECESSARY
FOR OUR REFILEING ON THESE 2 CLAIMS
WOULD BE SENT. TO DATE WE HAVE NOT
RECEIVED THEM AND ARE CONCERNED THAT
A TIME ELEMENT COULD CAUSE US PROBLEMS.

RECEIVED

Thank you


MAR 16 1990

M. Crews (James N. Crews)
166 Fiberglass Rd
JACKSON TN 38301

MAY 16 1988

Department of Water Resources

166 Fiberglass Rd
JACKSON TN 38301



Jim Johnson
Dept. of Water Resources
Statehouse
Boise Id. 83720



State of Idaho

DEPARTMENT OF WATER RESOURCES

WESTERN REGION, 92 South Cole Road, Boise, Idaho 83709

JOHN V. EVANS
Governor

(Office at the corner of
Franklin and Cole Roads)

C. STEPHEN ALLRED
Director

(208) 384-2190

March 18, 1981

James N. Crews
Star Route A
New Meadows, Idaho 83654

RE: Permit No. 78-7126

Dear Mr. Crews:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department.

☐ A field examination of your system has been scheduled for

_____.
If this time and date is not convenient for you, please contact this office as soon as possible.

☒ A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office.

Sincerely,

Kay Walker
Secretary

MICROFILMED

MAR 16 1980

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 78-7126

Name(s) of Permit Holder: James N. Crews

Post Office Address: Star Route 1, New Meadows, ID 83654

Source of Water: Groundwater

Extent of Use: ☒ Domestic 1 (number of households)
☐ Stockwater (number and type of stock)
☒ Irrigation 1 (acres)
☐ Other

Measuring Device: Required? ☐ Yes ☒ No Installed? ☐ Yes ☒ No
Access Port: Required? ☐ Yes ☒ No Installed? ☐ Yes ☒ No

The above information is a true statement of the extent to which the above numbered permit has developed.

3-1-81
Date

James N. Crews
Signature of Permit Holder

PLACE
TEN CENT
STAMP
HERE

RECEIVED

MAR 9 1981

Department of Water Resources

MICROFILMED

MAR 10 1990



IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

February 9, 1981

Mrs. James N. Crews
Star Route 1
New Meadows, ID 83654

Dear Mrs. Crews:

Re: Permit Nos. 78-7125 and 78-7126

Pursuant to our telephone conversation of last week, enclosed are the partially completed forms.

Please review each form for accuracy, have your husband sign them, and return them after March 1, 1981 along with the \$15.00 filing fee for the extension of time.

If you have any questions or I can be of any further assistance, please feel free to contact me.

Sincerely,

RITA FLECK
Sr. Secretary

Enclosures: Ext. of Time Request
Statement of B/U

MICROFILMED

MAR 16 1990



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 373 W. Franklin Street, Boise, Idaho

JOHN V. EVANS
Governor

C. STEPHEN ALLRED
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 384-2215

August 28, 1979

James Crews
Route 1
New Meadows, Idaho 83654

Dear Mr. Crews,

RE: Permit No. 78-7126

Enclosed is a copy of your approved Application for Permit. We direct your attention to the conditions of approval as listed on the fourth page.

Sincerely,

DAVID R. TUTHILL, JR.
Supervisor, Water Allocations Section

DRT:lr

Enclosure

RECEIVED

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: CWBRYAN

APPLICATION NUMBER: 78-7126
CREWS

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No* In form to receipt.

Field check by: _____

Date: _____

Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department. Copies sent by: _____ Date: _____
☐ Idaho Fish and Game Department. _____
☐ Idaho Department of Lands. _____
☐ U.S. Bureau of Land Management. _____
☐ U.S. Forest Service. _____
☐ Other _____

PROCESSING:

- ☐ Yes ☐ No Platted by: _____ Map No. _____
☐ Yes ☐ No Other rights on same place of use. _____
☒ Yes ☐ No* In form for advertising.
Final date for protests: 7/30/79
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: _____
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☐ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____
2 July 79 Date of priority recommended.
Special conditions of approval or cover letter. _____

By: [Signature] Date: 2 Aug 79

STATE OFFICE REVIEW:

- Short letter w/ condition
☐ See attached sheet for more information.
By: Joni Date: 8/22/79

Send receipt w/ approved app.

RECEIVED
AUG 7 1979
MICROFILMED

Department of Water Resources

28-2126-

CREWS, JAMES N.

STAR ROUTE #1, NEW MEADOWS, ID 83654

Source: GROUNDWATER

Date Filed: 07/02/1979

Amount: 0.03 CFS

Diversion Point: NWNW Sec 03 T 21N R 01E, ADAMS Co.

Use: DOMESTIC	(0.02 CFS)	from 01/01 to 12/31
IRRIGATION	(0.01 CFS)	from 04/01 to 10/31

Place of Use: NWNW Sec 03 T 21N R 01E SWNW Sec 03 T 21N R 01E
FOR 1 ACRES

Diversion Means: TANK WITH PIPELINE