

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

[illegible]

Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Jose Joseph Llanusa
(Applicant)

Affidavit of Publication

State of Idaho, County of Adams, ss:

I, Bert J. Rogers, being first duly sworn upon my Oath, depose and say that I am the publisher of The Adams County

Leader, a newspaper; that a copy of the " Notice of Applicati

No. 78-7103

as per clipping

hereto attached, was published in the regular and entire issue of said newspaper, and not in any supplement thereof, for two (2) consecutive weeks, the first publication of the

same being made in the issue dated November 3.1977

and the last in the issue dated November 10.1977 that said newspaper is of general circulation in Adams County Idaho, printed and published weekly at Council therein and that said newspaper has been continuously and uninterruptedly published in said county during a period of more than seventy-eight consecutive weeks prior to the first publication of

said " Notice " as aforesaid.

Subscribed and sworn to before me this

day of NOV 10 1977, 19 . .

Notary Public for Idaho,
Residing at Council, Idaho

ICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that JOHN JOSEPH UGARRIZA P. O. Box 180 New Meadows, ID has on October 25, 1977 submitted Application No. 78-7103 for a permit to appropriate 0.14 cubic feet per second of water from a spring by means of collection box and pipeline within the SE $\frac{1}{4}$ SE $\frac{1}{4}$ Sec 6 T19N-R2E B.M., Adams County to be used from Jan 1 to Dec 31 for stockwater and from April 1 to Oct. 1 for irrigation of 6 acres within the SE $\frac{1}{4}$ SE $\frac{1}{4}$ Sec 6 T19N-R2E B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Director of the Idaho Department of Water Resources, 92 South Cole Road, Boise, Idaho 83705 on or before November 21, 1977.

C. STEPHEN ALLRED
Director

Published in the Adams County Leader, Council, Idaho on November 3, 1977 and November 10, 1977.

OK
11-16-77

MICROFILMED

RECEIVED
NOV 10 1977

Department of Water Resources
Western Regional Office

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

256 14 1988

RECEIVED

A. GENERAL INFORMATION

Permit No. 7103

1. Owner: Albert and Holly Becker Phone No. 347-2346

Current Address: P.O. Box 64 New Meadows Idaho 83654

2. Accompanied by: P.O. Box 64 New Meadows Holly Becker EXAM. DATE: 7-27-87

Address: - Phone No. -

Relationship to Permit Holder: HO

3. Source: Spring tributary to sinks


B. OVERLAP REVIEW

1. Other water rights with same place of use: NONE ☐ Copies Attached

2. Other water rights with same point of diversion: NONE 78-724N-SEE STEVE LESTER'S NOTE DATED 12/4/87 ☒ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = 1" = ~80'

2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☐ Aerial Photo Attached (required for irrigation of 10 acres or more).
- ☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).

78-7103

Spring area is seen
in background of
this picture (looking east)
Pipe in foreground leads
from diversion pond to
small pump



Place of Use
Note Pump through
railing. Pond is just
to the right. Picture
looks northward.



MICROFILMED

SEP 14 1989

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 78-07103

Priority: October 25, 1977

Maximum Diversion Rate:

0.10 CFS

Maximum Diversion Volume:¹

15.2 AF

This is to certify, that ALBERT S. BECKER
HOLLY BECKER

P.O. BOX 64

NEW MEADOWS, ID 83654

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated October 25, 1977; and has submitted Proof of Beneficial Use on November 2, 1982. An examination indicates that the works have a diversion capacity of .100 cfs of water from:

SPRING

tributary to **SINKS**

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/15 to 10/15	0.10 CFS	15.0 AF
STOCKWATER	01/01 to 12/31	0.02 CFS	0.2 AF
Totals		0.10 CFS	15.2 AF

LOCATION OF POINT(S) OF DIVERSION:

NESESE , Sec. 6, Township 19N, Range 02E
ADAMS County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
19N	02E	6	SESE	5		5
Total number of acres irrigated:						5

PLACE OF USE: STOCKWATER, same as IRRIGATION use

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to reflect cropping patterns or acceptable standards of water delivery efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.

MICROFILMED

SEP 14 1989

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE


WATER RIGHT NO. 78-07103

CONDITIONS/REMARKS:

5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 3.0 afa per acre for the lands above.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 31ST day of AUGUST, 19 87.

Acting for


R. Keith Higginson, Director

MICROFILMED

SEP 14 1989

WATER RIGHT SPLIT

SUMMARY

ACTION	RIGHT NO.	NAME	AMOUNT C.F.S.
Orginial Permit	78-7103	John Joseph Ugarriza	.14 cfs
Full Assignment	78-7103	Albert S. & Holly Becker	.14 cfs

MICROFILMED
SEP 1980

State of Idaho
Department of Water Resources
ASSIGNMENT OF PERMIT

RECEIVED
NOV 1 1982
OK to process
RC 11/4/82

I, JOHN WAKRIZA, hereby assign to Albert S & Holly Becker
of New Meadows, Idaho 83654
Address

CHECK ONE

☒ All my right, title, and interest in and to Permit No. 78-7103
to appropriate the public waters of the State of Idaho.

☐ The following described portion of my right, title, and interest in and to Permit
No. _____ to appropriate the public waters of the State of Idaho.

(Describe that portion of the permit being assigned by listing the acreage within
each 40 acre subdivision, the point of diversion and the amount of water in cubic
feet per second for direct diversion, or acre feet for storage)

Made this 28 day of MAY, 19 82.

[Signature]
Permit Holder

Spouse of Permit Holder

State of Idaho)
County of Adams) ss.

On this 28th day of May, 19 82, personally
appeared before me the signer(s) of the above instrument, who duly acknowledged to me
that he (she) (they) executed the same.

Notary Seal

Ellen R. Carpenter
Notary Public residing at
New Meadows, Idaho 83654

My commission expires:
1984

Identification No. _____
Application No. 78-7103

**STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES**

APPLICATION FOR PERMIT APPROVED

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

1. Name of applicant JOHN JOSEPH UGARRIZA Phone: 347-2561
post office address P. O. Box 180 New Meadows, ID 83654
2. Source of water supply spring which is a tributary of sinks
3. a. Location of point of diversion is SE $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 6 Township 19N
Range 2E B.M. Adams County; additional points of diversion if any: _____

- b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____
4. Water will be used for the following purposes:
Amount 0.12 for irrigation purpose from 4-1 to 10-1 (both dates inclusive)
(cfs or acre-feet per annum)
Amount 0.02 for stockwater purpose from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
a. 0.14 cubic feet per second and/or
b. _____ acre feet per annum.
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. _____
collection box & pipeline

- b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet, materials used in storage dam: _____
Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)
- c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 5 years.
b. Estimated construction cost is \$ _____.
8. Description of proposed uses:
a. If water is **not** for irrigation:
(1) Give the place of use of water: SE $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 6 Township 19N
Range 2E B.M. _____
(2) Amount of power to be generated: _____ hp under _____ feet of head.
(3) List number of each kind of livestock to be watered 10

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water _____.
(5) If water is to be used for other purposes describe: _____

MICROFILMED

[illegible]

Total number of acres to be irrigated 6


c. Describe any other water rights used for the same purposes as described above.

Application for Permit No. 78-7102

9. a. Who owns the property at the point of diversion Applicant
- b. Who owns the land to be irrigated or place of use Applicant
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

10. Remarks _____

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.


(Applicant)

Proposed Priority 10/25/77

Received by S Date 10/25/77 Time 3:30 p.m.
Preliminary check by GLS Fee \$10 - #9628
Received by S Date 10/25/77
Publication prepared by Y Date 10-27-77
Published in Adams County Leader
Publication dates Nov 3 & 10
Publication approved rf Date 11-16-77
Priority reduced to _____ Reason _____

Protests filed by: _____

Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by YLS Wthm

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 78-7103, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before January 1, 1983.
- c. Other: The rate of diversion for irrigation purposes under this permit when combined w/ permit 78-7102 shall not exceed 0.12 cfs.

2. Denial of said application is for the following reasons: _____

Witness my hand this 29 day of January, 1978.


DEPUTY Director

Affidavit of Publication

State of Idaho, County of Adams, ss:

I, Bert J. Rogers, being first duly sworn upon my Oath, depose and say that I am the publisher of The Adams County

Leader, a newspaper; that a copy of the " Notice of Application

No. 78-7103

as per clipping

hereto attached, was published in the regular and entire issue of said newspaper, and not in any supplement thereof, for two (2) consecutive weeks, the first publication of the

same being made in the issue dated November 3.1977

and the last in the issue dated November 10.1977 that said newspaper is of general circulation in Adams County Idaho, printed and published weekly at Council therein and that said newspaper has been continuously and uninterruptedly published in said county during a period of more than seventy-eight consecutive weeks prior to the first publication of

said " Notice " as aforesaid.

Subscribed and sworn to before me this

day of . 19 . .

Notary Public for Idaho,
Residing at Council, Idaho

NOTICE TO LANDLORDS: That JOHN JOHNSON, JR., P. O. Box 222, Adams County, ID has on October 1, 1977 submitted Application No. 78-7103 for a permit to appropriate 0.14 cubic feet per second of water from a spring by means of collection box and pipeline within the SE 1/4 Sec 6 T19N-R2E B.M., Adams County to be used from Jan 1 to Dec 31 for stockwater and from April 1 to Oct. 1 for irrigation of 6 acres within the SE 1/4 Sec 6 T19N-R2E B.M. If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Director of the Idaho Department of Water Resources, 200 South Cole Road, Boise, Idaho 83725 on or before November 1, 1977. G. STEPHEN ALLEN, Director.

Published in the Adams County Leader, Council, Idaho, November 3, 1977 and November 10, 1977.

OK
11-16-77

RECORDED

RECORDED
NOV 16 1977

Department of Water Resources
Western Regional Office

Affidavit of Publication

State of Idaho, County of Adams, ss:

I, Bert J. Rogers, being first duly sworn upon my Oath, depose and say that I am the publisher of The Adams County

Leader, a newspaper; that a copy of the " Notice of Application for Water Permit "

No. 78-7103 as per clipping

hereto attached, was published in the regular and entire issue of said newspaper, and not in any supplement thereof, for

two (2) consecutive weeks, the first publication of the

same being made in the issue dated November 3.1977


and the last in the issue dated November 10.1977 that said newspaper is of general circulation in Adams County Idaho, printed and published weekly at Council therein and that said newspaper has been continuously and uninterruptedly published in said county during a period of more than seventy-eight consecutive weeks prior to the first publication of

said " Notice " as aforesaid.


Subscribed and sworn to before me this

day of , 19 . .

Notary Public for Idaho,
Residing at Council, Idaho



OK
11-16-77



Department of Water Resources
Western Regional Office

RECEIVED

September 1, 1989

ALBERT S. BECKER
HOLLY BECKER
P.O. BOX 64
NEW MEADOWS, ID 83654

RE: PERMIT NO. 78-07103

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

SEP 14 1989

MEMORANDUM

TO: FILE

FROM: JIM JOHNSON

RE: ADJUSTMENT IN RATE OF FLOW

DATE: August 10, 1989

Mr. Becker responded to the pre-license correspondence asking for explanation of the reduction of the rate of flow proposed on the license.

After reviewing the field exam it appears that the rate of 0.05 cfs is too low for this right. The 0.05 cfs was determined by calculating the number of sprinkler heads (7) found in use on the day of inspection. The examiner noted that the system had about 16 sprinkler heads. Also, the map showing the distribution system included a ditch which was used to convey water for irrigation. Rather than using discharge from 7 sprinkler heads, for the total diversion the estimated capacity of the 1.5 hp motor of 0.11 cfs should be used. Since the rate is greater than 0.02 cfs/acre for the 5 acres irrigated the rate should be limited to 0.10 cfs for irrigation component. The stockwater component of 0.02 cfs should be added to the irrigation component for a total rate of 0.12 cfs as was originally recommended on the field exam.

RECORDED

SEP 14 1989

8/6/89

IDWR
1301 N. Orchard

Re: 75-07103

RECEIVED
AUG 09 1989

Jim Johnson,

Department of Water Resources

The proposed license for this is slightly different than the claim filed 5/25/88. On this claim it shows .15 cfs for irrigation instead of the .05 on the draft license. Please amend or advise.

Thank you,

Al Becker
Al Becker
347-2141

RECORDED

SEP 14 1989

August 2, 1989

ALBERT S. BECKER
HOLLY BECKER
P.O. BOX 64
NEW MEADOWS, ID 83654

RE: PERMIT NO. 78-07103

Dear Permit Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

SEP 14 1989

MEMORANDUM

TO:FILE #78-7103

FROM:ROXANNE MCCARTHY

RE: CHANGE TO FIELD EXAM RECOMMENDATION

DATE: 26-JAN-1989

The measured diversion rate under this right is 0.05 cfs. As this represents the actual amount of water being put to beneficial use this should be the diversion rate for irrigation used on the license.

MicroFILMED

SEP 14 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

78-7103
Permit No.

Staff Analysis Sheet
for
Beneficial Use Field Report

RECEIVED
MAR 29 1988

Department of Water Resources

A. Prior to Conducting the Exam, the File Contains:

- ☒ Blank Field Report Form
☒ Copy of Permit
☒ Copies of any Amendments/Orders with conditions of approval
☒ Computer Data Proof Report
☒ Copy of U.S.G.S. Quad
☒ Check for Government Lots. If so, make a copy of Government Plat
Check of P/D index RMG 7-24-87 (Initial and date)
Overlap? ☐ yes ☒ no If yes: ☐ copy of exam(s) attached?
Type of Overlap? ☐ Add acres or uses to existing system
☐ Increase rate of flow or volume
☐ Other: _____

- Check of P/U index RMG 7-30-87 (Initial and date)
Overlap? ☐ yes ☒ no If yes: ☐ copy of water right(s) attached?
Type of Overlap? ☐ Increase rate of flow or volume
☐ Add P/D's
☐ Increase number of acres within tracts
☐ Other: _____

Aerial Photo

Required? ☐ yes ☒ no If yes: ☐ copy attached?

Scheduling Letter sent? _____ (Initial and date)

☒ Appointment made and telephone conversation memo attached

B. After Conducting the Exam, the File Contains:

- ☒ Fully completed and signed Field Report Form
☒ Photographs of Point of Diversion and Place of Use
☒ Corrected Computer Data Proof Report with recommended license information, and date and signature of examiner.

C. Review and Processing:

Exam Completed Richard J. [Signature] (Signature of examiner and date)
Exam Reviewed by Senior Water Resource Agent [Signature] 2/1/88 (Initial and date)
Exam Reviewed by Manager of Regional Office [Signature] 2/19/88 (Initial and date)
Exam Date Entered in Computer _____ (Initial and date)
Exam sent to State Office 2/6/88 [Signature] (Initial and date)
Copy of Staff Analysis Sheet sent to Manager of Regional Office and Original
Refiled in White File _____ (Initial and date)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

NICKOLITWED

A. GENERAL INFORMATION

Permit No. 7103

1. Owner: Albert and Holly Becker Phone No. 347-2346

Current Address: P.O. Box 64 New Meadows Idaho 83654

2. Accompanied by: ~~P.O. Box 64 New Meadows~~ Holly Becker EXAM. DATE: 7-27-87

Address: - Phone No. -

Relationship to Permit Holder: W

3. Source: Spring tributary to sinks

B. OVERLAP REVIEW

1. Other water rights with same place of use: NONE


☐ Copies Attached

2. Other water rights with same point of diversion: ~~NONE~~ 78-724N-SEE STEVE

LESTER'S NOTE DATED 12/7/87 ☒ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



MICROFILMED

SEP 14 1989

Scale: 1" = 1" = ~80'

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☒ Photo of Diversion and System Attached

(required for all but single household domestic groundwater, and stockwater.

☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

A spring and related seepage face fills a pond from which water is diverted from. A 1.5 HP centrifugal pump diverts water into a sprinkler system. The system has about 16 sprinklers. During visit 6 were running at 45 PSI. A separate gravity ditch system also supplies water to the place of use and stock water.

☐ See Remarks on page 4 for continuation

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
Spring pump	G.E.	1.5	C48L2P100		

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			SE	SE	6	19N	2E	Adams	Topographic Map

6. Place(s) of Use:

Indicate Method of Determination

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
19N	2E	6																5	

Do not use this space

MICROFILMED

SEP 14 1989

Do not use this space

MICROFILMED

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Pilot Tube						

2. Measurements:

Rainbird 14600 A Sprinklers $\frac{1}{8}$ " Nozzle
Pressure reading 45 PSI
3.05 cfs per sprinkler $(3.05) 7 = 21 \text{ gpm}$
 $= .05 \text{ cfs}$

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method: Pressure Gauge .05 cfs

2. Alternate Method for Checking Purposes: $\frac{(1.5 \text{ HP})(8.8)(.8)}{40 (2.3)} = .11 \text{ cfs}$

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3); Flow rate: _____ cfs (4)

N/A

Water HP: (3) x (4) $\div$ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 5 \times 3 \text{ AF/ACRE/SEASON} = 15 \text{ AF}$

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .05 \times 183 \times 1.98 = 18.1 \text{ AF}$

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 15 \text{ AF}$

2. Volume Calculations for Other Uses:

Livestock 8 Hours .2 AF/yr

MICROFILMED

SEP 14 1989

H. REMARKS AND OVERLAP REVIEW ANALYSIS

266 11 088

MICROFILMED

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Irrigation	4-1	10-1	.10	15
Stockwater	1-1	12-31	.02	.2
Totals:			.12	15.2

2. Recommended Amendments


- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above

☒ None

☐ Other

J. AUTHENTICATION

Field Examiner's Name Richard Gempert
 Signature Richard A. Gempert
 Certification Date _____
 Field Report Preparation Date 7-27-87




K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

reviewed: Roxanne McElroy 1/26/89

MICROFILMED

SEP 14 1989



POINT OF DIVERSION
RECEIVED
JAN 25 1965


DEPART
PLACE OF USE

1 MILE
1000 FEET
METER

ROAD CLASSIFICATION
Medium-duty ——— Light-duty ———
Unimproved dirt - - - - -

U.S. Route

MICROFILMED



SEP 14 1989

BALLY MOUNTAIN, IDAHO
N4500-W11615/7.5

1963


MS 2774 III SE-SERIES V893

138-14


B

TON 25, D. C.
QUEST

Spring area is seen
in background of
this picture (looking east)
Pipe in foreground leads
from diversion pond to
small pump



Place of Use
Note Pump through
railing. Pond is just
to the right. Picture
looks northward.



MICROFILMED

SEP 14 1989

RECEIVED
MAY 29 1987

KEY, JNOVED

OK BD

For Office Use Only
Fee Received \$ 50.00
Date 6-3-87
Receipt # 44904
Receipt by [Signature]
Sent to S.O. 7/8/87 H

Department of Water Resources
Western Regional Office

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
EXAMINATION FEE INFORMATION

RECEIVED

JUN 19 1987

1. Permit No. 78-7103

ONE OF THE FOLLOWING BOXES SHOULD BE MARKED TO DESIGNATE YOUR CHOICE:

☒ I choose to have the department make the field examination of this permit; attached is the examination fee. (If this box is marked, complete items 1 thru 8.)

2. Permit Holder: Albert & Holly Becker

3. Post Office Address: P.O. Box 64 New Meadows, ID 83654
Telephone No. 347-2346

4. Source of Water: Spring

5. Extent of Use:
Domestic _____ (No. of households) Stockwater 8 Horses (No. and type of stock)
Irrigation 5 (acres) Other/Remark _____

6. Total rate &/or volume for which proof is submitted 0.2 cfs _____ acre-feet

7. Show the date water was first diverted and beneficially used under this permit:
7/8/82

8. Person to contact to accompany the department representative during the field examination:
Al Becker
(Name)

Box 64 New Meadows 347-2346 or 347-241
(Address) (Telephone Number)

☐ I choose to have the field examination conducted by a licensed right examiner. Attached is a statement from the certified examiner selected verifying that he has been retained to conduct the examination. (If this box is marked, complete items 1 thru 7.)

NOT COPIED

SEP 14 1989

5/25/87
Date

Albert Becker
Signature of Permit Holder (and title, if appropriate)

State of Idaho

Department of Water Resources

LICENSE EXAMINATION FEE SCHEDULE

(c.f.s. = cubic feet per second
AF = acre feet)

cfs	AF	Fee
0 - 0.04	0 - 4	~~50.00~~
.05 - 0.20	5 - 20	50.00
.21 - 1.0	21 - 100	100.00
1.01 - 2.0	101 - 200	125.00
2.01 - 3.0	201 - 300	150.00
3.01 - 4.0	301 - 400	175.00
4.01 - 5.0	401 - 500	200.00
5.01 - 6.0	501 - 600	225.00
6.01 - 7.0	601 - 700	250.00
7.01 - 8.0	701 - 800	275.00
8.01 - 9.0	801 - 900	300.00
9.01 - 10.0	901 - 1000	325.00
10.01 - 11.0	1001 - 1100	350.00
11.01 - 12.0	1101 - 1200	375.00
12.01 - 13.0	1201 - 1300	400.00
13.01 - 14.0	1301 - 1400	425.00
14.01 - 15.0	1401 - 1500	450.00
15.01 - 16.0	1501 - 1600	475.00
16.01 - 17.0	1601 - 1700	500.00
17.01 - 18.0	1701 - 1800	525.00
18.01 - 19.0	1801 - 1900	550.00
19.01 - 20.0	1901 - 2000	575.00
20.01 & over	2001 & over	600.00

Checks should be made payable to the
Department of Water Resources

No fee is required for single family
domestic use or stockwater use.



State of Idaho
DEPARTMENT OF WATER RESOURCES
Western Region

Cecil D. Andrus
Governor

2735 Airport Way
Boise, Idaho 83705
(208) 334-2190

78-7103
Becker, Albert S.
Becker, Holly
P.O. Box 64
New Meadows, ID 83654

138371

April 10, 1987

CERTIFIED MAIL

EXAMINATION FEE NOTICE

Dear Permit Holder:

Department records show that proof of beneficial use has been submitted for the above-referenced permit, but that a field examination has not yet been conducted to determine the extent of beneficial use of the water for licensing purposes.

House Bill 671 (effective April 4, 1986) enacted by the 1986 Idaho Legislature requires the payment of a fee before this department can conduct the field examination needed to issue a license confirming use of water under the permit. This letter is notification that the license examination fee is due within sixty (60) days of the date of this letter. The examination fee information sheet (enclosed) must be returned with the fee.

As an alternative to submitting the fee, the department will accept a field examination report completed by a certified water right examiner from the private sector. If you choose to have the examination done by a certified water right examiner, you need not submit the license examination fee to the department, but you must within sixty (60) days of the date of this letter return to the department, the examination fee information sheet showing appropriate information together with a statement from the certified examiner to verify that you have retained a certified examiner to conduct the field examination. If you choose this alternative, a completed field examination report must be submitted within one year of the date of this letter. You cannot later change your decision to use this alternative and submit the fee needed for the department to conduct the field examination, but you may change to another certified examiner.

MICROFILMED

SEP 14 1989

March 18, 1986

Al Becker
Box 64
New Meadows, ID 83654

Dear Mr. Becker:

Re: Permit Nos. 78-7102 and 78-7103

The department acknowledges receipt of your letter dated March 8, 1986 in which you advise that a field examination has not been conducted or that a water right license has not been issued.

There is a tremendous backlog of field exams to do since most of the exams are for irrigation and the exams for these can only be done during the irrigation season. Also, the number of field examiners has been reduced over the last several years due to budget cuts and reduction in staff.

I suggest that you wait until your irrigation system is operational and then contact our Western Regional office at 334-4290 to schedule a convenient time for you exams.

If you have any questions concerning your water rights, please feel free contact this office.

Sincerely,

RITA I. FLECK
Secretary/Records Manager

MICROFILMED

SEP 14 1989

State of Idaho
Dept. of Water Resources
State Office
450 West State Street
Boise, Idaho

RECEIVED

MAR 11 1986

Department of Water Resources

Dear Sirs;

March 8, 1986

Ref. permit No. 78-7102 & 78-7103

Attached please find acknowledgement by your office of my statement of beneficial use for the subject permit. I don't recall ever having the system inspected and have no record of a license for the water use. I, of course, would like to get the license confirmed. Please advise me of the status of my permit.

Sincerely,

Al Becker

Al Becker
347-2346 or 347-2141 (office)

MICROFILMED

SEP 14 1989



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

December 20, 1982

Albert S. and Holly Becker
P. O. Box 64
New Meadows, ID 83654

Dear Mr. and Mrs. Becker::

Re: Permit No. 78-7102 & 78-7103

This office acknowledges receipt of the assignment conveying this permit to you. The assignment has been entered into the department's records. A copy of the permit is enclosed for your records.

Also this office acknowledges receipt of the statement of beneficial use submitted for the permit. Before a license can be issued, a field examination must be made by a representative of this department. We cannot tell just when his examination will be made, but our examiner will try to contact you at the time he makes the examination so that you or a representative may show him the system.

If you have any questions regarding the field examination, please contact our Western Regional office at 208-334-2190.

Sincerely,

RITA I. FLECK
Sr. Secretary

Enclosures

MICROFILMED

SEP 14 1983

December 20, 1982

Albert S. and Holly Becker
P. O. Box 64
New Meadows, ID 83654

Dear Mr. and Mrs. Becker::

Re: Permit No. 78-7102 & 78-7103

This office acknowledges receipt of the assignment conveying this permit to you. The assignment has been entered into the department's records. A copy of the permit is enclosed for your records.

Also this office acknowledges receipt of the statement of beneficial use submitted for the permit. Before a license can be issued, a field examination must be made by a representative of this department. We cannot tell just when his examination will be made, but our examiner will try to contact you at the time he makes the examination so that you or a representative may show him the system.

If you have any questions regarding the field examination, please contact our Western Regional office at 208-334-2190.

Sincerely,

RITA I. FLECK
Sr. Secretary

Enclosures

MICROFILMED

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit no. 78-7103.

Name(s) of Permit Holder: Albert S + Holly Beckert

Post Office Address: P.O. Box 64

Tel. No. 347-2346

Source of Water:

Extent of Development:

☒ Domestic	<u>78-7102</u>	(number of households) <u>(1)</u>
☒ Stockwater	<u>78-7103</u>	(number and type of stock) <u>(10)</u>
☒ Irrigation	<u>78-7103</u>	(acres) <u>6</u>
☐ Other		

Measuring Device Required? ☒ Yes ☐ No Installed? ☒ Yes ☐ No

Access Port Required? ☐ Yes ☐ No Installed? ☐ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

10/25/82

Albert S Beckert

Signature of Permit Holder

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

138920

UGARRIZA, JOHN JOSEPH
P.O. BOX 180
NEW MEADOWS, ID 83654

OCTOBER 31, 1982

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 78-7103 WAS THAT EVIDENCE OF THE EXTENT OF DEVELOPMENT MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE JANUARY 01, 1983. (SEE LAST PAGE OF YOUR APPROVED PERMIT). ENCLOSED IS A POST CARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF OF BENEFICIAL USE.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU HAVE NOT PREVIOUSLY RECEIVED AN EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME PROVIDED THE DELAY IS FOR REASONABLE CAUSE AS INDICATED IN SECTION 42-204, IDAHO CODE, AMENDED. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED.

EITHER THE BENEFICIAL USE POST CARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE MENTIONED DATE, OTHERWISE, THE PERMIT WILL LAPSE AND BE OF NO FURTHER FORCE OR EFFECT WITHIN 60 DAYS.

SINCERELY,

RITA FLECK
SR. SECRETARY

ENC: 1



January 31, 1978

Re: Permit No. 78-7103

John Joseph Ugarriza
P. O. Box 180
New Meadows, ID 83654

Dear Mr. Ugarriza:

Enclosed is a copy of your approved Application for Permit No. 78-7103. We direct your attention to the conditions of approval as listed on the fourth page.

Sincerely,

BOBBY D. FLEENOR
Chief, Water Rights

BDF/cah

Enclosure

MICROFILMED

DEPARTMENT OF WATER RESOURCES
- STAFF ANALYSIS -

Item Initial Date

Application No. 78-7103

☒ Source
☒ Point of Diversion
☒ County
☒ Quantity of Water and Period of Use
☒ Description of Diverting Works
☒ Time required for B/U of water
☒ Place of Use or Acres Irrigated
☒ Map
☒ Signature
☒ Fee

(1) GLS 10/25/77

In form to receipt

(2) _____

Send Copies to:

_____ Idaho State Health Department
_____ Idaho Fish and Game Department
_____ Bureau of Land Management

(3) _____

_____ Request Special Use Permit from U.S.F.S.
_____ Request Easement from B.L.M.
_____ Request Information from Applicant
_____ Request Dam Safety Information

(4) GLS 10/25/77

In form for advertising

(5) _____

Platted on Map No. _____

(6) _____

Located within Water District No. _____

(7) _____

Critical groundwater area: yes _____ no _____

(8) _____

Groundwater levels: N/A

_____ Declining, _____ Stable, _____ Increasing

(comment) _____

(9) _____

Other rights on the same place of use

(10) _____

Comments: _____

(11) if OK

Affidavit of Publication received(date) 11-16-77

(12) _____

Final date for protests 11-21-77
Protests received: yes _____ no ☒

(13) _____

All requested information received from agencies or applicant: yes _____ no _____

(14) _____

Action recommended:

☒ Approve _____ Deny

10-25-77 Proposed Priority

Reason for Reduction _____

NO Measuring device required
☒ The rate of div for irrig purpose under
See attached sheet for other conditions of approval this permit when combined
w/permit 78-7102 shall not exceed
No special conditions for approval 0.12 cfs

(15) District W

By PLS Date 11-21-77



DEPARTMENT OF WATER RESOURCES

WESTERN REGION

John V. Evans
Governor

92 South Cole Road
Boise, Idaho 83705
(208) 384-2190

October 28, 1977

Re: Notice of Claim to a Water Right No. 67-4237 -- Donald &/or Karen Poulson
Notice of Application for Water Permit No. 67-7303 -- Lillie -- "for Donald Harvey
73-7102 -- John Joseph Darriza
73-7103 -- John Joseph Darriza

Adams County Leader
Council,
Idaho 83612

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. In order to receive payment, the following certification must appear on the bill:

"I hereby certify that the foregoing account is just and correct, that the amount claimed is legally due after allowing all just credits and that no part of the same has been paid."

(Signature of Claimant)

Please send the affidavit of publication and publication billing to this office before November 21, 1977.

Sincerely,

RITA FLECK
Secretary

Bill submitted
11-16-77
J

MICROFILMED

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that JOHN JOSEPH IGARRIZA
P. O. Box 180 New Meadows, ID
has on October 25, 1977 submitted Application No. 78-7103
for a permit to appropriate 0.14 cubic feet per second ~~acres~~
~~per annum~~ of water from a spring
by means of collection box and pipeline
within the SE $\frac{1}{4}$ SE $\frac{1}{4}$ Sec 6 T19N-R2E B.M., Adams County

to be used from Jan 1 to Dec 31
for stockwater and from Apr 1 to Oct 1
for irrigation of 6 acres
within the SE $\frac{1}{4}$ SE $\frac{1}{4}$ Sec 6 T19N-R2E B.M.

If issued, this permit will be subject to all prior water rights. Pro-
tests against the granting of the permit must be filed with the Director of
the Idaho Department of Water Resources, 92 South Cole Road, Boise, Idaho
83705 on or before November 21, 1977.

C. STEPHEN ALLRED

Director

Published in the Adams County Leader, Council, Idaho
on November 3, 1977 and November 10, 1977.

RECEIVED