


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

James H. Woods
(Applicant)

RECEIVED

NOV 12 1974

Department of Water Resources

NOV 12 1974

AFFIDAVIT OF PUBLICATION

Ann Adams

being first duly

sworn, says he is the society editor
of the IDAHO COUNTY FREE PRESS, a weekly newspaper which
is published and issued weekly at Grangeville, Idaho County,
State of Idaho, and which is of general circulation in said county
and state; that the said notice, of which the one hereto attached
is a true copy, was published in said paper for two weeks,
being published two times, the first publication being
on the 30 day of October, 1974,
and the last publication on the 6 day of
November, 1974; and that the said notice
was published in the newspaper proper and not a supplement;
that said newspaper has been continuously and uninterruptedly
published in said county during a period of more than seventy-
eight consecutive weeks prior to the first publication of said
notice or advertisement.

Ann Adams

Subscribed and sworn to before me this 6 day

of November, 1974

Marilyn J. Stolley

, Notary Public

for State of Idaho, residing at Grangeville, Idaho.

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that
JAMES H. WOODS, Box 415,
Riggins, Idaho has on Oct. 18,
1974 submitted Application
No. 78-7061 for a permit to
appropriate 0.48 cubic feet per
second of water from a
groundwater source by means
of well and pump within the
NE $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 24, T. 24N,
R. 1W, B.M., Idaho County to
be used from Jan. 1 to Dec.
31 for domestic use and March
1 to Dec. 1 for irrigation of
20 acres within the E $\frac{1}{2}$ SW $\frac{1}{4}$,
Sec. 24, T. 24N, R. 1W, B.M.
If issued, this permit will be
subject to all prior water
rights. Protests against the
granting of the permit must
be filed with the Idaho Depart-
ment of Water Resources,
Statehouse, Boise, Idaho,
83720, on or before Nov. 18,
1974.

R. KEITH HIGGINSON
DIRECTOR

Published in the Idaho
County Free Press, Grange-
ville, Idaho on Oct. 30, 1974
and Nov. 6, 1974.

O30-N6

OK
11-12-74
OK

MICROFILMED

Review with 78-7062 and 7162

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION


1. Owner: James H. Woods Permit No. 78-7061
Current Address: 10706 Palm Dr. Boise, Id. 83704 Phone No. 322-7832
2. Accompanied by: Same EXAM. DATE: 10/22/87
Address: Same Phone No. Same
Relationship to Permit Holder: Same
3. Source: groundwater tributary to —

B. OVERLAP REVIEW

1. Other water rights with same place of use: 78-7062, 7153
☐ Copies Attached N/A
2. Other water rights with same point of diversion: 78-7062
☐ Copies Attached ☐ Copies of Field Exam's Attached
See attached file

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached




Scale: 1" = NOT TO SCALE

• SPRING, 7162

2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).
☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).
☒ Aerial Photo Attached (required for irrigation of 10 acres or more).

MICROFILMED

JUN 28 1990



(RIGGINS)
2774 IV NE

5031

5030

25'

5029

2.8 MI. TO U.S. 95
RIGGINS 4.2 MI

24N
1W
5.24

acres
NESW = 5
SESW = 2
NWSE = 1
8

NO govt
LOTS IN
5.24

5028

5027

5026

(RIGGINS)
2774 IV NE

MICROFILMED

JUN 28 1990

SPECIAL PRINTING
Contours and woodland symbols omitted

INTERIOR - GEOLOGICAL SURVEY, WASHINGTON, D.C. - 1965

R.1.W. R.1.E. 548000m E. 116° 22' 30"

KESSLER CREEK 2-2

24 000

USDA
Forest Service
Photo of
7/16/80

0 4 9

7-16-80

USDA

24

611170

179-35

PHOTO AND
MAP







Notice is hereby given that JAMES H. WOODS, Box 415, Riggins, Idaho has on Oct. 18, 1974 submitted Application No. 78-7061 for a permit to appropriate 0.48 cubic feet per second of water from a groundwater source by means of well and pump within the NE $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 24, T. 24N, R. 1W, B.M., Idaho County to be used from Jan. 1 to Dec. 31 for domestic use and March 1 to Dec. 1 for irrigation of 20 acres within the E $\frac{1}{2}$ SW $\frac{1}{4}$, Sec. 24, T. 24N, R. 1W, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, Statehouse, Boise, Idaho, 83720, on or before Nov. 18, 1974.

R. KEITH HIGGINSON
DIRECTOR

Published in the Idaho
County Free Press, Grange-
ville, Idaho on Oct. 30, 1974
and Nov. 6, 1974.

O30-N6

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 78-07061

Priority: November 2, 1974

Maximum Diversion Rate:

0.20 CFS

Maximum Diversion Volume:¹

33.2 AF

This is to certify, that JAMES H. WOODS
10706 PALM DR.
BOISE, ID 83704

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated October 18, 1974; and has submitted Proof of Beneficial Use on September 20, 1979. An examination indicates that the works have a diversion capacity of .200 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/01 to 12/01	0.16 CFS	32.0 AF
DOMESTIC	01/01 to 12/31	0.04 CFS	1.2 AF
	Totals	0.20 CFS	33.2 AF

LOCATION OF POINT(S) OF DIVERSION:

NESW , Sec. 24, Township 24N, Range 01W
IDAHO County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
24N	01W	24	NESW 5	SESW 2	NWSE 1	8
Total number of acres irrigated:						8

PLACE OF USE: DOMESTIC

TWN RGE SEC

24N 01W 24 SESW

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.

MICROFILMED

JUN 28 1990

State of Idaho
Department of Water Resources**WATER RIGHT LICENSE**

WATER RIGHT NO. 78-07061

CONDITIONS/REMARKS:

3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.0 afa per acre for the lands above.
6. Domestic use is for 1 home.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 10TH day of MAY, 1990.

Acting for R. Keith Higginson, Director**MICROFILMED**

JUN 28 1990

State of Idaho
Department of Water Resources

RECEIVED
MAR 27 1990

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 78-07061

Department of Water Resources

Date of Priority: November 2, 1974

Maximum Diversion Rate: 0.20 CFS
Maximum Diversion Volume: 33.2 AF

Comes now
10706 PALM DR.
BOISE, ID 83704

JAMES H. WOODS

and represents to the Director of

APPROVED

Idaho Department of Water Resources:

That he is the owner and holder of Permit to appropriate the Public Waters of the State of Idaho No. 78-07061, and requests that the permit be changed as follows:

Source: GROUNDWATER

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/01 to 12/01	0.16 CFS	32.0 AF
DOMESTIC	01/01 to 12/31	0.04 CFS	1.2 AF
	Totals	0.20 CFS	33.2 AF

LOCATION OF POINT(S) OF DIVERSION:

NESW , Sec. 24, Township 24N, Range 01W
IDAHO County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
24N	01W	24	NESW 5	SESW 2	NWSE 1	8

PLACE OF USE: DOMESTIC

TWN RGE SEC

24N 01W 24 SESW

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at Boise Idaho, this 26th day of March, 1990.

James H. Woods
MICROFILMED
JUN 28 1990

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 78-07061

FOR DEPARTMENT USE ONLY

#C016435

Preliminary check by kw Fee = \$20.00 ✓ Receipted by ju Date 4-20-90

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, R. Keith Higginson, of the Department of Water Resources hereby approve the above Application for Amendment for Permit No. 78-07061 with the following;

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
- ✓ 5. Domestic use is for 1 home.

Witness my hand this 10TH day of MAY, 1990.

R. Keith Higginson
Acting for R. Keith Higginson, Director

MICROFILMED

JUN 28 1990

**BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO**

IN THE MATTER OF PERMIT)
NO. 78-7061 IN THE NAME OF)
JAMES H. WOODS)
_____)

**ORDER ADVANCING
DATE OF PRIORITY**

This matter having come before the Department of Water Resources (Department) as a result of preparing Permit No. 78-7061 for issuance of a license, the Department finds, concludes and orders:

FINDINGS OF FACT

1. The Department approved Application for Permit No. 78-7061 to appropriate the public waters of the State of Idaho with a proposed priority of OCTOBER 18, 1974.

2. On JUNE 25, 1987 the Department advised the permit holder that a license examination fee was required before an examination could be conducted to confirm the extent of use developed under the permit. The examination fee was due on AUGUST 24, 1987.

3. The license examination fee was received on SEPTEMBER 08, 1987, 15 day(s) late.

MICROFILMED

JUN 28 1990

CONCLUSIONS OF LAW

1. The Director may advance the priority date of the permit one day for each day the license examination fee is late, pursuant to the provisions of Section 42-217, Idaho Code.

2. The date of priority of Permit No. 78-7061 should be advanced 15 day(s).

ORDER

IT IS HEREBY ORDERED that the date of priority of Permit No. 78-7061 is advanced to NOVEMBER 02, 1974.

Dated this 7th day of November, 1989.

J. Glen Saylor
Chief, Water Allocation Bureau

MICROFILMED

JUN 28 1990

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF REMOVAL OF THE MEASURING
DEVICE REQUIREMENT FOR PERMIT NO. 78-7061

ORDER

WHEREAS, it has been determined by the Department of Water Resources that a measuring device is not required at this time for a determination of the quantity of water appropriated under said permit;

IT IS, THEREFORE, HEREBY ORDERED that the condition of approval that a measuring device of a type approved by the Department be permanently installed and maintained as part of the diverting works, be and is, REMOVED from said permit.

Dated this 28th day of August, 1978.

L. Glen Saxton
L. GLEN SAXTON

Chief, Operations Bureau

MICROFILMED

Identification No. _____

Application No. 78-7061

**STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES**

APPLICATION FOR PERMIT

APPROVED

To Appropriate the Public Waters of the State of Idaho

(TYPE OR PRINT IN INK)

1. Name of applicant James H. Woods Phone: _____
post office address Box 415, Riggins, Idaho 83549

2. Source of water supply Groundwater which is a tributary of _____

3. a. Location of point of diversion is NE $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 24 Township 24 N
Range 1 W B.M. Idaho County; additional points of diversion if any: _____

b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____

4. Water will be used for the following purposes:

Amount 0.4 for irrig. purpose from Mar 1 to Dec. 1 (both dates inclusive)
(cfs or acre-feet per annum)

Amount 0.08 for domestic purpose from Jan 1 to Dec. 31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 0.48 cubic feet per second and/or

b. _____ acre feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. well and pump

b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet, materials used in storage dam: _____

Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)

c. Proposed well diameter is 6 inches; proposed depth of well is 317 feet.

7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 5 years.

b. Estimated construction cost is \$ _____.

8. Description of proposed uses:

a. If water is **not** for irrigation: SE $\frac{1}{4}$ of SW $\frac{1}{4}$

(1) Give the place of use of water: NE $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 24 Township 24 N
Range 1 W B.M.

(2) Amount of power to be generated: _____ hp under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water 2.

(5) If water is to be used for other purposes describe: _____

MICROFILMED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

[illegible]

Total number of acres to be irrigated 20

c. Describe any other water rights used for the same purposes as described above. _____


9. a. Who owns the property at the point of diversion Applicant

b. Who owns the land to be irrigated or place of use Applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____

10. Remarks _____

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

James H. Woods
(Applicant)

10-18-1974
Proposed Priority

Received by Date 18 Oct 74 Time 3:30 pm
Preliminary check by Fee \$ 25.00
Receipted by Date 10-18-74 Receipt # 124
Publication prepared by Ch Date 10-25-74
Published in Idaho County Free Press
Publication dates Oct. 30 Nov. 6
Publication approved Ch Date 11-12-74
Priority reduced to Reason

Protests filed by:

Copies of protests forwarded by
Hearing held by Date
Recommended for approval denial by

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES


This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 78-7061, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before November 1, 19 79.
- c. Other: A measuring device of a type approved by this Department shall be permanently installed and maintained as part of the diverting works.

2. Denial of said application is for the following reasons:

Witness my hand this 27 day of November, 19 74.


Director

DEPARTMENT OF WATER RESOURCES
- STAFF ANALYSIS -

Item Initial Date

Application No. 78-7061

☒ Source
☒ Point of Diversion
☒ County
☒ Quantity of Water and Period of Use
☒ Description of Diverting Works
☒ Time required for B/U of water
☒ Place of Use or Acres Irrigated
☒ Map
☒ Signature
☒ Fee

(1) CS 10-21-79

In form to receipt

(2) NA

Send Copies to:

Idaho State Health Department
Idaho Fish and Game Department
Bureau of Land Management

(3) NA

Request Special Use Permit from U.S.F.S.
Request Easement from B.L.M.
Request Information from Applicant

(4) CS 10-21-79

In form for advertising

(5) NA

Platted on Map No. NA

(6) NA

Located within Water District No. NA

(7) R.W.H. 11-18-74

Critical groundwater area: yes NA no ☒

(8) R.W.H. 11-18-74

Groundwater levels:
NO INFORMATION AVAILABLE

NA Declining, NA Stable, NA Increasing

(comment) NA

(9) NA

Other rights on the same place of use

(10) NA

Comments: NA

(11) CS 11-12-74

Affidavit of Publication received(date) OK

(12) R.W.H. 11-18-74

Final date for protests 11-18-74

Protests received: yes NA no ☒

(13) NA

All requested information received from agencies or applicant: yes NA no NA

(14) R.W.H. 11-18-74

Action recommended:

☒ Approve NA Deny

NA Proposed Priority

NA Reason for Reduction

☒ Measuring device required NA

NA See attached sheet for other conditions of approval

NA No special conditions for approval

(15) District Western

By R. Hamilton Date 11-18-74

MICROFILMED

RECEIVED

NOV 19 1974


Department of Water Resources

RECEIVED

NOV 12 1974

Department of Water Resources
NOV 12 1974

AFFIDAVIT OF PUBLICATION



Ann Adams being first duly sworn, says he is the society editor of the IDAHO COUNTY FREE PRESS, a weekly newspaper which is published and issued weekly at Grangeville, Idaho County, State of Idaho, and which is of general circulation in said county and state; that the said notice, of which the one hereto attached is a true copy, was published in said paper for two weeks, being published two times, the first publication being on the 30 day of October, 1974, and the last publication on the 6 day of November, 1974; and that the said notice was published in the newspaper proper and not a supplement; that said newspaper has been continuously and uninterruptedly published in said county during a period of more than seventy-eight consecutive weeks prior to the first publication of said notice or advertisement.

Ann Adams

Subscribed and sworn to before me this 6 day of November, 1974

Marilyn J. Stollay, Notary Public
for State of Idaho, residing at Grangeville, Idaho.

OK
11-12-74
CR

MICROFILMED

May 17, 1990

JAMES H. WOODS
10706 PALM DR.
BOISE, ID 83704

RE: PERMIT NO. 78-07061

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit along with a copy of your approved application for amendment.

Should you have any questions regarding these documents, please feel free to contact our office.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

RECEIVED

JUN 28 1990



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 - (208) 327-7900

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

April 17, 1990

RE: Permit No. 78-7061

James H. Woods
10706 Palm Dr.
Boise, ID 83704

Dear Permit Holder:

Thank you for returning the licensing Amendment, however you did not include the \$20.00 filing fee.

I will hold the amendment form here for twenty (20) days without further action. Please return the \$20.00 filing fee for the amendment by May 8, 1990.

If you have any questions, please contact me at 327-7947.

Sincerely,

A handwritten signature in black ink, appearing to read 'Jim Johnson', written over the typed name and title.

JIM JOHNSON
Water Rights Supervisor

JJ:sc

MICROFILMED

JUN 28 1990

March 23, 1990

JAMES H. WOODS
10706 PALM DR.
BOISE, ID 83704

RE: PERMIT NO. 78-07061

Dear Permit Holder(s):

We previously forwarded to you an Amendment for Water Permit so that you could amend your permit to correspond with the findings of the Department's field examiner.

As of this date, we have not received this amendment. If we do not receive the amendment within fifteen (15) days, we will issue a Water Right License which reduces the amount that could have been allowable to you. Enclosed for your convenience is another amendment form in the event the first one was misplaced.

Since the license will be permanent water right you prompt attention to this matter will be appreciated.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

JUN 28 1990

November 7, 1989

JAMES H. WOODS
10706 PALM DR.
BOISE, ID 83704

RE: PERMIT NO. 78-07061

Dear Permit Holder(s):

The above referenced water right is in the process of being licensed. However, before a license can be issued, your permit must be amended to correspond with the findings of the Department's field examiner.

The enclosed application for amendment contains information that will be included on the license when it is issued. Please review carefully and if you concur, sign the amendment and return with the \$20.00 filing fee within 30 days.

Also enclosed is an order advancing the date of priority of this right due to late submittal of the examination fee.

If you do not concur with these findings or if you have any questions, please contact us within the 30-day period.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

JUN 28 1990

CALCULATION OF NEW PRIORITY DATES
LATE EXAM FEES

FOR PERMIT NO. 78-7062

BY: Kay Walker
3/30/1989

	<u>DATE</u>	<u>NUMBER OF DAYS</u> <u>(From Table of Days</u> <u>Between Two Dates)</u>
A. EXAMINATION FEE NOTICE SENT	6-25-87	176
B. DATE FEE DUE (60 days)	8-24-87	236
C. DATE FEE RECEIVED	9-8-87	251
D. NUMBER OF DAYS LATE (C - B)		15
E. ORIGINAL PRIORITY DATE	10-18-1974	291
F. NEW PRIORITY DATE (D + E)	11-2-74	306

REMARKS:

See examinee's remarks -
fee submitted on 78-7162
applied to this permit. \$50. pd
on 9/8/87 - Receipt #43927.
78-7162 determined to be used
for stock only. kw 3/30

MICROFILMED

JUN 28 1990

INTER-DEPARTMENT MEMO—1
DATE 1/14/88

together.

FROM Spark
TO Reviewers
SUBJECT Review

78-7061
-7062
-7162

Spark
SIGNATURE

Review with 78-7062 and 7162

Form 219
6/86

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION


1. Owner: James H. Woods Permit No. 78-7061
Current Address: 10706 Palm Dr. Boise, Id 83704 Phone No. 322-7832
2. Accompanied by: Same EXAM. DATE: 10/22/87
Address: Same Phone No. Same
Relationship to Permit Holder: Same
3. Source: Groundwater tributary to —

B. OVERLAP REVIEW

1. Other water rights with same place of use: 78-7062, 7153
☐ Copies Attached N/A
2. Other water rights with same point of diversion: 78-7062
☐ Copies Attached ☐ Copies of Field Exam's Attached
See Attached file

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = NOT TO SCALE

• SPRING, 7162

MICROFILMED

JUN 28 1990

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required). ☒ Aerial Photo Attached
(required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

This 317' deep, 8" cased artesian well has a 5 hp submersible pump to provide domestic water to one home through a buried 2" line. A second buried 2" line leads to 3 other homes (78-7062). Irrigation of orchard, pasture, and misc. shrubs/trees for aesthetic and food purposes last occurred 2-3 years ago. Eight 2" sprinkler lines using Rainbird model 29 heads were used. Owner does not recall no./hls per line or nozzle size. Although not irrigating now, system can be used for irrigation as described above. Evidence of irrigation was observed.

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Sears	5	M Tpg	Sears Submersible	2" pipe

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			NE	SW	24	24N	1W	Idaho	USGS 7 1/2' Quad AND Forest Service photo. ASCS and County Assessor's office do not have photo coverage of this area.

6. Place(s) of Use:

Indicate Method of Determination *Same as in P/D*

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
24N	1W	24								5			2		1				8
													D						

MICROFILMED

Do not use this space

JUN 28 1990

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
NONE						

2. Measurements:

NONE possible

NO well log found.

Pump set at 100'. Assume operating pressure of 60 psi (standard irrigation). Owner thinks dynamic pumping level is around 50'.

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method: NONE.

Allow: 8 AC. at .02 cfs each = .16 cfs } See Remarks
1 domestic at .04 cfs = .04 cfs

2. Alternate Method for Checking Purposes: ~~HP equation~~

$$Q = \frac{(8.8)(1.8)(5)}{(2.31 \times 60) + 50} = \frac{35.2}{188.6} = .19 \text{ cfs}$$

F. PUMP EFFICIENCY DATA (Optional) — N/A

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation: ~~to~~

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = (8)(4.0) = 32.0$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = (.16)(275)(1.9835) = 87.3$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 32.0$$

2. Volume Calculations for Other Uses:

domestic, 1 house, int. + ext. =

MICROFILMED

JUN 28 1990

Measuring device req't. should be waived.

H. REMARKS AND OVERLAP REVIEW ANALYSIS

~~Limit quantity of water due to lack of fee submitted with exam fee sheet. Owner stated that this restriction is satisfactory as long as irrigation use is included in license. I explained the need to exercise WR's every 5 years to maintain validity and emphasized this with respect to the upcoming SRB Adjudication.~~

Allow fee of \$50 from 78-7162 to be applied towards 78-7061. 7162 permit description was considerably more involved than actual use, which turned out to be limited to stockwater. Based on best available data, the well is capable of producing the recommended rate of flow.

Overlap:

P/D - 78-7062 is same well. P/U - 78-7062 is different domestic.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
IRRIGATION	3/1	12/1	.04 .16	32.0
Domestic	1/1	12/31	.04	1.2
Totals:			.04 .20	33.2

78-7153 uses surface water for irrigation and stockwater on different property.

2. Recommended Amendments

- ☐ Change P.D. as reflected above
☐ Change P.U. as reflected above

- ☐ Add P.D. as reflected above
☒ Add P.U. as reflected above
NOT AN EXPANSION OF ACRES

- ☐ None
☐ Other

J. AUTHENTICATION

Field Examiner's Name

Steven Lester

Signature


Stan Lester

Certification Date

Field Report Preparation Date

10/22/87

BD
1/22/88




CONSULTANT SEAL

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

MICROFILMED

JUN 28 1990



(RIGGINS)
274 IV NE

5031

5030

25'

5029

2.8 MI. TO U.S. 95

RIGGINS 4.2 MI

24N
1W
5.24

area
NESW = 5
SESW = 2
NWSE = 1
8

NO govt
lots in
5.24

MICROFILMED
JUN 28 1990

INTERIOR GEOLOGICAL SURVEY WASHINGTON D.C. 20515
R1W R1E 548000m E 45°22'

SPECIAL PRINTING
with woodwind symbols omitted

24 000

USDA
Forest Service
Photo of
7/16/80

7-16-80

USDA

24

170

179-35



Any

LT	Total LT acres	Total LT mi ²	Elevation	Soils Aspect
10A3F	33	.052	3400-4000	① -
31D3L	31	.048	4000-4400	SE
50C0V	5	0	3800-4600	NW
60E2E	18	.028	36-4600	NW
60E3F	143	.223	3800-4800	NW
61E1E	59	.092	4000-5200	E
61E1J	293	.458	3400-5200	S, SE
61E2E	23	.636	4000-4500	N
61E3F	38	.060	4000-5000	N, NW
61E3J	54	.084	3800-4400	① NW
63E1J	18	.028	4200-5200	S, SW
63E3F	28	.044	4200-4900	N
	<u>769</u>			

MICROFILMED

JUN 28 1961

78-7162

Mr. Steve Lester

Dept. of Water Resources

2735 Airport Way

Boise, ID 83705

Private land (140 acres) along Papoose Creek
in Section 24, T24N, R1W, B.M.

mi² / Soil type on back of
photos

MICROFILMED

JUN 28 1990

RECEIVED


JUN 13 1987

Department of Water Resources
Western Regional Office


From: Jerry Curnes
Nez Perce NF

PERMIT NO. 18-1061
7-7-52









78-7561 AND 7062 -

① P/O

Artesian well covered
by insulating material.
Well is SE of Hite
Spring and by Papoose Creek.

② Plu - 7061

Woods' home, looking
North.

③ Plu - 7061

Looking NW from
Papoose Creek Road at
pasture area. Woods'
house at left in trees.

④ Plu - 7061

Orchard and pasture
area near well.

⑤ Plu - 7062

Trailer between well
and 2 other homes
using domestic water
under this right.
View is NE down
Papoose Creek drainage.

MICROFILMED

JUN 28 1990

PD - 21N 1W S.24 - NES12
" " - E1/25V
" " - NWSE

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

78-7061
Permit No.

Staff Analysis Sheet
for
Beneficial Use Field Report

A. Prior to Conducting the Exam, the File Contains:

- ☒ Blank Field Report Form
- ☒ Copy of Permit
- ☒ Copies of any Amendments/Orders with conditions of approval
- ☒ Computer Data Proof Report
- ☒ Copy of U.S.G.S. Quad
- ☒ Check for Government Lots. If so, make a copy of Government Plat

Check of P/D index SL 10/19/87 (Initial and date)

Overlap? ☒ yes ☐ no If yes: ☒ copy of exam(s) attached? ^{See} 78-7062
Type of Overlap? ☒ Add acres or uses to existing system
☐ Increase rate of flow or volume
☐ Other: _____

Check of P/U index SL 10/19/87 (Initial and date)

Overlap? ☒ yes ☐ no If yes: ☐ copy of water right(s) attached? N/A
Type of Overlap? ☐ Increase rate of flow or volume
☐ Add P/D's
☐ Increase number of acres within tracts
☐ Other: _____

Aerial Photo

Required? ☐ yes ☒ no If yes: ☐ copy attached?

Scheduling Letter sent? N/A (Initial and date)

☒ Appointment made and telephone conversation memo attached

B. After Conducting the Exam, the File Contains:

- ☒ Fully completed and signed Field Report Form
- ☒ Photographs of Point of Diversion and Place of Use
- ☒ Corrected Computer Data Proof Report with recommended license information, and date and signature of examiner.

C. Review and Processing:

Exam Completed Steven Lenth 10/22/87 (Signature of examiner and date)

Exam Reviewed by Senior Water Resource Agent BD 1/22/88 (Initial and date)

Exam Reviewed by Manager of Regional Office AND 2/19/88 (Initial and date)

Exam Date Entered in Computer ✓ (Initial and date)

Exam sent to State Office ml 2-24-88 (Initial and date)

Copy of Staff Analysis Sheet sent to Manager of Regional Office and Original
Refiled in White File _____ (Initial and date)

4/86

RECEIVED
SEP 08 1987
Department of Water Resources

RECEIVED
SEP 10 1987

KEYPINCHED

Department of Water Resources
STATE OF IDAHO Western Regional Office

For Office Use Only
Fee Received NO FEE
Date 9/17/87
Receipt # 43927
Receipt by E H.

DEPARTMENT OF WATER RESOURCES

EXAMINATION FEE INFORMATION

RECEIVED
MAY 26 1988

1. Permit No. 78-7061

ONE OF THE FOLLOWING BOXES SHOULD BE MARKED TO DESIGNATE YOUR CHOICE: Department of Water Resources

☐ I choose to have the department make the field examination of this permit; attached is the examination fee. (If this box is marked, complete items 1 thru 8.)

2. Permit Holder: James H or Bessie E Woods

3. Post Office Address: 10706 Palm Dr Boise Id
83704 Telephone No. 322-7832 or

4. Source of Water: Well 322-7832, work

5. Extent of Use:

Domestic 1 (No. of households) Stockwater _____ (No. and type of stock)

Irrigation _____ (acres) Other/Remark _____

6. Total rate &/or volume for which proof is submitted 404 cfs _____ acre-feet

7. Show the date water was first diverted and beneficially used under this permit:

1975

8. Person to contact to accompany the department representative during the field examination:

James H Woods (Name)

10706 Palm Dr. Boise Id-83704 (Address) 322-7832 (Telephone Number)

☐ I choose to have the field examination conducted by a certified water right examiner. Attached is a statement from the certified examiner I have selected verifying that he has been retained to conduct the examination. (If this box is marked, complete items 1 thru 7.)

Date Sept 1987 Signature of Permit Holder (and title, if appropriate) James H Woods

MICROFILMED

JUN 28 1990

INTER-DEPARTMENT MEMO — 1

DATE June 25, 1987

FROM State Office

TO File

78-7061

SUBJECT Returned Mail from 1986 mailing of the "Certified Examination Fee Notice" letter.

New addresses were located and another Certified Examination Fee Notice letter and Exam information sheet were mailed dated June 25, 1987. These letters were sent out by the State Office using each regions letterhead.

These addresses were obtained by contacting the county assessors office.

Gail Garrett
SIGNATURE

MICROFILMED

JUN 28 1990



Cecil D. Andrus
Governor

State of Idaho
DEPARTMENT OF WATER RESOURCES
Western Region

2735 Airport Way
Boise, Idaho 83705
(208) 334-2190

June 25, 1987

78-7061
James H. Woods
9053 Donnybrook Ct.
Boise, ID 83709

138644
CERTIFIED MAIL

EXAMINATION FEE NOTICE

Dear Permit Holder:

Department records show that proof of beneficial use has been submitted for the above-referenced permit, but that a field examination has not yet been conducted to determine the extent of beneficial use of the water for licensing purposes.

House Bill 671 (effective April 4, 1986) enacted by the 1986 Idaho Legislature requires the payment of a fee before this department can conduct the field examination needed to issue a license confirming use of water under the permit. This letter is notification that the license examination fee is due within sixty (60) days of the date of this letter. The examination fee information sheet (enclosed) must be returned with the fee.

As an alternative to submitting the fee, the department will accept a field examination report completed by a certified water right examiner from the private sector. If you choose to have the examination done by a certified water right examiner, you need not submit the license examination fee to the department, but you must within sixty (60) days of the date of this letter return to the department, the examination fee information sheet showing appropriate information together with a statement from the certified examiner to verify that you have retained a certified examiner to conduct the field examination. If you choose this alternative, a completed field examination report must be submitted within one year of the date of this letter. You cannot later change your decision to use this alternative and submit the fee needed for the department to conduct the examination, but you may change to another certified examiner.

MICROFILMED

JUN 28 1990

page 2
Examination Fee Notice

Certified water right examiners are licensed engineers, geologists, or land surveyors certified by the department to conduct water right examinations. The procedure for certifying examiners results from the recently enacted HB 671 and is available from the department upon request. A listing of certified water right examiners is also available.

If your permitted use, in fact, has already been examined by the department and you have not asked to have the examination repeated, the fee requirement is not applicable to your permit. If you believe this is the case, please contact the department.


The license examination fee is to be based on the amount of water you indicate you have developed, as listed in item 6 on the examination fee information sheet. The amount of water on which the examination fee is based can be less than the permitted amount, if less water has been diverted and beneficially used. The licensed amount of water, however, will not exceed the amount you claim on the examination fee information sheet. The license examination fee schedule, on the back of the enclosed information sheet, shows a listing of applicable fees.

FAILURE TO SUBMIT WITHIN THE SIXTY (60) DAY PERIOD, THE FEE OR THE STATEMENT THAT A CERTIFIED EXAMINER HAS BEEN RETAINED TO MAKE THE FIELD EXAMINATION, WILL BE CAUSE TO ADVANCE THE PRIORITY OF THE PERMIT ONE DAY FOR EACH DAY THAT THE FEE SUBMITTAL IS LATE.

FAILURE TO SUBMIT THE FEE OR THE COMPLETED FIELD EXAMINATION REPORT WITHIN A YEAR WILL BE CAUSE TO CONSIDER THE PROOF OF BENEFICIAL USE TO BE INCOMPLETE AND TO LAPSE THE PERMIT.

The attached examination fee information sheet and the fee may be returned to this office. If you have questions or concerns please feel free to call at (208) 334-2190, or to visit the office at our new location near the airport, at 2735 Airport Way.

Sincerely,



DAVID R. TUTHILL, JR., P. E.
Manager, Western Regional Office

DRT:jp

Enclosure

MICROFILMED

JUN 28 1990



State of Idaho
DEPARTMENT OF WATER RESOURCES
Western Region

Cecil D. Andrus
Governor

2735 Airport Way
Boise, Idaho 83705
(208) 334-2190

78-7061
WOODS, JAMES H.
BOX 415
RIGGINS, ID 83549

138356

April 10, 1987

CERTIFIED MAIL

EXAMINATION FEE NOTICE

Dear Permit Holder:

Department records show that proof of beneficial use has been submitted for the above-referenced permit, but that a field examination has not yet been conducted to determine the extent of beneficial use of the water for licensing purposes.

House Bill 671 (effective April 4, 1986) enacted by the 1986 Idaho Legislature requires the payment of a fee before this department can conduct the field examination needed to issue a license confirming use of water under the permit. This letter is notification that the license examination fee is due within sixty (60) days of the date of this letter. The examination fee information sheet (enclosed) must be returned with the fee.

As an alternative to submitting the fee, the department will accept a field examination report completed by a certified water right examiner from the private sector. If you choose to have the examination done by a certified water right examiner, you need not submit the license examination fee to the department, but you must within sixty (60) days of the date of this letter return to the department, the examination fee information sheet showing appropriate information together with a statement from the certified examiner to verify that you have retained a certified examiner to conduct the field examination. If you choose this alternative, a completed field examination report must be submitted within one year of the date of this letter. You cannot later change your decision to use this alternative and submit the fee needed for the department to conduct the field examination, but you may change to another certified examiner.

page 2

Examination Fee Notice

Certified water right examiners are licensed engineers, geologists, or land surveyors certified by the department to conduct water right examinations. The procedure for certifying examiners results from the recently enacted HB 671 and is available from the department upon request. A listing of certified water right examiners is also available.

If your permitted use, in fact, has already been examined by the department and you have not asked to have the examination repeated, the fee requirement is not applicable to your permit. If you believe this is the case, please contact the department.

The license examination fee is to be based on the amount of water you indicate you have developed, as listed in item 6 on the examination fee information sheet. The amount of water on which the examination fee is based can be less than the permitted amount, if less water has been diverted and beneficially used. The licensed amount of water, however, will not exceed the amount you claim on the examination fee information sheet. The license examination fee schedule, on the back of the enclosed information sheet, shows a listing of applicable fees.

FAILURE TO SUBMIT WITHIN THE SIXTY (60) DAY PERIOD, THE FEE OR THE STATEMENT THAT A CERTIFIED EXAMINER HAS BEEN RETAINED TO MAKE THE FIELD EXAMINATION, WILL BE CAUSE TO ADVANCE THE PRIORITY OF THE PERMIT ONE DAY FOR EACH DAY THAT THE FEE SUBMITTAL IS LATE.

FAILURE TO SUBMIT THE FEE OR THE COMPLETED FIELD EXAMINATION REPORT WITHIN A YEAR WILL BE CAUSE TO CONSIDER THE PROOF OF BENEFICIAL USE TO BE INCOMPLETE AND TO LAPSE THE PERMIT.

The attached examination fee information sheet and the fee may be returned to this office. If you have questions or concerns please feel free to call at (208) 334-2190, or to visit the office at our new location near the airport, at 2735 Airport Way.

Sincerely,



DAVID R. TUTHILL, JR., P. E.
Manager, Western Regional Office

DRT:jp

Enclosure

Idaho Department of Water Resources
Western Region

DEPARTMENT OF WATER RESOURCES
2735 AIRPORT WAY
BOISE, IDAHO 83705

RECEIVED CHECKED
Undelivered: ☐ Refused
Addressed: ☐ No such street ☐ No such place in city
Do not return in this envelope



Salute

- ☒ Moved, left no address
- ☐ No such number
- ☒ Moved, not forwardable
- ☐ Addressee unknown

APR 22 1980

RECEIVED

Department of Water Resources
Western Region Office

138356

RECEIVED

DATE

☐ HOLD

218225

In Check No. 0376

Hold

Notice

Notice

Return

Detached from
PS Form 3849-A
Oct. 1980

from
3849-A

3425 Baymont Way
Boise, Id 83704



State of Idaho
DEPARTMENT OF WATER RESOURCES
Western Region

Cecil D. Andrus
Governor

2735 Airport Way
Boise, Idaho 83705
(208) 334-2190

78-7061
WOODS, JAMES H.
BOX 415
RIGGINS, ID 83549

138356

April 10, 1987

CERTIFIED MAIL

EXAMINATION FEE NOTICE

Dear Permit Holder:

Department records show that proof of beneficial use has been submitted for the above-referenced permit, but that a field examination has not yet been conducted to determine the extent of beneficial use of the water for licensing purposes.

House Bill 671 (effective April 4, 1986) enacted by the 1986 Idaho Legislature requires the payment of a fee before this department can conduct the field examination needed to issue a license confirming use of water under the permit. This letter is notification that the license examination fee is due within sixty (60) days of the date of this letter. The examination fee information sheet (enclosed) must be returned with the fee.

As an alternative to submitting the fee, the department will accept a field examination report completed by a certified water right examiner from the private sector. If you choose to have the examination done by a certified water right examiner, you need not submit the license examination fee to the department, but you must within sixty (60) days of the date of this letter return to the department, the examination fee information sheet showing appropriate information together with a statement from the certified examiner to verify that you have retained a certified examiner to conduct the field examination. If you choose this alternative, a completed field examination report must be submitted within one year of the date of this letter. You cannot later change your decision to use this alternative and submit the fee needed for the department to conduct the field examination, but you may change to another certified examiner.

MICROFILMED

JUN 28 1990



State of Idaho

DEPARTMENT OF WATER RESOURCES

WESTERN REGION, 92 South Cole Road, Boise, Idaho 83709

JOHN V. EVANS

Governor

(Office at the corner of
Franklin and Cole Roads)

C. STEPHEN ALLRED

Director

(208) 384-2190

October 24, 1979

James H. Woods

Box 415

Riggins, ID 83549

RECEIVED

OCT 25 1979

Department of Water Resources

RE: Permit No. 78-7061

Dear Mr. Woods:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department.

☐ A field examination of your system has been scheduled for

If this time and date is not convenient for you, please contact this office as soon as possible.

☒ A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office.

Sincerely,


Kay Walker
Secretary

RECEIVED

James H. Woods
Box 415
Riggins, ID 83549

CERTIFIED
No. 753337
MAIL

SEP 18
-PM
1979
IDAHO



*State of Idaho
Dept of Water Resources
Statehouse
Boise, Idaho 83720*

**RETURN RECEIPT
REQUESTED**

PLACE
TEN CENT
STAMP
HERE



Department of Water Resources IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 78-7061.

Name(s) of Permit Holder: James H. Woods

Post Office Address: Box 415

Riggins, Idaho 83549

Source of Water: _____

Extent of Use: ☒ Domestic 2 (number of households)
☒ Stockwater 5 Horses (number and type of stock) Chickens
☒ Irrigation 27 (acres)
☐ Other _____

Measuring Device: Required? ☐ Yes ☒ No Installed? ☐ Yes ☒ No
Access Port: Required? ☐ Yes ☒ No Installed? ☐ Yes ☒ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

17 Sept 1979

James H. Woods
Signature of Permit Holder



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 373 W. Franklin Street, Boise, Idaho

JOHN V. EVANS
Governor

C. STEPHEN ALLRED
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 384-2215

101322

August 31, 1979

James H. Woods
Box 415
Riggins, ID 83549

Dear Mr. Woods:

One of the conditions of approval of your water Permit No. 78-7061 was that evidence of the extent of development must be submitted to this office on or before November 1, 1979. (See last page of your approved permit). Enclosed is a post card which may be used to submit the required proof of beneficial use.

If you have not fully completed your project, and you have not previously received an extension of time, you may request an extension of time provided the delay is for reasonable cause as indicated in Section 42-204, Idaho Code, amended. If you have been prevented from proceeding by a governmental agency or by litigation, more than one extension of time can be granted.

Either the beneficial use post card or a request for an extension of time must be received by this Department on or before the above mentioned date, otherwise, the permit will lapse and be of no further force or effect within 60 days.

Sincerely,

RITA FLECK
Sr. Secretary

Enc: 1

[Handwritten initials]



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 373 W. Franklin Street, Boise, Idaho

JOHN V. EVANS
Governor

C. STEPHEN ALLRED
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 384-2215

June 18, 1979

Dear Wateruser:

The enclosed Order removes the measuring device requirement as a condition of approval from your permit.

If you have installed the measuring device, the field examination can be more quickly conducted by the Department's field examiner. You will also derive benefit from water management information which may be obtained from the installed meter.

If you have questions regarding this matter, please contact this office or our regional offices.

Sincerely,

David R. Tuthill Jr.

DAVID R. TUTHILL, JR.
Supervisor, Water Allocations Section

DRT:lr

Enclosure

November 29, 1974

Re: Permit No. 78-7061

Mr. James H. Woods
Box 415
Riggins, Idaho 83549

Dear Mr. Woods:

Enclosed is a copy of your approved Application for Permit No. 78-7061. We direct your attention to the conditions of approval as listed on the fourth page.

Be sure to note that a special condition requiring you to install and maintain a measuring device at your point of diversion has been placed upon your permit. We are enclosing a letter describing different types of measuring devices accepted by this office.

Sincerely,

BOBBY D. FLEENOR
Chief, Water Rights

BDF:jfr

Enclosures

RECEIVED
NOV 29 1974
BUREAU OF RECLAMATION
WASHINGTON, D.C.

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION

Cecil D. Andrus
Governor

R. Keith Higginson
Director

Statehouse - Annex 2
Boise, Idaho 83707
(208) 384-2215
Western District Office



Water Rights Administration
Water Resource Investigation
Dam and Reservoir Safety
Water Well Drilling
Waste Disposal Wells
Stream Channel Protection

October 25, 1974

Idaho County Free Press
Box 267
Grangeville, ID 83530

Re: Application for Permit No. 78-7061 - James H. Woods
78-7062 - Paul S. Boyer &/or James H. Woods

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. In order to receive payment, the following certification must appear on the bill:

"I hereby certify that the foregoing account is just and correct, that the amount claimed is legally due, after allowing all just credits, and that no part of the same has been paid."

(signature of claimant)

Sincerely,

Bill Submitted

11-12-74

clw

MICROFILMED

NOTICE OF APPLICATION
FOR WATER PERMIT

Notice is hereby given that
JAMES H. WOODS, Box 415,
Riggins, Idaho has on Oct. 18,
1974 submitted Application
No. 78-7061 for a permit to
appropriate 0.48 cubic feet per
second of water from a
groundwater source by means
of well and pump within the
NE $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 24, T. 24N,
R. 1W, B.M., Idaho County to
be used from Jan. 1 to Dec.
31 for domestic use and March
1 to Dec. 1 for irrigation of
20 acres within the E $\frac{1}{2}$ SW $\frac{1}{4}$,
Sec. 24, T. 24N, R. 1W, B.M.

If issued, the permit will be
subject to all prior water
rights. Proceedings against the
granting of the permit must
be filed with the Idaho Depart-
ment of Water Resources,
Statehouse, Boise, Idaho,
83720, on or before Nov. 18,
1974.

R. KEITH HIGGINSON
DIRECTOR

Published in the Idaho
County Free Press, Grange-
ville, Idaho on Oct. 30, 1974
and Nov. 6, 1974.

000-106

OK
10-30-74
ca

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that JAMES H. WOODS
~~Box 415, Riggins, Idaho~~
has on Oct. 18, 1974 submitted Application No. 78-7961
for a permit to appropriate 0.48 cubic feet per second ~~acre feet~~
~~per annum~~ of water from a groundwater source
by means of well and pump
within the NE1/4, Sec. 24, T. 24N, R. 1W, B.M., Idaho County

to be used from Jan. 1 to Dec. 31 for domestic use and March 1
~~for~~ to Dec. 1 for irrigation of 20 acres
within the NE1/4, Sec. 24, T. 24N, R. 1W, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, Statehouse, Boise, Idaho, 83720, on or before Nov. 18, 1974.

R. KEITH HIGGINSON

Director

Published in the Idaho County Free Press, Grangeville, Idaho
on Oct. 30, 1974 and Nov. 6, 1974.

MICROFILMED